



Authors' Index

A

Aandahl I.-J.

Radiography and trauma team (SS 1214), B-583

Abd El Bagi M.E.

Saudi radiology: Peculiar musculoskeletal infections and infestations (EM 4), A-454

Abdul-Khaliq H.

Systematic approach to congenital heart disease (CHD): A. Echocardiography: The first line modality (RC 303), A-089

Abdulqadr G.M.R., Suurkula M., Åström G., Johansson L., Molin D., Hagberg H., Ahlström H.

Whole-body MRI with diffusion weighted imaging compared with whole-body FDG-PET/CT in the staging of lymphoma patients (SS 106), B-103

Aboagye E.O.

Biomarkers: New word, new world, new work?: PET cancer biomarkers at the starting line (NH 7), A-166

Abou-Elghar M.E.A.M., Hekal I., Mohsen T., Refaie H., El-Diasty T.

DW MRI vs dynamic MRI in diagnosis of prostate cancer: A prospective study (SS 107), B-046

Abou-Elghar M.E.A.M., Hekal I., El Assmy A., Refaie H., El-Diasty T.

MRI in diagnosis of prostate cancer: Does post biopsy changes affect its accuracy? (SS 807), B-418

Abramyuk A., Wolf G., Zöphel K., Appold S., Abolmaali N.

Tumor blood supply heterogeneity estimated by DCE-CT in NSCLC radiotherapy outcome prediction (SS 104), B-037

Achenbach T., Döllinger F., Weinheimer O., Zwiener I., Mayer E., Buhl R., Düber C.

Rejection after lung transplantation: Airway morphometry in high resolution computed tomography (HRCT) (SS 1704), B-770

Adam A.

Renal cancer: Old problems, new solutions: Tumor ablation (SF 18), A-472

Adam E.J.

Clinical audit for radiologists: Why it is worth doing, and how to make it work: Clinical audit: What is it and who should do it? (ESR Audit Session), A-212

Adams J.E.

Metabolic bone diseases: C. Rickets and osteomalacia (RC 610), A-123

Adamus R., Wucherer M., Bolte R., Uder M., Loose R.

Periinterventional Flat Detector CT in patients with Transarterial Chemoembolisation (TACE) of liver tumors (SS 1609), B-733

Aguilar Perez M., Lopez Rueda A., Moniche F., González Marcos J., Mayol Deyá A., Gil-Peralta A., González García A.

Stenting in near occlusion of internal carotid artery (SS 1211), B-589

Ahmad A.A., Macari M., Cho K.C.,

Bonavita J.A., Robinson E., Bogoni L., Salganicoff M., Wolf M., Raykar V.

Effect of a concurrent virtual dissection with CAD for CTC interpretation: A multi-reader study evaluating accuracy and interpretation times (SS 1201b), B-508

Ahn S., Choi S., Chun E., Jin K., Choi D., Kang J.-W., Lim T.-H.

Investigation of T2-weighted signal intensity of infarcted myocardium and its correlation with delayed enhancement magnetic resonance imaging after acute myocardial infarction: Part II - patients study (SS 503), B-354

Akhan O.

Diffuse liver diseases: B. Infectious diseases of the liver (MC 1319), A-332

Al-Nakshabandi N.A.

Saudi radiology: Brucellosis in Saudi Arabia from head to toe (EM 4), A-455

Alhajji W., Nour-Eldin N.-E.A., Naguib N.N.N., Vogl T.J.

Implanted port-catheter system in patients with liver malignancy: Incidence of complications and duration of patency related to the primary tumor type (SS 509a), B-299

Alibek S., Karabulut E., Horger W., Uder M., Lell M.

Value of DWI-MR with single shot EPI vs Propeller (BLADE) using different sets of b-values for discrimination between most common parotid gland tumors (SS 108), B-060

Alison M., Azoulay R., Tilea B., Sebag G.-H.

Imaging in non-accidental injury: B. Skeletal trauma (RC 1412), A-389

Alkadhi H.

High pitch scanning in challenging patients (SY 4), D-07

Alkadhi H.

Functional imaging in CT: Optional or built-in?: Chairman's introduction (NH 6), A-105

Alkadhi H.

Imaging coronary artery disease (CAD): A. CT of coronary arteries: Luminography and beyond (RC 1503), A-445

Alkousayer O., Naisbi G., Harris M., Scullion H., Riley G., Gowda R., West A., Chadwick D.

The anterior tunnelled percutaneous nephrostomy: Initial experience of a new technique (SS 1607), B-668

Allegritti M., Fanelli F., Corona M., Boatta E., Lucatelli P., Passariello R.

10-year experience in the endovascular treatment of AAA: Lesson learned (SS 809), B-477

Alorainy I.A.

Saudi radiology: Role of imaging in discovery and characterisation of genetic diseases (EM 4), A-456

Alperin N., Chiang W., Lin D., Lee S.H., Sekula R.F.

Combined morphology-hydrodynamic criterion for adult Chiari I malformation (SS 1611), B-711

Alperin N., Pomschar A., Lee S.H., Koerte I., Heinen F., Reiser M.F., Ertl-Wagner B.

Evidence for altered cerebral venous drainage in chronic mild traumatic brain injury by quantitative MR flow (SS 1711), B-845

Altafani L., Tagliafico A., Resmini E., Ferone D., Ravenna A., Martinoli C.

Sonographic demonstration of trigger finger in acromegaly (SS 1710b), B-755

Altenbernd J.-C., Heusner T., Ladd S.C., Ringelstein A., Forsting M., Antoch G.

Dual energy-CT of hypervascular liver lesions in patients with HCC: Investigation of image quality, iodine uptake, and virtual non-contrast images (SS 801a), B-382

Altenbernd J.-C., Rieks M., Nicolas V., Schürmann K.

Should we trust CTA measurements? A comparative study of CTA and standard angiographic measurements in patients undergoing endovascular treatment of abdominal aortic aneurysms (SS 809), B-479

Alturkistany S., Jang H.-J., Yu H., Kim T.

Fading hemangiomas on multiphasic CT (SS 1601a), B-624

Alústiza J.M.

Quantification of liver processes: Defining biomarkers: B. Iron overload (RC 301), A-060

Amato M., Molinari F., Sverzellati N., Parapatt G.K., D'Argento F., Paolantonio G., Kuhnigk J.-M., Pirroni T., Bonomo L.

Improvement in the reproducibility of MDCT quantification of lobar pulmonary volumes using an automatic segmentation technique (SS 1704), B-774

Amelin M.E., Shevchenko A., Kurbatov V.P., Mukhamatullina E.Z., Laptev V.

Cerebral perfusion in patients with chronic brain ischemia and its link to carotid stenosis degree (SS 511a), B-286

Anderson S.E.

Josef Lissner - Honorary Lecture: The advance of musculoskeletal radiology and creating defining moments (HL 2), A-216

Andersson B.T.

Patient interaction: A. Interaction between patient and radiographer during radiological examinations (RC 1114), A-300

Angeletti M., Barra V., Ravazzolo N., D'Ambrosio I., Lodise P., Ballesio L.

Influence of clinical data in the evaluation of breast MRI: Intra and inter-observer variability of BI-RADS (SS 1202), B-549

Angelopoulos M., Emmanouil E., Malagari K., Pomoni M., Kelekis A.D., Kelekis D.

Prospective randomised comparison of chemoembolization with doxorubicin eluting beads (DEB-TACE) and bland embolization with bead block for hepatocellular carcinoma (HCC) (SS 409b), B-242

Antoch G.

Molecular CT: Radiological aspects in hybrid imaging (SY 13), D-36

Antoch G.

Hybrid imaging: The radiologic/nuclear sandwich: PET/CT: Lessons learned from a decade (NH 14), A-366

Antulov R., Carone D.A., Bruce J., Yella V., Dwyer M.G., Tjoa C.W., Benedict R.H.B., Zivadinov R.

Regionally distinct white matter lesions do not contribute to regional gray matter atrophy in patients with multiple sclerosis (SS 411), B-213

Authors' Index

Anzidei M., Napoli A., Cavallo Marincola B., Di Paoli P., Catalano C., Passariello R.

High-resolution steady state MR angiography of the peripheral arteries using gadobenate dimeglumine: A comparison with CT angiography (SS 115), B-075

Anzidei M., Napoli A., Cavallo Marincola B., Zaccagna F., Catalano C., Passariello R.

Steady state MR angiography of the carotid arteries: Feasibility and preliminary clinical experience with gadobenate dimeglumine compared with CT angiography and conventional angiography (SS 815), B-438

Anzidei M., Napoli A., Cavallo Marincola B., Zini C., Catalano C., Passariello R.

High resolution steady state MR angiography of the carotid arteries: Comparison of three different contrast agents for image quality and diagnostic accuracy (SS 815), B-439

Aoki T., Hanamiya M., Yamashita Y., Hayashida Y., Korogi Y.

Correlation between growth of lung adenocarcinoma showing localized ground-glass opacity on thin-section CT and molecular biomarkers (SS 404), B-150

Apestequiá L., Pina Insausti L.J.

Interventional techniques: A. US-guided core biopsy (RC 1102), A-286

Astrakas L.

Advanced brain MR imaging: Why and when: B. Spectroscopy (RC 1112), A-298

Awad D.M., Naqvi J., Bell J.K., Jenkins J.P.R.

An analysis of clinical negligence claims in radiology (SS 1610), B-609

Ayuso C.

Main indication in dynamic MRI (SY 17), D-47

Ayuso C.

Questions and conclusion (SY 17), D-51

Ayuso C.

Introduction (SY 17), D-46

Azavedo E.

New insights in breast imaging: Chairman's introduction (SF 10a), A-227

B

Balbi V., Budzik J.-F., Lethuc V., Bera-Louville A., Cotten A.

Tractography of lumbar nerve roots: Initial results (SS 1710a), B-743

Balbi V., Budzik J.-F., Lethuc V., Bera-Louville A., Assaker R., Cotten A.

Tractography in cervical spondylotic myelopathy: Diffusion abnormalities and clinical correlation (SS 1710a), B-744

Balter S.

Risk management and technology assessment: Acceptability criteria and equipment for fluoroscopy and interventional radiology (EF 2), A-210

Baltzer P.A.T.

Screening programmes: New challenges: B. Are CAD systems of any help in screening? (RC 1302), A-335

Baltzer P.A.T., Dietzel M., Vag T., Gajda M., Camara O., Kaiser W.A.

Lymph-node staging in MR-mammography using an extended scanning protocol: Initial results and diagnostic accuracy in a prospective study of 56 patients (SS 1202), B-540

Baltzer P.A.T., Schäfer A., Dietzel M., Vag T., Kaiser W.A.

Diffusion tensor imaging (DTI) of the breast: Preliminary results of a prospective study on 68 patients (SS 1202), B-542

Baltzer P.A.T., Benndorf M., Dietzel M., Vag T., Gajda M., Camara O., Kaiser W.A.

Breast MRI: A pilot study estimating sensitivity and specificity of unenhanced MR-mammography (DWI combined with T2w-TSE imaging, ueMRM) for the differentiation of mass lesions (SS 1202), B-548

Bamberg F., Sommer W.H., Schenzle J.C.,

Becker H.-C., Nikolaou K., Reiser M.F., Johnson T.R.C.

Systolic acquisition of coronary dual-source computed tomography angiography: Feasibility in an unselected patient population (SS 103), B-117

Bamberg F., König W., Truong Q., Schlett C.,

Nasir K., Brady T., Reiser M.F., Hoffmann U.

Increased levels of oxidized LDL and hs-CRP among patients with exclusively non-calcified plaque as measured by coronary computed tomography angiography (SS 803), B-405

Bang D., Park S.-H., Moon H.-B., Yu D.-Y., Yoon K.-H.

Micro-MR imaging of hepatic tumors in H-ras 12V transgenic mice (SS 106), B-107

Bankier A.A.

COPD: A disorder of the respiratory and cardiovascular systems: A. New facets of an old disease (CC 218), A-010

Barentsz J.O.

Lymph node imaging: Imaging is back!: Chairman's introduction: Can US, CT and MRI challenge PET/CT? (SA 13), A-320

Barentsz J.O.

Lymph node imaging: Imaging is back!: Nodal staging: MR and beyond? (SA 13), A-323

Bargellini I.

RF ablation beyond the liver: C. RF ablation in the chest (RC 609), A-155

Bargellini I., Cioni R., Pinto S., Formicola A., Cicorelli A., Petrucci P., Bartolozzi C.

Effects on renal function of renal artery stenting: Long-term results in a single centre experience (SS 509b), B-360

Barillari M., Cerini R., Marini S., Storti S.,

Manganotti P., Faccioli N., Spagnolli F., Fiaschi A., Pozzi Mucelli R.

Brain modifications after acute alcohol consumption analyzed by fMRI in resting state: First results and explanations (SS 811), B-464

Barkhof F.

Multiple sclerosis update: MRI and histopathological studies (SA 3), A-053

Baroud S., Matzek W.K., Bastati-Huber N.,

Kulinna-Cosentini C., Muin D., Herold C.J., Ba-Ssalamah A.

The efficacy of MDCT in the diagnostic work-up of peritoneal carcinomatosis in patients with gastric and distal esophageal cancer (SS 1601b), B-633

Barr N., Morris J., Boggis C.R.M., Barr N., Wilson M., Berks M., Diffey J.L., Astley S.M.

Comparison of microcalcification detection rates and recall rates in digital and analogue mammography (SS 102), B-051

Barraza Jr. J.M., Thilo C., Schoepf U.J., Nance Jr. J.W., Ravenel J.G., Costello P., Kang D.K.

Reproducibility of CT signs of right heart strain in acute pulmonary embolism (SS 804), B-397

Bartenstein P.

Clinical PET/CT beyond FDG (SY 13), D-37

Barter S.

Clinical audit for radiologists: Why it is worth doing, and how to make it work: Clinical audit: Getting everyone involved! UK experience and the role of national audit projects (ESR Audit Session), A-214

Bartling S.H., Budjan J., Aviv H., Michaely H.J., Semmler W., Schönberg S.O., Diehl S., Margel S., Sadick M.

First multimodal embolization particles being visible in MRI and CT (SS 1209), B-599

Bartolozzi C.

Primary liver tumors: B. Imaging of hepatocellular carcinoma (MC 1519), A-422

Basile A.

Venous thromboembolism: C. Central venous occlusions in the chest (RC 1109), A-311

Baski M., Marin D., Di Martino M., Guerrisi A., Di Miscio R., Del Monte M., Catalano C., Passariello R.

The role of 64-slice CT in the preoperative diagnosis of peritoneal carcinosis - could we establish a radiological peritoneal cancer index? Correlation between radiological and surgical findings (SS 1601b), B-630

Bastarrika G., Franquet T.

Cardiothoracic CT: One-stop-shop procedure?: C. Clinical usefulness in chronic thoracic diseases (CC 318), A-058

Bastati-Huber N., Matzek W.K., Baroud S., Muin D., Herold C.J., Ba-Ssalamah A.

Efficacy of HMDCT in differentiation between normal and pathologic wall thickening of the gastroesophageal junction line (SS 101b), B-025

Battaglia V., Bargellini I., Bozzi E., Bianchi F., Campani D., Bartolozzi C.

Detection and characterization of focal liver lesions by MDCT in cirrhotic patients undergoing liver transplantation (LT) (SS 801a), B-381

Battisti S., Gagliano M., Di Sibio A., Cipriani P., Di Venanzio C., Di Cesare E., Masciocchi C.

To assess the diagnostic role of CMRI and contrast media delayed enhancement technique (DE) in the evaluation of early cardiac involvement in patients suffering from systemic sclerosis (SSc), without cardiac symptoms (SS 403b), B-233

Battisti S., Gagliano M., Di Sibio A., Scipione S., Di Cesare E., Masciocchi C.

Myocardial fibrosis evaluation by MRI late enhancement technique in patients with CAVD (SS 403b), B-237

Bauer R.W., Schulz J., Zedler B., Kerl M., Lehnert T., Graf T.G., Vogl T.J.

Compound analysis of gallstones using dual energy CT: Results in an anthropomorphic phantom model (SS 401b), B-224

- Bauer R.W., Kerl M., Weisser P., Lehnert T., Korkusuz H., Jacobi V., Vogl T.J.**
Lung perfusion analysis with dual energy CT: Influence of window-settings on the diagnosis of underlying pathologies of perfusion deficits (SS 804), B-390
- Bauer R.W., Kerl M., Fischer N., Burkhard T., Larson M.C., Ackermann H., Vogl T.J.**
Dual energy CT for the assessment of chronic myocardial infarction in patients with chronic CAD: A comparison with 3T MRI (SS 1203), B-514
- Baum T., Müller D., Dobritz M., Rummeny E.J., Link T.M., Bauer J.S.**
Conversion and utility of QCT of the spine derived from sagittal reformations of contrast-enhanced MDCT (SS 1710a), B-747
- Bauman G., Eichinger M., Deimling M., Niemann A., Mall M., Schad L.R., Puderbach M.U.**
Non-contrast-enhanced lung perfusion MRI in comparison to contrast-enhanced MRI perfusion in young cystic fibrosis patients (SS 1704), B-775
- Baumüller S., Frauenfelder T., Schertler T., Stolzmann P., Götti R.P., Feuchtner G., Scheffel H., Marincek B., Leschka S.**
Depiction of lung parenchyma by high pitch dual-source CT in patients breathing during acquisition (SS 1604), B-643
- Baumüller S., Trigo Trindade P., Leschka S., Desbiolles L.M., Stolzmann P., Götti R.P., Feuchtner G., Marincek B., Alkadhi H.**
Cardiac computed tomography for the differentiation between bicuspid and tricuspid aortic valves: Comparison with echocardiography (SS 1603), B-721
- Baur-Melnyk A.**
Advanced imaging techniques in the spine: A. Benign vs malignant fracture in the spine (CC 1116), A-270
- Bazrafshan B., Hübner F., Koujan A., Larson M.C., Vogel V., Mäntele W., Vogl T.J.**
MR thermometry methods evaluation using an MR-compatible liver-equivalent gel phantom and a fiber-optic thermometer: Application to tumor thermal ablation (SS 509a), B-292
- Beale T.**
Nose and paranasal sinuses: B. Neoplastic disease (E³ 520), A-104
- Beale T.**
Common pains in the head and neck: A. Salivary colic (RC 1508), A-442
- Becce F., Feydy A., Rochette A., Larousserie F., Guillou L., Mouhsine E., Anract P., Drapé J.-L., Theumann N.**
Osteoid osteoma-like lesions: MDCT features and treatment by radiofrequency ablation (SS 510), B-263
- Becce F., Rochette A., Guerini H., Le Viet D., Trinquart L., Drapé J.-L.**
Accessory tendinous slips arising from the extensor carpi ulnaris (ECU) tendon: Prevalence, MRI appearance and association with ECU tenosynovitis and tendinopathy (SS 1710b), B-756
- Becker H.-C.**
CT going beyond morphology (SY 4), D-09
- Becker M.**
Imaging in ENT emergencies: Emergencies of the neck (SF 14), A-364
- Becker M.**
Common pains in the head and neck: C. Painful swallowing (RC 1508), A-444
- Beerbaum P., Sarikouch S.**
Systematic approach to congenital heart disease (CHD): B. MRI: Getting more specific (RC 303), A-090
- Beerekamp S., Haverlag R., Ubbink D.T., Luitse J.S.K., Ponsen K.J., Maas M., Goslings J.C.**
How to evaluate the quality of fracture reduction and fixation of the wrist and ankle in clinical practice? A Delphi consensus (SS 1610), B-615
- Beets G.L.**
Colorectal cancer: What the surgeon needs to know (MS 1821), A-463
- Beets-Tan R.G.H., Freeman A.H.**
Colorectal cancer: Diagnosis, staging and follow-up (E³ 1120), A-282
- Beets-Tan R.G.H.**
Colorectal cancer: Chairman's introduction (MS 1821), A-462
- Beets-Tan R.G.H.**
Colorectal cancer: Imaging in colorectal cancer (MS 1821), A-465
- Bekiesinska-Figatowska M.**
Fetal body MRI: Chairman's introduction (SF 3d), A-079
- Belka C.**
Prostate gland: What the oncologist needs to know (MS 321), A-067
- Bellin M.-F., Ferlicot S., Rocher L.**
Adrenals: Small glands, big problems ... and practical solutions: What is normal, what is abnormal? (SA 6), A-133
- Bellin M.-F., Claudon M., Ifergan J.**
CTU and MRU: Urinary tract imaging: B. Chronic/intermittent obstruction (RC 707), A-200
- Bérczi V.**
Acute aortic syndrome: Technique, advantages and limitations of CTA and MRA (SF 15a), A-407
- Berger F.**
Tumor follow-up evaluation: Which modality for what?: B. CT and MRI perfusion (RC 601), A-119
- Berkovitz N., Zisman A., Lindner A., Gotlieb P., Leibovici D., Lang E., Copel L.**
CT guided percutaneous core-biopsy of renal masses: Short-term complications, a prospective study (SS 1607), B-662
- Berlin L.**
Radiology and the law: Radiologic communications: Dilemmas and pitfalls (PC 14), A-394
- Bernhardt P.**
Benefit of MRI myocardial perfusion with Dotarem® at 1.5T and 3T (SY 17), D-49
- Bertolotto M.**
Imaging of the scrotum and penis: C. Imaging of the penis (RC 607), A-128
- Bertolotto M., Zappetti R., Martingano P., Cavallaro M., Giarraputo L., Cova M.**
Renal masses with equivocal enhancement at CT: Evaluation at CEUS (SS 1607), B-661
- Berzaczy D., Edelhauser G., Scherthaner M.B., Popovic M., Czerny M., Lammer J., Funovics M.A.**
Stent graft placement in aortic arch pathologies treated with or without a debranching procedure: Results from the RESTORE registry (SS 809), B-470
- Bessayah A., Cotton F., Glehen O., Guillot E., Tychyj-Pinel C., Houzard C., Giammarile F., Valette P.-J.**
Multimodal imaging of peritoneal carcinomatosis with pathologic correlations: Preliminary results of a prospective study (SS 1601b), B-629
- Beyer T.**
Hybrid imaging: The radiologic/nuclear sandwich: Hybrid imaging in 10 years (NH 14), A-368
- Bharwani N., Newland A.E., Tunariu N., Babar S., Sahdev A., Rockall A.G., Reznik R.H.**
Magnetic resonance appearances of uterine malignant mixed müllerian tumours (MMMT) (SS 1207), B-533
- Biederer J.**
MRI of the lungs: Light at the end of the tunnel?: MRI of neoplastic and inflammatory lung disease (NH 11), A-291
- Bierry G., Jehl F., Neuville A., Robert P., Kremer S., Gangi A., Dietemann J.-L.**
Macrophage imaging in knee infectious synovitis: Magnetic resonance imaging findings (SS 810), B-371
- Binkert C.**
Minimally invasive treatment of uterine fibroids: B. Recurrence of fibroids after embolisation (RC 1509), A-449
- Bisdas S.**
Suprahyoid neck: A. Neck spaces: What you need to know (RC 1008), A-256
- Bisdas S., Seitz O., Chambron-Pinho N., Middendorp M., Sader R., Ernemann U., Vogl T.J., Mack M.G.**
Tumor, nodal disease, and gross tumor volume of oral cancer evaluated by 18F-fluorodeoxyglucose-PET/CT and MRI: Validation with histology (SS 108), B-066
- Bittersohl B., Werlen S., Siebenrock K.A., Trattig S., Mamisch T.C.**
Intravenous versus intraarticular delayed gadolinium-enhanced magnetic resonance imaging (dGEMRIC) in the hip (SS 1206), B-551
- Blake P.R.**
Carcinoma of the uterus and cervix: What the clinical oncologist needs to know (MS 221), A-032
- Blanke P., Pache G., Baumann T., Bulla S., Schaefer O., Kotter E., Langer M.**
Prospective electrocardiography-triggered CT angiography of the thoracic aorta in patients with atrial fibrillation or accelerated heart rates: Feasibility and image quality (SS 515), B-331
- Blanke P., Pache G., Baumann T., Euringer W., Lohrmann C., Langer M.**
Combined assessment of aortic root anatomy and aortiliac vasculature with dual-source CT in patients evaluated for percutaneous aortic valve implantation (SS 1603), B-727

Bley T.A., Schiebler M., Francois C.J., Takei N., Grist T.M., Reeder S.B.

Non-contrast-enhanced renal MRA using inflow-enhanced, inversion-recovery at 3T (SS 415), B-204

Bley T.A., Schiebler M., Reeder S.B., Takei N., Wieben O., Grist T.M., Francois C.J.

Non-contrast-enhanced renal MRA using inflow-enhanced, inversion-recovery bSSFP: Validation against DSA in swine (SS 415), B-205

Bloem J.L., de Schepper A.M.A.

Imaging in common clinical problems: Soft tissue tumors (E³ 120), A-001

Bluekens A.M.J., Karssemeijer N., Beijerinck D., Deurenberg J.J.M., van Engen R.E., Broeders M.J.M., den Heeten G.J.

Consequences of digital mammography in population-based breast cancer screening: Initial changes and long term impact on referral rates (SS 102), B-050

Boavida P., Ording L.-S., Rosendahl K.

Carpal "erosions" in children with juvenile idiopathic arthritis: MRI vs radiography (SS 1212), B-573

Bock M.

High field MRI: Beyond 3T: A. Challenges of high field MR (RC 1013), A-251

Bock-Pedersen T.

Pediatric imaging: B. CT: Cardiac examinations in children (RC 1414), A-392

Boehm H.F., Baumert B., Koerner M., Linsenmaier U., Reiser M.F.

Texture features based on local topological texture analysis of calcaneal X-ray images are correlated with femoral bone mineral density (SS 1205), B-528

Bogaert J.

Imaging of cardiomyopathies: MRI and MDCT in dilated cardiomyopathy (SF 6), A-144

Bogorodzki P.

MRI: B. Practical approach to fMRI: Methods and cases (RC 714), A-191

Bohté A.E.

Imaging modalities for the detection of hepatic steatosis with histopathology as the reference standard: A systematic review (SS 401a), B-145

Boijssen M., Johnsson Å.A., Svalkvist A., Zachrisson S., Flinck A., Kheddache S., Månsson L.G., Båth M., Vikgren J.

Digital chest tomosynthesis in daily clinical practice (SY 7), D-25

Boiselle P.M., O'Donnell C., Loring S.H., Bankier A.A.

Longitudinal reproducibility of forced expiratory tracheal collapse in healthy volunteers: Assessment with MDCT (SS 1704), B-769

Bolejko A.

Patient interaction: C. Measuring short and long-term consequences of a false-positive mammography among women attending breast cancer screening programmes (RC 1114), A-302

Bonomo L.

Hot CT issues in clinical practice: A. How to manage incidentally found pulmonary nodules (RC 604), A-150

Boraschi P., Donati F., Gigoni R., Salemi S., Faggioni L., Romei C., Bartolozzi C., Falaschi F.
MR perfusion of pancreatic lesions: Usefulness of time-signal intensity curves (SS 101a), B-003

Borges A.

Skull base: C. Depiction of dural invasion: How good is MRI? (RC 208), A-036

Borges A.

Oral cavity, oropharynx and nasopharynx: A. Oral cavity and oropharynx (E³ 620), A-124

Boss A., Martirosian P., Nägele F., Claussen C.D., Schick F.

Arterial spin labeling imaging of hepatic tissue perfusion using a FAIR-TrueFISP sequence (SS 1701a), B-764

Bourne M.

Gemstone Spectral Imaging (GSI): A significant advance in the diagnostic performance of CT as an imaging modality? (SY 18), D-52

Bowtell R.W.

High field MRI: Beyond 3T: C. Is 7T ready for clinical use? (RC 1013), A-253

Boyvat F., Ozyer U., Harman A., Aytekin C., Haberal M.

Cutting balloon angioplasty and simultaneous percutaneous large profile multiple plastic stents for biliary anastomotic strictures after liver transplantation (SS 109), B-128

Boyvat F., Harman A., Ozyer U., Aytekin C., Haberal M.

Treatment of arterial steal syndrome in liver transplant recipients (SS 409a), B-168

Brancatelli G.

The acute abdomen: B. Abdominal hernias (CC 1517), A-404

Brancato B., Taschini R.

Detection of ductal carcinoma in situ: A. Mammography (RC 1402), A-379

Brant-Zawadzki M.N.

Wilhelm Conrad Röntgen - Honorary Lecture: Diagnostic radiation and carcinogenesis: What do we know? (HL 1), A-102

Breatnach E., Chiti A.

PET/CT in oncologic imaging: Chairmen's introduction (PC 10), A-262

Breatnach E.

Radiology and the law: Chairman's introduction (PC 14), A-393

Brem R.F.

New insights in breast imaging: Breast specific gamma imaging: A novel, physiologic approach to breast cancer diagnosis (SF 10a), A-230

Bremerich J.

Tips and tricks to improve your image quality: B. Clear MR images without artefacts (RC 203), A-038

Breviglieri B., Canossi B., Battista R., Pecchi A., Cortesi L., Federico M., Torricelli P.

Breast interval cancer in women at increased risk in a clinical-imaging surveillance program (SS 102), B-053

Briganti C., Caulo M., Mantini D., Pravata E., Sestieri C., Tartaro A.

Reorganization of functional connectivity MRI in patients with brain tumors (SS 811), B-467

Britton P.D.

Interventional techniques: B. Stereotactic large core biopsy (RC 1102), A-287

Brkljacic B.

Vascular ultrasound imaging: When and how: Chairman's introduction (SF 15c), A-437

Brkljacic B., Cikara I., Ivanac G., Hrkac-Pustahija A., Zic R.

Ultrasound-guided bipolar radiofrequency ablation of breast cancer in inoperable patients (SS 402), B-177

Brountzos E.

Aortic imaging: C. Detection of complications after aortic stent grafting (RC 1815), A-485

Brown G.

Rectal cancer: C. Follow-up (RC 1101), A-278

Browne A., Cronin C., NiMhuircheartaigh J., Morrisson J.J., Lohan D., Murphy J.M.

Evaluation of the quality of CT pulmonary angiogram in pregnancy and comparison with age matched controls (SS 804), B-396

Bruder H., Raupach R., Sedlmair M., Sunnegardh J., Stierstorfer K., Flohr T.G.

Reduction of radiation dose in CT with an FBP-based iterative reconstruction (SS 1213), B-568

Bruners P., Levit E., Penzkofer T., Isfort P., Ocklenburg C., Schmitz-Rode T., Günther R.W., Mahnken A.H.

Multislice computed tomography: A tool for noninvasive temperature measurement? (SS 1209), B-606

Buccicardi D., Grosso M., Caviglia I., Gastaldo A., Neri E., Quadri P.

CT colonography: Patient's tolerance of faecal tagging regimen vs cathartic cleansing (SS 1201b), B-502

Buechel R.R., Husmann L., Fischer D.R., Herzog B.A., Pazhenkottil A.P., Burger I.A., Valenta I., Treyer V., Kaufmann P.A.

Low-dose CT coronary angiography with prospective ECG triggering: Feasibility in a large unselected population (SS 103), B-114

Bueno A., Martel J., Fontanilla T., Sanz A., Arriagada C., Dhimes P.

Imaging features of angiomyoma (SS 510), B-262

Bulla S., Pache G., Blanke P., Baumann T., Kotter E., Langer M.

Dual energy computed tomography for characterization of adrenal gland lesions in patients with bronchial carcinoma (SS 1707), B-795

Bulte J.W.M.

Molecular imaging probes on your doorstep: C. MRI cell tracking (RC 1406), A-378

Bunck A.C., Kroeger J.-R., Juettner A., Crelier G., Tiemann K., Maintz D.

Evaluation of the applicability and validity of MRI based 4D flow measurements for in-stent flow visualization and quantification in peripheral vascular stents (SS 115), B-074

Burmeister H.P., Kraft A., Volk G.F., Baltzer P.A.T., Schmidt P., Klingner C., Guntinas-Lichius O., Mentzel H.-J., Kaiser W.A.

Proceedings in differential diagnosis and evaluation of the prognostic value in case of facial nerve palsy using high resolution 3T MRI (SS 1708), B-814

Busard M.P.H., Mijatovic V., van Kuijk C., Hompes P.G.A., van Waesberghe J.H.T.M.
Appearance of abdominal wall endometriosis on MR imaging (SS 1207), B-534

Busard M.P.H., Mijatovic V., van Kuijk C., Pieters-van den Bos I.C., Hompes P.G.A., van Waesberghe J.H.T.M.
MR imaging in the evaluation of (deep infiltrating) endometriosis: The value of diffusion-weighted imaging (SS 1207), B-535

Buzzi A.E.
Argentine radiology: Past, present and future: Introduction (EM 3), A-202

C

Cáceres J.
Lung cancer: Chairman's introduction (MS 721), A-177

Cáceres J.
Lung cancer: Imaging in lung cancer (MS 721), A-180

Cáceres J., Vilar J.
Lung cancer: From plain film to sectional imaging (E³ 1220), A-312

Calli C.
Focal brain lesions: C. Adult glioma: Advanced neuroimaging for treatment planning (RC 1011), A-250

Canella C., Philippe P., Kermarrec E., Moraux A., Flipo R.-M., Cotten A.
Tomosynthesis of the hand and wrist in rheumatoid arthritis patients (SS 1710b), B-752

Cantisan V., Marotta E., Medvedeieva E., D'Ambrosio U., Ricci P., Passariello R.
Real-time ultrasound elastography in the differential diagnosis of benign and malignant thyroid nodules (SS 408), B-180

Capuani S., Rebuzzi M., Fasano F., Hagberg G., Barutti V., Di Mario M., Maraviglia B., Vinicola V.
MR assessment of heel spongy bone in postmenopausal women: A comparison among calcaneus, subtalar calcaneus, and talus regions in healthy, osteopenic and osteoporotic subjects (SS 1210), B-497

Caramella D.
eHealth: Legal and technical challenges for radiology: eHealth: Technical aspects (ESR/EC Session), A-220

Carlier R.Y., Mompont D., Pellegrini N., Laforet P., Carlier P.G., Orlikowski D.
Whole-body muscular MRI at 1.5 and 3T in 20 patients with Pompe disease (or acid maltase deficiency) (SS 1610), B-613

Carratiello G., Mangini M., De Bernardi I., Fontana F., Laganà D., Cotta E., Agnello D., Fugazzola C.
Microwave ablation (MWA) for the treatment of lung tumors: Preliminary experience (SS 509a), B-297

Caruso P., Tagliafico E., Adinolfi F., Costa M., Giardina B., Luminati T.
Computed tomography (CT) multislice dentascan: A new protocol to reduce the radiation dose (SS 1708), B-817

Casado A., Yus M., De Anta L., Tajima K., Arrazola J., Diaz-Marsa M.
Amygdala hyperactivation in women with eating disorder in response to unpleasant stimuli: An fMRI study (SS 811), B-463

Caseiro-Alves F.
Diffusion-weighted imaging of the abdomen: A new tool for oncologic imaging?: Chairman's introduction (SF 3a), A-044

Caseiro-Alves F.
Primary liver tumors: A. Benign liver tumors (MC 1519), A-421

Caspani B., Ierardi A., Motta F., Cecconi P., Fesce E., Belli L.
Side effects of trans-arterial chemoembolization with microspheres versus lipiodol in the treatment of unresectable hepatocellular carcinoma: Work in progress (SS 409b), B-246

Caspani B., Ierardi A., Motta F., Cecconi P., Belli L.
Interstitial laser therapy in focal liver lesions localized in "critical sites": Our experience (SS 1609), B-730

Cassar-Pullicino V.N.
Metabolic bone diseases: B. The many faces of Paget's disease (RC 610), A-122

Casselman J.W.
Skull base: B. Cranial nerves in cancer imaging (RC 208), A-035

Casselman J.W.
Imaging in ENT emergencies: Emergencies of the sinonasal cavities and the anterior skull base (SF 14), A-362

Castellan L.
Interventional neuroradiology: B. Endovascular treatment of acute ischemic stroke (RC 1511), A-429

Catalano C., Franccone M.
Functional imaging in CT: Optional or built-in?: Functional cardiac imaging: The blessing of high spatial and temporal resolution (NH 6), A-108

Cazejust J.
When time matters: B. Rupture of solid organs (CC 1817), A-460

Cellina M., Venturini M., Losio C., Simionato F., Bianchi Marzoli S., Del Maschio A.
Role of orbital color Doppler ultrasound (OCDU) in the non-invasive diagnosis of dural fistulas using digital subtraction angiography (DSA) as gold standard (SS 408), B-184

Cepero Calvete A., Guzman Aroca F., Reus Pintado M., Serrano Velazquez L., Torregrosa Sala B., Gongora Lencina T., Sarabia F., Abellan J., Navas D.
Usefulness of ultrasound with elastography to predict the malignant thyroid nodules (SS 408), B-187

Cerri F., Neri E., Faggioni L., Turini F., Picano E., Vagli P., Bartolozzi C.
CT colonography: Prevalence of wall thickening and colonic collapse in patients with diverticular disease and influence on diagnostic quality (SS 1201b), B-503

Chabi M., Ardiles-Dardiotis R., Borget I., Aboud G., Boussouar S., Vilar V., Balleyguier C.S.
Evaluation of the accuracy of a computer aided diagnosis (CAD) system in breast ultrasound according to the radiologist's experience (SS 502), B-303

Challen V.
Patient interaction: B. The role of the radiographer in patient advocacy (RC 1114), A-301

Chami L., Hartl D., Lassau N., Girard E., Bidault S., Chebil M., Schlumberger M., Travagli J.
Charcoal suspension tattoo localization under ultrasound guidance for neck cancer recurrences from thyroid cancer (SS 408), B-185

Chan O.
When time matters: A. Emergency room: When radiologists can save lives (CC 1817), A-459

Chen N., Li K.
The morphologic changes of the motor cortex and motor pathways following spinal cord Injury: Voxel-based morphometry and diffusion tensor imaging study (SS 1611), B-717

Chen N., Li K.
The biochemical changes in the motor cortex after spinal cord injury: Proton magnetic resonance spectroscopy (1H MRS) study (SS 1611), B-718

Chen W., Wang J., Li H.-T., Li C., Zhang Y.-K., Xie B., Zhou D.-Q., Dai Y.-M., Xu C.-X.
Diffusion-weighted whole body imaging with background body signal suppression vs FDG-PET: Comparison of accuracy of detection for lung cancer patients (SS 504), B-274

Chen X., Guo Y.-M., Li W.-L., Zhang Y.-L., Bai Z.-L.
Meta-analysis of quantitative diffusion-weighted MR imaging in the differential diagnosis of breast lesions (SS 1602), B-676

Cheng Z.P., Wang X.M., Wu L.B., Wu D.W., Duan Y.H.
Low-dose prospective ECG-triggering dual-source CT angiography in infants and children with complex congenital heart disease: First experience (SS 1612), B-694

Cheung A.Y.-C., Tsai Y.-H., Wang C.L., Chen Y.-R., Ko H.-W., Ni Y.-L., Feng P.-H.
Familial risk of lung cancer: Preliminary baseline result of multicenter low dose computed tomography in Taiwan (SS 504), B-272

Chevallier C., Dominguez A., Schneider B., Doenz F., Sollberger B., Meuli R., Mangin P., Grabherr S.
Forensic imaging: New challenges for radiographers (SS 1214), B-588

Chevallier P.
Quantification of liver processes: Defining biomarkers: A. Steatosis (RC 301), A-059

Chiaradia M., Tran Van Nhieu J., Cherqui D., Vignaud A., Djabbari M., Pigneur F., Rahmouni A., Luciani A.
Intra-voxel-incoherent-motion-diffusion-weighted-imaging MRI for detection and characterization of liver metastases: Preliminary study (SS 1201a), B-484

Chong V.
Suprahyoid neck: B. How to ruin or improve your head and neck study (RC 1008), A-257

Chong W.

Common disorders of the pediatric brain:
B. Normal findings and pitfalls in pediatric
neuroimaging (RC 1411), A-383

Christofides S.

Technology assessment for imaging equipment:
Technology assessment and radiological imaging
(EF 1), A-182

Christofides S., Malone L., Horton P., Mattsson S.

Risk management and technology assessment:
Acceptability criteria and equipment for nuclear
medicine (EF 2), A-211

Chung D.Y.F., Boardman P., Gleeson F., Anderson E.M.

Intra-operative microwave ablation (MWA) of liver
metastasis: Preliminary report of reproducibility of
ablation zone with high frequency and high energy
antennae system in humans (SS 509a), B-295

Chung D.Y.F., Taylor N., Boardman P., Gleeson F., Anderson E.M.

CT hepatic tumour burden measurement:
Assessment of interobserver variation of hepatic
tumour burden-volumetric technique vs estimation
(SS 1609), B-736

Chung Y., Kim M.-J., Park M.-S., Choi J.-Y., Kim H.-G., Kim S., Kim K.

Differentiation of pancreatobiliary- and intestinal-
type ampullary carcinoma based on MR with
MRCP (SS 101a), B-007

Cieszanowski A.

Renal cancer: Old problems, new solutions: MDCT
of renal cancer (SF 18), A-470

Ciolina F., Liang D., Fearon W., Fischbein M., Miller D., Fleischmann D.

ECG gated CT of the aorta predicts angiographic
viewing angle for percutaneous aortic valve
replacement (SS 1603), B-722

Claudon M.

Present and future direction of ultrasound: Clinical
applications of US contrast media: Present
guidelines (SF 7b), A-193

Clément O.

Organ-specific and future contrast media in MRI:
A. Real added value of liver-specific contrast
media (RC 606), A-147

Clement O., Laroche D., Mouton C., Bloch-Morot E., Dewachter P., CIRTACI Study I.

Immediate hypersensitivity reactions to iodinated
or gadolinated contrast media: Ongoing results
of the CIRTACI study, a French prospective
multicenter trial (SS 1206), B-555

Clevert D.-A., Zengel P., Siedek V., Gürkov R., Reiser M.F.

Tumormicrocirculation of head and neck lesions
using elasticity and contrast agent imaging
(SS 108), B-067

Clevert D.-A., Hellerhof K., Schlossbauer T., Reiser M.F.

Initial experience of an automated breast volume
scanner for the identification and diagnosis of
breast cancer (SS 402), B-175

Connell D.

Optimal imaging of muscle pathology: Sports-
related muscle injuries: Temporal changes and
when to return to play (SF 2), A-007

Coolen J., De Wever W., Lambrechts D., De Keyzer F., Buyschaert I., Decramer M., Janssens W., Verschakelen J.

CT quantification of pulmonary emphysema:
A mirror for a piece of the genome (SS 1604),
B-639

Cornelis F., Quesson B., Hubrecht R., Le Bras Y., Moonen C., Grenier N.

In vivo characterization of thermal properties of
kidney tissue by MRI thermometry coupled with
high intensity focused ultrasound and modulated
perfusion (SS 513), B-327

Cornelis F., Lebras Y., Hubrecht R., Dodre E., Perot V., Ferriere J.-M., Merville P., Grenier N.

Embolisation of polycystic kidneys: An alternative
to nephrectomy before renal transplantation
(SS 509b), B-362

Cornud F.E., Liberatore M., Beuvon F., Eiss D., Rouanne M., Barry de Longchamp N., Flam T.

Functional MRI (diffusion weighted and dynamic
contrast enhanced imaging) in patients with low
risk prostate cancer (SS 107), B-042

Cornud F.E., Liberatore M., Beuvon F., Eiss D., Rouanne M., Barry de Longchamp N., Flam T.

Thin slice thickness (1 mm) 3D-T2-weighted MRI
and local staging of prostate cancer (SS 107),
B-047

Correas J.-M.

Introduction (SY 5), D-12

Correas J.-M.

Conclusion (SY 5), D-16

Correas J.-M., Timsit M.-O., Méjean A., Hélénon O.

Kidney: Imaging and intervention: C.
Radiofrequency and cryotherapy of renal tumors:
Techniques, results and complications (RC 1007),
A-242

Cotten A.

Optimal imaging of muscle pathology: Ischemic
and inflammatory conditions: What we can see
and what is important for the clinician (SF 2),
A-008

Cotten A.

Arthritis: Back to basics: B. Imaging crystal arthritis
(RC 710), A-172

Cowan N.C.

CTU and MRU: Urinary tract imaging: C. Tumors:
CTU/MRU (RC 707), A-201

Cremers S.E.H., Lambek A.F., Kooi G.S., Hellendoorn I., den Breejen M.P., Brouwers E.M.J.

Is routine screening for hip dysplasia with
ultrasound indicated in infants born after
successful external cephalic version of a breech
position? (SS 1212), B-570

Cunha T.M.

Uterus: Imaging and intervention: A. Benign
diseases (RC 1307), A-348

Cyran C.C., Paprotka P.M., Soubron S., von Einem J., Bettina S., Bruns C., Wintersperger B.J., Nikolaou K., Reiser M.F.

Dynamic contrast-enhanced (DCE)-MRI for
monitoring sorafenib effect on experimental
prostate carcinomas (SS 106), B-108

Cyran C.C., Fu Y., Rogut V., Shames D.M., Wendland M.F., Brasch R.C.

Macromolecular versus small molecular MRI
contrast media for monitoring anti-angiogenic drug
effect of bevacizumab on experimental human
melanoma xenografts (SS 106), B-109

Cyran C.C., Fu Y., Rogut V., Shames D.M., Wendland M.F., Brasch R.C.

Monitoring early Bevacizumab effect on human
melanoma xenografts using dynamic contrast-
enhanced (DCE) MRI with a novel Gd-based
polymer contrast agent (SS 1706), B-782

D

Da Ros V., Gandini R., Reale C., Pampana E., Angelopoulos G., Del Giudice C., Di Primio M., Simonetti G.

Alternative techniques for below-the-knee
recanalization: Procedural and clinical results from
a single center experience (SS 409a), B-167

Damasio M.B., Malattia C., Bracaglia C., Lambot-Juhan K., Desgranges-Federico M., Rosendahl K., Tanturri de Horatio L., Martini A., Tomà P.

Bone marrow oedema predicts erosive
progression on wrist MRI in JIA (SS 1710b), B-753

Damilakis J.

Diagnostic radiology and pregnancy: A. Conceptus
doses and risks from maternal diagnostic X-ray
examinations (RC 1113), A-294

Danse E.

Imaging the polytrauma patient: Front line
sonography (SF 3b), A-071

Danza F.M., Valentini A.L.

Female infertility: C. Understanding gynecologic
malformations (RC 307), A-094

Das N.

Developing the role of a non-surgical vascular
specialist (SS 409a), B-169

Davis M.D.J.

To explore teaching qualifications of radiography
lecturers and teachers across Europe (SS 1214),
B-582

de Baère T.

Non-small cell lung cancer: C. Radiofrequency
ablation of NSCLC: Current status (RC 1804),
A-497

De Boo D.W., Uffmann M., Bipat S., Scheerder M.J., Freling N.J.M., Schaefer-Prokop C.M.

Impact of computer-aided detection on observer
detection of solid pulmonary lesions in chest
radiography (SS 404), B-154

De Cecco C., Buffa V., Fedeli S., Vallone A., Ruopoli R., David V.

Preliminary experience with dual energy CT
(DECT) of the liver: Real versus virtual non-
enhanced images (SS 1601a), B-620

De Cobelli F.

Aortic imaging: A. Aortic dissections: New insights
into an old disease (RC 1815), A-483

- De Foer B., Vercruyse J.-P., Bernaerts A., Meersschaert J., Pouillon M., Somers T., Hermans R., Offeciers E., Casselman J.W.**
Value of non-echo planar diffusion-weighted magnetic resonance imaging versus delayed post-gadolinium T1-weighted magnetic resonance imaging for the detection of middle ear cholesteatoma (SS 1708), B-811
- De Graaf P., Van der Valk P., Moll A.C., Imhof S.M., Schouten-van Meeteren A.Y.N., Knol D.L., Castelijns J.A.**
Contrast-enhancement of the anterior eye segment in patients with retinoblastoma: Correlation among clinical, MR imaging and histopathologic findings (SS 408), B-181
- De Jonge M.C.**
Elbow and wrist: A. Elbow and wrist trauma (RC 1510), A-417
- De Juan C., Sevilla J.M., Pinto J.M., Jimenez J., Gijón L.**
«Sharing is earning»: Using a regional RIS-PACS to warrant best quality medical assistance for everyone (SS 105), B-087
- de Kerviler E., Mendelson R.M.**
Lymphomas: Diagnosis, staging and follow-up (E³ 1420), A-375
- de Lange C.E.**
Pediatric non-traumatic emergencies: What we must know!: Thoracic emergencies (SF 3c), A-076
- de Lange C.E., Brabrand K., Eeg Emblem K., Bjørnerud A., Loberg E., Munkeby B.**
Transcranial CEUS compared to 3T MRI in perinatal hypoxia and resuscitation in newborn pigs (SS 812), B-442
- de Roos A.**
Imaging in common clinical problems: Acute chest pain: A. Cardiac (E³ 1820a), A-473
- de Vos A.M., Vliegthart Proença R., Prokop M., Zijlstra F., Cramer M.J., Rensing B.J., Bots M.L., Mali W.M.T.P., Oudkerk M.**
Prevalence of treatable severe coronary artery disease in cardiac asymptomatic peripheral arterial disease patients (SS 803), B-401
- De Wilde J.**
Diagnostic radiology and pregnancy: C. Pregnancy and MRI: Risks to the unborn child (RC 1113), A-296
- Deane C.**
Vascular ultrasound imaging: When and how: Not only imaging: A window on physiology (SF 15c), A-438
- Debus A., Hagelstein C., Kilian A.K., Büsing K.A., Schaible T., Schönberg S.O., Neff K.W.**
Prenatal prediction of chronic lung disease based on fetal MR lung volumetry in survivors with congenital diaphragmatic hernia (SS 1612), B-689
- Del Giudice C., Gandini R., Pampana E., Angelopoulos G., Boi L., Simonetti G.**
Percutaneous approach to severe ischemic hand disease: Technical aspect and results (SS 409a), B-165
- Del Giudice C., Gandini R., Pampana E., Di Primio M., Spinelli A., Da Ros V., Spano S., Simonetti G.**
Subintimal angioplasty for superficial femoral artery TASC II D lesions in critical limb ischemia: Outcomes with and without stenting and value of stent position for secondary patency after subintimal channel occlusion (SS 409a), B-166
- Del Vescovo R., Sansoni I., Di Giampietro I., Grasso R.F., Cicala M., Beomonte Zobel B.**
Evaluation of infliximab therapy in active Crohn's disease by dynamic contrast material-enhanced magnetic resonance (D-CE-MR) (SS 501b), B-317
- Del Vescovo R., Sansoni I., Russo V., Setola R., Grasso R.F., Beomonte Zobel B.**
DyCoH (DYnamic COntrast enHancement): An innovative software for contrast enhancement analysis in terminal ileum Crohn's disease patients (SS 1205), B-525
- Della Pina C.**
Tumor follow-up evaluation: Which modality for what?: C. MR diffusion (RC 601), A-120
- Delorme S.**
Breast cancer: How to evaluate response to treatment: Mammography and ultrasound (SF 10b), A-245
- Demaerel P.**
Imaging in non-accidental injury: A. CNS trauma (RC 1412), A-388
- Deng W., Yang Z.G.**
Morphological and dynamic features of normal mitral valve in cardiac cycle: Evaluated with dual-source CT coronary angiography (SS 1603), B-725
- Denk C., Rauscher A.**
Reproducibility of multi echo susceptibility weighted imaging (SWI) (SS 513), B-328
- Denk C., McPhee K., Al-Rekabi Z., Fitzpatrick K., Bjornson B., Rauscher A.**
Presurgical visualization of cerebral superficial veins with susceptibility weighted imaging (SWI) (SS 513), B-329
- Derchi L.E.**
Imaging of the scrotum and penis: A. Acute scrotum (RC 607), A-126
- Derchi L.E.**
Present and future direction of ultrasound: Chairman's introduction (SF 7b), A-192
- Desai S.R.**
Is volumetric CT the only way of scanning lung diseases?: C. Alternatives to volumetric CT (CC 1418), A-371
- Desbiolles L.M., Stolzmann P., Baumüller S., Goetti R., Feuchtner G., Plass A., Marincek B., Alkadhhi H., Leschka S.**
Diagnostic accuracy of dual-source CT for the assessment of coronary artery stenosis: Head-to-head comparison of the high pitch and the step-and-shoot mode (SS 103), B-118
- Deschamps F.**
Oncologic interventions in the liver: A. RF ablation (RC 1409), A-400
- Deurloo E.E.**
Breast US: C. Axillary tail and US (RC 202), A-020
- Devaraj A.**
"Known" conditions revisited: A. An approach to cystic lung disease on HRCT (RC 704), A-196
- Di Girolamo M., Testa V., Federici M., Grossi A., Fina P., David V.**
Use of flair sequences for detection and local staging of bladder tumors with MRI (SS 107), B-040
- Di Girolamo M., Ruoppolo G., Pandolfi E., Mucciaccio C., Sternberg J., David V.**
Static and dynamic evaluation with MRI of larynx and oro-pharyngeal cavity in professional opera singers (SS 108), B-068
- Di Girolamo M., De Cecco C., Fina P., De Biase L., Maurizi Enrici M., David V.**
Left bundle branch block: Usefulness of MRI in the evaluation of regional left ventricular dyssynchrony and in the detection of previous myocardial infarction with late enhancement (SS 503), B-357
- Di Girolamo M., Testa V., Porcari C., De Cecco C., Sessa B., David V.**
Evaluation with MRI of patients with hematopoietic neoplasms and spinal epidural and leptomeningeal spread: Comparison with the results of lumbar puncture (SS 1611), B-710
- Di Girolamo M., Trucchi A., Mariani S., Fina P., De Cecco C., David V.**
Urinary bladder neck dysfunction in male patients: Evaluation with MRI and with voiding MR-cystourethrography (SS 1707), B-798
- Di Martino M., De Filippis G., Geiger D., Di Miscio R., Del Monte M., Catalano C., Passariello R.**
Hepatocellular carcinoma in liver transplant candidates: Prospective comparison of ultrasound, multislice CT, MR imaging with gadobenate dimeglumine (SS 801a), B-383
- Di Maurizio M., Tomei A., Fierro F., La Barbera L., Manganaro L.**
Potential role of fetal MRI in the diagnosis of cleft-lip palate (SS 812), B-449
- Dick J.**
Introduction (SY 15), D-42
- Diederich S., Storto M.-L.**
Imaging in common clinical problems: Hemoptysis (E³ 1720), A-458
- Diederich S.**
Non-small cell lung cancer: A. Update in TNM classification (RC 1804), A-495
- Dieguez A.**
Argentine radiology: Past, present and future: High-resolution MRI in rectal cancer (EM 3), A-206
- Diekmann F.**
Contrast mammography: How is it done and how can it help (SY 14), D-40
- Diekmann F., Fallenberg E., Moa E., Danielsson M., Leifland K., Bick U.**
Specimen radiography using photon counting slit-scan tomosynthesis: Is it possible to improve evaluation of resection margins? (SS 102), B-055
- Dietzel A., Dietzel M., Baltzer P.A.T., Vag T., Gajda M., Camara O., Kaiser W.A.**
Machine learning and MR-mammography, a perfect pair for differential diagnosis in MR-mammography? Initial study using the K-nearest neighbor algorithm in 1084 histologically verified lesions (SS 1602), B-677

Authors' Index

Dietzel M., Baltzer P.A.T., Vag T., Gröschel T., Gajda M., Camara O., Kaiser W.A.

Differential diagnosis of breast lesions ≤ 5 mm: Is there a role for MRI? (SS 1202), B-547

Dietzel M., Baltzer P.A.T., Vag T., Gröschel T., Gajda M., Camara O., Kaiser W.A.

Assessment of morphologic profiles beyond MRI BIRADS - is the necrosis sign feasible for differential diagnosis in MR-mammography? Diagnostic accuracy of a new descriptor in 1084 histologically verified breast lesions (SS 1602), B-674

Dietzel M., Baltzer P.A.T., Vag T., Gajda M., Camara O., Kaiser W.A.

Combined staging at one stop in MR-mammography: Evaluation of an extended protocol to screen for distant metastasis in breast cancer - initial results and diagnostic accuracy in a prospective study of 64 consecutive patients (SS 1702), B-800

Digumarthy S., Prakash P., Kalra M., Stone J., Shepard J.-A.

Imaging findings of pericardial metastasis on chest CT (SS 504), B-277

Dijkstra H., Kele P.G., Dorrius M.D., Kappert P., Oudkerk M., Sijens P.E.

Apparent diffusion coefficient measured in the liver is region dependent (SS 1701a), B-759

Dima C.

eHealth: Legal and technical challenges for radiology: Introduction on eHealth (ESR/EC Session), A-217

Dima C.

eHealth: Legal and technical challenges for radiology: Legal aspects of eHealth related to medical imaging (ESR/EC Session), A-218

Djilas-Ivanovic D.

Highlighted Lectures: Common pitfalls in MR mammography (TF 1), A-139

Dobson H.

Breast ultrasound: Extend the vision of daily screening (SY 22), D-60

Dobson H.

Screening programmes: New challenges: C. Screening with MRI: The future? (RC 1302), A-336

Dodd J.D.

Imaging of cardiomyopathies: Uncharted waters: Unclassified and rare cardiomyopathies (SF 6), A-146

Dominelli V., Pediconi F., Luciani M., Casali V., Catalano C., Passariello R.

Diagnostic accuracy of mammography, ultrasound, and MR imaging for the evaluation of suspected breast cancer recurrence after mastectomy with implant reconstruction (SS 402), B-170

Dominelli V., Pediconi F., Telesca M., Vasselli F., Catalano C., Passariello R.

Role of magnetic resonance imaging (MRI) in the planning of breast conservation surgery in patients with Paget disease of the nipple (SS 1202), B-543

Dominelli V., Pediconi F., Luciani M., Casali V., Catalano C., Passariello R.

Preoperative magnetic resonance imaging of the breast: Does it affect local recurrence rate? (SS 1702), B-806

Donati O.F., Nordmeyer-Massner J., Tami I., Vich M., Nanz D., Pruessmann K.P., Scheffel H., Andreisek G.

Diagnostic performance of MR arthrography of cadaveric wrists at 3.0T and 7.0T for the detection of articular cartilage abnormalities with open pathologic inspection as the reference standard (SS 110), B-015

Donati O.F., Stolzmann P., Alkadhi H., Plass A., Baumüller S., Marinček B., Scheffel H.

Low-dose CT and cardiac MR for the diagnosis of coronary artery disease: Accuracy of single and combined approaches (SS 403a), B-190

Donati O.F., Stolzmann P., Alkadhi H., Desbiolles L.M., Baumüller S., Leschka S., Marinček B., Scheffel H.

Coronary artery stenosis: What is the best cut-off value for predicting hemodynamic relevance by CT coronary angiography? (SS 403a), B-197

Donati O.F., Hany T.F., Reiner C.S., von Schulthess G.K., Scheffel H., Marinček B., Weishaupt D.

Value of PET/MR retrospective image fusion in detection of hepatic metastases compared to hybrid 18F-FDG PET/CT and Gd-EOB-DTPA-enhanced MRI (SS 1201a), B-483

Donoghue V.

Imaging the GI/GU tracts: B. Role of plain film, fluoroscopy, nuclear medicine and CT (RC 712), A-188

Donoso L.

Highlighted Lectures: Management in radiology (TF 1), A-141

Donoso L.

eHealth: Legal and technical challenges for radiology: Radiology's view on telemedicine communication (ESR/EC Session), A-219

Dörfler A.

Stroke: B. DWI, CT/MR PWI, and/or CTA/MRA: What is necessary? (RC 1111), A-274

Dorn F., Muenzel D., Rummeny E.J., Huber A.

Brain perfusion CT using a 256-slice CT: Improvement of diagnostic information by large volume coverage (SS 511b), B-346

Dournes G., Lederlin M., Ozier A., Oussova O., Khamaev A., Begueret H., Montaudon M., Laurent F., Berger P.

In vivo micro-CT in a mouse asthma model: Does it assess bronchial inflammation, remodelling, or both? (SS 1704), B-772

Douwes D.C.E., de Lussanet Q., Wildberger J.E.

Influence of iodine delivery rate on pulmonary artery attenuation in CT angiography in the evaluation for pulmonary embolism (SS 515), B-330

Drapé J.-L.

Back to basics: Protocols for the spine: A. The role of the plain films (CC 216), A-002

Dromain C., Thibault F., Malhaire C., Mathieu M.C., Delaloge S., Balleyguier C.S.

Clinical experience with dual-energy contrast-enhanced digital mammography (CEDM) for detection of breast carcinomas (SY 7), D-23

Dromain C., Balleyguier C.S., Thibault F., Tardivon A.

Initial clinical evaluation of dual energy contrast enhanced digital mammography (CEDM): A comparison with standard mammography and ultrasound (SS 1702), B-807

Dubrulle F.

Oral cavity, oropharynx and nasopharynx: B. Nasopharynx (E³ 620), A-125

Dziuk M.

Innovative PET/CT approach in restaging of the non-small cell lung cancer (SY 20), D-56

E

Ebdon-Jackson S.

Clinical audit, accreditation and the role of the medical physicist: B. National perspective: Clinical audit inspections (RC 1413), A-386

Ebner F.E., Wießpeiner U.J., Sorantin E.H., Stollberger R.

Digital-subtraction volume-4D-CT angiography of the brain: Reducing radiation dose using a mathematical model for bolus timing (SS 511b), B-345

Eiada R., Scaranelo A., Crystal P., Kulkarni S.

MRI of the breast in women with newly diagnosis of breast cancer: Accuracy of DWI in the assessment of axillary lymphadenopathy (SS 1702), B-802

Eiber M., Krause B.J., Holzapfel K., Kübler H., Gaa J., Schwaiger M., Rummeny E.J., Beer A.
Comparison of whole body MRI including DWI and 11C-choline PET/CT in recurrent prostate cancer patients (SS 807), B-410

Eiber M., Straub M., Schneider H., Rummeny E.J., Huber A.

In vitro analysis of urinary stones with unenhanced dual energy single-source 256-slice-MDCT (SS 1707), B-794

Eichinger M., Optazait D.-E., Kopp-Schneider A., Hintze C., Biederer J., Niemann A., Mall M., Kauczor H.-U., Puderbach M.U.

Presentation and reproducibility of a new morphological and functional scoring system for magnetic resonance imaging in cystic fibrosis (SS 1704), B-776

Eisenblaetter M., Bettenworth D., Vogl T., Lügering A., Bremer C.

Anti-MRP14-Cy5.5: A novel tracer for in vivo monitoring of inflammatory bowel disease (IBD) with optical imaging methods (SS 1606), B-703

Eisenhuber E.

Bedside chest imaging: A. Bedside chest radiography: Technical aspects and main results (RC 1104), A-306

Eklof H.

PTRA is more effective than previously shown! Outcome of PTRA improves when evaluated by "Break point analysis" (SS 509b), B-361

El-Koussy M., Karameshev A., Mono M.-L., Galimanis A., Arnold M., Gralla J., Mattle H., Schroth G., Nedeltchev K.

The volume of the carotid plaque is a predictor of ipsilateral hemispheric ischemic lesions: A 3 Tesla MRI study (SS 511a), B-283

El-Koussy M., Karameshev A., Mattie H., Schroth G., Gralla J., Brekenfeld C., Mono M.-L., Nedeltchev K., Arnold M.

Acute basilar artery occlusion treated with intra-arterial thrombolysis: MRI predictors of clinical outcome (SS 511a), B-288

El-Koussy M., Mordasini P., Ith M., Gralla J., Schmidli J., Schroth G., Hoppe H.

Preoperative mapping of spinal cord blood supply in patients with thoracoabdominal aortic aneurysm using MR-angiography with gadofosveset trisodium at 3 Tesla: Preliminary experience (SS 1611), B-714

Elangovan S., Bhuvanewari V.

Computed tomography virtual cystoscopy versus conventional cystoscopy in the detection of urinary bladder cancer (SS 107), B-049

Elgeti F.A., Marnitz T., Pflugmacher R., Kroencke T., Gebauer B.

Height reconstruction and kyphotic angle correction in ultra high viscosity cement radiofrequency (RF) kyphoplasty (SS 109), B-120

Eliás P.

Fetal body MRI: MRI of the thorax (SF 3d), A-080

Elliott S.T.

Present and future direction of ultrasound: Volume US in clinical practice for the radiologist (SF 7b), A-195

Elmas N.

When time matters: C. Intestinal haemorrhage (CC 1817), A-461

Elmholdt T.R.

Nephrogenic systemic fibrosis: Have we only seen the tip of the iceberg? (SS 1206), B-556

Emmer B.J., Veer I.M., Steup-Beekman G.M., Huizinga T.W.J., van Buchem M.A., van der Grond J.

Tract based spatial statistics on diffusion tensor imaging in neuropsychiatric systemic lupus erythematosus reveals localized involvement of white matter tracts (SS 411), B-218

Ertl-Wagner B.

Clinical audit for radiologists: Why it is worth doing, and how to make it work: Clinical audit and accreditation: Intimidating or encouraging? Experience in Germany (ESR Audit Session), A-213

Esen G.

Breast MRI: Lesion characterisation: A. Morphology and kinetics at CE dynamic imaging (RC 602), A-129

Essig M.

Investigating the CNS: Excellent contrast meets function (SY 2), D-02

Essig M.

Basic MR spectroscopy: C. MRS in brain tumors (RC 1811), A-482

Eustace S.J.

Knee: A. Menisci: Latest advances (RC 1310), A-327

F

Faccioli N., Foti G., D'Onofrio M., Zaccarella A., Pozzi Mucelli R.

Comparison of contrast-enhanced ultrasonography and MRI in displaying anatomic features of pancreatic serous cystadenomas (SS 101a), B-009

Faccioli N., Foti G., Moore F., Pozzi Mucelli R.

The role of CT and fistulography in the occurrence of pancreatic fistula following pancreaticoduodenectomy (SS 1701b), B-850

Faggioni L., Neri E., Cerri F., Turini F., Picano E., Vagli P., Bartolozzi C.

CT colonography with color coding by means of open source software (OsiriX): A new approach to primary 2D reading (SS 1705), B-828

Fan S., Xu Z., Teng G., Wang J., He H.

The role of key image notes in CT imaging study interpretation (SS 105), B-080

Fanelli F.

Acute aortic syndrome: Key imaging findings that allow distinction among the various aortic pathologies (SF 15a), A-408

Fanelli F., Boatta E., Lucatelli P., Passariello R.

Two-year interim results of the Zilver® PTX® global registry (SS 409a), B-164

Fanti S.

Hybrid imaging: The radiologic/nuclear sandwich: New tracers in hybrid imaging (NH 14), A-367

Farina D.

Nose and paranasal sinuses: A. Inflammatory disease (E³ 520), A-103

Farina D.

Highlighted Lectures: An easy approach to tackle neck imaging (TF 1), A-140

Farina D.

Reporting and staging head and neck tumors: A. Paranasal sinuses (RC 1808), A-492

Farrell M.A.

RF ablation beyond the liver: B. RF ablation in the kidney (RC 609), A-154

Farshid P., Naguib N.N.N., Nour-Eldin N.-E.A., Azizi A., Embalisike E., Vogl T.J.

Effect of underlying hepatic diseases on tumor response during transarterial chemoembolization in patients with hepatocellular carcinoma (SS 409b), B-243

Faschingbauer R., Schreiber V.M.,

Feuchtner G.M., Soegner P., Smekal V., Jaschke W., Klausner A.S.

Evaluation of findings in sonoelastography in fatty atrophy in rotator cuff compared to magnetic resonance tomography (SS 410), B-135

Faschingbauer R., Kupferthaler K., Guerra F.,

Feuchtner G.M., Mur E., Jaschke W., Klausner A.S.

The value of ultrasound (US) in finger osteoarthritis: Evaluation of sonographic criteria in therapeutic follow-up (SS 410), B-136

Fau G., Lintia-Gaultier A., Warin-Fresse K., Crochet D.

Myocardial parameters related to systolic anterior motion of the mitral valve in hypertrophic cardiomyopathy studied by MRI (SS 403b), B-239

Faulkner K., Malone J., Christofides S., Lillicrap S.

Technology assessment for imaging equipment: Introduction to EC initiatives in acceptability criteria for imaging equipment (EF 1), A-181

Fazekas F.

Ischemic stroke: Diagnosis and treatment: What are the clinical requirements and expectations of diagnostic imaging (EM 2), A-114

Fechtner K., Hillengass J., Delorme S., Heiss C., Neben K., Goldschmidt H., Kauczor H.-U., Weber M.-A.

Prognostic value of wholebody-MRI in asymptomatic monoclonal plasma cell disease (SS 510), B-266

Ferner F., Fritsch S., Siebenrock K.A., Werlen S., Mamisch T.C.

Influence of professional sports training for development of femoro-acetabular impingement (FAI): MRI and clinical findings in basketball players (SS 1212), B-571

Ferrari R., Paolantonio P., Rengo M., Caruso D., Vecchietti F., Laghi A.

A comparison of different colon preparations for virtual colonoscopy (SS 1201b), B-500

Ferretti G.R.

Airways evaluation: A. Volume CT assessment of diffuse diseases of the airways (RC 1304), A-317

Ferro J.M.

Ischemic stroke: Diagnosis and treatment: Introduction (EM 2), A-113

Feydy A., Lavie M.-C., Gossec L., Nguyen C., Guerini H., Pluot E., Rannou F., Dougados M., Drape J.-L.

Comparative study of MRI and power Doppler ultrasonography of the heel in spondyloarthritis patients with and without heel pain and in controls: The ETERS study (SS 1210), B-498

Fieselmann A., Ganguly A., Deuerling-Zheng Y., Zellerhoff M., Marks M.P., Boese J., Fahrig R.

Volume cerebral blood flow (CBF) measurement using an interventional ceiling-mounted C-arm angiography system (SS 1713), B-818

Filippi M.

Multiple sclerosis update: MRI as a biomarker (SA 3), A-055

Filippidis D.K., Kelekis A.D., Mavraganis D., Papakonstantinou O., Brountzos E., Kelekis N.L.

Quantitative discomanometry: Correlation of intradiscal pressure values to pain reduction in patients with intervertebral disc herniation treated with percutaneous decompression (SS 109), B-121

Filippidis D.K., Kelekis A.D., Spyridopoulos T., Vergadis C., Brountzos E., Kelekis N.L.

Effect of percutaneous vertebroplasty upon changes in load distribution during standing and walking situations: Clinical experience and preliminary results (SS 109), B-126

Filippone A.

The added value of Primovist (Gd-EOB-DTPA) in the diagnosis and treatment of HCC (SY 12), D-32

Filippone A., Cianci R., Patriarca G., Legnini M., Tartaro A., Storto M.-L.

Hypovascular metastases detectability on hepatobiliary phase of Gd-EOB-DTPA enhanced MRI: Can we save up 10 min in MR examination time? (SS 1201a), B-485

Filippone A., Patriarca G., Cianci R., Valeriano S., Tartaro A., Storto M.-L.

Detection of peritoneal carcinomatosis: Does the association of late Gd-enhanced and diffusion-weighted echo-planar MR images work better than late phase Gd-enhanced MR images alone? (SS 1601b), B-632

Fingerle A.A., Bogot N.R., Kafri G., Sosna J.

Dual-layer dual energy MDCT: Initial experience with iodine distribution maps of the entire chest in imaging of pulmonary embolism (SS 804), B-395

Firouznia K., Ghanaati H., Sharafi A., Abahashemi F., Shakiba M., Jalali A.H.

Comparison of patient dose in flat-panel and conventional angiography systems during uterine artery embolization (UAE) (SS 509b), B-369

Firouznia K., Sharifian H., Taheri E., Azizian A., Shakiba M., Borghei P., Farjad R., Roshan Fekr M., Naghdi M.

The value of non-echo planar diffusion-weighted MRI versus echo planar and conventional MR sequences in the detection of middle ear cholesteatoma (SS 1708), B-810

Fischer L., Donner R., Kainberger F., Langs G.

Towards automatic medical image segmentation using shape particle filters (SS 1213), B-566

Fischer M.A., Stolzmann P., Nanz D., Hany T.F., Breitenstein S., Donati O.F., Reiner C.S., Marincek B., Scheffel H.

Does DWI replace PET information? Evidence from computed tomography image fusion (SS 106), B-102

Fischer M.A., Nanz D., Stolzmann P., Donati O.F., Hany T.F., Breitenstein S., Reiner C.S., Marincek B., Scheffel H.

Whole-body DWI/MRI image fusion: Added diagnostic information and accuracy in comparison to PET/CT (SS 106), B-106

Fischer M.A., Stolzmann P., Nanz D., Breitenstein S., Leschka S., Montani M., Reiner C.S., Marincek B., Scheffel H.

Absolute quantification of liver fat by MRI fat volume fractions in comparison to histopathology (SS 401a), B-147

Fischer S., Mitoslavski E., Vajda Z., Albes G., Heuschmid A., Henkes H.

Endovascular treatment of extra- and intracranial dissections using self-expanding microstents (SS 1709), B-871

Fischer T., Degenhardt F., Farrokh A., Wojcinski S., Slowinski T., Thomas A.

Significant differentiation of focal breast lesions: Use of strain ratio in breast ultrasound (SS 502), B-301

Fishman E.K., Fleischmann D., Imai Y., Jin Z., Reiser M.F., Schoepf U.J.

Best image quality acquired at lowest dose (SY 4), D-11

FitzGerald R.

Radiology and the law: European legislation big brother: What the practitioner should know to avoid being sued and what to do if you are (PC 14), A-396

Flatz W.H., Danke A., Ackl N., Dietrich O., Ertl-Wagner B., Reiser M.F.

Evaluation of basal forebrain atrophy in primary progressive aphasia using MRI (SS 111), B-098

Flatz W.H., Guerkov R., Dietrich O., Ertl-Wagner B., Reiser M.F.

Visualization and evaluation of endolymphatic hydrops in Menier's disease (SS 1708), B-809

Flatz W.H., Ingrisich M., Sourbron S., Goldbrunner R., Ertl-Wagner B., Reiser M.F.

Measuring perfusion and permeability in high grade gliomas: Dynamic contrast enhanced MRI in 3D at 3T (SS 1711), B-844

Florisson J.M.G., Koning I.V., Dudink J., Mathijssen I.M.J., Lequin M.

DTI reveals microstructural brain abnormalities in children with syndromic craniosynostosis (SS 812), B-440

Ford A., Chopra A., Lorenz E., De Noronha R., Matthews S.

Incidentalomas found at PET/CT in patients investigated for lung malignancy: Sheffield region experience (SS 504), B-273

Forsting M.

Redefining productivity in MR (SY 13), D-34

Foti G., Faccioli N., Manfredi R., Mantovani W., Pozzi Mucelli R.

Evaluation of relative wash-in enhancement curves of adrenal incidental lesions at early biphasic computed tomography (SS 1707), B-789

Foti G., Faccioli N., Contro A., Milazzo T., D'Onofrio M., Pozzi Mucelli R.

Evaluation of a method of computed-aided detection (CAD) of pulmonary nodules at computed tomography (SS 1705), B-836

Fournier L.S.

The trauma patient: A. Imaging algorithms (RC 209), A-040

Fournier L.S., Thiam R., Faye N., Trinquart L., Cuenod C.A., Siauve N., Hernigou A., Grataloup C., Frija G.

Intra and inter-observer reproducibility for measurement of lesions according RECIST 1.1 and 1.0: How and why we sometimes go wrong (SS 501a), B-253

Fowler R.

Teaching: Art, habit or science?: e-Learning: Concept for the future? (PC 3), A-086

Francone M., Galea N., Neira C., Iacucci I., Vullo F., Catalano C., Passariello R.

Single-slice multiecho T2* cardiovascular magnetic resonance (CMR) for detection of susceptibility artefacts related to microvascular obstruction (MVO) and hemorrhage in patients with reperfused acute myocardial infarction (MI): Preliminary results (SS 503), B-351

Francone M., Agati L., Carbone I., Vullo F., Catalano C., Passariello R.

Influence of primary percutaneous intervention (pPCI) delay on left ventricular remodeling, infarct size reduction and functional recovery at follow-up after ST-elevation acute myocardial infarction (STEMI): Insight from cardiac MR (CMR) (SS 503), B-352

Francone M., Ascarelli A., D'Ettorre G., Mancone M., Vullo F., Catalano C., Vullo V., Passariello R.

Detection of subclinical atherosclerosis in a study population of HIV-infected patients receiving highly active antiretroviral therapy (HAART): Preliminary data from coronary multidetector computed tomography (MDCT) (SS 803), B-400

Franquet T.

"Known" conditions revisited: B. Under-recognised infections in immune competent individuals (RC 704), A-197

Freeman M.D., Smith F.W.

A case-control study of cerebellar tonsillar ectopia and cervical spine trauma (SS 1611), B-716

Freling N.J.M.

Imaging in common clinical problems: Neck mass: B. Below hyoid (E³ 1620), A-452

Frericks B.B., Lehmann K.S., Ritz J.P., Knappe V., Schenk A., Wolf K.-J.

Hepatic radiofrequency ablation: Ex-vivo quantification of vessels' heat sink effects (SS 509a), B-294

Fretellier N., Idée J.-M., Guerret S., Poveda N., Jestin G., Hollenbeck C., de Goltstein M.-C., Port M., Corot C.

Hyperphosphataemia reveals skin lesions in gadodiamide-treated renally-impaired rats (SS 1206), B-559

Frevet S.

Peripheral vascular malformations: B. Diagnostic approaches to AVM: How to image the dynamic (RC 615), A-137

Frisoni G.

Imaging of dementia today and tomorrow (SY 12), D-30

Frisova V., Kyncl M., Prosova B., Mrazkova L., Rocek M.

Prenatal imaging of facial clefts by two-dimensional and three-dimensional ultrasound and fetal magnetic resonance (SS 1708), B-816

Fruehwald-Pallamar J., Fruehwald L., Mayerhoefer M.E., Nemeč S.F., Nöbauer-Huhmann I.-M., Herneth A.M., Czerny C.

Diffusion weighted MR imaging of parotid gland tumors at 3T (SS 108), B-061

Fruehwald-Pallamar J., Nemeč S.F., Fruehwald L., Mayerhoefer M.E., Herneth A.M., Weber M., Czerny C.

Diffusion weighted MR imaging at 3T in primary head neck squamous cell carcinoma (SCC) (SS 108), B-062

Frydrychowicz A., Harloff A., Wallis W., Bredecke S., Simon J., Markl M.

Aortic pulse wave velocity estimation using flow sensitive 4D MRI at 3T (SS 515), B-338

Frydrychowicz A., Hirtler D., Arnold R., Geiger J., Langer M., Hennig J., Markl M.

Analysis of aortic hemodynamics after treatment for coarctation using flow-sensitive 4D-MRT at 3T (SS 515), B-339

Funovics M.A.

Infection and percutaneous drainage: C. Pelvic abscess (RC 1309), A-357

Furlan A., Agnello F., Marin D., Di Martino M., Midiri M., Catalano C., Lagalla R., Brancatelli G.

Hepatocellular carcinoma (HCC) with indeterminate findings at initial CT or MRI: Does imaging follow-up allow detection of conclusive imaging findings before significant tumor growth? (SS 801a), B-385

Furlan A., Marin D., Agnello F., Di Martino M., Taibbi A., Midiri M., Catalano C., Brancatelli G.

Growth rate of small (≤ 2 cm) HCC in cirrhotic patients: Determining optimal screening interval with serial CT and MRI (SS 801a), B-386

Furtner J., Kasprian G., Schnopfhagen K., Pirker W., Prayer D.

High resolution 3T diffusion tensor imaging-based tractography for differential diagnosis of Parkinsonism (SS 111), B-097

Fütterer J.J., Oyen R.H.

Imaging in common clinical problems: Hematuria (E³ 220a), A-016

Fütterer J.J., Scheenen T., Bosboom D., Schouten M., Barentsz J.O.

Evaluation of a pneumatically actuated MR-compatible robot for MR-guided prostate biopsy (SS 509b), B-364

G

Gagarina N., Fominykh E., Mukhamatullina E.Z.

Low-dose 320-row volume CT coronary angiography: Comparison of new "sub-mSv" and full-dose protocols (SS 103), B-113

Gaitini D.

Vascular ultrasound imaging: When and how: Carotid stenosis and vulnerable plaque (SF 15c), A-439

Gale A.G.

Visualisation, perception and image processing: A. Visualisation and perception (RC 1513), A-431

Galea N., Carbone I., Cannata D., Cannavale G., Giannetta E., Isidori A., Catalano C., Passariello R.

Chronic sildenafil treatment in men with type 2 diabetes: Cardiovascular effects evaluated by cardiac MRI (SS 1703), B-866

Galizia M., Tochetto S., Rezai P., Yaghamai V.

Evaluation of the European association for the study of liver disease (EASL) necrosis criteria on MDCT: Comparison of two-dimensional and volumetric quantification to assess treatment response (SS 501a), B-258

Gallucci M.

Discs: Old problems and new solutions: A. Spinal stenosis: How do you measure it? (CC 616), A-110

Ganau Macias S., Tortajada Gimenez L., Andreu Navarro X., Villajos Fernandez M., Escribano Alcántara F., Martín Olóriz A., Font J., Planas Roquerols J., Sentís Crivellé M.

Usefulness of breast MRI in patients with flat epithelial atypia (SS 1602), B-678

Gandini R., Pampana E., Massari F., Chiaravalotti A., Del Giudice C., Di Primio M., Simonetti G.

Symptomatic atherosclerotic middle cerebral artery stenosis treatment with self-expandable intracranial stents: Single center experience (SS 1709), B-873

Ganeshan B., Rajpopat M., Vinayan A., Nathan P., Goh V.J., Miles K.

CT texture and enhancement: Potential predictive imaging biomarkers of response to treatment in metastatic renal cancer (SS 1607), B-663

Gangi A.

Spinal intervention: A new level of success: C. Spinal interventions beyond vertebroplasty (CC 1816), A-491

García Mónico R.D.

Argentine radiology: Past, present and future: Radioanatomy of the lower uterine arterial anastomoses (EM 3), A-205

Garel C.

Pediatric non-traumatic emergencies: What we must know!: Neurological emergencies (SF 3c), A-075

Gasparotti R.

Basic MRI: B. New MR sequences in daily practice (RC 211), A-022

Gassner I.

Chest imaging: What to use and when to use it: A. US: When and how? (RC 1512), A-434

Gatti E., Cabassa P., Morone M., Pavesi V., Maroldi R.

Comparison of acoustic radiation force elastography and liver biopsy for the assessment of liver fibrosis in patients with chronic liver disease (SS 401a), B-140

Gauthier T., Averkiou M., Owen D.R., Kyriakopoulou K., Wasan H., Leen E.

Contrast-enhanced hepatic perfusion index: A novel ultrasound imaging biomarker to monitor therapy (SS 1706), B-788

Geiger D., De Filippis G., Di Martino M., Del Monte M., Di Miscio R., Catalano C., Passariello R.

Dual energy multiphase CT of the liver: Comparison of virtual noncontrast and standard nonenhanced phase: Quantitative analysis and dose reduction in cirrhotic patients (SS 1601a), B-621

Gennaro G., Dromain C., Balleyguier C.S., Thibault F., Baldan E., Bezzon E., Pescarini L.

Digital breast tomosynthesis versus digital mammography: Analysis of discordant cancer cases (SS 102), B-054

Gevenois P.A.

Airways evaluation: C. CT quantification of pulmonary emphysema (RC 1304), A-319

Ghaye B.

Lung perfusion imaging: CT or MR?: A. Technological basis for lung perfusion with CT (CC 1318), A-324

Giaramita L., Zaid S., Kirn V., Marzoli L., Solbiati L.

Lung cancer early response to chemotherapy: Comparing performance of diffusion weighted MRI versus contrast-enhanced CT (SS 104), B-035

Giesel F.L., Mehndiratta A., Bock M., Gerigk L., Komm N., Essig M.

Optimizing flip angle and injection rate for combined first pass and steady state imaging of the supraaortic vasculature using gadofosveset trisodium at 1.5T MRI: A volunteer study (SS 1706), B-780

Gignier P.

Vacuum assisted biopsy on a digital breast tomosynthesis system: Initial clinical experience (SY 11), D-28

Gillams A.R.

Liver tumors and management: B. Staging of liver tumors and treatment planning: When and how to treat (MC 1819), A-499

Gillard J.H.

Organ-specific and future contrast media in MRI: B. Contrast for atherosclerosis imaging (RC 606), A-148

Gilligan P.

Clinical audit, accreditation and the role of the medical physicist: C. Hospital perspective on clinical audit (RC 1413), A-387

Girardi V., Carbognin G., Calciolari C., Camera L., Bonetti F., Pozzi Mucelli R.

Utility of second look ultrasound in the management of incidental enhancing lesions detected by breast MR imaging (SS 502), B-302

Giusti S., Faggioni L., Neri E., Fruzzetti E., Nardini L., Bartolozzi C.

Quantitative analysis of contrast kinetics for differentiation between active and inactive Crohn's disease on dynamic contrast-enhanced MRI of the small bowel (SS 501b), B-313

Gladish G.W.

Cardiothoracic CT: One-stop-shop procedure?: A. How to assess cardiac function from a chest CT angiographic examination (CC 318), A-056

Glaser C.

Knee: C. The post-operative knee (RC 1310), A-329

Glaveckaitė S., Valeviciene N., Palionis D., Mataciunas M., Laucevicius A., Skorniakov V., Tamosiunas A., Uzdavins G.

Comparison of two cardiovascular magnetic resonance imaging parameters for identifying reversible myocardial dysfunction (SS 503), B-356

Gleeson F.

Bedside chest imaging: C. Radiologic-guided bedside interventions of the thorax (RC 1104), A-308

Gnant M.

Breast cancer: How to evaluate response to treatment: From genes to surgical outcome (SF 10b), A-244

Godi C., Ferreri A., Resti A.G., Ponzoni M., Iadanza A., Ambrosi A., Falini A., Scotti G., Politi L.S.

Role of diffusion-weighted imaging in the diagnosis and follow-up of ocular adnexal lymphomas (SS 408), B-182

Goh V.J.

Functional imaging in CT: Optional or built-in?: Can CT perfusion monitor tumor therapy response? (NH 6), A-109

Golding S.J.

Imaging in common clinical problems: Neck mass: A. Above hyoid (E³ 1620), A-451

Goldstone A.R., Patel C.N., Chowdhury F.U., Scarsbrook A.F.

Development of a novel web-based reporting performance assessment tool to support mentored training in PET/CT (SS 105), B-085

Gómez-Ansón B., Granell Moreno E.

Neurodegenerative disorders: C. Neuroimaging in abnormal movement diseases (RC 1311), A-339

Gómez-Ansón B., Barkhof F.

Common clinical problems: Cognitive decline and dementia (E³ 1520), A-420

Goodman L.R.

Imaging in common clinical problems: Acute chest pain: B. Non-cardiac (E³ 1820a), A-474

Góraj B.

Neurodegenerative disorders: A. The new MS diagnostic criteria (RC 1311), A-337

Götti R.P., Baumüller S., Feuchtner G., Stolzmann P., Karlo C.A., Alkadhi H., Leschka S.

High-pitch dual-source CT angiography of the thoracic and abdominal aorta: Do we get the coronary arteries for free? (SS 403a), B-195

Götti R.P., Feuchtner G., Baumüller S., Stolzmann P., Scheffel H., Desbiolles L.M., Marinček B., Alkadhi H., Leschka S.

Low dose high-pitch spiral acquisition 128-slice dual-source computed tomography for the evaluation of coronary artery bypass grafts (SS 403a), B-196

Gourtsoyianni S.

Diffusion-weighted imaging of the abdomen: A new tool for oncologic imaging?: Pelvic cancers and lymph node imaging: The PET competitor? (SF 3a), A-048

Gourtsoyianni S.

Crohn's disease: Techniques and results: B. MRI and MR-related tools (RC 1801), A-467

Gourtsoyianni S., Maris T.G.

Easily adopted abdominal DWI quality control phantom (SS 1701a), B-763

Goyen M.

The radiologist of the future: Challenges and changes: Marketing in radiology: Evil or guardian angel (PC 13), A-354

Grainger A.J.

Arthritis: Back to basics: A. Radiographic diagnosis (RC 710), A-171

Grams A.E., Kraff O., Orzada S., Maderwald S., Kalkmann J., Ladd M.E., Forsting M., Gizewski E.R.

Magnetic resonance imaging of cranial nerves at 7 Tesla (SS 1711), B-839

Grams A.E., Brote I., Maderwald S., Seifert A.K., Kollia K., Forsting M., Ladd M.E., Gizewski E.R.

Cerebral magnetic resonance spectroscopy (MRS) at 7 Tesla: Standard values and regional differences (SS 1711), B-840

Graser A., Kolligs F.T., Becker H.-C., Reiser M.F., Mang T.

Detection rates of diminutive polyps in CT colonography: Implications for colorectal cancer screening (SS 1201b), B-506

Graser A., Becker H.-C., Reiser M.F., Mang T.

3D CT colonography (CTC): Comparison of diagnostic accuracy and interpretation times of a standard and an advanced 3D visualization technique (SS 1201b), B-509

Graser A., Sommer W.H., Nikolaou K., Reiser M.F., Johnson T.R.C., Becker H.-C.

2nd generation abdominal dual energy CT with tin filtering: Assessment of image quality and radiation exposure (SS 1601a), B-622

Graser A., Becker H.-C., Bindi D., Reiser M.F., Huda W., Schoepf U.J.

CT colonography: Population-based calculation of radiation risk (SS 1613), B-682

Graser A., Arndt N., Nikolaou K., Reiser M.F., Becker H.-C., Johnson T.R.C.

Single-acquisition dual energy CT for renal mass characterization (SS 1707), B-796

Grazioli L., Haradome H., Tsunoo M., Tinti R., Frittoli B., Gambarini S.

Noninvasive diagnostic vascular criteria (wash-in and washout) for hepatocellular carcinoma in cirrhotic patients: Qualitative comparison evaluation of gadoteric acid-DTPA-enhanced MR imaging and multidetector CT (SS 801a), B-384

Greif R.

Teaching: Art, habit or science?: Clinical teaching: Avoid the yawn (PC 3), A-084

Grenier N.

Kidney: Imaging and intervention: A. Angiomyolipoma: A review (RC 1007), A-240

Grenier N.

Molecular imaging probes on your doorstep: A. SPIO and USPIO probes for inflammatory diseases (RC 1406), A-376

Grenier N.

Renal cancer: Old problems, new solutions: US and MRI (SF 18), A-471

Grenier P.A.

Hot CT issues in clinical practice: C. Phenotyping and interventions in COPD (RC 604), A-152

Grenier P.A.

The radiologist of the future: Challenges and changes: Chairman's introduction (PC 13), A-351

Grewatta P.J., Buehler M., Otto G., Schneider J., Achenbach T., Dueber C., Pitton M.B.

Induction of left liver hypertrophy by right portal vein occlusion: Embolization vs ligation (SS 1609), B-738

Grimmer R., Maaß C., Meyer M., Kachelrieß M.

Scatter and beam hardening precorrection in case of tube-voltage modulation and shaped prefiltration (SS 513), B-322

Grimmer R., Berkus T., Bergner F., Kachelrieß M.

Sequence scan reconstruction with improved dose usage and increased scan coverage (SS 1213), B-565

Grothoff M., Hoffmann J., Lehmkühl L., Gutberlet M.

Right ventricular involvement in acute myocardial infarction: Evaluation of edema, delayed enhancement and RV function by cardiac MRI (SS 503), B-353

Grunwald I.Q., Krick C., Karp K.

Does stent cell design influence DWI ischemic event rate? (SS 1211), B-592

Grunwald I.Q., Roth C.

Revascularization in acute ischemic stroke using the penumbra system (SS 1211), B-594

Gruszczynska K.

Emergency radiology: The new frontiers, the old barriers: Cardiac emergency imaging: Crossing frontiers, meeting barriers (EM 1), A-097

Gruszczynska K., Janusiewicz P., Baron J., Biernat J., Golba K., Wos S., Deja M.

Mitral valve geometry in ischemic cardiomyopathy: MRI evaluation (SS 1603), B-720

Guerrisi A., Marin D., Ho L., Toth T., Barnhart H., Catalano C., Passariello R., Nelson R.

Technique for determining patient lean body weight from a single abdominal CT image (SS 1205), B-523

Gullien R., Andersen J.G., Haakull A.

Identifying the most common deviations in mediolateral-oblique (MLO) mammograms classified as "moderate" before and after implementation of improvement initiatives (SS 102), B-059

Gutberlet M.

Imaging of cardiomyopathies: MRI and MDCT in hypertrophic cardiomyopathy (SF 6), A-145

Guthrie J.A.

The acute abdomen: C. Acute stages in neoplastic diseases (CC 1517), A-405

H

Haage P.

The trauma patient: C. Iatrogenic trauma (RC 209), A-042

Habermann C.R.

Infrahyoid neck: A. Hypopharyngeal cancer: What you need to know (RC 1108), A-303

Hacking N.

Minimally invasive treatment of uterine fibroids: A. Choice of embolic agent (RC 1509), A-448

Hackney L., Britton I., Bajwa S., Williams S.

Accuracy of preoperative staging of the axilla in breast cancer by axillary node needle core biopsy (SS 1702), B-808

Hafeez R., Punwani S., Boulos P., Bloom S., Halligan S., Taylor S.

Diagnostic and therapeutic impact of MR enterography in Crohn's disease: A prospective non-randomised study (SS 501b), B-316

Hafeez R., Punwani S., Boulos P., Bloom S., Halligan S., Taylor S.

To investigate the utility of T2 relaxation time measurement as a potential biomarker of inflammation in acute colitis (SS 1701b), B-856

Hahn S., Heusner T., Stahl A.R., Bockisch A., Forsting M., Antoch G.

Dual-time-point PET/CT to discriminate between physiologic and metastatic axillary lymph nodes? (SS 402), B-179

Hahn S., Heusner T., Zhou X., Bockisch A., Forsting M., Antoch G.

Computer-aided detection and assessment of non-small-cell lung cancer (NSCLC) using a novel PET/CT software tool: Initial results (SS 1705), B-837

- Haller S., Chapuis D., Gassert R., Burdet E., Klarhöfer M.**
Supplementary motor area SMA and anterior intraparietal area AIP integrate fine-graded timing and force control during precision grip (SS 811), B-462
- Hallscheidt P.**
Kidney: Imaging and intervention: B. The (not so) rare malignant tumors of the kidney (RC 1007), A-241
- Hamberg L.M., Hunter G.J.**
DLP derived effective dose is an underestimate of the effective dose based on Monte Carlo calculations for anthropomorphic phantoms (SS 1613), B-684
- Hambrock T., Somford D., Hulsbergen-vandeKaa C., Scheenen T., Van Oort I., Witjes A., Huisman H., Barentsz J.O.**
Correlation of apparent diffusion coefficient values at 3T MRI with prostate cancer Gleason grade in the peripheral zone (SS 807), B-413
- Hambrock T., Hoeks C., Huisman H., Van Oort I., Witjes A., Hulsbergen-vandeKaa C., Barentsz J.O.**
Concordance between MR imaging guided prostate biopsy Gleason grade and prostatectomy Gleason grade vs 10-core systematic transrectal ultrasound guided biopsies (SS 807), B-417
- Hamm B., Petrow P.**
Cancer of the uterus: Diagnosis, staging and follow-up (E³ 720b), A-176
- Haneder S., Attenberger U.I., Schönberg S.O., Michaely H.J.**
Is Gd chelates concentration an issue for peripheral MRA diagnostic performance? (SY 17), D-50
- Hansch A., Poehlmann G., Mentzel H.-J.**
Combined MRI: Imaging of deep venous thrombosis and lung arteries after a single injection of blood pool MR contrast agent gadofosveset (SS 515), B-336
- Hany T.F.**
PET/CT in oncologic imaging: The added value of contrast-enhanced PET/CT (PC 10), A-264
- Hany T.F.**
Hybrid imaging: The radiologic/nuclear sandwich: Chairman's introduction (NH 14), A-365
- Hao D.P., Wang Z.C., Xu W.J.**
Osteochondral lesions of the talus: Comparison of three-dimensional fat-suppressed fast spoiled gradient-echo MR imaging and conventional MR imaging (SS 1210), B-493
- Haradome H., Grazioli L., Tsunoo M., Bondioni M.**
Differentiation of hypervascular benign tumors: Focal nodular hyperplasia, hepatic adenoma, and nodular regenerative hyperplasia with gadoteric acid-DTPA enhanced MR imaging (SS 1701a), B-767
- Hardy M., Snaith B., Wyton C.**
The impact of radiographer immediate reporting on patient outcomes and service delivery within the emergency department: A randomised controlled trial (SS 1214), B-584
- Hartmann I.**
Cardiothoracic CT: One-stop-shop procedure?: B. Impact in the management of acute pulmonary embolism (CC 318), A-057
- Hashemi Taheri A., Radmard A., Sedighi N., Radmehr A.**
Doppler perfusion index in focal hyperechoic lesions of the liver: Correlation with CT volumetric measurements (SS 1601a), B-626
- Hauser A.S.D., Bongartz G.M., Potthast S.**
Optimizing CT-urography: Split-bolus technique and coughing prior to acquisition (SS 1707), B-797
- Hausleiter J.**
Sub mSv cardiac imaging in clinical routine (SY 4), D-08
- Haylor J.L., Nutter F., Jestin G., Decausse A., Idee J.-M., Slater D., Morcos S.**
Comparison of gadoterate, an ionic macrocyclic contrast agent with gadodiamide, a non-linear chelate in rats with reduced renal function (SS 1706), B-784
- Heinz-Peer G.**
Adrenals: Small glands, big problems ... and practical solutions: What is abnormal and not a problem? (SA 6), A-134
- Heinze O., Bergh B.**
Experiences integrating RIS/PACS into personal electronic health records (PEHR) (SS 105), B-089
- Helbich T.H.**
Cancer: How to evaluate response to treatment: Chairman's introduction (SF 10b), A-243
- Helck A., Sommer W.H., Wessely M., Rentsch M., Nikolau K., Clevert D.-A., Klotz E., Reiser M.F., Becker H.-C.**
Dynamic CTA of the renal artery in patients after kidney transplantation: Potential of significant reduction of iodinated contrast material (SS 415), B-201
- Helmberger T.K.**
Liver tumors and management: C. Evaluation of tumor response to treatment (MC 1819), A-500
- Hénichart C., Outteryck O., Laurent C., Charbonneau F., Le Thuc V., Leclerc X., Vermersch P., Pruvo J.-P.**
Multivoxel HMRS and volumetric MRI study in patients with clinically isolated syndrome (SS 411), B-210
- Henzler T., Krissak R., Reichert M., Porubsky S., Schönberg S.O., Fink C.**
Ex vivo coronary atherosclerotic plaque characterization: Comparison of dual-source and dual energy CT with 16-row multi slice CT and histopathology (SS 1203), B-513
- Heo S., Jeong S., Young J., Kim J., Lee J., Jeong Y., Kang H.**
A comparative study of histopathologic parameters and apparent diffusion coefficient values on 3T rectal MRI in locally advanced rectal cancer following neoadjuvant chemoradiation therapy (SS 801b), B-427
- Hermans R.**
Larynx and hypopharynx: A. Benign lesions (E³ 720a), A-174
- Hermans R.**
Infrahyoid neck: B. The suspected recurrence: How to deal with it (RC 1108), A-304
- Hermen J., Jahn A., Kohler S., Moll C., Plumer J.**
Performance and monitoring server for medical data (SS 105), B-086
- Herth F.J.F.**
New interactions between radiologists and endoscopists: B. Direct nodal sampling by echoendoscopy: The clinician's expectations (CC 1518), A-415
- Hertz-Pannier L.**
Advanced brain MR imaging: Why and when: C. Functional MRI (RC 1112), A-299
- Herzog P., Kim J., Kietzmann M., Kirchhoff S., Binnig G., Reiser M.F.**
Performance of a prototype computer aided diagnosis (CAD) tool for the volumetric assessment of lymph nodes at multidetector-row CT data (SS 1705), B-835
- Hesselmann V., Niederstadt T., Kemmling A., Dzewas R., Ritter M., Maintz D., Koehler M., Seifarth H., Heindel W.**
The effect of collateralization, procedure time, mismatch and recanalization grade on tissue outcome after immediate mechanical recanalization (SS 511a), B-285
- Hesselmann V., Niederstadt T., Seifarth H., Dzewas R., Schwindt W., Maintz D., Heindel W.**
Evaluation of collateral flow in cerebral vessel occlusion using 4D CT-angiography: Impact on the outcome after multimodal recanalization therapy (SS 511b), B-343
- Heusner T., Hamami M.E., Hahn S., Bockisch A., Forsting M., Antoch G.**
Diagnostic accuracy of angiography-based CT-like imaging when assessing for extrahepatic arterial shunting before selective internal radiation therapy (SIRT) (SS 409b), B-248
- Heusner T., Boy C., Pertersenn S., Forsting M., Bockisch A., Antoch G.**
68Ga-DOTATOC-PET/CT imaging and somatostatin (sst) receptor-fingerprints in physiological human tissues: SUVmax meets mRNA-expression (SS 1606), B-700
- Heusner T., Hahn S., Hamami M.E., Bockisch A., Stahl A.R., Antoch G.**
Incidental head and neck FDG uptake on PET without corresponding CT lesion: Early predictor of cancer development? (SS 1606), B-705
- Heusner T., Boy C., Forsting M., Müller S., Bockisch A., Antoch G.**
Diagnostic benefit of 131-I-SPECT/CT over 131-I-scintigraphy after therapy of differentiated thyroid cancer (SS 1606), B-706
- Heywang-Köbrunner S.H.**
Interventional techniques: C. An update on MR-guided wide excision biopsy (RC 1102), A-288
- Hirsch W.**
Imaging the GI/GU tracts: C. MRI: Current state and new options (RC 712), A-189
- Ho K.-T., Panknin C.**
Sub-millisievert coronaries: Scan protocol selection, image quality, and patient dose in the first 85 coronary scans on a new dual source CT scanner (SS 103), B-119
- Hodler J.**
Back to basics: Protocols for the spine: C. MR protocols for the spine (CC 216), A-004
- Hodler J.**
Knee: B. The posterior corners (RC 1310), A-328

Authors' Index

Hoeffel C.

Rectal cancer: B. Staging with MRI (RC 1101), A-277

Hofer M.

Teaching: Art, habit or science?: Teach the teacher (PC 3), A-088

Hoffmann C.

Common disorders of the pediatric brain: A. Fetal MR imaging: More than just T2-weighted images (RC 1411), A-382

Hohmann J., Potthast S., Bongartz G.M.

Serum creatinine measurements: Evaluation of a questionnaire according to the ESUR guidelines (SS 1706), B-786

Hori M., Motosugi U., Zareen F., Kumagai H., Ishigame K., Aoki S., Onodera T., Yagi K., Araki T.

Displacement mapping for stroke patients using high b-value q-space diffusion-weighted MRI (SS 511a), B-287

Hörmann M.

Comparative study of low osmolar contrast media in pediatric renal tolerance (SY 6), D-19

Hornig A., Raya J.G., Weber J., Weckbach S., Nixdorf K., Reiser M.F., Glaser C.

Reproducibility of T2 mapping in healthy and osteoarthritic human tibial cartilage: Precise enough to detect true degenerative change? (SS 110), B-019

Howarth N.

Beyond morphological analysis of lung tumors: C. Nuclear imaging (CC 1018), A-233

Howarth N.

Non-small cell lung cancer: B. PET/CT in lung cancer (RC 1804), A-496

Hu C., Cui L.

The imaging quality comparison between bolus-triggering and test-bolus technique used in 64-slice spiral CT angiography of lower extremity arteries (SS 115), B-077

Hu C., Cui L.

MRI with SPIO-carbon dye mixture for detection of metastatic lymph nodes in VX2 tumor rabbits: Experimental study (SS 1706), B-779

Huang X., Pu X.

The comparative study of dual energy CT lung perfusion and pulmonary angiography with pulmonary perfusion scintigraphy in the diagnosis of pulmonary embolism (SS 804), B-399

Huber A., Settles M., Herrmann K., Beer A., Rummeny E.J.

Double inversion recovery "black-blood" gradient echo for detection of myocardial infarction (SS 503), B-358

Hudson L.

Administrative issues: B. Lean project at the NHS Lothian Edinburgh (RC 1014), A-255

Huisman T.A.G.M.

Fetal body MRI: MRI of the abdomen (SF 3d), A-081

Hümme T.H., Lutter G., Bombien R., Charalambous N., Heller M., Bolte H., Jahnke T.

Mitral valved stent validation with cardiac-CT: Feasibility study (SS 1603), B-724

Hunter G.J., Hamberg L.M., Edeiken B., Schellingerhout D., Perrier N.D.

4D-MDCT: A radiologic imaging technique for anatomical localization and diagnosis of parathyroid tumors (SS 408), B-189

Hwang J.-Y., Gwon D., Ko G.-Y., Yoon H.-K., Sung K.-B., Kim J., Lee J.-M., Lee I., Kim K.-A.

A comparative analysis of PTFE-covered and uncovered stents for treatment of malignant extrahepatic biliary obstruction (SS 109), B-127

Hwang J., Ko S., Choi J., Roh H.

Myocardial bridging of the left anterior descending coronary artery: Depiction rate and morphology at dual-source CT coronary angiography (SS 403a), B-199

Hwang J., Roh H., Choi J., Moon W., Chun Y.

Endovascular coiling of very small (≤ 3 mm) intracranial aneurysms: A single center experience (SS 1211), B-595

I

Iacucci I., Francone M., Mangia M., Vullo F., Pagliaro M., De Meo C., Catalano C., Passariello R.

Myocardial edema as the sole marker of acute injury in Tako-Tsubo cardiomyopathy (TT-CMP): A cardiovascular magnetic resonance (CMR) study (SS 403b), B-232

Iafrate F.

CT colonography: All the relevant aspects: A. State-of-the-art technique (RC 1501), A-411

Idée J.-M., Fretellier N., Poveda N., Dencausse A., Justin G., Wallon C., Hollenbeck C., Raynaud J.-S., Corot C.

Comparative stability of nonionic linear and ionic macrocyclic gadolinium chelates in renally-impaired rats (SS 1206), B-553

Iezzi R., Simeone A., Di Stasi C., Codispoti F., Snider F., Bonomo L.

Dynamic cine CT angiography of the proximal aneurysm neck: Conformational changes during the cardiac cycle with possible consequences for endograft selection and sizing (SS 515), B-333

Iezzi R., Simeone A., Pirro F., Nestola M., Bonomo L.

Aortic neck dilation after endovascular abdominal aortic aneurysm repair: Should it be predicted? (SS 809), B-476

Ilea D.E., Whelan P.F., Brown C., Stanton A.

Automatic detection and measurement of the IMT in longitudinal sections of ultrasound images of the CCA (SS 1205), B-522

Iorio N., Macioce A., Matarazzo I., Vitale V., David V.

Female infertility assessment: The role of MR-HSG compared to traditional HSG (SS 1207), B-536

Ippolito D., Monguzzi L., Guerra L., Invernizzi F., Di Pisa G., Messa C., Sironi S.

Role of diffusion-weighted MR imaging in evaluation of tumor regression grade after chemoradiation therapy for LARC: Comparison with 18FDG-PET-CT findings (SS 106), B-104

Ippolito D., Monguzzi L., Invernizzi F., Guerra L., Messa C., Sironi S.

MRI with diffusion weighted imaging and apparent diffusion coefficient (ADC) assessment in the evaluation of rectal cancer regression after radio-chemotherapy (SS 801b), B-425

Ippolito D., Scorza M., Invernizzi F., Ratti L., Antolini L., Sironi S.

CT-perfusion technique in evaluation of viable residual tumor after radiofrequency ablation treatment in patients with hepatocellular carcinoma (SS 1609), B-731

Ivanac G.

Vascular ultrasound imaging: When and how: DVT diagnosis and mimics (SF 15c), A-441

J

Jacobs J., Marshall N.W., Cockmartin L., Marchal G., Bosmans H.

Initial experience with constancy checking of digital breast tomosynthesis systems (SS 1713), B-820

Jacquier A., Thuny F., Jop B., Habib G., Bartoli J., Moulin G.

Measurement of trabeculated left ventricular mass using cardiac magnetic resonance imaging in the diagnosis of left ventricular non-compaction (SS 403b), B-236

Jacquier A., Prost C., Amabile N., Gaubert J., Paganelli F., Bartoli J., Moulin G.

CMR assessment of gadolinium kinetics in acute myocarditis: Insight for a new imaging protocol (SS 403b), B-238

Jain R.D., Kohli A.

Role of dual energy CT in pulmonary embolism (SS 804), B-392

James S.

Bone tumors: B. Staging and intervention (RC 1410), A-373

Jansen-van der Weide M.C., de Bock G.H., Greuter M.J.W., Jansen L., Oosterwijk J.C., Pijnappel R., Oudkerk M.

Mammography screening and radiation-induced breast cancer among women with a familial or genetic predisposition: A meta-analysis (SS 102), B-056

Jargiello T.

Imaging the polytrauma patient: The growing importance of interventional radiology (SF 3b), A-073

Jarvinen H.

Clinical audit, accreditation and the role of the medical physicist: A. European-wide perspective on clinical audit (RC 1413), A-385

Jiawen Z., Xiaoyuan F., Bin L., Yin B.

The prognostic significance of CT volume measurement in the patients with unresectable hepatocellular carcinoma treated by transcatheter arterial chemoembolization (SS 501a), B-255

Jiawen Z., Xiaoyuan F., Hanqiu L., Zhenwei Y., Yanmei Y.

Experimental studies on functional response in normal rat brain to hypercarbia using perfusion CT (SS 511b), B-347

Jiawen Z., Xiaoyuan F., Zhenwei Y., Hanqiu L., Yanmei Y.

Experimental studies on functional response of tumoral vascular to hypercarbia in rat brain C6 glioma model using perfusion CT (SS 511b), B-348

Authors' Index

- Jiawen Z., Xiaoyuan F., Bin L., Yongqiang Y.**
Using 64-slice CT perfusion imaging to evaluate the histopathologic grade of intracranial gliomas (SS 511b), B-349
- Jimenez Gomez E., Zurera Tendero I., Canis M., García-Revilla J.**
Radiofrequency ablation of renal tumors in patients with solitary kidney (SS 509b), B-363
- Jogeesvaran K., Nair A., Klusmann M.J., Grubnic S., Green S., Vlahos I.**
Reinterpretation of 200 consecutive non-small cell lung cancer (NSCLC) presentations: Stage migration and implications of the proposed international association for the study of lung cancer (IASLC) TNM classification (SS 404), B-157
- Johnson B.A.**
Spinal intervention: A new level of success: A. Image-guided pain management (CC 1816), A-489
- Johnson K.J.**
Pediatric non-traumatic emergencies: What we must know!: Musculoskeletal emergencies (SF 3c), A-078
- Johnson S.J.L., Brown S.E., Porter G.J.R., Steel J., Paisley K., Watkins R.M., Holgate C.**
Negative axillary ultrasound in primary breast cancer: How reassured should we really be? (SS 502), B-304
- Johnson T.R.C.**
Cardiac CT: Imaging beyond the coronaries: Myocardial and valvular function (SF 7a), A-157
- Johnson T.R.C., Schenzle J.C., Sommer W.H., Michalski G., Neumaier K., Lechel U., Nikolaou K., Becker H.-C., Reiser M.F.**
Dual energy CT: How about the dose? (SS 1613), B-683
- Juillard L.**
Main parameters involved in CIN: Is viscosity the main one? (SY 6), D-18
- Jung E.M.**
CEUS and high frequency imaging (SY 5), D-15
- Jurik A.**
Arthritis: Back to basics: C. Imaging the spine in arthritis (RC 710), A-173
- Juszkat R., Kulesza J., Zarzecka A., Jemielity M., Staniszewski R., Majewski W.**
New technique for the preservation of the left common carotid artery in zone 2 endovascular repair of thoracic aortic aneurysm (SS 809), B-473
-
- K**
-
- Kainberger F., Bohndorf K.**
Commonly missed diagnosis in musculoskeletal conditions (E³ 220b), A-017
- Kalender W.A.**
Radiation dose management: B. Practical CT dose reduction strategies (RC 1313), A-341
- Kalkmann J., Richly H., Forsting M., Scheulen M.E., Stattaus J.**
Diffusion-weighted imaging for liver lesion detection in patients with metastatic uveal melanoma: How to detect pseudoprogression under antiangiogenic therapy? (SS 1201a), B-488
- Kalkmann J., de Greiff A., Ladd S.C., Forsting M., Stattaus J.**
Feasibility of semi-automated tumor response assessment of liver metastases according to RECIST guidelines (SS 1705), B-831
- Kandel S., Kloeters C., Meyer H., Rogalla P.**
320-slice dynamic volume CT to analyse early stages of severe acute pancreatitis (SS 101a), B-001
- Karanam L., Dev B., Santhosham R.**
Automated CT guided biopsies with precise CT guided arm: Our initial experience (SS 1209), B-604
- Karanam L., Dev B., Joseph S.**
Endovascular management, a successful efficient method in the treatment of catotiocavernous fistulae: Our experience in 46 patients (SS 1709), B-875
- Karantanas A.H.**
Hip through the ages: C. The ageing hip (RC 1010), A-236
- Karantanas A.H.**
Upper extremity: Anatomy, variants and pitfalls: C. Wrist (MC 1325), A-316
- Karlo C.A., Baumüller S., Feuchtner G., Frauenfelder T., Götti R., Stolzmann P., Scheffel H., Marincek B., Leschka S.**
Image quality of the aortic root in high-pitch dual source computed tomography using prospective ECG-synchronisation: Comparison to non ECG-synchronised high-pitch and standard pitch acquisition techniques (SS 1603), B-726
- Karlo C.A., Zanetti M., Stolzmann P., Steurer-Dober I., Brunner F., Hodler J., Pfirrmann C.W.A.**
Synovitis maps for the assessment of inflammatory disorders of the hand (SS 1710b), B-754
- Karwacki G., Schneider J.F.**
Normal development and ossification variations of the upper spine: A CT study (SS 1212), B-569
- Kasprian G., Amann G., Panotopoulos J., Kainberger F., Prayer D., Nöbauer I.**
Peripheral nerve tractography in soft tissue tumors (SS 510), B-261
- Kasprian G., Paul A., Hold A., Sycha T., Aszmann O., Engel H., Kainberger F., Prayer D.**
3 Tesla ulnar nerve tractography in cubital tunnel syndrome (SS 1710b), B-749
- Kauczor H.-U.**
COPD: A disorder of the respiratory and cardiovascular systems: C. Functional MRI (CC 218), A-012
- Kauczor H.-U.**
MRI of the lungs: Light at the end of the tunnel?: Chairman's introduction (NH 11), A-289
- Kawai T., Hara M., Shima K., Ozawa Y., Shibamoto Y.**
Can dual energy CT evaluate contrast enhancement of ground-glass attenuation? A phantom study (SS 104), B-031
- Kawel N., Winter L., Jhooti P., Zellweger M., Scheffler K., Bremerich J.**
Imaging the thoracic aorta: Contrast-enhanced 3D-MRA versus 3D-TrueFISP with multiple image reconstruction using CLAWS (SS 515), B-337
- Kele P.G., De Jong K.P., Van der Jagt E.J.**
Ablation margins in open and percutaneous RFA for colorectal liver metastases: Does it matter? (SS 501a), B-256
- Kelekis A.D.**
RF ablation beyond the liver: A. RF ablation in bone (RC 609), A-153
- Kelekis N.L.**
Valvular heart disease: C. Magnetic resonance: Value of flow measurements (RC 1403), A-399
- Keller J., Vymazal J., Jech R., Ridzon P., Rusina R., Kulišťák P., Malíková H., Keller O.**
Amyotrophic lateral sclerosis: Quantitative MR imaging (SS 111), B-099
- Kelly K.M., Dean J.C., Comulada W., Lee S.-J.**
Breast cancer detection: Radiologists' performance using mammography with and without automated whole-breast ultrasound (SS 402), B-178
- Kerl M., Bauer R.W., Deseive S., Korkusuz H., Schoepf U.J., Vogl T.J.**
Dual energy CT for the assessment of acute and chronic myocardial infarction in a porcine model: Comparison with MRI late enhancement and histopathology (SS 1203), B-519
- Kettenbach J., Melzer A.**
Oncologic interventions in the liver: C. Future directions (RC 1409), A-402
- Khedr S.A., Gaballa A.**
MR imaging of anterior cruciate ligament reconstruction poor outcomes (SS 810), B-374
- Khedr S.A., Gaballa A., Adly A.**
Diffusion-weighted MR imaging of patients with recurrent cholesteatoma (SS 1708), B-812
- Kido S., Watabe Y.**
Automatic registration of whole lungs from inspiration and expiration thoracic CT images (SS 1205), B-529
- Kienle K.-P., Mamisch T.C., Keck J., Siebenrock K.A., Werlen S.F.**
MR assessment of hip development: 1 year follow-up of a cross sectional cohort from 9 to 16 years (SS 1210), B-491
- Kilian A., Busing K.A., Bauer A., Schaible T., Schönberg S.O., Neff K.**
Repetitive MRI measurements of lung volume in fetuses with CDH to investigate the serial time course of pulmonary hypoplasia during gestation (SS 1612), B-691
- Kilian A.K., Busing K.A., Schaffelder R., Schönberg S.O., Schaible T., Neff K.**
Prenatal prediction of survival and need for ECMO therapy in fetuses with congenital diaphragmatic hernia (CDH) with logistic regression analysis based on relative lung-to-head ratio (r LHR) (SS 1612), B-690
- Kilic F., Esen G., Yilmaz M., Aydogan F., Halac M., Altug A.**
Computer aided magnetic resonance imaging guided radioguided occult lesion localisation (ROLL) application: First experience (SS 1602), B-675
- Kim C., Park B., Park S.**
Prediction of extracapsular extension and correlation with histologic grade in prostate cancer: Value of apparent diffusion coefficient (SS 107), B-044

Authors' Index

Kim J.E., Lee J.M., Kim S.H., Kim S.H., Lee J.Y., Han J.K., Choi B.I.

Differentiation of intraductal-growing type from nodular-type cholangiocarcinomas on biliary MR imaging with MR cholangiography (SS 401b), B-221

Kim K., Hwang D., Ko Y., Choi M., Han Y.

Intracranial angioplasty and stent implantation in atherosclerotic lesions and symptomatic stenoses: 123 experiences (SS 1709), B-872

Kim K., Hwang D., Ko Y., Choi M., Han Y.

Can you embolize the rabbit renal artery by microwire? Yes or No (SS 1709), B-877

Kim N., Moon S., Lee H., Park J.-Y., Lhee S.-H.

Comparison of ulnar collateral ligament injury in baseball players with MR imaging between rehabilitation and reconstruction surgery groups (SS 1710b), B-750

Kim S., Lee J., Lee J., Han J., Choi B.

Apparent diffusion coefficient for predicting tumor response to neoadjuvant chemoradiotherapy for locally advanced rectal cancer (SS 801b), B-422

Kim Y.H., Lee E.J., Kim S.H., Choi J.S., Lee K.I., Jang B.K., Jung W.J., Hwang J.S., Kim J.H.

Comparison of concurrent chemo-radiation therapy and hepatic arterial infusion chemotherapy in patients with portal vein thrombosis related to hepatocellular carcinoma (SS 409b), B-247

King A.D.

Neck lymph nodes and glands: B. Thyroid and parathyroid glands (E³ 820), A-208

King A.D.

Reporting and staging head and neck tumors: C. Larynx (RC 1808), A-494

Kinkel K., Camps Herrero J.

Breast cancer: Diagnosis, staging and follow-up (E³ 320b), A-064

Kinner S., Dechêne A., Umutlu L., Ladd S.C., Gerken G., Lauenstein T.C.

Detection of biliary stenoses in patients after liver transplantation: Is there a different diagnostic accuracy of MRCP depending on the type of biliary anastomosis? (SS 401b), B-226

Kinner S., Maderwald S., Parohl N., Albert J., Robert P., Corot C., Barkhausen J.

Characterization of normal, inflammatory and tumor-invaded lymph nodes in a rabbit model: Comparison of a new USPIO contrast medium (P904) with Sinerem® (SS 1706), B-785

Kirchhoff C., Braunstein V., Kirchhoff S., Imhoff A., Milz S., Hinterwimmer S.

Assessment of bone quality within the tuberosities of the osteoporotic humeral head: Relevance for anchor positioning in rotator cuff repair (SS 410), B-134

Kirchhoff S., Lang R., Kirchhoff C., Kreis M., Jauch K., Reiser M.F.

Stapled transanal rectal resection (STARR): Persisting functional deficits despite anatomical correction? correlation with dynamic MR-defecography-findings (SS 1701b), B-848

Kirchhoff S., Ladurner R., Reiser M.F., Kirchhoff C., Lienemann A.

Abdominal MRI of rabbits following for hernia repair implanted meshes for the evaluation of different fixation techniques and postoperative complications (SS 1701b), B-857

Klauß M., Lemke A., Re T.J., Laun F.B., Simon D., Grenacher L., Kauczor H.-U., Delorme S., Stieltjes B.

Imaging of pancreatic lesions using DWI-based IVIM-imaging (SS 101a), B-005

Klausz R.

Technology assessment for imaging equipment: Acceptability criteria: A perspective from standards and equipment manufacturers (EF 1), A-183

Klausz R., Popova Y., Souchay H., Grosjean B., Mathey C.

New phantom concept for double-energy contrast-enhanced digital mammography (SS 1713), B-821

Klein S., Hoffmann M., Schmitz B.

Prevalence of in-stent wall adherent thrombi directly seen after carotid artery stenting depicted by high resolution CT-angiography: A potential risk for stroke? (SS 1211), B-591

Kleven-Madsen N., Namtvedt M.

Evidence based practice in paediatric radiography: Improved quality of the radiographic service (SS 1214), B-580

Klip S.H.J., van der Sandt-Koenderman W.M.E., van der Meulen A.C., van der Lugt A., Visch-Brink E.G., Smits M.

Spoken versus melodic language processing in healthy volunteers: An fMRI study (SS 811), B-465

Klotz E., Juergens M., Haberland U., Allmendinger T., Pietsch H., Mahnken A.H.

A robust deconvolution model for quantitative whole heart stress perfusion CT imaging with sparse temporal sampling: Animal experience (SS 1203), B-512

Klotz E., Haberland U., Schmidt B.

Performance assessment of dynamic spiral scan modes with variable pitch for quantitative perfusion computed tomography (SS 1713), B-826

Knoess N., Hoffmann B., Krauss B., Heller M., Biederer J.

Iodine and calcium content of artificial pulmonary nodules: Differentiation with dual energy computed tomography (SS 104), B-033

Ko H., Zech C.J., Berger F., Reiser M.F., Herrmann K.A.

⁶⁸Ga-DOTA-TATE PET/CT versus Gd-EOB-enhanced MR imaging of the liver for the detection and quantification of liver metastases in patients with neuroendocrine tumors: A preliminary comparative study (SS 1701a), B-765

Ko S., Park H., Kim Y., Jeon H., Jung S., Yoo M., Lee K.

Benign regional lymph nodes in gastric cancer on MDCT: Comparison with healthy population (SS 1601b), B-634

Koh D.-M.

Diffusion-weighted imaging of the abdomen: A new tool for oncologic imaging?: Diffusion imaging: From theory to protocol development (SF 3a), A-045

Koh D.-M.

Lymph node imaging: Imaging is back!: Abdominal and pelvic nodes: Is morphological assessment using CT and MR useful? (SA 13), A-322

Koizumi J., Fukushima T., Hashimoto T., Myojin K., Ichikawa T.

The difference of filtering efficiency between infra- and supra-renal implant of two vena caval filters (SS 409a), B-163

Koizumi J., Tajiri S., Hashimoto T., Myojin K., Ichikawa T.

Efficacy of C-arm CT for tracheobronchial stenting (SS 1209), B-607

Kolkman S.

Teaching: Art, habit or science?: Quality and outcome for teaching in radiology (PC 3), A-087

Komljenovic D., Merz M., Semmler W., Bäuerle T.

Evaluation of treatment response of experimental bone metastases to an (alpha)v(beta)3 integrin antagonist using DCE-MRI (SS 510), B-265

Konda D., Gandini R., Chiocchi M., Pampana E., Del Giudice C., Gaspari E., Gisone V., Simonetti G.

Balloon-occluded retrograde transvenous foam sclerotherapy (B-ORTFS) of symptomatic high-flow female varicocele with sodium-tetradecyl-sulphate foam (SS 509b), B-365

Kool D.R., Brink M., Deunk J., Edwards M.J.R., van Vugt A.B., Dekker H.M., van Kuijk C., Blickman J.G.

Conventional cervical spine imaging in the ER, still useful? (SS 1710a), B-739

Körner M., Wirth S., Knebel I., Reiser M.F., Linsenmaier U.

Comparison of radiation exposure of whole-body CT in major trauma patients with 4- and 64-row MDCT (SS 1613), B-688

Kotter E.

Image sharing: C. Image compression: Acceptable? Unacceptable? Any decision yet? (RC 205), A-029

Koutalonis M., Pascoal A., Delis H., Costaridou E., Spyrou G., Panayiotakis G.

Can additional dose associated to magnification mammography be reduced through post-processing? Effect of contrast enhancement on Monte Carlo simulated images (SS 1213), B-564

Kozak L.R., Gyuricza I., Gyorke T., Szidonya L., Gyebrnar J., Kovacs T., Rudas G., Barsi P.

Cross-validation of voxel-based morphometry and automated volumetry on the example of Alzheimer's disease (SS 111), B-094

Krajina A.

Interventional neuroradiology: A. Endovascular management of intracranial aneurysms (RC 1511), A-428

Kramer H., Runge V., Williams K.D., Naul L.G., Nikolaou K., Reiser M.F., Wintersperger B.J.

Comparison of contrast enhanced magnetic resonance angiography (CE-MRA) and non-contrast enhanced MRA for imaging of the carotid arteries (SS 815), B-437

Kramer J.

Shoulder: A. Rotator cuff and impingement (RC 1110), A-279

Krauss B., Schmidt B., Sedlmair M., Flohr T.G.

Evaluation of an image-based method to calculate monoenergetic images from dual energy images (SS 513), B-324

Kreitner K., Abegunewardene N., Oberholzer K., Münzel T., Horstick G., Düber C.

Assessment of microvascular obstruction and prediction of long-term remodeling after acute myocardial infarction: Cardiac MR (CMR) imaging study (SS 503), B-355

Kreitner K., Wirth G.M., Pitton M.B., Schneider J., Weber S., Mayer E., Düber C.

Assessment of pulmonary hemodynamics in patients with chronic thromboembolic pulmonary hypertension (CTEPH) by high temporal resolution phase contrast MR imaging and correlation with simultaneous invasive pressure recordings (SS 804), B-398

Krestan C.R.

Metabolic bone diseases: A. Latest advances in osteoporosis (RC 610), A-121

Krestin G.P.

The radiologist of the future: Challenges and changes: Molecular imaging and therapy: Turf battle to lose or to win (PC 13), A-353

Krings T.

Spinal cord: Difficult but devastating diagnoses: C. Vascular disorders of the spinal cord (CC 716), A-162

Kroencke T.

Uterus: Imaging and intervention: C. Ultrasound ablation and uterine artery embolisation for treatment of uterine leiomyomas (RC 1307), A-350

Kroencke T.

Minimally invasive treatment of uterine fibroids: C. UAE and HIFUS: What the radiologist needs to know (RC 1509), A-450

Krombach G.A., Perez-Bouza A., Friebe M., Günther R.W., Hohl C.

MR guided angioplasty of peripheral arteries at 3T for delivery of drug containing solutions to the vessel wall (SS 1209), B-600

Krombach G.A., Schütte A., Krüger S., Krämer N.A., Hellmann M., Hohl C., Günther R.W.
3T MRI for guiding endovascular interventions (SS 1209), B-601

Kröpil P., Lanzman R., Walther C., Röhlen S., Godehardt E., Mödder U., Cohnen M.
Image quality in dose-reduced CT of the upper abdomen: Potential of an adaptive postprocessing filter (SS 1213), B-563

Kruger J.M.

Recent international developments within automated collection and distribution of estimated patient radiation exposures (SS 1613), B-685

Krumina G.

Stroke: A. CT or MRI in the acute ischemic stroke? (RC 1111), A-273

Kubiena H.

Peripheral vascular malformations: A. Pathology, correct anatomical classification and clinical work-up (RC 615), A-136

Kubik-Huch R.A.

Detection of ductal carcinoma in situ: C. MR imaging (RC 1402), A-381

Kuefner M.A., Hinkmann F., Alibek S., Anders K., Achenbach S., Kalender W.A., Löbrich M., Uder M.

Reduction of the biological dose in coronary CT angiography using high-pitch spiral data acquisition with prospective ECG-triggering (SS 103), B-111

Kuefner M.A., Grudzenski S., Anders K., Schwab S.A., Häberle L., Achenbach S., Löbrich M., Uder M.

Effect of scan parameters and individual factors on X-ray induced DNA double-strand breaks in patients undergoing cardiac CT (SS 1203), B-518

Kuehl H., Gervink M., Hartung V., Heusner T., Boy C., Antoch G.

Atherosclerosis-imaging using FDG-PET/CT: Correlation of morphologic and metabolic vessel wall lesions (SS 1615), B-653

Kühn J.P., Langner S., Soltesz S., Puls R., Hosten N.

Magnetic resonance-guided upper abdominal biopsies in high field open wide-bore 3T-MRI-system: Feasibility, handling and needle artifacts (SS 1209), B-603

Kukuk G.M., Gieseke J., Weber S., Traeber F., Nelles M., Schild H.H., Willinek W.A.

Liver lesion detection and image quality with T2-weighted imaging using parallel RF transmission at 3T: Intraindividual comparative study with conventional RF transmission (SS 1701a), B-762

Kurre W., Berkefeld J.

In hospital complication rates after treatment of intracranial atherosclerotic stenoses using balloon expandable and self expanding stents: Do differences exist? (SS 1211), B-593

Kurtz C., Schleich F., Kremer F., Bucher S., Allgayer B.

Intraindividual comparison of 1.5T and 3.0T breast MR imaging and further influence on therapy (SS 1602), B-671

Küttner A.

Systematic approach to congenital heart disease (CHD): C. MDCT: Filling the gap (RC 303), A-091

Kwee R.M., Teule G.J.J., van Oostenbrugge R.J., Mess W.H., Prins M.H., Hofman P.A.M., van Engelshoven J.M.A., Wildberger J.E., Kooi M.E.

Multimodality imaging of carotid artery plaques: 18F-FDG PET, CT, and MRI (SS 815), B-430

Kwee R.M., Mess W.H., Teule G.J.J., Prins M.H., van Engelshoven J.M.A., Wildberger J.E., van Oostenbrugge R.J., Kooi M.E.

Potential of 18F-FDG PET and multidetector-row CT in identifying vulnerable carotid plaques (SS 1615), B-649

Kwee R.M., Mess W.H., van Oostenbrugge R.J., Prins M.H., van Engelshoven J.M.A., Wildberger J.E., Kooi M.E.

Symptomatic patients with mild to moderate carotid stenosis: Plaque features at MRI and association with cardiovascular risk factors (SS 1615), B-652

Kyriazi S., Collins D.J., Morgan V.A., Giles S.L., deSouza N.M.

Diffusion-weighted imaging in peritoneal carcinomatosis from ovarian cancer: Can apparent diffusion coefficients predict chemotherapy response? (SS 1207), B-531

L

Laghi A.

The hole in the guts: C. In search of the hole: CT (CC 1117), A-269

Laghi A.

Contrast media: How to optimise enhancement and minimise patient risk (SY 18), D-54

Lambregts D.M.J., Maas M., Bakers F.C.H., Cappendijk V.C., Beets G.L., Wildberger J.E., Beets-Tan R.G.H.

Diffusion weighted imaging additional to T2-weighted MRI for improved selection of complete responders after chemoradiation for locally advanced rectal cancer (SS 801b), B-420

Lambregts D.M.J., Maas M., Bakers F.C.H., Cappendijk V.C., Beets G.L., Boetes C., Wildberger J.E., Beets-Tan R.G.H.

Diffusion weighted MR imaging for prediction of nodal status in rectal cancer: A lesion by lesion validation study (SS 1601b), B-636

Lambregts D.M.J., Maas M., Cappendijk V.C., Verwoerd J.L., Rutten I.J.G., Beets G.L., Wildberger J.E., Beets-Tan R.G.H.
Whole body diffusion weighted imaging for distant staging in colorectal cancer: Feasibility and future challenges (SS 1601b), B-638

Lammer J.

Missing perfusion: Abdominal ischemic disease: A. Mesenteric angiography: Diagnostic and therapeutic approach (CC 1017), A-221

Lammer J.

Acute aortic syndrome: Chairman's introduction (SF 15a), A-406

Langner S., Martens K., Dressel A., Hosten N., Kirsch M.

Hypercho-turbo spin-echo versus turbo spin-echo and 12-channel versus 32-channel head coil: MR imaging of multiple sclerosis at 3T (SS 411), B-212

Laniado M.

The hole in the guts: A. Wasting time with plain radiography? (CC 1117), A-267

Lanzman R., Wittsack H., Martirosian P., Schick F., Bilk P., Kröpil P., Voiculescu A., Mödder U., Blondin D.

Nonenhanced functional MRI of transplanted kidneys with diffusion-weighted imaging (DWI) and quantitative perfusion imaging using arterial spin labeling (ASL) (SS 1607), B-666

Laoutliv B., Christensen A., Narvestad E., Højlund Beck B.

Interobserver agreement using 64-slice MDCT to estimate degree of fusion after instrumental desis of the lower lumbar spine (SS 1710a), B-746

Lauenstein T.C., Maderwald S., Brote I., Kinner S., Antoch G., Ladd S.C., Ladd M.E., Umutlu L.

Initial results of hepatic MR angiography at 7 Tesla (SS 415), B-208

Lauenstein T.C., Schirmacher K., Kinner S., Umutlu L., Gerken G., Ladd S.C., Forsting M.
Small bowel MRI for the depiction of inflammatory bowel disease: Value of different MR sequences (SS 1701b), B-854

Laurent F.

Airways evaluation: B. Quantitative assessment of the airways (RC 1304), A-318

- Law M.**
Advanced imaging techniques in the spine: C. 3T spinal imaging (CC 1116), A-272
- Law M.**
Diffusion-weighted imaging of the CNS beyond stroke: DWI in focal non-ischemic brain lesions (SF 15b), A-425
- Lawler L.P.**
Vascular imaging: The diabetic patient: B. Imaging of the diabetic patient (RC 715), A-185
- Leconte I.**
Breast US: B. The role of ultrasound in premalignant and benign lesions (RC 202), A-019
- Lee G., Kim B., Cha S., Lee K., Hong S., Kang C., Lee S., Park J., Kang J.**
Comparison of diagnostic accuracy between dynamic cine-arthrography and wrist MRI with or without intra-articular contrast injection in the diagnosis of intrinsic ligament tear or TFCC tear, based on arthroscopic findings of the wrist (SS 1610), B-614
- Lee I., Park E.-A., Lee W., Chung J., Park J.**
Comparison of two-phase ECG-gated cardiac CT and nuclear imaging for assessment of myocardial perfusion and viability in chronic ischemic heart disease (SS 1203), B-517
- Lee J., Lee J., Kim S., Baek J., Yun S., Kim K., Han J., Choi B.**
Enhancement patterns of hepatocellular carcinomas on multiphase, multi-detector row CT: Comparison with pathologic differentiation (SS 801a), B-388
- Lee J., Choi B., Jeong Y., Lee J., Kim S., Han J.**
Clinical value of CT/MR-US fusion imaging for radiofrequency ablation of hepatic nodules (SS 501a), B-250
- Lee J., Kim S., Kim K., Han J., Lee J., Choi B.**
Gadoxetate disodium-enhanced MRI for evaluation of histologic grading of hepatocellular carcinomas: Special emphasis on hepatobiliary phase imaging (SS 801a), B-389
- Lee K., Kim J., Choi J.-A., Oh J., Hong S., Kang H.**
Post-operative CT arthrography using MDCT in patients with SLAP repair: Imaging findings with clinical correlation (SS 410), B-130
- Lee M., Lee J., Kim H., Kim S., Han J., Choi B.**
Diagnostic value of Gd-EOB-DTPA-enhanced MR cholangiography for evaluating the bile duct anatomy in living liver donor candidates (SS 401b), B-229
- Lee M., Sohn C.-H., Kwon B., Han M., Chang K.**
Susceptibility-vessel sign in thin-section gradient echo T2*-weighted imaging: Correlation with radiologic outcome in acute ischemic stroke (SS 511a), B-280
- Lee N., Park S., Kim S., Lee J., Kang D., Kim G., Heo J.**
Frequency and relevance of the "prolonged portal vein enhancement sign" in the hepatobiliary phase MR imaging obtained with gadoteric acid (SS 1701a), B-766
- Lee S., Yoon S.-W., Yoo S.-M., Ji Y.**
Comparison of image quality and radiation dose between combined automatic tube current modulation and fixed tube current in CT of abdomen and pelvis (SS 1613), B-681
- Lee S., Lee J., Lee J., Kim S., Han J., Choi B.**
Dual energy CT in evaluating tumor response to hepatic radiofrequency ablation (SS 501a), B-257
- Leen E.**
Technological evolution and current role of CEUS in clinical imaging (SY 5), D-13
- Leen E.**
Ultrasound fusion imaging for treatment planning and guidance (SY 20), D-57
- Lefere P., Gryspeerdt S.**
CT colonography: All the relevant aspects: B. Avoiding traps or pitfalls (RC 1501), A-412
- Lehéricy S.**
Basic MRI: C. Diffusion tensor imaging: Basic tool for radiologists? (RC 211), A-023
- Lehmkuhl L.**
Tips and tricks to improve your image quality: A. Sharp CT images with little radiation (RC 203), A-037
- Lehnert T., Wutzler S., Eichler K., Mack M.G., Marzi I., Vogl T.J.**
Quantification of lung tissue damage in multiple trauma patients: Final results of the correlation between CT-findings and circulating Clara cell-protein 16 (CC16) plasma levels (SS 1604), B-647
- Lehnert T., Naguib N.N.N., Nour-Eldin N.-E.A., Kerl M., Jacobi V., Vogl T.J.**
Results of combined intradiscal and periganglionic injection of medical ozone and periganglionic administration of steroids and anesthetic for the treatment of lumbar disk herniation: Effects on disk size and lumbar radiculopathy in 227 patients (SS 1611), B-715
- Lehtimäki T., Kainulainen S., Fagerström A., Purdy M., Miettinen P., Vanninen R., Valtonen H.**
Is routine early contrast-enhanced CT cost-effective in patients with acute abdomen? A prospective randomized controlled study (SS 1601a), B-628
- Leichter I., Lederman R., Merlet N., Abramov M., Stainvas I., Ratner E., Stoeckel J.**
Should CAD in mammography be used for prescreening or as a second reader? (SS 102), B-058
- Leidner M.**
CT imaging: A. CT of the GI system (RC 1314), A-346
- Leiner T., Garrettsen S., le Maire T., Miller S., Thurnher S., Herborn C.U., Michaely H.J., Kramer H., Wasser M.**
Gadobenate dimeglumine vs gadopentetate dimeglumine for peripheral MR angiography: Comparison with DSA (SS 115), B-071
- Lembcke A.**
Valvular heart disease: B. Computed tomography: More than calcification! (RC 1403), A-398
- Lentschig M.**
MR from head to toe with TimCT (SY 13), D-35
- Leporq B., Beuf O., Pilleul F.**
3D-liver MR perfusion imaging with the MS-325 blood pool agent to assess liver fibrosis (SS 401a), B-143
- Leschka S.**
Cardiac CT: Imaging beyond the coronaries: Congenital heart disease (SF 7a), A-159
- Lettau M., Sauer A., Heiland S., Rohde S., Hartmann M., Reinhardt J., Bendszus M., Hähnel S.**
In vitro comparison of different carotid artery stents: A pixel-by-pixel analysis using CT angiography and contrast-enhanced MR angiography at 1.5T and 3T (SS 1709), B-869
- Lewin M.**
Diffusion-weighted imaging of the abdomen: A new tool for oncologic imaging?: Focal liver lesions: What can we expect? (SF 3a), A-046
- Ley S.**
MRI of the lungs: Light at the end of the tunnel?: MRI of pulmonary vascular disease (NH 11), A-292
- Ley S.**
Lung perfusion imaging: CT or MR?: C. MR perfusion imaging (CC 1318), A-326
- Ley-Zaprozhan J., Rengier F., Fischer M., Eichhorn J., Ley S., Unterhinninghofen R.**
Functional insights into patients with native and corrected aortic coarctation by use of multidirectional MR phase-contrast flow measurements (SS 1612), B-696
- Leys D.**
Ischemic stroke: Diagnosis and treatment: Management of the acute stroke patient (EM 2), A-116
- Li C., Huang B., Wang W., Ding H.**
Value of contrast-enhanced sonography in the diagnosis of peripheral intrahepatic cholangiocarcinoma (SS 401b), B-222
- Li C.**
Open MR imaging-guided brain metastasis tumor cryoablation (SS 1209), B-602
- Li D., Lin J., Yan F.-H.**
Comprehensive assessment of Takayasu arteritis with whole-body MRA and vessel wall imaging (SS 1615), B-657
- Li F., Xie S., Xia J., Du J., Fang H.**
Quantitative analysis in assessing perfusion characteristics of malignant and benign tissues of prostate with contrast-enhanced ultrasonography: A prospective study (SS 807), B-416
- Li X., Kasprian G., Hodge J.C., Bettelheim D., Brugger P.C., Prayer D.**
Fetal ocular measurements by MRI (SS 812), B-448
- Liguori C., Marano R., Savino G., Merlino B., Dello Russo A., Bonomo L.**
Impact of CT images on clinical outcome of patients scheduled for catheter ablation of atrial fibrillation (SS 103), B-112
- Lim H., Lee J., Kim S., Baek J.**
MR diagnosis of facial neuritis: Usefulness of 3D VISTA FLAIR sequence compared to 3D T1-FFE-FS sequence (SS 1708), B-813
- Lim S., Park S., Kim H., Juhng S., Kim H., Yoon K., Jon S.**
The use of TCL-SPION (thermally cross-linked superparamagnetic iron oxide nanoparticles) on MR imaging for detection of lymph node metastases in murine melanoma models: In vivo and ex vivo studies (SS 1606), B-708

Authors' Index

Limbucci N., Fasano F., Sacchetti L., Varrassi M., Conchiglia A., Gallucci M.

CT-guided oxygen-ozone chemiodiscolysis: One-year follow-up in different types of disc disease (SS 109), B-125

Limbucci N., Varrassi M., Catalucci A., Conchiglia A., Gallucci M.

CT-guided epidural blood patch in the treatment of spontaneous liquoral hypotension (SS 1709), B-876

Lin C., Luciani A., Itti E., Vignaud A., Lin S.-J., Beaussart P., Haioun C., Meignan M., Rahmouni A.

Whole-body diffusion-weighted MR imaging for staging patients with diffuse large B-cell lymphoma: A pilot study (SS 106), B-105

Lindberg P., Feydy A., Pluot E., Sanchez K., Rannou F., Maier M., Drapé J.-L.

Cervical spinal canal stenosis correlates with spinal cord white matter integrity in patients with cervical spondylosis: A diffusion tensor imaging study (SS 1611), B-712

Lingawi S.S.A.

Saudi radiology: Introduction (EM 4), A-453

Linsenmaier U.

Imaging the polytrauma patient: MDCT as the single best solution (SF 3b), A-072

Llopis E.

Lower extremity: Anatomy, variants and pitfalls: A. Hip (MC 1025), A-237

Llopis E.

Elbow and wrist: B. Overuse of elbow and wrist (RC 1510), A-418

Lo G., Chan J., Lau C., Yu S.K., Shen Y., Guo Y.

Low dose abdomen imaging on the HDCT with new gemstone detector and new reconstruction algorithm (ASIR, adaptive statistical iterative reconstruction) (SS 814), B-452

Lochocki N.B., Santamarina Zubizarreta L., Dragonetti L.C., Buzzi A.E., Eyheremendy E.

Cardiac magnetic resonance in patients with Chagas' disease (SS 403b), B-231

Loibner G.

Radiology and the law: Medical negligence: The lawyer's perspective (PC 14), A-395

Lomas D.J.

Biomarkers: New word, new world, new work?: MRI biomarkers: Ready in abdomen? (NH 7), A-165

Londero V., Zuiani C., Linda A., Zanatta C., Girometti R., Bazzocchi M.

Borderline breast lesions: Comparison of underestimation rates of malignancy after 14-gauge core needle biopsy versus 11-gauge vacuum probe (SS 402), B-173

Lopez Rueda A., Aguilar Perez M.,

Gutierrez Jarrin I., Mayol Deyá A., Moniche Alvarez F., González García A., González Marcos J., Gil-Peralta A.

Cerebral hyperperfusion syndrome (CHS) after PTA and stenting (CAS) of the internal carotid artery (ICA): Frequency and risk factors (SS 1211), B-590

Lorenzon M., Linda A., Londero V., Bazzocchi M., Zuiani C.

MR imaging in patients with nipple discharge: Should we recommend it? (SS 1202), B-545

Losio C., Orsi M., De Cobelli F., Zerbi A., Di Carlo V., Del Maschio A.

Diffusion-weighted magnetic resonance imaging (DWI) of pancreatic focal lesions: Role of qualitative and quantitative assessment (SS 101a), B-004

Lu M., Zhao S., Ling J., Yan C., Liu Q.

In vivo detection of bone marrow mesenchymal stem cells (MSCs) after intracoronary infusion using magnetic resonance imaging: An experimental study of a novel method to trace the transplanted cells (SS 1703), B-862

Lukács L., Kaposi P., Nemes B., Hüttl K.

Stent fractures in the innominate artery (SS 1709), B-870

Lung P.F.C., Sellars M.E.K., Sidhu P.S.

Contrast enhanced ultrasound in the investigation of indeterminate testicular lesions: Patterns of enhancement in benign and malignant disease help improve diagnostic confidence (SS 1707), B-792

Luparia A., Ghione G., Campanino P., Iunco C., Pastorino F., Durando M., Gavarotti P., Mariscotti G., Gandini G.

Breast cancer screening in women following irradiation for Hodgkin's disease: A preliminary study (SS 1602), B-670

M

Maas M., Lambregts D.M.J., van Dam R.M., Nelemans P.J., Lammering G., Jansen R., Beets G.L., Beets-Tan R.G.H.

MR-based 'wait-and-see' policy in clinical complete responders to chemoradiation in rectal cancer: A promising alternative (SS 801b), B-424

Maaß C., Grimmer R., Kachelrieß M.

Dual energy CT material decomposition from inconsistent rays (MDIR) (SS 513), B-323

Macari M.

The acute abdomen: A. The wrong twist: Mesenteric and omental torsion (CC 1517), A-403

Maccaroni M., Basilico R., Calamita V.,

Massari R., Storto M.-L.
MDCT of peritoneal carcinomatosis: Correlation with intraoperative findings and evaluation of observer performance related to diagnostic experience (SS 1601b), B-631

Mack M.G.

Imaging techniques and common pitfalls: B. Magnetic resonance imaging (E³ 320a), A-063

Maffei E., Cademartiri F., Seitun S., Arcadi T., Clemente A., Martini C., Emiliano E., Cuttone A., Aldrovandi A.

Major adverse cardiac events and the severity of coronary atherosclerosis assessed by CT coronary angiography in an outpatient population with suspected or known coronary artery disease (SS 803), B-404

Maffei E., Martini C., Arcadi T., Clemente A., Emiliano E., Cuttone A., Cademartiri F.

Low-dose CT angiography of the abdomen: Cross-over study with quantitative assessment of standard 120 kV vs. low-dose 80 kV protocols using different tube current settings (SS 1613), B-687

Maggi F., Caulo A., Calandriello L., Ferrara F., Larici A.R., Bonomo L.

CAD system integrated in a PACS used as concurrent reader: Sensitivity and reading time in detection of solid lung nodules (SS 404), B-152

Magnusson A.

Renal cancer: Old problems, new solutions: Chairman's introduction (SF 18), A-469

Mahajan A., Smiti S., Rao V.R.K., Thakur M.H.

Correlation between tumor volume and tumor perfusion changes following neo-adjuvant chemotherapy in patients with lung cancer: Preliminary experience (SS 504), B-276

Mahajan A., Thakur M., Smiti S., Rao V.R.K.

CT perfusion based characterisation of lung nodules using hepatic perfusion software: Bronchial artery vs pulmonary artery, which supplies the lesion? (SS 1705), B-829

Mahnken A.H.

A guide towards optimising contrast administration in Flash CT-angiography (SY 4), D-10

Mahnken A.H., Klotz E., Pietsch H., Schmidt B., Allmendinger T., Haberland U., Kalender W.A., Flohr T.G.

Quantitative whole heart stress perfusion CT imaging as non-invasive assessment of hemodynamics in coronary artery stenosis: Preliminary animal experience (SS 1203), B-510

Mahnken A.H., Isfort P., Bruners P., Penzkofer T., Kichikawa K., Tanaka T.

Radiofrequency ablation combined with a direct electrical current: Evaluation of optimal setting using in ex-vivo bovine liver (SS 1609), B-734

Maier A.

Rectal cancer: A. Staging with US and CT (RC 1101), A-276

Maki J.H., Oliveira G.R., Wilson G.J.

Conventional vs high relaxivity contrast agents for peripheral MRA: A dose comparison (SS 115), B-072

Malagari K.

Chest in the emergency room: A. Can chest radiography tell you the whole truth? (RC 1004), A-259

Malich A., Ulrich A., Mikulik O.

CAD-application in the automated analysis of dynamic prostate MRI: Diagnostic value of dynamic parameters and fusion to T2-images (SS 107), B-041

Malikova M.A., Tkacz J.N., Slanetz P.J., Aakil A., Jara H.J.

Quantitative MRI technique for mapping the T1/T2 ratios of benign and malignant breast lesions (SS 1202), B-541

Malone D.E.

Missing perfusion: Abdominal ischemic disease: C. Clinical management: What you need to know (CC 1017), A-223

Malone J.

Risk management and technology assessment: Acceptability criteria and radiography equipment, digital imaging and CT (EF 2), A-209

Maly Sundgren P.C.

Common spinal „problems“: C. Extradural spinal tumors (CC 316), A-051

Authors' Index

Maly Sundgren P.C.

Basic MR spectroscopy: B. MRS in metabolic CNS disorders (RC 1811), A-481

Manfredi R.

Primary liver tumors: C. Other primary malignant liver tumors (MC 1519), A-423

Mang T., Bogoni L., Salganicoff M., Wolf M., Raykar V., Macari M., Graser A.

CT colonography: Retrospective evaluation of the performance of computer-aided detection of colonic polyps in tagged and untagged preparation (SS 1201b), B-507

Mao J.

Comparison of the short-term effect of percutaneous transhepatic biliary drainage by one and two catheters in the type II-IV malignant hilar bile strictures (SS 109), B-129

Marcia S., Musa D., Marras M., Marini S., Boi C., Mallarini G.

Efficacy of percutaneous interspinous spacer in the treatment of neurogenic intermittent claudication due to lumbar spinal stenosis: Preliminary experience (SS 109), B-122

Margariti P.N., Astrakas L., Konitsiotis S., Tzarouchi L.C., Tsouli S., Argyropoulou M.I.

Brain activation during pronounced period of symptoms for idiopathic restless legs syndrome: An fMRI study (SS 811), B-466

Marincek B.

Anatomy and techniques: B. The correct protocols for CT and MR (MC 1119), A-284

Maris T.G.

Safety first: B. Ensuring safety for infants undergoing MRI (RC 1312), A-344

Maroldi R.

Imaging techniques and common pitfalls: A. Computed tomography (E³ 320a), A-062

Maroldi R.

Infrathyoid neck: C. Lymph node imaging from A to Z (RC 1108), A-305

Marquette C.

New interactions between radiologists and endoscopists: C. Image-guided endoscopy and biopsy of lung nodules (CC 1518), A-416

Marshall N.W., Mackenzie A., Honey I.D.

Application of a protocol for the assessment of digital radiography imaging systems (SS 1713), B-819

Martí-Bonmatí L.

Diffuse liver diseases: A. Assessment of diffuse liver disease (including cirrhosis) (MC 1319), A-331

Martin J., Puig J., Gil D., Darnell A., Malet A., Suarez D.

Hepatobiliary-phase signal intensity of hepatic nodules in Gd-EOB-DTPA-enhanced MRI does not correlate with histological findings in cirrhotic patients (SS 801a), B-387

Martinoli C.

Optimal imaging of muscle pathology: Chairman's introduction (SF 2), A-005

Martinoli C.

Elbow and wrist: C. Neuropathy (RC 1510), A-419

Mascalchi M.

Diffusion-weighted imaging of the CNS beyond stroke: DWI in diffuse non-ischemic brain and spine pathology (SF 15b), A-426

Masselli G., Casciani E., Poletini E., Bertini L., Gualdi G.

Dynamic MR imaging during bolus passage in the evaluation of hiatal hernias (SS 101b), B-022

Masselli G., Brunelli R., Poletini E., Casciani E., Anceschi M., Gualdi G.

Magnetic resonance imaging in the evaluation of placental abruption: Correlation with color Doppler ultrasound (SS 1207), B-537

Masselli G., Casciani E., Poletini E., Colaiacomo M., Gualdi G.

MR imaging in the evaluation of pregnant patient with acute abdominal pain (SS 1207), B-538

Mataliotaki P., Detorakis E., Magkanas E., Vardakis K., Antoniou K., Vassalou E., Valatsou C., Gourtsoyannis N.

Pulmonary sarcoidosis: Re-evaluation and correlation of air trapping (AT), inspiratory HRCT findings and pulmonary function tests (PFT) in a one-year follow-up study (SS 1704), B-771

Matos C.

Diffusion-weighted imaging of the abdomen: A new tool for oncologic imaging?: Pancreatic neoplasms: Is DWI helpful? (SF 3a), A-047

Matos C.

Abdominal MRI: Protocols that work: C. Pancreas and bile ducts (RC 701), A-170

Matos C., Becker C.

Imaging in common clinical problems: Jaundice (E³ 1820b), A-475

Matzek W.K., Bastati-Huber N., Baroud S., Muin D., Herold C.J., Ba-Ssalamah A.

Efficacy of HMDCT in differentiation between normal and pathologic antral wall thickening of the stomach (SS 101b), B-027

Maurer M.H.

Introduction (SY 6), D-17

Maurer M.H.

Questions and conclusion (SY 6), D-22

Maurer M.H.

Xenetix®: Excellent tolerance confirmed by 160.000 additional patients (SY 6), D-20

Maurer M.H., Wagner M., Püttcher O., Asbach P., Hamm B., Strassburg J., Schöffski O., Huppertz A.

Whole-body MRI versus established sequential, multi-modal diagnostic algorithm for staging of patients with rectal carcinoma: Cost analysis (SS 801b), B-429

Maurer M.H., Knopke S., Schröder R.J.

Added diagnostic benefit of 16-row spiral CT in patients with multiple trauma differentiated by body region and injury severity according to the ATLS® concept (SS 1610), B-618

Maurer M.H., Franiel T., Wagner M., Püttcher O., Rief M., Schwenke C., Hamm B., Strassburg J., Huppertz A.

Assessment of enhancement in gadoteric acid- and Gd-DTPA-enhanced whole-body MRI in patients with rectal carcinoma (SS 1706), B-781

Mayo J.R.

Radiation dose management: A. Justification in clinical practice (RC 1313), A-340

Mazonakis M., Grinias E., Pagonidis K., Damilakis J.

Development of a software package for left ventricular volumetric and functional analysis on cine MR images (SS 513), B-325

McCall I.W.

The radiologist of the future: Challenges and changes: How to train the radiologists of the 21st century (PC 13), A-352

McMahon M.T., Gilad A.A., Liu G., van Zijl P.C.M., Bulte J.W.M.

Organ-specific and future contrast media in MRI: C. CEST-type contrast media in MRI (RC 606), A-149

McQueen A.S., Scott J.S.

CT staging of colorectal cancer: What do you find in the chest? (SS 1601b), B-637

McSweeney S., O'Connor O.J., O'Regan K., Desmond A.N., Shanahan F., Quigley E., Maher M.M.

The use of diagnostic imaging in irritable bowel syndrome patients (SS 1701b), B-855

Md Ralib A., Zakaria R., Mohamad Z., Muda A.

Value of MDCT in the diagnosis and management of acute gastrointestinal haemorrhage: Correlation with digital subtraction angiography (SS 1701b), B-851

Meacock L.M., Mombelloni S., Iqbal A., Akbar N., Wang Y., Michell M.J.

The accuracy of breast cancer size measurement: Digital breast tomosynthesis (DBT) vs 2D digital mammography (DM) (SS 1702), B-799

Meier-Meitingner M., Häberle L., Uder M., Schulz-Wendtland R., Fasching P., Adamietz B.

Prediction of breast cancer tumor size by six different methods (SS 1702), B-805

Meindl T., Mueller-Lisse U.L., Mueller-Lisse U.G.

CTU and MRU: Urinary tract imaging: A. CTU/MRU in acute obstruction (RC 707), A-199

Mellado M., Bermejo R., Burguete A., Zabala J., Solchaga S., Osa A.

The role of ultrasound (US) and US-guided core needle biopsy of axillary lymph nodes in preoperative staging of breast cancer (SS 502), B-307

Meloni A., Restaino G., Favilli B., Lombardi M., Sallustio G., Pepe A.

Safety of cardiovascular magnetic resonance gadolinium chelate contrast agents in patients with hemoglobinopathies (SS 1206), B-558

Mendelson R.M., Glance D., Wong D., Birstow P.

Diagnostic imaging pathways (DIP) integrated into electronic requesting (SS 105), B-082

Mensel B., Rosenberg C., Puls R., Hosten N.

Effects of perfusion abnormalities and localization of liver tumors on suspected hemorrhagic complications after laser-induced thermotherapy (SS 1609), B-737

Menu Y.

Adrenals: Small glands, big problems ... and practical solutions: Chairman's introduction: Five good reasons for the radiologist to image the adrenals (SA 6), A-132

Menu Y.

Anatomy and techniques: C. Imaging the function and structure in clinical practice (MC 1119), A-285

Authors' Index

Merckel L.G., Waaijer A., van Es H.W., van der Heyden J.A.S.

CT perfusion before and after carotid stenting as work-up for CABG in patients with asymptomatic carotid artery stenosis (SS 1709), B-868

Merkle E.M.

Dual excretion pathway paving the way for biliary imaging (SY 12), D-33

Merz M., Komljenovic D., Semmler W., Bäuerle T.

Diffusion weighted imaging and vessel size imaging for assessment of treatment response to an anti-angiogenic therapy in a rat model of human breast cancer bone metastases (SS 106), B-100

Merz M., Komljenovic D., Semmler W., Bäuerle T.

Imaging anti-angiogenic effects of zoledronic acid for early assessment of therapy response in experimental bone metastases by DCE-MRI (SS 510), B-264

Meyer B.C., Werncke T., Foert E., Wolf K.-J., Albrecht T.

Does the degree of arterial wall calcification influence the performance of run-off CTA and are cardiovascular risk factors predictors for compromising segmental calcifications? (SS 115), B-079

Michell M.J.

A comparison of the accuracy of digital breast tomosynthesis, film-screen mammography, and digital mammography (SY 11), D-26

Michielsen M.E., Selles R.W., van der Geest J.N., Eckhardt M.N., Stam H.J., Ribbers G.M., Bussmann J.B., Smits M.

Functional improvement and cortical reorganisation after mirror therapy in chronic stroke patients: A randomised, controlled trial (SS 811), B-468

Milczarek K.

Emergency radiology: The new frontiers, the old barriers: Dissection of descending aorta: Diagnosis and management of aortic or end-organ complications (EM 1), A-098

Mishra A., Ehtuish E.F., Abdelmola T.S., Elusta A., Shawish T.

Single-phase vs. triple phase 16-row multidetector computed tomography angiography for preoperative evaluation of vascular anatomy in living kidney donors (SS 1607), B-667

Miszalski-Jamka T., Klimeczek P., Banys P., Krupinski M., Tomala M., Zawadowski G., Noeltgen J., Zmudka K., Pasowicz M.

Predictors of right ventricular dysfunction in patients with successfully treated acute anterior ST-elevation myocardial infarction (SS 503), B-359

Moguillansky S.

Argentine radiology: Past, present and future: Cystic echinococcosis: Our experience in Patagonia (EM 3), A-204

Molinari F.

MRI of the lungs: Light at the end of the tunnel?: MRI of ventilation and gas exchange in airway disease (NH 11), A-293

Moltz J.H., Bornemann L., Dicken V., Bostel T., Fabel M., Kießling A., Soza G., Tietjen C., Peitgen H.-O.

Segmentation of complex liver metastases in CT scans for reliable chemotherapy monitoring (SS 1705), B-833

Moon J., Kim H., Shin H.

Supplemental use of optical diffusion breast imaging for differentiation between benign and malignant breast lesions (SS 402), B-176

Moon S., Lee J., Kim S., Kim G., Chung Y., Lee J., Kim S., Han J., Choi B.

Detection of early gastric cancer on multidetector row CT: Analysis of factors influencing the detection (SS 101b), B-024

Moran C.M., Rainford L.A., Mc Caffrey M.

Work-related musculoskeletal disorders amongst diagnostic medical sonographers: Implications for diagnostic imaging departments (SS 1214), B-586

Morax A., Vandenbussche L., Kermarrec E., Chantelot C., Demondion X., Cotten A.

Anatomical study of the pisotriquetral joint ligaments using ultrasonography (SS 410), B-139

Morcoss S.K., MacNeil S., Bains S., Johnson C.

Effects of gadolinium contrast agents of different stability on viability and collagen production of human fibroblasts (SS 1206), B-557

Morgan R.

Acute aortic syndrome: Endovascular management of thoracic aortic rupture (SF 15a), A-410

Morhard D., Wirth C.D., Reiser M.F., Becker H.-C., Ertl-Wagner B.

Stroke-CT: CTA or perfusion-CT? Which should be done first? (SS 511b), B-340

Mori H., Fujii T., Fukuyama N., Ikeya Y., Shinozaki Y., Fukushima K., Umetani K., Tanabe T.

Fingertip microangiography using synchrotron radiation toward prediction of diabetic angiopathy (SS 115), B-070

Moritz J.D., Hoffmann B., Sehr D., Keil K., Eggerking J., Bolte H., Heller M.

Paediatric fracture diagnosis with ultra-low dose CT, a sufficient method? (SS 1212), B-574

Morvay Z.

Vascular ultrasound imaging: When and how: Planning and follow-up of endovascular procedures (SF 15c), A-440

Moschona R., Koutsafakis E., Kopanakis S., Kalomenopoulou M., Zarifis G., Giannou S.

Temporal bone fractures: Classification using the new system; evaluation during emergency brain CT (SS 1708), B-815

Muehlhausen U., Komljenovic D., Eisenhut M., Semmler W., Baeuerle T.

Imaging of alphavbeta3 in experimental breast cancer bone metastases using 68Ga-DOTA-E-(cRGDfK)2 as a PET tracer (SS 1606), B-702

Mueller D., Sidorenko I., Bauer J.S., Monetti R., Matsuura M., Rummeny E.J., Eckstein F., Link T.M.

Application of the finite element method (FEM) to high resolution (HR) MRI of the distal radius in the context of osteoporosis (SS 1610), B-610

Mueller D., Brockow K., Baum T., Bauer J.S., Schneider S., Rummeny E.J., Woertler K.

Contrast enhancement and quantitative signal analysis using whole body MR imaging in patients with systemic mastocytosis (SS 1610), B-611

Mueller-Lisse U.G.

Prostate gland: Chairman's introduction (MS 321), A-065

Mueller-Lisse U.G.

Prostate gland: Imaging in prostate cancer (MS 321), A-068

Mueller-Lisse U.G.

Adrenals: Small glands, big problems ... and practical solutions: What is abnormal and a problem, and what are the solutions? (SA 6), A-135

Mueller-Mang C.

Spinal cord: Difficult but devastating diagnoses: B. Spinal cord tumors (CC 716), A-161

Mueller-Mang C.

New interactions between radiologists and endoscopists: A. Imaging of lymph nodes: We can do better (CC 1518), A-414

Muenzel D., Dorn F., Dobritz M., Rummeny E.J., Huber A.

Small field of view at coronary CT angiography in step-and-shoot-mode at 256-slices CT: Effect on image quality, z-range and radiation exposure (SS 103), B-115

Muhi A.M., Motosugi U., Ichikawa T., Sou H., Sano K., Araki T.

Mass-forming autoimmune pancreatitis and pancreatic carcinoma: Differential diagnosis on the basis of computed tomography, magnetic resonance cholangiopancreatography, and diffusion-weighted imaging findings (SS 101a), B-008

Muhi A.M., Motosugi U., Ichikawa T., Sou H., Sano K., Araki T.

Imaging of hepatic metastases of colorectal carcinoma: Comparison of sonazoid-enhanced three-dimensional ultrasonography to SPIO-MR imaging and contrast-enhanced CT (SS 1201a), B-480

Muto M.

Discs: Old problems and new solutions: C. Minimally invasive therapies for discogenic disease (CC 616), A-112

Myers T.V., Ross G., Shea W., Hall B., Kininmonth S., Watts D.

Beyond RADPEER: The next generation of quality assurance (SS 105), B-084

Mysler D.C., Sarquis F., Cobos M., Castro Barba M., Blejman O., Wernicke A., Miller B.

Ultrasound breast findings in diabetic mastopathy (SS 502), B-306

N

Naggara O.

3D tricks in intracranial arteriovenous malformations (SY 17), D-48

Naguib N.N.N., Hammerstingl R., Lehnert T., Nour-Eldin N.-E.A., Vogl T.J.

Uterine artery embolization: Immediate postprocedural Doppler ultrasonography changes (SS 509b), B-366

Naguib N.N.N., Nour-Eldin N.-E.A., Lehnert T., Abskharon J.E., Vogl T.J.

Detection of malignant focal hepatic lesions: Comparative study between contrast enhanced MRI and intra-arterial contrast enhanced C-arm CT (SS 1601a), B-627

Authors' Index

Naguib N.N.N., Abskharon J.E., Nour-Eldin N.-E.A., Alhaji W., Mbalisike E.C., Vogl T.J.

3Tesla respiratory triggered diffusion-weighted MR imaging of malignant hepatic lesions: Comparative study between hepatocellular carcinoma and metastases of breast and colorectal cancer origin (SS 1701a), B-761

Nance Jr. J.W., Vogt S., Schoepf U.J., Schmidt B., Raupach R., Allmendinger T., Flohr T.G., Costello P., Ruzsics B.

High temporal resolution dual energy CT of the heart using a hybrid image reconstruction algorithm: Initial experience (SS 1213), B-560

Nance Jr. J.W., Bamberg F., Gaddy P.M., Ramos-Duran L., Abro J., Schoepf U.J.

Presence and extent of calcified and non-calcified coronary atherosclerotic plaque burden as measured by cardiac CT between black and white patients with acute chest pain (SS 803), B-402

Napoli A., Anzidei M., Cavallo Marincola B., Di Paolo P.L., Brachetti G., Cartocci G., Catalano C., Passariello R.

Computed tomography angiography (CTA) in peripheral artery obstructive disease: Intention to diagnose study to evaluate the diagnostic performance of 64-CTA vs DSA; influence of plaque composition, reduced radiation dose and contrast medium volume (SS 115), B-076

Napoli A., Anzidei M., Zaccagna F., Cavallo Marincola B., Brachetti G., Molisso L., Cartocci G., Catalano C., Passariello R., Passariello R.

In vivo quantification of total atherosclerotic burden: Prognostic value of whole body CTA in relation to traditional cardiovascular risk index, risk stratification and 4-year follow-up (SS 1615), B-654

Nass Duce M., Apaydin F.D., Akkurt Ozen E., Polat A., Kanik A., Orekici G.

Inter- and intraobserver agreement in BI-RADS US: Are they good enough? (SS 502), B-305

Nasu K., Kuroki Y., Minami M.

ADC measurement of rectal cancer: Can ADC differentiate mucinous carcinomas from ordinary tubular adenocarcinomas? (SS 801b), B-428

Natale L.

Imaging coronary artery disease (CAD): B. MRI: What can it provide in CAD? (RC 1503), A-446

Neefjes L.A., Capuano E., Rengo M., van der Giessen A.G., Schaap M., Flu W.P., Krestin G.P., de Feyter P.J., Mollet N.R.

Detection of coronary atherosclerotic plaque progression by CT coronary angiography: A 3 year follow-up study (SS 803), B-409

Nemec S.F., Kasprian G., Brugger P.C., Prayer D.

The clubfoot in fetal MRI (SS 1210), B-496

Neri E.

PACS: Evolution: C. What radiologists should know about the use of PACS in surgical procedures (RC 1805), A-488

Netuka D.

The use of a 3.0T MRI equipment in a neurosurgery operating theater (SY 20), D-58

Neubauer H., Wendel F., Pabst T., Hahn D.

Diffusion-weighted MRI in the re-staging of rectal cancer after neoadjuvant therapy: Correlation with histopathology (SS 801b), B-426

Nguyen T., Stolzmann P., Marincek B., Frauenfelder T.

The impact of 3D-stereoscopy on the approximation of distances (SS 1705), B-832

Ni Laoire A.M., Delaney O.M., McWilliams S.R., Desmond A.N., O'Connor O.J., Maher M.M., Shanahan F.

Computed tomographic measurement of abdominal visceral adipose tissue in Crohn's disease: Not a useful marker of disease characteristics (SS 501b), B-319

Nicholson A.

Venous thromboembolism: B. Complications of IVC filters and their management (RC 1109), A-310

Nicholson P.J., Hegarty C., Jackson M., Keane D., McDonald K., Fitzgerald O., Bresnihan B., Veale D., Dodd J.D.

Ventricular myocardial dysfunction in systemic sclerosis with cardiac magnetic resonance imaging: Correlation with pulmonary fibrosis and cardiac biomarkers (SS 403b), B-230

Nickel F., Neuhaus J., Kenngott H.G., Kast J., Kolb A., Sommer C.M., Meinzer H.-P., Müller B.P., Gutt C.N.

Correlation of respiratory organ motion of the esophagus with skin surface motion in a porcine model (SS 101b), B-023

Nieselstein R.A.J.

Safety first: A. CT in children: Dose reduction strategies (RC 1312), A-343

Nikolaou K.

Cardiac CT: Imaging beyond the coronaries: Chairman's introduction (SF 7a), A-156

Nikolaou K.

Imaging coronary artery disease (CAD): C. MRI and MDCT: Complementary or competitive? (RC 1503), A-447

Nishiguchi T., Mitsuhashi Y., Sakamoto S., Kawakami T., Nishio A., Miki Y.

Susceptibility-weighted imaging predicts favorable post-embolized ischemic status beyond the dynamic perfusion-weighted imaging in giant meningioma (SS 1211), B-597

Nitrosi A., Bertolini M., Rivetti S., Botti A., Barani A., Lanconelli N., Borasi G.

Physical characterization of a novel wireless detector for digital radiography (SS 1713), B-824

Notohamprodo M., Horng A., Kuschel B., Bär P., Reiser M.F., Glaser C.

High resolution isotropic knee-MRI at 3T with a 15-channel-knee-coil and a 3D-TSE-sequence with optimized acquisition strategies (SS 810), B-370

Notohamprodo M., Horng A., Kuschel B., Bär P., Reiser M.F., Glaser C.

HR isotropic ankle MRI at 3T: Initial results - a worthwhile perspective? (SS 1210), B-499

Notohamprodo M., Dietrich O., Horng A., Horger W., Reiser M.F., Herrmann K.A., Glaser C.

DTI of the kidney at 3T: Feasibility, protocol evaluation and comparison to 1.5T (SS 1607), B-659

Nour-Eldin N.-E.A., Jacobi V., Lehnert T., Naguib N.N.N., Vogl T.J.

CT-guided coaxial biopsy of mediastinal and pulmonary hilar lesions: A new approach through extrapleural space (SS 1209), B-605

Ntoulia A., Papadopoulou F., Ristanis S., Tsampoulas C., Argyropoulou M.I., Georgoulis A.

Diagnostic value of quantitative contrast-enhanced MRI in evaluating the revascularization of the anterior cruciate ligament autograft: An early predictor of ligamentization course (SS 810), B-375

Nunes G., Rémy-Jardin M., Faivre J.-B., Pontana F., Deken V., Rémy J.

Evaluation of acute pulmonary embolism (PE) with dual energy CT: Respective usefulness of morphologic and functional information (SS 804), B-391

Nyhsen C.

Teaching: Art, habit or science?: Clinical teaching: The young doctor's perspective (PC 3), A-085

O

Ohno Y., Onishi Y., Matsumoto K., Koyama H., Takenaka D., Yoshikawa T., Konishi M., Maeda T., Sugimura K.

Solitary pulmonary nodule: Comparison of diagnostic capability between first-pass perfusion CT on 320-detector row CT and FDG-PET/CT (SS 104), B-030

Ohno Y., Matsumoto K., Koyama H., Takenaka D., Onishi Y., Aoyama N., Yoshikawa T., Matsumoto S., Sugimura K.

Ultra-short TE MR imaging on 3T system: Pulmonary functional loss assessment by using regional T2* measurement in COPD subjects (SS 1604), B-641

Oikonomou A.

Chest in the emergency room: C. Imaging of chest trauma (RC 1004), A-261

Oikonomou A., Mintzopoulou P., Chatzistefanou A., Tzouveleki A., Zaharis G., Bouros D., Prassopoulos P.K.

Emphysema and pulmonary fibrosis in cigarette smokers: Quantification with HRCT scoring system (SS 1604), B-640

Okazumi S., Shuto K., Kato R.

The relationship between cancer amount in lymph node metastasis of esophageal cancer and contrast enhanced MDCT pattern and FDG-PET uptake and its clinical significance (SS 1601b), B-635

Oki H., Aoki T., Yamashita Y., Hanamiya M., Korogi Y.

Thin-section chest CT findings in systemic lupus erythematosus with antiphospholipid syndrome: A comparison with systemic lupus erythematosus alone (SS 1604), B-644

Öksüz M.Ö., Aschoff P., Reischl G., Müssig K., Pfannenber C., Bares R., Dittmann H.

Radioligand therapy of neuroendocrine tumors with Y-90 DOTATOC: Is treatment response predictable by pretherapeutic uptake of Ga-68 DOTATOC? (SS 1606), B-699

Authors' Index

Onishi Y., Ohno Y., Matsumoto K., Nogami M., Takenaka D., Koyama H., Matsumoto S., Sakamoto S., Sugimura K.

Whole-body integrated FDG-PET/CT in non-small cell lung cancer patients: How to improve diagnostic capability for postsurgical recurrence as compared with standard radiologic examination? (SS 504), B-271

Orgera G., Curigliano G., Bonomo G., Della Vigna P., Monfardini L., Orsi F.

US-guided high-intensity focused ultrasound treatment for advanced pancreatic cancer: Imaging evaluation of local tumor response and symptoms relief (SS 509a), B-293

Orsi F.

Oncologic interventions in the liver: B. New embolisation techniques (RC 1409), A-401

Osborn A.G.

Opening Lecture: The two faces of HIV/AIDS in the brain: The face you know - And the one you don't (OL), A-043

Ouwendijk R.

Vascular imaging: The diabetic patient: C. Cost-effective selection of the appropriate imaging technique (RC 715), A-186

Owen D.R., Shalhoub J., Miller S., Gauthier T., Thapar A., Davies A., Leen E.

Contrast enhanced ultrasound to quantify carotid intraplaque angiogenesis: Reproducibility (SS 815), B-432

Owen D.R., Shalhoub J., Miller S., Gauthier T., Thapar A., Davies A., Leen E.

The detection of inflammation within carotid artery plaque in humans using late phase contrast enhanced ultrasound (SS 1615), B-650

Owens C.

Chest imaging: What to use and when to use it: B. CT: What you really need to know (RC 1512), A-435

P

Paalimäki-Paakki K., Henner A., Ahonen S.-M.
Ethical dilemmas in radiographer's work in diagnostic radiography (SS 1214), B-581

Pache G., Blanke P., Baumann T., Bulla S., Grohmann J., Arnold R., Saueressig U., Kotter E., Langer M.

Prospective electrocardiography-triggered CT angiography of the thoracic great vessels in pediatric patients with congenital heart disease: Feasibility and image quality (SS 1612), B-698

Padhani A.R.

Biomarkers: New word, new world, new work?: Chairman's introduction (NH 7), A-163

Padhani A.R.

Biomarkers: New word, new world, new work?: Biomarkers: An illustrated framework for development (NH 7), A-167

Padhani A.R.

Molecular imaging probes on your doorstep: B. Multi-functional MRI for assessing novel therapies: Decision tools or decorations? (RC 1406), A-377

Palena L.M., Rosati M., Buttazzi K., Russo V., Lovato L., Fattori R.

Carotid-subclavian bypass and Amplatzer embolization preceding endovascular repair of descending thoracic aorta: A single centre experience (SS 809), B-472

Palena L.M., Rosati M., Buttazzi K., Russo V., Lovato L., Fattori R.

Peripheral arterial involvement in marfan syndrome: A new clinical sign identified by whole-body vascular imaging (SS 1703), B-864

Palkó A.

Imaging the polytrauma patient: Chairman's introduction (SF 3b), A-069

Palkó A., Poletti P.-A.

Imaging in common clinical problems: Acute abdomen (E³ 1320), A-330

Palkó A.

Liver tumors and management: A. Liver metastases (MC 1819), A-498

Pameijer F.A.

Larynx and hypopharynx: B. Malignant lesions (E³ 720a), A-175

Pameijer F.A.

Reporting and staging head and neck tumors: B. Oral cavity (RC 1808), A-493

Panebianco V., Lisi D., Santucci E., Bernardo S., Sciuto R., Passariello R.

1HMRSI-DCEMR versus [(11)C]choline PET/CT in the detection of local prostate cancer recurrence after retropubic radical prostatectomy (SS 807), B-411

Panebianco V., Sciarra A., Bernardo S., Ciccariello M., Lisi D., Passariello R.

Detection of prostate adenocarcinoma foci in men with prior negative prostate biopsy and elevated prostate specific antigen (PSA) levels: Role of magnetic resonance spectroscopy imaging (MRSI) and magnetic resonance perfusion (MRP) (SS 807), B-414

Pans S.

Bone tumors: C. New techniques (including DWI) (RC 1410), A-374

Papadaki E., Amanakis E., Mastorodimos V., Tsekouras K., Maris T.G., Karampekios S., Gourtsoyiannis N.

Application of an MRI perfusion weighted imaging (PWI) technique in patients with clinically isolated syndrome converted to multiple sclerosis (CIS-conv): Increased perfusion in white and deep gray matter compared to the non-converted CIS patients (SS 411), B-211

Papadakis A.E., Perisinakis K., Oikonomou I., Damilakis J.

Automatic exposure control in standard CT scans of children and adults: What is the reduction in organ and effective dose? (SS 1613), B-680

Papanikolaou N.

Abdominal MRI: Protocols that work: B. Small bowel and colon (RC 701), A-169

Papini G.D.E., Tritella S., Cotticelli B., Clemente C., Nano G., Di Leo G., Sardanelli F.

Magnetic resonance imaging (MRI) of carotid plaque: Is carotid plaque enhancement (CPE) associated with inflammatory cell infiltration (ICI) at histopathology? (SS 1615), B-651

Papke K., Oppermann B., Brassel F.

Void artifacts at 3D time-of-flight (TOF) and contrast enhanced (ce) MR angiography following coil embolisation of intracranial aneurysms with new coil types (SS 1211), B-596

Paprottka P.M., Hoffmann R.-T., Trumm C.G., Schmidt G.P., Reiser M.F., Jakobs T.F.

90Yttrium-microsphere-radioembolization of symptomatic, unresectable neuroendocrine hepatic metastases (SS 409b), B-249

Paradisi Chacon C.E., Sanchez Lalana E., Ibañez Muñoz D., Sarria Octavio de Toledo L., Artigas Martín J.M., Martínez Mombila E., Marcuello Peña M.T., Galbe Sada R., Paradisi Barrios C.E.

Correlation between the Harvey-Bradshaw activity index and multidetector-CT enterography findings in Crohn's disease (SS 501b), B-310

Parizel P.M.

Basic MRI: A. Basic techniques and pattern recognition (RC 211), A-021

Park M., Kim Y.-S., Lee W., Lim H.K., Rhim H.

Clinical outcomes of follow-up CT for small (5-10 mm) arterially-enhancing nodules in the liver and risk factors for developing hepatocellular carcinoma (SS 801a), B-380

Park S., Kim C., Park B.

Prediction of biochemical failure following radical prostatectomy in prostate cancer: Prognostic value of apparent diffusion coefficient at 3 Tesla (SS 807), B-412

Parthipun A.

Does size really matter? An analysis of effect of the size of uterine fibroids and volume of embolic material on the complication rate of uterine artery embolisation (SS 509b), B-367

Pasowicz M., Miszalski-Jamka T., Klimeczek P., Irzyk M., Banys R., Krupinski M., Bury K., Nycz K., Lada M.

Multislice computed tomography coronary angiography predicts long-term outcome in patients with suspected or known coronary artery disease (SS 403a), B-194

Patak M.A.

Crohn's disease: Techniques and results: C. CT vs MRI (RC 1801), A-468

Patel C.N., Lansdown M., Scarsbrook A.F.

Clinical utility of ultrasound and Tc99m-Sestamibi SPECT/CT for pre-operative localisation of parathyroid adenomas in patients with primary hyperparathyroidism (SS 408), B-188

Patz, Jr. E.F.

Beyond morphological analysis of lung tumors: A. New therapeutic horizons: What do radiologists need to know? (CC 1018), A-231

Paul J.-F.

Optimised contrast media management in cardiac CT (SY 6), D-21

Paul J.-F.

Cardiac CT: Imaging beyond the coronaries: Myocardial viability and perfusion (SF 7a), A-158

Paulo G., Rocha M., Gama C., Lavandeira P., Costa M., Marques L.

Exposure to operators during interventional cardiology (SS 814), B-455

Paulo G., Santos J.M.R., Moreira A., Figueiredo F.

Evaluation and optimization of dose levels in pediatric chest X-ray: Comparison with international reference levels (SS 814), B-457

Paulo G., Santos J.M.R., Neto A., Quadrado C.

Evaluation and optimization of dose levels in children pelvis X-ray (SS 814), B-458

Pauls S., Breining T., Muche R., Schmidt S.A., Hetzel M., Wunderlich A., Brambs H.-J., Feuerlein S.

The role of dynamic contrast-enhanced MRI in differentiating lung tumor subtypes (SS 104), B-038

Pavlikovics G.

MRI: A. Investigation of occlusive peripheral arterial diseases: Role of CT, MR, US and DSA (RC 714), A-190

Pecchi A., De Santis M., Gibertini M., Di Benedetto F., Gerunda G., Torricelli P.

Role of magnetic resonance cholangiography (MRC) in the detection of biliary complications after orthotopic liver transplantation (OLT) (SS 401b), B-227

Pediconi F., Dominelli V., Telesca M., Vasselli F., Catalano C., Passariello R.

Should routine breast cancer staging include magnetic resonance imaging? (SS 1702), B-804

Peldschus K., Regier M., Derlin T., Kröger N., Adam G., Klutmann S., Weber C.

Whole-body MRI in multiple myeloma: Spectrum of findings in patients with negative PET/CT scan after allogeneic stem cell transplantation (SS 1610), B-612

Pellicer B., Romá E., Muñoz M., Ripollés T., Martínez M.J., Vilar J.

Effectiveness of contrast-enhanced ultrasonography for characterization of bowel strictures in Crohn's disease (SS 501b), B-318

Peng G.

Research of DSCT perfusion imaging on solitary pulmonary nodules (SS 104), B-036

Perisinakis K., Seimenis I., Tzedakis A., Papadakis A., Damilakis J.

Cardiac CT angiography on a 256-slice CT scanner: Are associated radiation risks acceptably low? (SS 1613), B-686

Perry N., Milner S., Mokbel K., Duffy S., Pinker K.

A new automated volumetric breast density measurement system confirms higher breast density associated with urban women (SS 102), B-057

Persliden J.R.G.

Radiation dose management: C. Digital vs conventional radiography: What about the dose? (RC 1313), A-342

Persson A.

Visualisation, perception and image processing: C. Clinical application of image processing (RC 1513), A-433

Petraikin A., Akhadov T., Melnikov A., Sidorin S., Agrafonov A.

Noninvasive estimation of cerebral-spinal fluid flow through the shunt system and intracranial pressure by 3.0T MRI (SS 1711), B-843

Petralia G., Summers P., Di Filippi R., Castellazzi G., Pasin M., Zampino M., Leonardi M., Chiappa A., Bonello L., Viotti S., Bellomi M.

Dynamic contrast-enhanced magnetic resonance (DCE-MR) for the monitoring of neoadjuvant chemoradiation therapy (NACRT) in rectal adenocarcinoma: Initial experience with 20 patients (SS 801b), B-421

Pfammatter T.

Aortic imaging: B. Imaging requirements prior to endovascular aneurysm repair (RC 1815), A-484

Pfirrmann C.W.A.

Hip through the ages: B. The hip in the young athlete (RC 1010), A-235

Pianyk O.S.

Optimal interpolation for digital medical images (SS 1205), B-520

Pietsch H., Jost G., Frenzel T., Lengsfeld P., Huetter J., Sieber M.

Preclinical assessment of Lanthanides potentially being used as X-ray contrast media as a possible trigger for nephrogenic systemic fibrosis (NSF) (SS 1206), B-554

Piguet J.-C.

Photon counting mammography in daily practice (SY 14), D-41

Pinho T., Martins E., Oliveira S., Madureira A., Silva-Cardoso J., Ramos I., Maciel M.

Prognostic value of fibrosis assessed by cardiac magnetic resonance imaging in familial dilated cardiomyopathy (SS 403b), B-234

Pirker R.

Lung cancer: What the oncologist needs to know (MS 721), A-179

Plumhans C., Schoth F., Behrendt F., Keil S., Günther R.W., Mahnken A.

Comparison of two port-systems with different catheter size regarding catheter-related complications and inpatient/ventilational pain perception (SS 509a), B-298

Podestà A., Tagliafico A., Altafini L., Ghio M., Panico N., Martinoli C.

The role of imaging in the evaluation of peripheral nerve in systemic sclerosis (scleroderma) (SS 410), B-137

Poellinger A., Schneider P., Volkwein N., Schreiter N., Meier S., Piper S., Schmitz C.

Near-infrared imaging of breast cancer with high temporal resolution using the contrast agent indocyanine green (SS 402), B-171

Pohjonen H.K.

Image sharing: B. Images crossing borders: What about administration and law? (RC 205), A-028

Pokieser P.

PACS: Evolution: B. How PACS is useful for eLearning (RC 1805), A-487

Pollentine A., Archer L., McCoubrie P.

Evaluation of two faecal tagging bowel preparation regimes for CT colonography (SS 1201b), B-501

Pomel C.

Carcinoma of the uterus and cervix: What the surgeon needs to know (MS 221), A-031

Pontana F.

Lung perfusion imaging: CT or MR?: B. Clinical experience with CT (CC 1318), A-325

Popiela T.J.

New insights in breast imaging: Advances in breast ultrasound (SF 10a), A-229

Potters F., Rozie S., Saba L., Mallarini G., van der Lugt A.

Atherosclerotic carotid plaques in asymptomatic patients have more calcium than atherosclerotic carotid plaques in symptomatic patients: An analysis with multidetector CT angiography (SS 1615), B-656

Potthast S., Heizmann O., Hohmann J., Kettelhack C., Bongartz G.M.

Intraoperative liver CT: A feasibility study (SS 501a), B-259

Prakken N.H.J., Cramer M.J., Olimulder M.A., Velthuis B.

Screening athletes for proximal coronary artery anomalies with 3-dimensional coronary MR angiography (SS 1703), B-863

Pravatà E., Caulo M., Briganti C., Colosimo C., Mantini D., Sestieri C., Tartaro A.

Functional connectivity-MRI of language network in patients with drug-resistant epilepsy (SS 811), B-460

Prayer D., Nemeč S.F., Kasprjan G., Bettelheim D., Brugger P.C.

Fetal body MRI: MRI of the skeleton (SF 3d), A-082

Precht H., Gerke O.

Pediatric imaging: A. DR system: How to find the best hardware and software to achieve minimum dose and best images (RC 1414), A-391

Preda L., Monfardini L., della Vigna P., Rizzo S., Nolè F., Padrenostro M., Bellomi M.

Impact of CT guided bone biopsy on treatment choice in patients with breast cancer metastases (SS 109), B-124

Prell D., Kyriakou Y., Kalender W.

A fully automatic forward projection-based metal artefact reduction method for flat-detector CT (SS 1213), B-561

Price D.

Safety first: C. Fetal MRI: Attitudes towards safety (RC 1312), A-345

Prokop M.

Is volumetric CT the only way of scanning lung diseases?: B. Optimisation of volumetric CT protocols (CC 1418), A-370

Prompona M., Cyran C.C., Nikolaou K., Bauner K., Reiser M.F., Huber A.

Contrast-enhanced whole-heart MR coronary angiography at 3.0 T using the intravascular contrast agent gadofosveset (SS 1703), B-859

Prosch H., Schilling M., Eisenhuber E., Stadler A., Schober E., Mostbeck G.

CT-fluoroscopy guided vs multislice CT biopsy mode guided lung biopsies: Accuracy, complications and radiation dose (SS 404), B-158

Pruessmann K.P.

High field MRI: Beyond 3T: B. A complicated solution to a complicated problem: Transmit array (RC 1013), A-252

Puderbach M.U.

Chest imaging: What to use and when to use it: C. MRI: The icing on the cake. Are we really there yet? (RC 1512), A-436

Puesken M., Buerke B., Fortkamp R., Seifarth H., Heindel W., Wessling J.

Semi-automatic segmentation of liver lesions in MSCT: Impact of slice thickness on segmentation quality, measurement precision and interobserver variability (SS 1205), B-524

Pugliese F., Gaemperli O., Mason J., Lamare F., Rimoldi O.E., Camici P.G.

Large vessel inflammation detected by [11C]-PK11195 PET/CT angiography (SS 1606), B-701

Puylaert J.B.C.M.

The hole in the guts: B. Defining the role of US (CC 1117), A-268

Q

Qi P., Shi D., Dai Y., Wang M.

The application of magnetic resonance diffusion tensor imaging in ischemic optic neuropathy at 3.0T (SS 408), B-183

Quaia E.

The value of digital tomosynthesis in the diagnosis of thoracic lesions (SY 7), D-24

Quaia E., Ulcigrai V., Coss M., Cester G., Giarraputo L., Cova M.

Analysis of the diagnostic impact of peritumoral enhancing strands within the perirectal fat in patients with rectal carcinomas after neoadjuvant radiochemotherapy (SS 801b), B-423

Quick H.H., Maderwald S., Nassenstein K., Orzada S., Bitz A.K., Kraff O., Brote I., Schäfer L.C., Ladd M.E.

7 Tesla cardiac MRI in humans (SS 1703), B-858

R

Ragab Y., Emad Y., Hamza H., Kamal K.

Rotator interval lesions, MR arthrographic findings and prevalence with rotator cuff tendon tears (SS 410), B-133

Ragab Y., Hamza H., Saad A., Oraby S., Abdulsalam M., Joukhdar H.

High resolution CT chest findings in the assessment of N influenza A (N1H1): Correlation with clinical outcome (SS 1704), B-773

Raissaki M.

Pediatric non-traumatic emergencies: What we must know!: Chairman's introduction (SF 3c), A-074

Raissaki M.

Imaging in non-accidental injury: C. Abdominal trauma (RC 1412), A-390

Rampinelli C., Raimondi S., Padrenostro M., De Fiori E., Veronesi G., Bellomi M.

Pulmonary nodules: Post-contrast volumetric variation at different CT scan delays (SS 404), B-155

Rangsha Marak D., Naguib N.N.N., Mbaisike E.C., Azizi A., Hedayati-Emami A., Vogl T.J.

Prospective study to evaluate the safety and efficacy of repeated arterial closure using the AngioSeal device in patients with hepatic malignancy undergoing transarterial chemoembolization (TACE) (SS 409a), B-160

Rangsha Marak D., Gurung J., Mohammed N., Abskharon J.E., Ghasemi M., Vogl T.J.

Repeated closure of the femoral venous puncture sites after transpulmonary chemoperfusion using the AngioSeal device in patients with lung malignancy (SS 409a), B-161

Raptis A.

Vascular imaging: The diabetic patient: A. What the radiologist needs to know about the diabetic patient (RC 715), A-184

Rathod J., Taori K., Kundargi N.

Endovascular management of symptomatic varicose veins with LASER ablation (SS 409a), B-162

Ratib O.

PACS: Evolution: A. How to improve PACS with open source software (RC 1805), A-486

Raya J.G., Melkus G., Adam-Neumair S., Dietrich O., Reiser M.F., Jakob P., Glaser C.

DTI and T2 changes in articular cartilage with progressive PG depletion (SS 110), B-018

Reekers J.A.

Peripheral vascular malformations: C. Treatment of AVMs: Image-guided interventions: When and when not (RC 615), A-138

Rees M.R.

Valvular heart disease: A. Echocardiography: Clinical standard with limitations (RC 1403), A-397

Reesink K.D.

Vascular ultrasound: Towards preventive healthcare (SY 22), D-61

Regier M., Schwarz D., Derlin T., Begemann P.G.C., Klose H., Adam G.

Diffusion weighted MRI and FDG-PET in nonsmall cell lung cancer (NSCLC): Does the apparent diffusion coefficient (ADC) correlate with the tracer uptake (SUV)? (SS 104), B-039

Rehani M.M.

Radiation protection: Radiation protection training and practice: Bridging the gap (PC 18), A-479

Reijnierse M.

Shoulder: B. Instability (RC 1110), A-280

Reiner C.S., Breitenstein S., Samaras P., Puhon M., Montani M., Frauenfelder T., Slankamenac K., Rickenbacher A., Clavien P.-A.

Does preoperative chemotherapy impact on the ability of the liver to regenerate after hepatectomy for colorectal metastases? Assessment with CT- and MR-based liver volumetry (SS 1201a), B-486

Reis C., Santos I., Pinheiro M., Diogo J., Machado N., Lança L.

Occupational exposure in operation room during dynamic hip screw (DHS) procedure (SS 814), B-459

Reiter U., Reiter G., Kovacs G., Schmidt K., Olschewski H., Rienmueller R.

Non-invasive vortex-based estimation of pulmonary arterial pressure and pulmonary vascular resistance in patients with manifest pulmonary hypertension (SS 1703), B-865

Rémy-Jardin M.

COPD: A disorder of the respiratory and cardiovascular systems: B. Morphology and function with CT: Myth or reality? (CC 218), A-011

Renard B., Faivre J.-B., Rémy-Jardin M., Santangelo T., Deken V., Rémy J.

Dual energy CT angiography of chronic thromboembolic disease: Can it help recognize links between pulmonary vascular features and perfusion defects? (SS 804), B-394

Rengier F., Häfner M., von Tengg-Kobligh H., von Gall C., Kirsch J., Kauczor H.-U., Giesel F.L.

Integration of interactive three-dimensional image post-processing software into radiology teaching for medical students: A new way of learning radiological skills? (SS 105), B-081

Rengier F., Henninger V., Weber T.F., Schumacher H., Böckler D., Kauczor H.-U., von Tengg-Kobligh H.

Heartbeat-related distension of the thoracic aorta with implications for thoracic endovascular stent graft sizing (SS 809), B-471

Rengier F., Henninger V., Kotelis D., Weber T.F., Kauczor H.-U., von Tengg-Kobligh H.

Investigation of healthy aortic geometry and aortic enlargement with age with implications for long-term stent graft sealing (SS 809), B-475

Rengo M., Lucchesi P., Ferrari R., Vecchiotti F., Paolantonio P., Caruso D., Laghi A.

Evaluation of global left ventricular function with DS-CT: Comparison of three workstations with magnetic resonance as gold standard (SS 1705), B-834

Renz D.M., Böttcher J., Diekmann F., Poellinger A., Fallenberg E.M., Maurer M.H., Hamm B., Bick U.

Artificial intelligence in MR mammography: Analysis of a fully-automatic CAD system for the detection and classification of contrast-enhancing lesions (SS 1602), B-669

Renz D.M., Elgeti T., Ghadamgahi E., Freyhardt P., Böttcher J., Schäfer M.L., Berger F., Hamm B., Röttgen R.

Impact of cardiovascular magnetic resonance imaging in patients with inherited Marfan syndrome (SS 1612), B-697

Restaino G.

Female infertility: B. Pelvic endometriosis: Why is it commonly overlooked? (RC 307), A-093

Restaino G., Meloni A., Borgna Pignatti C., Maggio A., Missere M., Valeri G., Luciani A., Sallustio G., Pepe A.

A T2* magnetic resonance imaging study of pancreatic iron overload in thalassemia major (SS 101a), B-006

Rettenbacher T.

Tumor follow-up evaluation: Which modality for what?: A. US and CEUS (RC 601), A-118

Rezai P., Galizia M., Tochetto S., Yaghmai V.

Evaluation of pancreatic adenocarcinoma response to angiogenesis inhibitor therapy on MDCT (SS 101a), B-010

Reznek R.H.

Carcinoma of the uterus and cervix: Chairman's introduction (MS 221), A-030

Reznek R.H.

Carcinoma of the uterus and cervix: Imaging in carcinoma of the uterus and cervix (MS 221), A-033

Authors' Index

Riccabona M.

Imaging the GI/GU tracts: A. Is ultrasound enough for a comprehensive diagnosis? (RC 712), A-187

Ricci P., Menichini G., D'Ambrosio U., Marigliano C., Cantisani V., Passariello R.

CT perfusion, MR diffusion-weighted and contrast-enhanced US in the assessment of the response to anti-angiogenic treatment in patients with multifocal liver lesions (SS 501a), B-252

Richli Meystre N., Ding S., Kiszio B., Emmanuelle O., Ramelet A., Weyermann-Etter S.

A collaborative initiative to develop evidence-based practice in radiographers (SS 1214), B-579

Richli Meystre N., Bulliard J.-L., Ducros C., Guerry E., Ledermann V., Lepori D., Watrin M., Meuwly J.-Y.

Reliability of the image evaluation system PGMI (SS 1214), B-587

Ricke J.

Liver cell-specific imaging reaching out to histopathology (SY 12), D-31

Ricke J.

Introduction (SY 12), D-29

Ridder K.

Innovations and challenges in mammography guided biopsies (SY 15), D-43

Ridge C.A., Carter M., Ryan R., Hegarty C., Browne L., Malone D.E.

Transient bacteraemia during CT colonography: Implications for infective endocarditis prophylaxis (SS 1201b), B-504

Rief M., Huppertz A., Hamm B., Taupitz M., Moritz W.

Diagnostic time window for liver MRI after administration of an oral manganese-based contrast agent (CMC-001) (SS 1701a), B-768

Righini A.

Advanced brain MR imaging: Why and when: A. Diffusion tensor imaging (RC 1112), A-297

Rimola J., Ordás I., Rodriguez S., Garcia-Bosch O., Ricart E., Ayuso C., Panés J.

Development and validation of a MR index of activity for evaluation of Crohn's disease (SS 501b), B-312

Rizzato G.

Present and future direction of ultrasound: Elastography: Clinical tool or toy? (SF 7b), A-194

Robben S.G.F.

Pediatric non-traumatic emergencies: What we must know!: Abdominal emergencies (SF 3c), A-077

Roberts S.

Gastroesophageal cancer: Is modern imaging accurate enough?: A. Role of US, EUS and CEUS (RC 201), A-013

Rocher L.

Imaging of the scrotum and penis: B. Incidentaloma in scrotal US (RC 607), A-127

Rodt T., von Falck C., Halter R., Shin H.-O., Glage S., Dettmer S., Lotz J., Galanski M., Borlak J.

Region growing segmentation for micro-CT quantification of multifocal lung adenocarcinoma in SPC-raf transgenic mice (SS 404), B-159

Rodt T., von Falck C., Dettmer S., Hoy L.,

Ask K., Kolb M., Gauldie J., Maus U.A., Borlak J.

Micro-CT of pulmonary fibrosis in mice induced by adenoviral gene transfer of biologically active transforming growth factor-beta1 (SS 1604), B-648

Roemer F.W., Guermazi A., Felson D.T., Niu J., Nevitt M.C., Crema M.D., Lewis C.E., Torner J., Zhang Y.

Presence of effusion, but not synovitis increases the risk of tibio-femoral cartilage loss in knees without osteoarthritis at 30-months follow-up: The multicenter osteoarthritis (MOST) study (SS 110), B-020

Rogalla P.

Functional imaging in CT: Optional or built-in?: What functional CT requires: Speed, coverage, and many slices (NH 6), A-106

Rogalla P.

Missing perfusion: Abdominal ischemic disease: B. The black bowel (CC 1017), A-222

Röhrli B., Weber S., Wunder K., Bostel T., Espinola-Klein C., Schreiber L.M., Düber C., Kreitner K.

MR imaging of pedal arteries and the soft tissue correlated with perfusion imaging in patients with diabetic foot syndrome (DFS): Preliminary results at 3T (SS 115), B-073

Romagnoli A., Sperandio M., Arganini C., Gaspari E., Acampora V., Simonetti G.

Usefulness of 64-slice CT in the planning of ablation of ventricular tachycardia late after myocardial infarction (SS 403a), B-193

Ronot M., Asselah T., Paris V., Dorvillius M., Baron G., Michoux N., Marcellin P., Van Beers B., Vilgrain V.

Differentiation of intermediate stages of liver fibrosis from minimal liver fibrosis with perfusion CT (SS 401a), B-144

Rosendaal S.D., Bendfeldt K., Vrenken H., Kappos L., Pelletier D., Polman C.H., Matthews P.M., Barkhof F., Geurts J.J.G.

Gray matter and white matter atrophy in a large cohort of multiple sclerosis patients: Relation to MRI parameters and impact on clinical disability (SS 411), B-214

Rosendaal S.D., Schoonheim M.M., Hulst H.E., Sanz-Arigita E.J., Geurts J.J.G., Barkhof F.

Early changes in resting state functional MRI networks in multiple sclerosis (SS 411), B-215

Ros P.R.

Inflammation and oedema: C. Pancreatitis: Common and critical (CC 1417), A-360

Rosenberg C., Kickhefel A., Roland J., Hosten N.

Real-time magnetic resonance temperature monitoring in moving organs: A clinical routine setting for laser ablation of tumor in the human liver (SS 509a), B-291

Ross C.J., Rennert J., Zorger N., Heiss P., Schacherer D., Hoffstetter P., Feuerbach S., Jung E.M.

Image fusion with volume navigation of contrast enhanced ultrasound CEUS with computed tomography CT or magnetic resonance imaging MRI for postinterventional control after transcatheter arterial chemoembolisation TACE of hepatocellular carcinomas HCC: First results (SS 501a), B-251

Rossi A.

Common spinal „problems“: B. Congenital anomalies made „easy“ (CC 316), A-050

Rousseau H.

Acute aortic syndrome: Endovascular management of acute type B dissection (SF 15a), A-409

Rovira-Cañellas A.

Multiple sclerosis update: Chairman's introduction (SA 3), A-052

Rovira-Cañellas A.

Spinal cord: Difficult but devastating diagnoses: A. Demyelinating diseases of the spinal cord (CC 716), A-160

Rovira-Cañellas A.

Focal brain lesions: A. Differential diagnosis of T2 hyperintense lesions (RC 1011), A-248

Rumboldt Z.

Focal brain lesions: B. Neoplasm or not? Decision making in focal mass lesions of the brain (RC 1011), A-249

Rummeny E.J.

Gastroesophageal cancer: Is modern imaging accurate enough?: B. Role of CT and MRI (RC 201), A-014

Runge V.

Welcome and introduction (SY 2), D-01

Runge V.

Closing remarks (SY 2), D-05

Ruzsics B., Arnoldi E.M., Gebregziabher M., Simor T., Costello P., Schoepf U.J.

Dual energy CT versus cardiac MRI for determining myocardial infarct size (SS 403a), B-191

Ruzsics B., Zwerner P., Chiaramida S., Abro J., Costello P., Schoepf U.J.

Adenosine stress dual energy CT of the heart for diagnosing myocardial ischemia and viability compared with cardiac MRI and SPECT (SS 403a), B-198

Ruzsics B., Parker A.T., Abro J., Thilo C., Costello P., Schoepf U.J.

Biomarkers of atherosclerotic disease activity and myocardial remodeling: Correlation with findings at cardiac CT (SS 803), B-403

Ryan A.G.

Infection and percutaneous drainage: A. Empyema (RC 1309), A-355

Ryoo I., Lee J., Park H., Han J., Choi B.

Preoperative assessment of longitudinal extent of bile duct cancers using MDCT with multiplanar reconstruction and minimum intensity projections: Comparison with MR cholangiography (SS 401b), B-228

S

- Saam T., Pfefferkorn T., Habs M., Hacker M., Rominger A., Cyran C.C., Dichgans M., Reiser M.F., Nikolaou K.**
Age of vessel wall hematoma in cervical artery dissection as determined by multi-sequence MRI (SS 815), B-436
- Saam T., Pfefferkorn T., Habs M., Hacker M., Rominger A., Cyran C.C., Dichgans M., Reiser M.F., Nikolaou K.**
Spontaneous cervical artery dissection, an inflammatory disease? Results of a prospective observational PET/CT and MRI study (SS 1615), B-658
- Saba L., Sanfilippo R., Atzeni M., Caddeo G., Montisci R., Mallarini G.**
Carotid artery wall thickness and leukoaraiosis: Evaluation using multi-detector row CT angiography (SS 511b), B-342
- Saba L., Sanfilippo R., Montisci R., Mallarini G.**
Stenosis asymmetry index between symptomatic and asymptomatic patients in the analysis of carotid arteries (SS 815), B-431
- Saba L., Sanfilippo R., Atzeni M., Ribuffo D., Montisci R., Mallarini G.**
Carotid plaque enhancement after contrast material administration and symptomatology: An evaluation by using multi-detector-row CT angiography (SS 815), B-434
- Saini N.S., Gujral G.S., Sekri T., Devi M., Kumar P., Khushu S., Tripathi R.P.**
Proton MR spectroscopy a non-invasive tool to assess different regions of the brain in congenital hypothyroidism (SS 812), B-446
- Sankowski A.J., Cwikla J.B., Nowicki M.L., Pech M., Pruchnicka D., Czepukojc A., Walecki J.**
Comparison of MRI DWI vs MRI T1 contrast enhancement using (Gd)-DTPA and (Gd)-EOB)-DTPA in detection of liver metastasis in patients with advance gastroenteropancreatic-neuroendocrine tumours (GEP-NET) (SS 1201a), B-482
- Sankowski A.J., Nowicki M.L., Cwikla J.B., Pech M., Seklecka N., Walecki J.**
Evaluation of MRI DWI as marker of early response on i.a. 90Y-DOTATATE therapy in patients with advance neuroendocrine carcinomas (GEP-NET) and liver involvement (SS 1201a), B-489
- Sansoni I., Alloni R., Del Vescovo R., Di Giampietro I., Coppola R., Beomonte Zobel B.**
MR-fluoroscopy with high-speed kinetic sequences: Preliminary study in multiple swallowing disorders of oro-esophageal tract and gastro-esophageal junction (SS 101b), B-021
- Sansoni I., Del Vescovo R., Della Longa G., Di Giampietro I., Piccolo C., Beomonte Zobel B.**
MR activity assessment in Crohn's disease of the terminal ileum: Free-breathing diffusion-weighted imaging (DWI) and dynamic motility evaluation (SS 501b), B-314
- Santos J.M.R.**
Evaluation of dose levels in digital radiology chest X-ray with different additional filters (SS 814), B-456
- Sardanelli F.**
Breast MRI: Lesion characterisation:
B. Overdiagnosis by breast MRI (RC 602), A-130
- Sardanelli F.**
Breast cancer: How to evaluate response to treatment: MRI and more (SF 10b), A-246
- Sasiadek M.**
Emergency radiology: The new frontiers, the old barriers: Introduction (EM 1), A-095
- Saupe N.**
Lower extremity: Anatomy, variants and pitfalls:
C. Foot and ankle (MC 1025), A-239
- Savelli S., Basile M., Mortilla M., Tamburrini A., Aricò M., Fonda C.**
Whole body MRI including DWIBS sequences for disease detection and staging in pediatric oncological patients (SS 1212), B-575
- Savelli S., Indolfi G., Ciccarone A., Esposito M., Resti M., Fonda C.**
Liver MRI with DWI for early detection of hepatic fibrotic changes in children (SS 1212), B-578
- Savino G.**
Chest in the emergency room: B. Triple rule-out CT in atypical chest pain: Must or luxury? (RC 1004), A-260
- De Boo D.W., van Hoorn F., van Schuppen J., Schijf L., Scheerder M.J., Freling N.J., Mets O.M., Weber M., Schaefer-Prokop C.M.**
Short term feedback does not help radiologists to use CAD for the detection of intrapulmonary nodules more effectively (SS 404), B-151
- Schaeffeler C., Mueller D., Kirchhoff C., Heinrich P., Rummery E.J., Woertler K.**
Tears at the rotator cuff footprint: Prevalence and imaging characteristics with clinical correlation in 305 MR arthrograms of the shoulder (SS 410), B-131
- Schaible T., Kohl T., Wessel L.M., Brade J., Schönberg S.O., Büsing K.A.**
Right versus left-sided congenital diaphragmatic hernia: Postnatal outcome at a specialized tertiary care center (SS 1612), B-692
- Scherthaner M.B., Lencioni R., Malagari K., Vogt T.J., Pilleuil F., Denys A., Watkinson A., Lammer J.**
Reduced quality of life associated adverse events in intermediate hepatocellular carcinoma patients treated with PRECISION TACE with drug eluting beads: Results from the PRECISION V randomized trial (SS 409b), B-241
- Scheurecker G., Seitlinger G., Fuertrath F., Schmidt P., Hofmann S., Kramer J.**
Anterior knee pain and objective patella instability: Differences in the rotational alignment of the lower extremity versus healthy volunteers as assessed by MRI (SS 810), B-377
- Scheurecker G., Pinker K., Mayerhöfer M., Stelzener D., Apprich S., Trattig S.**
dGEMRIC of the meniscus: Preliminary results (SS 810), B-378
- Scheurecker G., Seitlinger G., Schmidt P., Hofmann S., Kramer J.**
Patellar instability: Patellofemoral joint alignment assessed with MRI at 0°, 15°, 30°, 45°, 60°, 75° and 90° of knee flexion (SS 810), B-379
- Schima W.**
Abdominal MRI: Protocols that work: A. Liver (RC 701), A-168
- Schima W.**
Anatomy and techniques: A. Essentials of liver anatomy and multimodality display (MC 1119), A-283
- Schmidt B., Raupach R., Flohr T.G.**
Assessment of image quality and dose for CT acquisitions with organ-based tube current modulation (SS 1613), B-679
- Schmidt G.P., Wintersperger B.J., Graser A., Baur-Melnyk A., Reiser M.F., Schönberg S.O.**
Technical feasibility and potential artifacts of whole-body MRI at 1.5 Tesla and 3 Tesla: A comparative study (SS 513), B-326
- Schmidt P., Scheurecker G., Seitlinger G., Fuertrath F., Hofmann S., Kramer J.**
Assessment of the rotational alignment of the lower extremity with MR imaging: Technical feasibility (SS 810), B-376
- Schmitt R., Fodor S., Froehner S., Prommersberger K.-J., Kalb K.-H., Christopoulos G.**
MDCT arthrography for detecting traumatic scapholunate dissociation associated with intra-articular radius fractures (SS 1710b), B-757
- Schneider B., Heinze O., Lederle K., Weisser G., Bergh B.**
Development of an web portal for teleradiology via DICOM e-mail using open source software (SS 105), B-088
- Schneider G., Pasowicz M., Vymazal J., Seidl Z., Aschauer M., Konopka M., Bilecen D., Iezzi R., Ballarati C.**
Renal MR angiography: Multicenter intraindividual comparison of gadobenate dimeglumine and gadofosveset trisodium (SS 415), B-203
- Schoder H.**
PET/CT in oncologic imaging: New tracers in oncologic PET/CT (PC 10), A-266
- Schoth F., Georg F., Kraemer N., Peykan N., Dadak M., Günther R.W., Krombach G.A.**
The use of direction information from DTI in the evaluation of prostate cancer (SS 107), B-045
- Schroeder T.**
Diseases of the visceral arteries: C. Imaging before and after liver transplantation (RC 215), A-026
- Schubert T.B., Santini F., Stalder A., Markl M., Wetzel S.**
Changes of blood flow patterns along the intracranial internal carotid artery: A 4D PC MRI study (SS 1211), B-598
- Schuessler G.**
Imaging the polytrauma patient: Who, when and where: The role of the radiologist in the trauma team (SF 3b), A-070
- Schuknecht B.F.**
Common pains in the head and neck: B. Trigeminal neuralgia (RC 1508), A-443
- Schulz-Menger J.**
Imaging of cardiomyopathies: Imaging of cardiomyopathies: What is important for the cardiologist? (SF 6), A-143
- Schwartz E., Langa G., Gottardi R., Czerny M., Hofeld J., Peloschek P., Loewe C.**
Measuring the change in vessel movement induced by aortic arch repair (SS 515), B-335

- Schwarz D., Ries T., Begemann P.G.C., Brandl S., Hennigs J., Klose H., Adam G., Regier M.**
Diffusion weighted MRI with background signal suppression (DWIBS) for the detection of pulmonary nodules at 1.5 Tesla: Initial results (SS 504), B-275
- Sconfienza L.M., Lacelli F., Piccazzo R., Grillo G., Serafini G., Silvestri E.**
Long-term survey of three different ultrasound (US)-guided percutaneous treatments of plantar fasciitis: Results of a randomized controlled trial (SS 1210), B-494
- Sefidbakht S., Abbasi H., Akrami M., Salahi R., Asaadi K., Panahi F.**
Utility of intrapleural contrast in diagnosis of occult diaphragmatic injury in thoracoabdominal stab wounds: Preliminary results (SS 1704), B-778
- Seidel R., Dabew R., Fries P., Buecker A., Schneider G.**
Evaluation of dilated bile duct structures using the hepatobiliary MR contrast agent Gd-BOPTA (SS 401b), B-225
- Seifarth H., Braegelmann A., Puesken M., Buerke B., Wessling J., Maintz D., Heindel W.**
Dual energy CT angiography for the detection of endoleaks after endovascular aneurysm repair (SS 515), B-334
- Seitz M.**
Prostate gland: What the surgeon needs to know (MS 321), A-066
- Seo G., Chong S., Youn I., Seo J., Kim Y., Lee H.**
Pulmonary lipiodol embolism after TACE: CT findings and its clinicoradiologic outcome (SS 1609), B-732
- Seo J., Cho Y., Chung W.-K., Lee S., Kim K., Kim D., Hwang C., Park Y., Kim H.**
Evaluation of treatment response and radiation-induced pulmonary injury after stereotactic body radiotherapy with real-time tumor tracking (SS 504), B-279
- Serra G., Fraioli F., Mennini M.L., Catalano C., Passariello R.**
Dual source perfusion CT for the monitoring of the effects of conventional and anti-angiogenetic chemotherapy in patients with advanced lung cancer: Initial experience (SS 104), B-034
- Shaham D., Bogot N.R., Lederman R., Manevitch A., Merlet N., Abramov M., Belhdeb M., Leichter I.**
Subsolid lung nodules verified by CT: Are they detectable by CAD on digital chest radiographs? (SS 404), B-153
- Sharma B.**
Breast cancer: How to evaluate response to treatment: PET, PET/CT and more (SF 10b), A-247
- Shin C.-I., Cho J., Kim S.**
Added value of dynamic contrast-enhanced subtraction MR imaging in predicting seminal vesicle invasion in prostate cancer: Preliminary results (SS 807), B-415
- Shin H.-O., Reichelt A., Essig H., Galanski M.**
Preoperative planning of complex midfacial fractures: Generation of a virtual, surgical model by registration of a „standard“ skull (SS 1205), B-527
- Silkoset R.D., Lysdahl K.B., Olerud H.M.**
Variations in doses from CT examinations (SS 814), B-451
- Silvera J., Fournier L.S., Revel M.P., Lefort C., Thiam R., Meyer G., Couchon S., Cohen Zarade S., Frija G.**
Parametric mapping of MRI perfusion sequences for the diagnosis of pulmonary embolism (SS 804), B-393
- Singh S., Kalra M., Hsieh J., Licato P., Doyle M., Blake M.**
What is an appropriate strength of iterative reconstruction and filter back projection blending on image quality and artifact in abdominal CT? (SS 1213), B-562
- Sinitsyn V.E.**
Imaging of cardiomyopathies: Chairman's introduction (SF 6), A-142
- Sinnatamby R., Taylor K.A., Britton P.D., Wallis M.G.**
How safe is it to not biopsy or follow-up women under 30 with likely fibroadenomas? (SS 402), B-172
- Siopis E., Fiocchi F., Nocetti L., Ligabue G., Torricelli P.**
In vivo 3T magnetic resonance diffusion tensor imaging for detection of fiber architecture of human uterus: A feasibility study (SS 1207), B-530
- Skaane P.**
Evaluation of digital breast tomosynthesis for use in a national screening programme (SY 11), D-27
- Skaane P., Gullien R., Stoeblen F., Schulz-Wendtland R., Sandhaug M., Eben E.B., Nyborg T., Seland M., Rostad E.**
Interpretation of automated breast scanning (ABS) with and without knowledge of mammographic findings: A reader performance study (SS 402), B-174
- Sklinda K.**
Emergency radiology: The new frontiers, the old barriers: Modern emergency stroke imaging (EM 1), A-096
- Slanina M., Zizka J., Kizo L., Lojik M.**
Contrast-enhanced MR angiography utilizing parallel acquisition techniques in renal artery stenosis detection (SS 415), B-202
- Smit E.J., Dankbaar J.W., de Jong H.W.A.M., Mendrik A.M., van Ginneken B., Prokop M.**
Arterial input function characteristics for CT-perfusion in normal patients and patients with carotid stenosis or occlusion (SS 511b), B-341
- Smith C.**
PET/CT in oncologic imaging: Causes and imaging features of false positives/false negatives on PET/CT in oncologic imaging (PC 10), A-265
- Sohn Y.-M., Kim E.K., Kwak J., Moon H., Kim M.**
Diagnostic performance of thyroglobulin measurement with indeterminate range from fine needle aspiration washout fluid (SS 408), B-186
- Soimakallio S.**
Clinical audit for radiologists: Why it is worth doing, and how to make it work: Implementation of the EC guideline in practice (ESR Audit Session), A-215
- Solbiati L.**
Abdominal ultrasound: Faster and reliable interventional procedures (SY 22), D-59
- Solbiati L.**
Lymph node imaging: Imaging is back!: How and where to use US for nodal diagnosis (SA 13), A-321
- Soler M., Garcia J., Guirao S.**
Upgrading from digital dictation to speech recognition: Worth the effort? (SS 105), B-083
- Soliva Vila J., Moreno A., Fauquet J.**
Cerebellar proton spectroscopic abnormalities in pediatric attention deficit/hyperactivity disorder (SS 1711), B-846
- Sommer C.M., Schwarzwaelder C.B., Stiller W., Schindera S.T., Ramsauer S., Stampfl U., Grenacher L., Kauczor H.-U., Radeleff B.A.**
Dual energy CT-cholangiography in potential donors for living-related liver transplantation: Initial experience (SS 1601a), B-623
- Sommer G., Klarhöfer M., Lenz C., Scheffler K., Bongartz G.M., Winter L.**
Signal behavior of focal bone marrow lesions in patients with multiple myeloma (MM) using T1w-TSE, T2w-STIR and diffusion weighted imaging with background suppression (DWIBS) (SS 510), B-268
- Sommer W.H., Helck A., Johnson T.R.C., Reiser M.F., Becker H.-C., Nikolaou K.**
Time-resolved CT angiography of the lower leg in the diagnosis of peripheral arterial disease (SS 115), B-078
- Sommer W.H., Albrecht E., Schenzle J.C., Bamberg F., Johnson T.R.C., Reiser M.F., Becker H.-C., Nikolaou K.**
New approach to cardiac CT using high pitch protocols (SS 103), B-110
- Sommer W.H., Schenzle J.C., Becker H.-C., Nikolaou K., Graser A., Reiser M.F., Johnson T.R.C.**
Saving dose in chestpain CT examination using a high-pitch dual spiral technique (SS 515), B-332
- Sommer W.H., Christoph Z.J., Sourbron S., Helck A., Reiser M.F., Herrmann K.**
Fluid-fluid levels: A characteristic sign in liver metastases of neuroendocrine tumors from the gastro-entero-pancreatic system (SS 1201a), B-487
- Song B., Yang N., Wu B.**
In vivo quantification of liver fat content in non-alcoholic and alcoholic fatty liver rat models: Comparison between in-phase/opposed-phase MR imaging and 1H MR spectroscopy with correlation of pathology (SS 401a), B-148
- Song S., Woo O., Cho K., Seo B., Yi A., Kang E.**
The effect of neoadjuvant chemotherapy in breast cancer: Correlation of MR imaging and histopathological response according to hormonal status (SS 1202), B-546
- Soto J.A.**
Inflammation and oedema: B. Liver and biliary tree (CC 1417), A-359
- Souchay H., Hersemeule G., Hendrick E.R.**
Image quality performance evaluation of digital breast tomosynthesis on a GE senographe essential system (SS 1713), B-825
- Spencer J.A.**
Uterus: Imaging and intervention: B. Malignant tumors (RC 1307), A-349

Spick C., Tillich M., Reittner P., Preidler K.W., Helbich T.H., Szolar D.H.

Predictive value of magnetic resonance imaging in patients classified as BI-RADS™ 1 to 3 (SS 1602), B-672

Spiss V., Ostermann S., Stahl K., Loizides A., Brenner E., Gruber H., Peer S.

High resolution ultrasound of the distal ulnar, median and radial nerve branches in the forearm and hand: A sonoanatomic correlation (SS 1710b), B-751

Squillaci E., Ciccio C., Rascioni M., Nano G., Schillaci O., Simonetti G.

The impact of 3T whole body MRI in tumor staging: A comparison with whole-body FDG-PET/CT (SS 106), B-101

Squillaci E., Ciccio C., Manenti G., Rascioni M., Nano G., Simonetti G.

3T diffusion weighted WB-MRI vs radiographic skeletal survey in the evaluation of patients with multiple myeloma (SS 1610), B-617

Stähler A.

Advanced imaging techniques in the spine: B. Imaging in low back pain (CC 1116), A-271

Stålhammar F.

Pediatric low dose CT with GE discovery CT 750HD: Experiences from the Queen Silvia Children's Hospital, Gothenburg, Sweden (SY 18), D-53

Stajgis M.

Bones: What you should know!: B. Traumatic bone injury (CC 1016), A-225

Staskiewicz G.

Emergency radiology: The new frontiers, the old barriers: What you see is what you diagnose: Staging the severity of acute pulmonary embolism with computed tomography pulmonary angiography (EM 1), A-099

Steens R.F.R., Schiphof D., Hensen J.-H.J., Niezen R.A., Hunink M.G., Vroegindeweij D., Bierma-Zeinstra S.M.A.

Systematic appraisal on cut-offs for the presence of knee osteo-arthritis on MRI (SS 810), B-373

Stegger L., Kolb A., Hofmann M., Pfannenberger C., Schober O., Claussen C.D., Schäfers M., Pichler B., Boss A.

MRI-based gating of PET data in a hybrid PET/MRI system to avoid motion artifacts (SS 1711), B-847

Stehling C., Müller-Höcker C., Schwaiger B.J., Lane N.E., Krug R., Nevitt M.C., McCulloch C.E., Lynch J., Link T.M.

Cartilage T2 and WORMS MR measurements predict changes in clinical parameters over a period of 2 years: Analysis of 217 non-symptomatic subjects from the osteoarthritis initiative (SS 110), B-016

Stehling C., Schwaiger B.J., Müller-Höcker C., Kuo D., Lane N.E., Lynch J., Nevitt M.C., McCulloch C.E., Link T.M.

Changes of knee cartilage T2 under physical activity: 24-month follow-up analysis of 182 non-symptomatic subjects from the osteoarthritis initiative (SS 110), B-017

Stehling C., Souza R.B., Hedio Le Graverand M.-P., Wyman B.T., Li X., Majumdar S., Link T.M.

Loading of the knee during 3.0 Tesla MRI is associated with significantly increased medial meniscus extrusion in mild and moderate osteoarthritis (SS 810), B-372

Stein E.G., Pawha P.S., Delman B.N., Tanenbaum L.N.

Lower radiation dose adaptive statistical iterative reconstruction head CT examinations match quality of prior conventional dose studies (SS 511b), B-344

Steiner E.

Skull base: A. Anatomical survival kit (RC 208), A-034

Stelzeneder D., Goed S., Welsch G.H., Paternostro-Sluga T., Friedrich K., Reisegger M., Trattinig S.

Biochemical MRI of facet joints and intervertebral discs: Axial T2 mapping at 3.0 Tesla (SS 1710a), B-740

Stelzeneder D., Goed S., Welsch G.H., Hirschfeld C., Vaselic S., Paternostro-Sluga T., Friedrich K., Reisegger M., Trattinig S.

Schmorl's nodes in the lumbar spine: Evaluation by quantitative T2 mapping at 3.0 Tesla (SS 1710a), B-742

Stelzeneder D., Goed S., Hirschfeld C., Paternostro-Sluga T., Welsch G.H., Friedrich K., Reisegger M., Trattinig S.

Biochemical MR of the intervertebral disc at 3.0T: Comparison of T2 mapping with morphological scoring in patients with low back pain (SS 1710a), B-748

Stenman C., Thorelius L., Knutsson A., Jamil S., Smedby Ö.

Do radiologists agree on findings in radiographer-acquired ultrasound exams? (SS 1214), B-585

Stenner P., Schmidt B., Allmendinger T., Flohr T.G., Kachelrieß M.

Dynamic iterative beam hardening correction (DIBHC) for an optimized assessment of cardiac perfusion in ECG-correlated CT (SS 1203), B-511

Stensaeth K.H., Fossum E., Hoffmann P., Mangschau A., Klow N.E.

Relation between myocardial oedema and mass during the acute and convalescent phase of apical ballooning syndrome: A prospective cardiac magnetic resonance study (SS 503), B-350

Stieltjes B., Thoman P., Fritzsche K., Essig M.

Early detection of conversion from mild cognitive impairment to dementia using DTI (SS 111), B-090

Stiller W., Kiessling F., Kauczor H.-U., Semmler W.

Small animal imaging with micro-, flat-panel and clinical multi-detector row CT-scanners: An applicability analysis (SS 513), B-321

Stöblen F.

Innovations and challenges in ultrasound guided biopsies (SY 15), D-44

Stoker J.

Inflammation and oedema: A. The three musketeers: Appendicitis, diverticulitis, colitis (CC 1417), A-358

Stolzmann P.

Functional imaging in CT: Optional or built-in?: Multi-energy: An approach to functional imaging with CT (NH 6), A-107

Stolzmann P., Scheffel H., Leschka S., Desbiolles L.M., Rentsch K., Marincek B., Alkadhi H.

Dual energy computed tomography: Improving the differentiation of uric acid stones using dual-source flash technology (SS 1707), B-793

Strickland N.H.

Image sharing: A. Exchange of imaging data with portable media (CD, DVD, USB) (RC 205), A-027

Sunaert S.

Diffusion-weighted imaging of the CNS beyond stroke: Chairman's introduction (SF 15b), A-424

Sundin A.E., Hennings J., Hägg A., Hellman P.

11C - metomidate positron emission tomography after dexamethasone suppression for detection of small adrenocortical adenomas in primary aldosteronism (SS 1606), B-704

Šurlan Popović K., Strojjan P., Rumboldt Z., Bisdas S.

Changes in perfusion CT of advanced squamous cell carcinoma of the head and neck treated during the course of concomitant chemoradiotherapy (SS 108), B-065

Sverzellati N., Guerci L., Randi G., Calabrò E., Marchianò A., Zompatori M., Pesci A., Pastorino U.

Interstitial lung diseases in a lung cancer screening trial (SS 1604), B-645

Szikora I.

Interventional neuroradiology: C. Stent-based technologies in the treatment of intracranial aneurysms and atherosclerotic disease (RC 1511), A-430

T

Tacelli N.

Beyond morphological analysis of lung tumors: B. Tumoral angiogenesis with CT (CC 1018), A-232

Tacelli N., Hachulla A., Rémy-Jardin M., Scherpereel A., Lafitte J.-J., Rémy J.

Quantitative tumor perfusion assessment with 64-slice multidetector-row CT (MDCT): Evaluation before and after antiangiogenic chemotherapy (SS 104), B-032

Tack D.

Hot CT issues in clinical practice: B. Optimising and minimising radiation dose (RC 604), A-151

Tack D.

Is volumetric CT the only way of scanning lung diseases?: A. Radiation dose and chest CT imaging (CC 1418), A-369

Tagliafico A., Tagliafico G., Derchi L.E., Martinoli C.

Nerve density, a new parameter to evaluate peripheral nerve pathology on ultrasound: Comparison between normal volunteers and patients (SS 410), B-138

Taibi A., Vecchio S., Albanese A., Salomoni V., Vignoli P.

Lesion detectability in digital mammography and digital breast tomosynthesis: A phantom study (SS 1713), B-823

Authors' Index

Takahashi S., Itoh T., Niikawa H., Yamamoto H., Sugimura K.

Fat quantification with dual energy CT: Comparison of 3-material decomposition dual energy CT analysis and MRI in phantoms of varying fat-iodine contrast content (SS 401a), B-146

Tali E.T.

Bones: What you should know!: C. Spinal infections: More common than expected? (CC 1016), A-226

Tam H.H., Collins D.J., Wallace T., Brown G., Riddell A., Koh D.-M.

Segmental liver hyperintensity in malignant biliary obstruction on diffusion-weighted MR imaging: Associated MR imaging findings and relationship with liver function tests (SS 401b), B-220

Tang L., Zhang X.P., Sun Y.S., Cao K., Cui Y., Qi L.P.

Apparent diffusion coefficient: Potential imaging biomarker for predicting biological behavior of gastric cancer (SS 101b), B-028

Tarján Z., Bálint B., Lukács L., Bata P., Keszthelyi A., Székely E.

MR spectroscopy of prostate cancer after targeted high frequency focused ultrasound treatment (SS 807), B-419

Tarnoki A.D., Tarnoki D.L., Medda E., Cotichini R., Salemi M., Baracchini C., Garami Z., Fanelli F., Berczi V.

How to detect the atherosclerosis early? Conclusions of international twin study 2009 (SS 803), B-408

Tarp L.

Administrative issues: A. Lean project at OUH (RC 1014), A-254

Tartaglione T., Gaudino S., Di Lella G., Costantini A.M., Quaglio F.R., Calandrelli R., Rollo M., Colosimo C.

Investigating spontaneous "fluctuations" of contrast enhancement in childhood pilocytic astrocytomas: Our experience (SS 812), B-443

Tartari S., Rizzati R., Righi R., Capello K., Soverini R., Benea G.

Soft carotid plaque: Detection with diffusion-weighted imaging (DWI) during contrast enhanced MRA with neurovascular array coil (SS 815), B-435

Taylor S.A.

CT colonography: All the relevant aspects: C. Evidence based results? (RC 1501), A-413

Teixidor Viñas M., Pérez Gómez E., Fernández Termes H., Febrer M., Pedraza S.

Assessment by MRI and diffusion-weighted imaging of locally advanced breast cancer response undergoing neoadjuvant chemotherapy (SS 1602), B-673

Telesca M., Pediconi F., Dominelli V., Vasselli F., Catalano C., Passariello R.

Does edema differ between benign and malignant breast lesions? Role of T2-weighted STIR imaging (SS 1702), B-803

Tengvar M., Thorstensson A., Askling C.M.

MRI to identify acute hamstring strains of stretching-type (SS 1210), B-492

Teoh E.J., Mahatma A., Carby M., Mittal T., Dalal P.U.

Comparison of CT lung volume assessment and measured lung volumes in 100 lung transplant candidates (SS 1604), B-646

ter Haar Romeny B.M.

Visualisation, perception and image processing: B. Image processing and perception (RC 1513), A-432

Theysohn J.M., Bitz A.K., Gerwig M., Timmann D., Schmitt F., Gizewski E.R., Forsting M., Ladd M.E., Ladd S.C.

Effects of 7 Tesla head MRI on postural stability (SS 1711), B-838

Theysohn N., Choi A., Gizewski E.R., Dobos G.J., Forsting M., Musial F.

Influence of acupuncture on pain modulation during electric stimulation: An fMRI study (SS 811), B-461

Thibault F., Dromain C., Breucq C., Balleyguier C.S., Malhaire C., Steyaert L., Tardivon A., Baldan E., Alsop J.

Digital breast tomosynthesis (DBT): A multi-reader clinical performance study (SS 102), B-052

Thieme S.F., Nikolaou K., Högl S., Fisahn J., Irlbeck M., Reiser M.F., Becker H.-C., Johnson T.R.C.

Dual energy CT for the assessment of lung morphology, ventilation, and perfusion (SS 1604), B-642

Thoeny H.C.

Neck lymph nodes and glands: A. Neck lymph nodes and salivary glands (E³ 820), A-207

Thomsen K.J.

CT imaging: B. Introduction to PET/CT: Modalities and patient care (RC 1314), A-347

Thurnher M.M.

Common spinal „problems“: A. „Myelopathy“: Easy way to the correct diagnosis (CC 316), A-049

Thurnher M.M.

Ischemic stroke: Diagnosis and treatment: Diagnostic imaging of ischemic stroke (EM 2), A-115

Timpert K., Beitzel K., Kirchoff C., Reiser M.F., Kirchoff S.

Swinging of the long head of the biceps tendon (LHBT) within the pulley: A 3T MR-motion analysis (SS 410), B-132

Tins B.

Back to basics: Protocols for the spine: B. CT protocols for the spine (CC 216), A-003

Tochetto S., Rezaei P., Galizia M., Yaghmai V.

Hepatic tumor density quantification on MDCT: Reproducibility of manual two-dimensional region of interest and volumetric measurements (SS 1601a), B-625

Tourdias T., Dragonu I., Fushimi Y., Deloire M., Boiziau C., Brochet B., Moonen C., Petry K., Dousset V.

MRI derived vasogenic edema severity correlates with aquaporin 4 expression in a rat hydrocephalus model (SS 411), B-219

Tourdias T., Renou P., Sibon I., Asselineau J., Bracoud L., Dumoulin M., Rouanet F., Orgogozo J., Dousset V.

Final cerebral infarct volume is predictable by MR imaging at one week (SS 511a), B-289

Trattng S., Apprich S., Szomolanyi P., Mayerhoefer M.E., Mamisch T.C., Welsch G.H.

Detection of degenerative cartilage disease: Comparison of high resolution morphological MR and quantitative T2 mapping at 3.0 Tesla (SS 110), B-014

Trattng S., Stelzener D., Goed S., Reisegger M., Friedrich K., Paternostro-Sluga T., Mamisch T.C., Welsch G.H.

Lumbar intervertebral disc pathology: Comparison of quantitative T2 mapping with conventional MR at 3.0 Tesla (SS 1710a), B-741

Tresoldi S., Zoffoli E., Munari A., Di Leo G., Sardaneli F., Cornalba G.

Association among risk factors, cardiovascular events, and aortic wall thickness (AWT) at contrast-enhanced 64-MDCT (SS 1615), B-655

Triantafyllou M., Froehlich J.M., Birkhaeuser F., Von Gunten M., Vermathen P., Thoeny H.C.

A new and accurate method to detect pelvic lymph node metastases (SS 107), B-043

Triantafyllou M., Froehlich J.M., Birkhaeuser F., Studer U.E., Binser T., Fleischmann A., von Gunten M., Vermathen P., Thoeny H.C.

Noninvasive detection of pelvic lymph node metastases in normal sized nodes of patients with bladder or prostate cancer using diffusion-weighted MRI (SS 107), B-048

Trincia E., Ukmar M., Naccarato M., Catalan M., Specogna I., Cova M.A.

F-MRI in the evaluation of motor activation in patients with multiple sclerosis and fatigue (SS 411), B-216

Trojanowska A.

Temporal bone: A. External and middle ear (E³ 420), A-100

Trojanowska A.

Suprahyoid neck: C. Tips and tricks in the parapharyngeal space (RC 1008), A-258

Trumm C.G., Pahl A., Jakobs T.F., Reiser M.F., Paprottka P., Hoffmann R.-T.

Frequency and outcome of pulmonary polymethylmetacrylate embolism and local cement leakage during CT-fluoroscopy guided vertebroplasty in tumor patients (SS 109), B-123

Trumm C.G., Jakobs T.F., Hoffmann R.-T., Reiser M.F., Matzko M.

MR-guided focused ultrasound surgery of uterine fibroids: Initial clinical experience of a single European center (SS 1207), B-539

Tsang J., Poon W.

Is radiation therapy for nasopharyngeal carcinoma a risk factor for intracranial and extracranial arterial stenosis? (SS 511a), B-281

Tsetis D.K.

Venous thromboembolism: A. Which IVC filter? (RC 1109), A-309

Tshering Vogel D.W., Zbären P., Geretschläger A.C., Thöny H.

Can DW-MRI help in the detection of tumor in patients with laryngeal or hypopharyngeal cancers who have been treated with radiotherapy? (SS 108), B-063

Authors' Index

Tsujioka K., Otsubo H., Akebo K., Takahashi Y., Niwa M., Shimizu S., Tanase M.

Development of new display method and needle aspiration system for multi slice CT fluoroscope (SS 1209), B-608

Tyurin I.E.

Known conditions revisited: C. Imaging of thoracic tuberculosis (RC 704), A-198

Tzarouchi L.C., Tsifetaki N., Konitsiotis S., Zikou A., Astrakas L., Botzoris V., Drosos A., Argyropoulou M.I.

Diffusion tensor imaging and T2 relaxometry in primary Sjogren syndrome (SS 411), B-217

Tzarouchi L.C., Zikou A., Drougia A., Astrakas L., Papastefanaki M., Xydis V., Andronikou S., Argyropoulou M.I.

Diffuse periventricular leukomalacia in preterm children: Assessment of grey matter changes by MRI (SS 812), B-444

U

Uberoi R.

Diseases of the visceral arteries: B. Acute and chronic mesenteric ischemia (RC 215), A-025

Ulla M.

Argentine radiology: Past, present and future: Pneumo esophageal MDCT: Its role in cancer presurgical characterisation and staging (EM 3), A-203

Umutlu L., Lauenstein T.C., Maderwald S., Kraff O., Kinner S., Schaefer L., Antoch G., Ladd M.E., Quick H.H.

A new look at vasculature: Non-enhanced renal MR angiography at 7 Tesla (SS 415), B-206

Umutlu L., Maderwald S., Heilmaier C., Orzada S., Bitz A.K., Ladd M.E., Antoch G., Quick H.H., Lauenstein T.C.

Contrast-enhanced renal MR angiography at 7 Tesla: A feasibility trial (SS 415), B-207

Umutlu L., Bitz A.K., Orzada S., Kinner S., Antoch G., Ladd M.E., Bahr A., Solbach K., Lauenstein T.C.

Liver MR imaging at 7 Tesla: A feasibility study (SS 1701a), B-760

Ungerer S., Spoerl M.C., Aurich K., Weitschies W., Hosten N.

Magnetic platelet labelling for magnetic resonance imaging (SS 1706), B-783

Urbanik A.

Basic MR spectroscopy: A. MRS in daily practice made easy (RC 1811), A-480

Utano K., Togashi K., Kijima S., Satoh Y., Sugimoto H.

CT colonography is not sensitive to detect laterally spreading tumors in the colorectum (SS 1201b), B-505

V

Vadapalli R.S.V., Reshma R.R., Panigrahi M.
Proton MR spectroscopy of cervical spinal cord tumors: A study of 47 cases (SS 1611), B-709

Vadapalli R.S.V., Panigrahi M., Murthy M., Reshma R.R.

New generation biomarkers on MR spectroscopy for characterization of intracranial abscesses at 3T (SS 1711), B-841

Válek V.

Infection and percutaneous drainage: B. Abdominal abscess (RC 1309), A-356

Válek V.

Crohn's disease: Techniques and results: A. Role of US (RC 1801), A-466

Valentini V.

Colorectal cancer: What the radiation oncologist needs to know (MS 1821), A-464

Valentinitich A., Patsch J., Müller D., Kainberger F., Langs G.

Texture analysis in quantitative osteoporosis assessment: Measuring microarchitecture changes due to osteoporosis (SS 1205), B-521

Valentino M., Bertolotto M., Derchi L.E., Ciccarese F., Pavlica P., Barozzi L.

Scrotal acute diseases: The role of contrast-enhanced ultrasound (SS 1707), B-790

Valle M., Baban A., Calevo M., Torre M., Tomà P., Martinoli C.

Ultrasound of Poland syndrome (SS 1212), B-572

van Beek H.C., Hensen J.-H.J., Becking W.B., Vroegindeweij D., Niezen R.A., de Rooij P.D., Beerman H., Sikkenk A.C.

Additional value of MR mammography in preoperative staging for breast-conserving surgery (SS 1702), B-801

Van Beers B.

Quantification of liver processes: Defining biomarkers: C. Fibrosis (RC 301), A-061

Van Beers B.

Biomarkers: New word, new world, new work?: Biomarkers: What are they? (NH 7), A-164

van den Berg J.C.

The trauma patient: B. Principles of embolisation (RC 209), A-041

van den Hauwe L., Venstermans C., De Belder F., Voormolen M.H.J., Van Goethem J.W.M., Parizel P.M.

Discs: Old problems and new solutions: B. Degenerative disc disease (CC 616), A-111

van den Hauwe L., Voormolen M.H.J., Venstermans C., De Belder F., Van Goethem J.W.M., Parizel P.M.

Stroke: C. Nontraumatic intracranial hemorrhage (RC 1111), A-275

van Gils M.J., Homburg P.J., Rozie S., de Weert T.T., Dippel D.W.J., van der Lugt A.
Serial MDCTA imaging of atherosclerotic carotid plaque morphology in patients with ischemic cerebrovascular disease (SS 815), B-433

Van Goethem J.W.M., van den Hauwe L., Venstermans C., De Belder F., Parizel P.M.

Bones: What you should know!: A. Primary and secondary tumors of the bony spine (CC 1016), A-224

Van Hecke W.

Diffusion-weighted imaging of the CNS beyond stroke: DWI: Use of advanced diffusion markers in non-infarct lesions (SF 15b), A-427

van Ooijen P.M.A.

Tips and tricks to improve your image quality: C. Rescuing the examination with post-processing (RC 203), A-039

van Putte-Katier N., Elgersma O.E., Hendriksz T.R.
2-year follow-up study of 94 patients with mesenteric panniculitis (SS 1701b), B-852

van Putte-Katier N., Elgersma O.E., Hendriksz T.R.
Visceral fat volume and its association with mesenteric panniculitis (SS 1701b), B-853

Vande Berg B.

Lower extremity: Anatomy, variants and pitfalls: B. Knee (MC 1025), A-238

Vandecaveye V., Dirix P., De Keyzer F., Op de Beeck K., Vander Poorten V., Nuyts S., Hermans R.

DWI for assessment of post-treatment tumor response in head and neck squamous cell carcinoma 3 weeks after (chemo)radiotherapy (SS 108), B-064

Vandenbroucke F., Ilsen B., de Mey J.

Evaluation and follow-up of liver metastases with lesion volumetry (SS 501a), B-254

Vaño E.

Radiation protection: Chairman's introduction (PC 18), A-476

Vaño E.

Radiation protection: New European Directive on basic safety standards (PC 18), A-477

Vázquez E.

Common disorders of the pediatric brain: C. Neuroimaging in the acutely ill child (RC 1411), A-384

Veillon F.

Imaging in ENT emergencies: Emergencies of the ear (SF 14), A-363

Veltman J.

Breast MRI: Lesion characterisation: C. How to improve specificity of breast MRI? (RC 602), A-131

Venkatesh S.K., Teo L.L.S., Ang B.W.L., Ehman R.L.

Non-invasive detection of liver fibrosis: Comparison of MR elastography with diffusion weighted MR imaging (SS 401a), B-141

Venkatesh S.K., Teo L.L.S., Ang B.W.L., Lim S., Wee A., Ehman R.L.

Effect of intravenous gadolinium on estimation of liver stiffness with MR elastography (SS 401a), B-142

Venugopal V., Kumar S., Ahmad I.

GI-RADS - gynecologic imaging reporting and data system: A standardized reporting system for adnexal masses (SS 1207), B-532

Verbist B.

Temporal bone: B. Inner ear and internal auditory canal (E³ 420), A-101

Verbist B.

Imaging in ENT emergencies: Chairman's introduction (SF 14), A-361

Vermaat M., Bloem J.L.

Angiosarcoma or carcinoma metastases (SS 510), B-260

Authors' Index

Vidmar Kocijancic K.

Bedside chest imaging: B. Role of bedside ultrasonography of the thorax (RC 1104), A-307

Vilgrain V.

CEUS in focal liver lesions examination (SY 5), D-14

Vilgrain V.

Clinical benefits of multimodality fusion software for interventional oncology (SY 20), D-55

Vilgrain V.

Diffuse liver diseases: C. Vascular diseases of the liver: Detection and role of transplantation (MC 1319), A-333

Vivier P.-H., Prince K., Bubenheim M., Zhang J.L., Chandarana H., Babb J.S., Guo H., Rusinek H., Lee V.S.

Relationship between kidney volume and glomerular filtration rate in hypertensive patients (SS 1607), B-664

Vliegenthart Proença R., Elias-Smale S., Koller M., van Rooij F.J.A., Hunink M.G., Steyerberg E., Hofman A., Witteman J.C.M., Oudkerk M.

Coronary calcium improves assessment of coronary heart disease risk (SS 803), B-406

Vock P.

Diagnostic radiology and pregnancy: B. X-ray imaging and pregnancy: Justification and optimisation of exposure (RC 1113), A-295

Vock P.

Radiation protection: EMAN - The European Medical ALARA Network (PC 18), A-478

Vogl T.J., Lee C., Lencioni R., Malagari K., Pilleul F., Denys A., Watkinson A., Lammer J.

Liver, gastrointestinal and cardiac toxicity in intermediate hepatocellular carcinoma treated with PRECISION TACE with drug-eluting beads: Results from the PRECISION V randomized trial (SS 409b), B-240

Vogl T.J., Zangos S., Lehnert T., Naguib N.N.N., Gruber T.

Palliative treatment of liver metastases of gastric cancer: Comparative evaluation of two transarterial regional chemotherapy protocols (SS 409b), B-244

Vogl T.J., Gruber T., Naguib N.N.N., Hammerstingl R., Nour-Eldin N.-E.A.

Liver metastases of neuroendocrine tumors: Treatment with hepatic transarterial chemotherapy using two therapeutic protocols (SS 409b), B-245

Vogl T.J., Nour-Eldin N.-E.A., Naguib N.N.N., Zangos S.

Microwave ablation therapy of pulmonary neoplasms: Safety and efficacy (SS 509a), B-296

Vogl T.J., Mack M.G., Naguib N.N.N., Zangos S., Jost A.

Neoadjuvant transarterial chemoembolization (TACE) for liver metastases of breast cancer followed by thermal ablation via MR-guided laser-induced thermotherapy (LITT) (SS 1609), B-735

Vogl T.J., Hierholzer J., Stender G., Pflugmacher R., Fiebig C., Hammerstingl R., Wakhloo A.K., Gounis M.J.

Clinical leakage rates and leak volumes for a new cement directing kyphoplasty system (SS 1710a), B-745

von Aspern K., Lehmkühl L., Foldyna B., Herz F., Grothoff M., Nitzsche S., Kempfert J., Walther T., Gutberlet M.

Measuring the aortic root in patients undergoing trans-catheter aortic valve replacement using dyna-CT and multislice computed tomography: Difference and variability (SS 1603), B-728

von Falck C., Meier S., Rodt T., Waldeck S., King B., Galanski M., Shin H.-O.

Automated segmentation of pleural effusions in MDCT (SS 1705), B-830

Voormolen M.H.J., Menovsky T., d'Archembeau O., Fransen H., Parizel P.M.

Balloon-assisted endovascular occlusion of intracranial aneurysms (SS 1709), B-874

Vorwerk D.

Diseases of the visceral arteries: A. Renal vascular disease (RC 215), A-024

Vorwerk D.

Ischemic stroke: Diagnosis and treatment: Endovascular treatment of the patient with ischemic stroke (EM 2), A-117

Vos P.C., Hambroek T., Barentsz J.O., Huisman H.

Robust pharmacokinetic prostate MRI using an automated per-patient reference tissue artery input function estimator (SS 513), B-320

Vranou E., Deftereos S.P., Pitiakoudis M., Foutzitz S., Prassopoulos P.K.

Gallstones on ultrasound: Are always a benign lesion? (SS 401b), B-223

Vymazal J., Tábořský M., Žáček R.

Magnetic resonance imaging with MR-compatible cardiac pacemaker EnRhythm SureScan with MR compatible leads CapSureFix (SS 1703), B-861

W

Waaier A., Merkel L.G., Jongen L., Prokop M., van Es H.W., van der Heyden J.A.S.

Comparison of cerebral perfusion parameters in symptomatic and asymptomatic patients with carotid artery stenosis (SS 511a), B-282

Wallis M.G.

Tomosynthesis imaging of the breast: Challenges and opportunities (SY 14), D-39

Wang M., Shi D., Li T., Lian J., Li Y., Wang M., Han Y., Dai Y.

Preoperative evaluation of interventional therapy for patients with symptomatic middle cerebral artery stenosis: In vivo high-resolution plaque imaging using 3 Tesla MRI (SS 511a), B-284

Wang W., Huang B., Li C., He W.

Preliminary experience of contrast-enhanced ultrasound with high mechanical-index in the diagnosis of renal artery stenosis (SS 415), B-200

Wang Z., Yan C., Zhao , Qi Z., Zhou W., Lu J., He Y., Li K.

Spatial patterns of intrinsic brain activity in mild cognitive impairment and Alzheimer's disease: A resting-state functional MRI study (SS 111), B-093

Wang Z.

Clinical outcome of CT-guided iodine-125 implantation therapy for retroperitoneal lymph node metastases (SS 509a), B-290

Warin-Fresse K., Defrance C., Guérin P., Fau G., Crochet D.

Left ventricular non compaction in adults: Relationship between clinical features and MRI characteristics of compacted and non compacted myocardium (SS 403b), B-235

Wattjes M.P.

Neurodegenerative disorders: B. Early diagnosis and differential neuroimaging issues in dementia (RC 1311), A-338

Weber C., Yamamura J., Wedegärtner U., Kröger N., Zander A.-R., Adam G.

Whole body MRI for staging of multiple myeloma after stem cell transplantation (SS 510), B-269

Weber M.-A.

Optimal imaging of muscle pathology: Advanced techniques in MRI and functional imaging of muscle, dynamic ultrasound and contrast agents (SF 2), A-006

Weber T.F., Hyhlik-Dürr A., Böckler D., Kauczky H.-U., von Tengg-Kobligh K.

Frequency of abdominal aortic expansion after thoracic endovascular repair of aortic dissections during long-term follow-up: Initial results from a single-center study (SS 809), B-474

Weber W.

PET/CT in oncologic imaging: New probes to increase specificity and sensitivity of PET/CT in oncology (PC 10), A-263

Weckbach S., Michaely H.J., Stemmer A., Schönberg S.O., Dinter D.J.

Comparison of a new whole body continuous table movement protocol versus a standard step-by-step whole body MR protocol for the assessment of patients with multiple myeloma (SS 510), B-267

Weder W.

Lung cancer: What the surgeon needs to know (MS 721), A-178

Weininger M., Sagmeister F., Beissert M., Weidemann F., Ritter C.O., Köstler H., Hahn D., Beer M.

The concept of the energy loss coefficient: Is it applicable to the MRI assessment of aortic stenosis severity? (SS 1603), B-719

Weismann C.F.

Detection of ductal carcinoma in situ: B. Ultrasound (RC 1402), A-380

Welsch G.H., Mamisch T.C., Zak L., Blanke M., Olk A., Marlovits S., Trattig S.

Differentiation of cartilage repair tissue after matrix-associated autologous chondrocyte transplantation (MACT) using a hyaluronic acid based and collagen based scaffold by means of morphological MOCART scoring and biochemical T2 mapping (SS 110), B-011

Welsch G.H., Apprich S., Zbyn S., Mamisch T.C., Bieri O., Scheffler K., Trattig S.

High-field (3.0T) and ultra-high-field (7.0T) MRI of knee cartilage: Comparison of quantitative T2, T2* and magnetization transfer contrast (SS 110), B-012

Wen Z., Liu J., Zhang Z.

Assessment of lesion in hepatic dome or inferior margin using curved planar reformations in 320-slice CT hepatic perfusion (SS 1601a), B-619

Wenkel E.

Breast MRI guided diagnostic interventions (SY 15), D-45

Wermuth P.J., Del Galdo F., Addya S., Fortina P., Jimenez S.A.

Activation of NF κ B in differentiated normal human macrophages by the gadolinium-based magnetic resonance contrast agent, omniscan: A link with the pathogenesis of nephrogenic systemic fibrosis (NSF) (SS 1206), B-550

Wermuth P.J., Newton B.B., Jimenez S.A.

A comparison of the effects of nine gadolinium compounds on cytokine and growth factor expression by normal human peripheral blood mononuclear cells (SS 1206), B-552

Werner M.K., Ripkens S., Stef I., Deckert A., Schmadl M., Aschoff P., Claussen C.D., Stefan N., Pfannenber C.

Brown adipose tissue in FDG-PET/CT: Is there a correlation with adiposity and fasting glycaemia? (SS 108), B-069

Werner M.K., Parker J.A., English J.R., Aschoff P., Claussen C.D., Kolodny G.M., Pfannenber C., Palmer M.R.

Respiratory gating for FDG-PET/CT imaging of pulmonary nodules: Effect on gross tumor volume and SUV measurements (SS 504), B-270

Weston M.

Female infertility: A „Functional imaging“ of the ovary for everybody (RC 307), A-092

Wieczorek A.P.

Maria Skłodowska-Curie - Honorary Lecture: Female urinary incontinence: Is there still a place for radiology/radiologists? (HL 3), A-313

Wielpütz M.O., Eichinger M., Bartling S.H., Leotta K., Hirtz S., Kauczor H.-U., Mall M., Puderbach M.U.

Longitudinal volumetric computed tomography in a mouse model of cystic fibrosis (SS 1704), B-777

Wild J.M.

MRI of the lungs: Light at the end of the tunnel?: Challenges for MRI of the lung (NH 11), A-290

Wildberger J.E.

Teaching: Art, habit or science?: Chairman's introduction: Teaching and education - help yourself: Requirements for the future of radiology (PC 3), A-083

Willinek W.A.

Investigating MRA: Contrast meets speed (SY 2), D-03

Wilson D.J.

Hip through the ages: A. The pediatric hip (RC 1010), A-234

Wirth C., Brenner S., Oechsner M., Hebestreit H., Köstler H., Hahn D., Beer M.

Oxygen-enhanced functional MRI of the human lung at an open-design 0.2 T MR system in cystic fibrosis (SS 1612), B-693

Wittenberg R., Peters J.F., Beenen L.F., Berger F.H., van Hoorn F., van Santen M.M., van Schuppen J., Zijlstra I.A., Schaefer-Prokop C.M.

Impact of a CAD prototype on the detection of acute pulmonary embolism used as second reader for off-hours CTPA studies (SS 404), B-156

Woitek R., Kasprian G., Brugger P.C., Lindner C., Stuhr F., Schmid M., Prayer D.

Eye movement patterns on fetal MRI (SS 812), B-447

Wolf F., Leschka S., Loewe C., Homolka P., Plank C., Lammer J., Marincek B., Alkadhi H., Feuchtn G.

Evaluation of coronary artery stents with 128-slice dual source CT using high-pitch spiral acquisition - comparison with conventional scan modes: A phantom study (SS 1203), B-515

Wolf F., Leschka S., Loewe C., Homolka P., Plank C., Lammer J., Marincek B., Alkadhi H., Feuchtn G.M.

Evaluation of coronary artery stents with 128-slice dual source CT using high-pitch spiral acquisition: Comparison of 100 and 120 kV tube voltage - a phantom study (SS 1203), B-516

Wolf G., Tokalov S., Mirus M., Abramyuk A., Koch A., Abolmaali N.

Quantifying vascularity in human tumor xenograft models using clinical scanners (SS 1606), B-707

Wong W.L.

Gastroesophageal cancer: Is modern imaging accurate enough?: C. Role of PET/CT (RC 201), A-015

Wörtler K.

Optimal imaging of muscle pathology: Muscle tumors, non-neoplastic masses and mimickers: How to differentiate (SF 2), A-009

Wörtler K.

Upper extremity: Anatomy, variants and pitfalls: A. Shoulder (MC 1325), A-314

Wörtler K.

Bone tumors: A. Diagnosis: From radiographs to MRI (RC 1410), A-372

Wu B., Sun J.

Application of 3.0T MRI 3D-VIBE dynamic contrast-enhanced sequence in the diagnosis of proximal gastric carcinoma (SS 101b), B-029

Wu R.H., Liu W., terBrugge K., Mikulis D., Cheng X.

Mapping brain ATP and brain pH using multivoxel 31P MR spectroscopy: A preliminary study (SS 1711), B-842

Wu Y., Tang Y., Hao N., Miao F.

Crohn's disease: CT enterography findings before and after treatment (SS 501b), B-315

X

Xu H.-X., Xu Z.-F.

Renal cell carcinoma and renal angiomyolipoma: Differential diagnosis with real-time contrast-enhanced ultrasound (SS 1607), B-660

Xu L., Liang C.-H.

Influences affecting water suppression and shimming of proton hepatic MR spectroscopy at 3.0T (SS 401a), B-149

Y

Yaffe M.J.

Why do we miss cancers in mammography: What the DMIST trial tells us (SY 14), D-38

Yaffe M.J., Jong R.A.

Screening programmes: New challenges: A. Digital mammography screening (RC 1302), A-334

Yamamura J., Kijak A., Tornquist K., Buchert R., Wildberger J.E., Nagel H.D., Adam G., Wedegärtner U.

Simulated low-dose CT in oncological patients: A feasibility study (SS 814), B-454

Yamamura J., Frisch M., Graessner J., Hecher K., Adam G., Wedegärtner U.

Self-gating MR imaging of the fetal heart in comparison with MR imaging with cardiac triggering: A feasibility study in the sheep fetus (SS 1612), B-695

Yang Q., Li K., Ma H., Bi X., An J., Jerecic R., Jin L., Li D.

Contrast enhanced coronary MRA at 3.0 T using a 32 channel coil to detect coronary artery stenosis: How does it measure up against 64-slice coronary CTA and X-ray angiography? (SS 1703), B-860

Yang S., Zhu Q., Gong Z., Zhao X., Tan W., Lu F., Zhan S.

MR imaging of perianal fistulas: Value of using an innovative self-adaptive ano-rectal water plug for the classification (SS 1701b), B-849

Yang X.-J.

Subtraction computed tomographic perfusion imaging and observation of avascular necrosis of femoral head on dog (SS 1210), B-490

Yang X.-J., Xiao J.

Acute effects of traction on blood circulation of femoral head with neck fracture: Study by superselective digital subtraction angiography (SS 1610), B-616

Yang Z.G., Guo Y.K., Zhang X.C.

Eccentric mitral regurgitation: Assessment with 64-slice multi-detector row CT and real-time three-dimensional echocardiography (SS 1603), B-723

Yassin A., Sucasas P., Wei J.L., Rofsky N.M., Pedrosa I.

Non-contrast in flow inversion recovery (IFIR) MR angiography of the abdominal visceral arteries (SS 415), B-209

Yin B., Liu L., Geng D.-Y.

Features of Hirayama disease on fully flexed position cervical MRI (SS 1611), B-713

Yoo D., Chun E., Choi S., Jin K.

Noncalcified coronary plaque in asymptomatic subjects with low coronary artery calcium score: Prevalence, plaque characteristics, and predictors with coronary CT angiography (SS 803), B-407

Yoon J., Kim E., Kim M., Moon H., Kim J., Koo H., Kim M.

Sub-categorization of ultrasonographic (US) BI-RADS category 4: Positive predictive values and affecting factors (SS 502), B-300

Yoon J., Kim M., Kim M., Kim E., Kwak J., Moon H., Koo H., Kim J.

Interobserver variability of US elastography: How it affects the diagnosis of breast lesions (SS 502), B-308

Yoon S.-W.

Magnetic resonance imaging-guided focused ultrasound treatment of uterine fibroids in patients with abdominal scars, using an energy-blocking patch (SS 509b), B-368

Yoshida S., Hayakawa K., Kanda T., Yamori Y., Yoshida N., Hirota H., Okano S., Matsushita H.

Quantitative diffusion tensor tractography of the motor and sensory tract in spastic cerebral palsy children: A correlation with their clinical gross motor function (SS 812), B-441

Young K.C.

New insights in breast imaging: Tomosynthesis in breast imaging: Tomorrow's mammography? (SF 10a), A-228

Yousry T.A.

Multiple sclerosis update: Update on MRI diagnostic criteria (SA 3), A-054

Yu S., Lo G., Cheng Z., Ping H., Li J., Guo Y., Ueno E.

Application of monochromatic images in artery stent assessment using CT spectral imaging: A phantom study (SS 1713), B-822

Z

Zaleska-Dorobisz U., Gorczyńska E., Sokolowska D.M., Biel A., Dyla A., Pietkiewicz M.

Value of different ultrasonographic modalities (2D, color Doppler, 3D) in pediatric oncology patients with hemorrhagic cystitis (HC) (SS 1212), B-576

Zaleska-Dorobisz U., Biel A., Sokolowska D.M., Dyla A., Pietkiewicz M.

Value of the ultrasonographic evaluation in patients after bone marrow transplantation (BMT) complicated by venoocclusive disease of the liver (VOD) (SS 1212), B-577

Zamboni G.A., Bernardin L., D'Onofrio M., Contini M., Pozzi Mucelli R.

Technical feasibility and first results of 64-row MDCT perfusion in differentiating pancreatic adenocarcinoma from normal parenchyma (SS 101a), B-002

Zampa V., Bargellini I., Turini F., Ortori S., Caproni G., Bartolozzi C.

Acute charcot foot: Role of dynamic MRI in the assessment of the disease activity and treatment response (SS 1210), B-495

Zampa V., Faggioni L., Odoguardi F., Picano E., Bartolozzi C.

Time-resolved contrast-enhanced magnetic resonance angiography (CEMRA) of the left atrium-pulmonary veins complex with half dose of intravenous gadolinium-based contrast agent: Comparison of image quality with a conventional CEMRA protocol (SS 1703), B-867

Zanca F., Van Ongeval C., Claus F.G., Celis V., Provoost V., Jacobs J., Marchal G., Bosmans H.

Impact of clinical image processing algorithms on the detectability of microcalcification clusters in digital mammography (SS 1713), B-827

Zanetti M.

Shoulder: C. The post-operative shoulder (RC 1110), A-281

Zanetti M.

Upper extremity: Anatomy, variants and pitfalls: B. Elbow (MC 1325), A-315

Zarb F., Rainford L.A., McEntee M.F.

Frequency distribution of Maltese CT examinations demonstrates potential for dose reduction (SS 814), B-450

Zarb F., Rainford L.A., McEntee M.F.

Correlation of patients' weight and dimensions to CT dose descriptors: CTDI and DLP (SS 814), B-453

Zhang F., Yang L.

Renal blood oxygenation level dependent (BOLD) and diffusion weighted imaging (DWI) MRI in adult patients with diabetic nephropathy: Initial study at 3.0 Tesla (SS 1607), B-665

Zhang Q., Zhang Y., Chen J., He Y.

Functional connectivity study of broca's mirror region in resting-state in expressive aphasia patients after stroke (SS 811), B-469

Zhao L., Zhang Z., Fan Z., Yang L., Ma X.

Prospective versus retrospective ECG-gated dual-source CT for evaluating coronary stent: Comparison of image quality, diagnostic accuracy, and radiation dose (SS 103), B-116

Zhao Y.R., de Bock G.H., van Klaveren R.J., Wang Y., Oudkerk M.

Comparison of CT features between completely resolving nodules and non-resolving nodules in the NELSON study (SS 504), B-278

Zheng J., Li J., Cui X., Wang X.

Comparison of diagnostic sensitivity of C-arm CT, digital subtraction angiography and 64-slice CT in detecting small hepatocellular carcinoma (SS 1609), B-729

Zhi H., Luo B.-M., Xiao X.-Y., Yang H.-Y., Ou B., Wen Y.-Y.

Strain ratio measurement method: A more objective breast lesion diagnosis method with UE (SS 502), B-309

Zhong H., Matsui O., Xu K., Takuwa Y.

Gene transduction into aortic wall using plasmid-loaded cationized gelatin hydrogel-coated polyester stent graft (SS 809), B-478

Zhou C., Li J., Hui P., Guo Y., Yu S.K., Lo G., Cao H., Shen Y.

Beam hardening correction with spectral imaging on HDCT: A phantom study (SS 1213), B-567

Zhou Z., Zou X., Ringgaard S., Li H., Zou L., Stødkilde-Jørgensen H., Bünger C.

Porcine patellar cartilages in vitro by means of trypsin digestion: 7.0TMR T1 ρ weighted image and quantitative analysis (SS 110), B-013

Zhu W.-Z.

Quantitative MR R2' to study brain iron deposition in Alzheimer disease (SS 111), B-095

Zhu Z.

The initial application of MR susceptibility weighted imaging in neonates with punctate white matter lesions (SS 812), B-445

Ziech M.L.W., International Group Grading Crohn's Disease at MRI, Stoker J.

Grading of luminal Crohn's disease activity at magnetic resonance imaging (SS 501b), B-311

Zimny A., Szewczyk P., Czarnecka A., Guzinski M., Trypka E., Wojtynska R., Leszek J., Sasiadek M.

Multimodality approach in diagnostics of Alzheimer's disease and mild cognitive impairment: Value of magnetic resonance spectroscopy, perfusion and diffusion tensor imaging of posterior cingulate gyrus (SS 111), B-091

Zimny A., Szewczyk P., Czarnecka A., Guzinski M., Trypka E., Wojtynska R., Leszek J., Sasiadek M.

Evaluation of changes in selected white matter tracts on diffusion tensor imaging (DTI) in patients with Alzheimer's disease and mild cognitive impairment (SS 111), B-092

Zimny A., Szewczyk P., Czarnecka A., Guzinski M., Trypka E., Wojtynska R., Leszek J., Sasiadek M.

Usefulness of perfusion weighted MR imaging in the differential diagnosis of Alzheimer's disease and mild cognitive impairment (SS 111), B-096

Zoarski G.H.

Spinal intervention: A new level of success: B. Cement augmentation: Patient and treatment selection (CC 1816), A-490

Zonderland H.M.

Breast US: A. Ultrasound and BI-RADS (RC 202), A-018

Authors' Index
