



Authors' Index

Authors' Index

A

Abbas I., Elghawabi H., Younan W., Sabour A., Gobrial M.

Impact of exercise on bone mineral density (SS 110), B-0041

Abdel Razek N.M., Kattabey O., Nassif M.K., El Lithey M.

Visualisation of myofascial trigger points in low back muscles by real-time sonoelastography (SS 510), B-0294

Abdel Razek N.M., Azab A.O.

Role of proton MR spectroscopy in the high field magnet (3T) in diagnosis of indeterminate breast masses (BIRDS 3&4) (SS 1702), B-0804

Abdel Wahab M.

Oncologic imaging and paleoradiology in Egypt: the past, present and future: Introduction (EM 3), A-238

Abdullah B.J.J., Dhillon S.S., Das A., Roslani A.C.

Intra-arterial infusion of allogenic mesenchymal stem cells for critical limb ischaemia and foot ulcers safety and efficacy (SS 609), B-0421

Abe T., Izuka T., Motohashi N., Uema E., Akiyama Y., Shiraishi Y., Ogata H., Ito M., Kudou S.

Evaluation of pulmonary blood flow using new method of dynamic x-ray examination: comparison with 99mTc-MAA perfusion scintigraphy (SS 1304), B-0621

Abou El-Ghar M., El-Assmy A., Refaie H., El-Diasty T.

Selective arterial embolisation of symptomatic giant renal angiomyolipoma: efficacy, complications and long-term outcomes (SS 1807), B-0935

Abramyuk A., Hietschold V., Zoepf K., Appold S., von Kummer R., Abolmaali N.

Radiochemotherapy-induced changes of local tumour blood supply estimated by DCE-CT in head and neck tumours (SS 608), B-0466

Abreu V., Carter S., Nordberg A.

Multi-tracer PET early frames as a functional marker in Alzheimer's disease (SS 511), B-0324

Adla T., Veselka J., Zemanek D., Cadova P., Suchanek V., Miksik L., Rocek M.

Evaluation of left main coronary in-stent restenosis by dual source CT: comparison with invasive angiography and intravascular ultrasound (SS 503), B-0364

Afshar-Oromieh A., Kratochwil C., Linhart H., Haberkorn U., Giesel F.L.

Comparison of lesion detection in patient with cranial meningiomas using 68Ga-DOTATOC-PET/CT and contrast-enhanced MRI (SS 1716), B-0782

Agnello F., Charton J., Jeung M., La Tona G., Galia M., Midiri M., Roy C.

Utility of 3 Tesla diffusion-weighted magnetic resonance (DWMR) imaging for the characterisation of small solid renal tumours (SS 1307), B-0666

Ahearn T.S., Petty R., Bain G., Denison A., Welsch A., Cunningham V., Schweiger L., Gilbert F.

Perfusion CT sub-classifies FDG-PET metabolic responders in oesophagogastric adenocarcinoma (SS 116), B-0014

Åhlström Riklund K.

Upcoming challenges in radiation protection: To understand new challenges, such as imaging in asymptomatic individuals (PC 16), A-520

Aime S.

Basics in molecular imaging (2): A. MR contrast agents for targeted MR imaging (MC 23B), A-121

Aime S.

Imaging highlights: monitoring disease and therapy: Get trained on imaging cell therapies with probes and procedures developed by ENCITE (ENCITE), A-432

Akata D.

Abdominal emergencies: US resists CT! B. Why lose time with US when CT gives you all you need to know? (MC 824), A-197

Akata D.

Palpable abdominal mass: A. Clinical considerations (CC 1118), A-267

Al-alawi E.A., Al-sugair A., Javed A.,

Al-Gafri A., Almuhaideb A.I., Fathala A., Tuli M., Abouzed M.M.

Role of 18FDG PET-CT in the follow-up of paediatric patients with Ewing sarcoma and primitive neuroectodermal tumour (SS 606), B-0470

Al-Butmeh F., Kroker L., Kerl J.M., Larson M.C., Bodelle B., Schell B., Beeres M., Vogl T.J., Bauer R.W.

Evaluation of acute pulmonary embolism detection using non-linear blending in dual energy computed tomography (SS 515), B-0343

Alavi A., De La Fuente J.

The importance of advanced MRI techniques as the definitive diagnostic tool in the differentiation between osteomyelitis and osteonecrosis in children with sicklecell disease (SS 1712), B-0863

Alazzawi S., Sprenger De Rover W., Morris-Stiff G., Lewis M.H.

Erect chest radiograph in the setting of the acute abdomen: essential tool or waste of resources and unnecessary (SS 1717), B-0840

Alberich-Bayarri A., Uribe S., Sanchez-Gonzlez J., Sanz-Requena R., Costa S., Marti-Bonmati L.

In vivo MRI characterisation of the myocardium with a diffusion-weighted sequence in 3T (SS 103), B-0134

Albrecht T.

Is there any advantage of volume navigation and needle tracking techniques in the management of oncology patients? (SY 20)

Albrecht T.

US and contrast-enhanced US for focal lesions: A. Evaluation of focal liver lesions (E³ 620), A-125

Alejandre Lafont E., Schaaf H., Mueller T., Obert M., Howaldt H., Krombach G., Gizewski E.

Pre- and intraoperative determination of tumour extent and bone infiltration in the head-and-neck region: a comparison of multislice computed tomography (MSCT), high-resolution flat-panel volumetric CT (VCT), and histopathologic methods (SS 608), B-0465

Alexandre N., Fontaine M.A., Suarez B., Mompoint D., Becchio J.

Hypnosis in the management of claustrophobic MRI patients (SS 614), B-0496

Alicioglu B., Yilmaz B., Bulakbasi N., Copuroglu C., Yalniz E., Aykac B.

Is there any preoperative MRI predictor in patients with degenerative lumbar stenosis? (SS 1810b), B-0953

Alison M., Sebag G.

Children's bones and joints: A. Imaging of sports injuries (RC 1412), A-429

Alizai H., Virayavanich W., Joseph G.B., Nardo L., Liebl H., Jungmann P., Nevitt M.C., McCulloch C.E., Link T.M.

UCSF score: a novel quantitative assessment score for cartilage lesions in early osteoarthritis - data from the osteoarthritis initiative (SS 610), B-0433

Alkadhi H.

How I report: B. Coronary CTA (RC 403), A-101

Alkubeyyer M.A., Erickson B.J., Fletcher J.G. Improving anorectal angle measurement reproducibility by a semi-automated method (SS 201a), B-0192

Allen G.M.

Sports injuries: US or MRI?: Chairman's introduction (RC 1210), A-329

Alorainy I.A., Bosley T.M., Salih M.A., Oystreck D.T., Al-Malki S., Al-Suhaimi A.H., Khari H., Abu-Amro K.K.

The relation of neuroimaging findings in carbonic anhydrase type II deficiency syndrome to cognitive disturbance and visual loss (SS 511), B-0329

Alrajhi S., Alhumayyd S., Kashani H., Odedra D., Blobel J., Paul N.S.

Image quality and radiation dose optimisation for high-resolution CT pulmonary angiography using 100kVp and automatic exposure control (SS 504), B-0279

AlRashidi N.M.M.R., Waiter G., Ahearn T., Gilbert F.J., Redpath T.W.

The influence of hormonal fluctuations on quantitative diffusion-weighted magnetic resonance imaging (DW-MRI) of the glandular breast tissue in healthy premenopausal participants at 3T (SS 102), B-0071

Alsharif W.

MR image quality and correction methods (Student Session 4), H-17

Alustiza J.M., Arenas J., Von Wichmann M.A., Castilla A., Emperanza J.I., Salvador E., Garcia-Bengoechea M., Zapata E.

Diffused-weighted MRI for quantification of liver fibrosis (SS 501), B-0336

- Alustiza J.M., Castiella A., Emparanza J.I., Zapata E., Costero B., Dez M.I., Salvador E.**
Liver iron concentration quantification by MRI: are recommended protocols accurate enough for clinical practice? (SS 1801b), B-0958
- Amakawa K.**
Contrast medium injection protocol for CT angiography with CT contrast medium dose adjusted to body surface area with simulation (SS 1806), B-0976
- Amaral H.T.A.S., Murta Jr. L.O., Wichert-Ana L., Sakamoto A.C., Azevedo-Marques P.M.**
Image registration in a hybrid routine using Shannon-Tsallis entropy for the statistical parametric mapping (SPM) (SS 505), B-0378
- Amartelio E., Wormsbecher S., Krix M., Demirel S., Braun S., Delorme S., Boeckler D., Kauczor H.-U., Weber M.-A.**
Accuracy of dynamic contrast-enhanced ultrasound and transient arterial occlusion for diagnosis of peripheral arterial disease (SS 1315), B-0709
- Amato M., Larici A., del Ciello A., Devicienti E., Corbo G., Valente S., Bonomo L.**
Reproducibility of automatic airway measurements with multidetector computed tomography (MDCT) in inspiratory and expiratory scans (SS 604), B-0414
- Amet S., Choukroun G., Launay-Vacher V., Frances C., Tricot A., Stengel B., Deray G., Clement O.**
Prevalence of nephrogenic systemic fibrosis in dialysis patients: the Pro-FINEST study (SS 1306), B-0700
- Amin M.F., Abd El Kafy A.A.**
The diagnostic accuracy of multidetector computed tomography with multiplanar reformatted imaging and virtual cystoscopy in the early detection and evaluation of bladder carcinoma (SS 207), B-0208
- Amin M.F., Hassan A.M., Barakat K.I.**
The accuracy of dynamic magnetic resonance imaging in evaluation of internal derangement of the temporomandibular joint: comparison with arthroscopic findings (SS 1810a), B-0914
- Andersson M., Jägervall K., Eriksson P., Persson A., Granerus G., Smedby Ö.**
How should renal artery stenoses be measured? (SS 1315), B-0713
- Andersson T., Söderman M.**
Angioplasty and stenting of extra and intracranial arteries: B. PTA and stenting of extracranial arteries (RC 1411), A-414
- Andres C., Luecke C., Foldyna B., Grothoff M., Nitzsche S., Schmidt A., Scheinert D., Gutberlet M., Lehmkühl L.**
Dynamic (dCTA) versus static (sCTA) computed tomography angiography after abdominal aortic endovascular aneurysm repair (EVAR): influence of enhancement patterns and optimal bolus timing on endoleak detection (SS 115), B-0118
- Andreu J.**
Common radiological problems: cardiovascular: A. Looking at the heart in chest x-rays (E³ 1720a), A-533
- Annoni A.D., Pontone G., Formenti A., Andreini D., Nobili E., Besana F., Ballerini G., Pepi M., Montorsi P.**
Comparison of 3 different evaluation criteria of carotid artery stenosis with 64-slice CT: role of cross-sectional area versus percent diameter stenosis (SS 1815), B-0980
- Antoch G.**
Peritoneal carcinomatosis: What is the added value of PET/CT? (SF 8a), A-193
- Antoch G.**
Hybrid imaging systems: B. Clinical PET/MRI (RC 1413), A-421
- Anzalone N.**
Choice of contrast in CNS MRI: what is the impact? (SY 5)
- Anzidei M., Napoli A., Zaccagna F., Saba L., Cartocci G., Bertaccini L., Noce V., Boni F., Catalano C.**
Peripheral MRA at 3T: intraindividual comparison between nonenhanced ToF and SSFP sequences vs contrast-enhanced MRA for the detection of clinically relevant stenosis (SS 1315), B-0712
- Apfaltrer P., Hanna E., Schoepf U.J., Spears J., Rowe G., Harris D., Schönberg S.O., Fink C., Vliegenthart R.**
Radiation dose and image quality at high-pitch CT angiography of the aorta: intra-individual and inter-individual comparison with conventional CT angiography (SS 1813), B-0991
- Apfaltrer P., Schoendube H., Schoepf U.J., Schindler A., Allmendinger T., Vogt S., Stierstorfer K., Bruder H., Ebersberger H.U.**
A temporal resolution improvement method for cardiac CT using 120° of projections: initial patient experience (SS 1813), B-0992
- Apfaltrer P., Weilbacher F., Meyer M., Henzler T., Walter T., Gruettner J., Schoepf U.J., Fink C.**
Comparison of high sensitive troponin I and quantitative CT parameters for prediction of adverse clinical events in patients with acute pulmonary embolism (SS 1304), B-0625
- Appelbaum Y., Hirschenbein A., Appelbaum L., Libson Y., Sosna J.**
CT-guided minimally invasive musculoskeletal procedures augmented by a novel optical navigation system (SS 1810b), B-0952
- Apprich S.R., Trattning S., Welsch G.H., Noebauer-Huhmann I.M., Domayer S.**
Assessment of articular cartilage repair tissue after matrix-associated autologous chondrocyte transplantation or the microfracture technique in the ankle joint using diffusion-weighted imaging at 3 Tesla (SS 1810a), B-0915
- Arena A.**
Outlook of radiology 2052: risks, challenges, and opportunities (Student Session 2), H-6
- Argyropoulou M.I.**
Neuroimaging in neonates, infants and children: when to do what: What is the potential and role of brain ultrasound in the MRI era? (SF 3), A-020
- Argyropoulou M.I.**
Imaging the paediatric spine: B. Inflammation, infection and tumours: the role of imaging (RC 812), A-235
- Aristu J.J.**
Ablation beyond radiofrequency: Stereotactic body radiation therapy (SBRT) (NH 8), A-189
- Arkhipova I.**
ER: basic principles: A. Logistics, ergonomics and organisation of an emergency radiology department (RC 417), A-076
- Arnoldi A.P., Ingrisch M., Utschneider S., Reiser M.F., Weckbach S.**
Quantitative assessment of perfusion and permeability in osteochondritis dissecans lesions: feasibility and initial results (SS 110), B-0050
- Arshad M.A., Sergot A., Blunt D., Morris L.**
Scattered radiation doses to operators performing fluoroscopic studies on bariatric patients (SS 201a), B-0193
- Aschoff A.J.**
Protocols for body CT: tips and tricks (SY 7)
- Athanasiou A.**
Functional imaging of the breast: B. Ultrasound elastography (RC 302), A-032
- Attenberger U.I., Morelli J., Michaely H., Rustemeier T., Schönberg S.O.**
How useful is a quantified analysis of hepatobiliary phase imaging for the characterisation of focal hepatic lesions? A comparison of dynamic gadoteric acid contrast-enhanced (Gd-EOB-DTPA) MRI versus apparent diffusion coefficient (ADC) (SS 1701), B-0826
- Aydinogoz U.**
Sports injuries: US or MRI?: C. Muscle and tendon by MRI (RC 1210), A-332
- Ayuso C.**
Liver imaging: always MR, or still a role for CT?: B. Why MR is the ultimate tool (MC 724), A-146
- Ayuso C.**
How can I be sure that I'm dealing with HCC?: HCC staging and patient stratification: what's new? (SF 11), A-288
- Azarine A.A., Chandesris O., Picard C., Mousseaux E., Boutouyrie P., Mallat Z., Fischer A.**
Frequent and widespread vascular abnormalities in human STAT3 deficiency detected by whole body MR and cardiac CT scan (SS 1703), B-0833
-
- B**
- Bagatto D., Petralia B., Girometti R., Bazzocchi M.**
The safety and efficacy of flow diversion treatment of intracranial aneurysms: preliminary results (SS 1309), B-0635
- Baik S.H., Jin G.Y., Han Y.M.**
Clinical application of tissue permeability factor for differentiation of benign and malignant pulmonary mass on dynamic contrast material-enhanced (DCE) MRI (SS 1704), B-0757
- Bailey B.**
Assessing novel technology: applications, performance and quality issues: The role of radiographers in respect to applications of novel technologies (SF 7b), A-175

- Bak S., Ko S., Choi J., Song M., Shin J., Ji H.**
Morphological assessment of the aortic valve using cardiovascular computed tomography and cardiovascular magnetic resonance in patients with severe aortic stenosis: comparison with intraoperative finding (SS 203b), B-0261
- Balériaux D.**
Focal neurological disorders: A. Clinical considerations (CC 1218), A-320
- Bali M.A.**
Abdominal MRI: standard and advanced protocols in clinical settings: C. Pancreas and bile ducts: how to study a patient with suspected chronic pancreatitis (RC 1501), A-439
- Balleyguier C.S., Canale S., Mathieu M., Dromain C.**
Functional imaging of the breast: A. Contrast-enhanced mammography (RC 302), A-031
- Balleyguier C.S.**
Breast cancer: A. Detection (E³ 1620), A-489
- Baltzer P.A.T., Dietzel M., Kaiser W.A.**
Functional imaging of the breast: C. MRI diffusion, perfusion and spectroscopy (RC 302), A-033
- Baltzer P.A.T., Kaiser W.A., Burmeister H.P., Dietzel M.**
MR-mammography at 3T in clinical practice: prospective single centre experience (SS 102), B-0074
- Baltzer P.A.T., Benndorf M., Kaiser W.A., Dietzel M.**
Kinetics of Gd-EOB-DTPA in liver lesions suspect for metastases: a systematic comparison of raw data with arterial-input-function corrected data (SS 501), B-0333
- Baltzer P.A.T., Groeschel T., Burmeister H.P., Kaiser W.A., Dietzel M.**
A simple and robust classification tree for differentiation between benign and malignant lesions in MR mammography (SS 905), B-0599
- Baltzer P.A.T., Schelhorn J., Benndorf M., Kaiser W.A., Dietzel M.**
Diagnostic performance and interobserver variation in quantitative proton magnetic resonance spectroscopy of the breast at 1.5T: a prospective single-centre cross-sectional study (SS 1702), B-0806
- Baltzer P.A.T., Schelhorn J., Benndorf M., Kaiser W.A., Dietzel M.**
Diffusion-weighted imaging of focal liver lesions: lesion size and image technique used have significant influence on diagnostic performance (SS 1701), B-0818
- Bankier A.A.**
Causation-based imaging review of lung disease: B. Non-infectious inflammatory lung disease (MC 1522), A-459
- Banko B., Milenkovic R., Kratovac-Dunjic M., Lilic G., Djokic-Kovac J., Maksimovic R.**
Preoperative staging of patients with cervical carcinoma: comparison of magnetic resonance imaging and histopathologic evaluation (SS 507), B-0307
- Bannas P., Groth M., Rybczynski M., Sheikhzadeh S., von Kodolitsch Y., Grassner J., Lund G., Adam G., Habermann C.**
Screening for aortic root aneurysms in patients with suspected or known Marfan syndrome: intraindividual comparison of enhanced and unenhanced MR angiography with echocardiography (SS 115), B-0114
- Baptista T., Watton P., Holland E., Penrose J., Chiarini A A., Byrne J., Reis J.**
Computational fluid dynamics in patients treated with flow-diverter devices (SS 611a), B-0387
- Barbot R., Le Marquand C., Pairon J., Paris C., Brochard P., Laurent F.**
Do pleural plaques carry an excess of risk of lung cancer in asbestos-exposed workers? (SS 104), B-0026
- Barentsz J.O.**
Essentials in oncologic imaging: what radiologists need to know (part 3): C. Prostate cancer (MC 628), A-130
- Barentsz J.O.**
MRI in prostate cancer: C. New frontiers in imaging of the prostate (RC 1407), A-419
- Barentsz J.O.**
Prostate and urinary bladder: B. Prostate cancer: how to be successful for clinicians (CC 1621), A-498
- Bargellini I.**
Abdominal tumour evaluation: from morphology to biology: A. Morphological assessment of tumour extension (RC 301), A-010
- Bargellini I., Bozzi E., Ciccarelli A., Lunardi A., Turini F., Cioni R., Bartolozzi C.**
Preprocedural 3D-CT image blending with fluoroscopy to guide catheterisation of proper hepatic artery during transarterial chemoembolisation: a feasibility study (SS 909), B-0528
- Barkhausen J.**
3D breast tomosynthesis: a problem solver for difficult cases in clinical routine (SY 1)
- Barkhausen J.**
Introduction (SY 3)
- Barkhof F.**
Acute central nervous system infections: C. Acute disseminating encephalomyelitis (CC 1519), A-446
- Barkhof F.**
How I report: B. MRI in common neurodegenerative diseases (RC 1911), A-558
- Baron R.L.**
Essentials in oncologic imaging: what radiologists need to know (part 3): B. Liver cancers (primary, metastases) (MC 628), A-129
- Bartels A., Oevermann E., Hollmann S., Marxsen J.H., Vogt F.M., Kovacs A., Hunold P.**
Lymph node staging in colorectal cancer by contrast-enhanced CT: development of a new reporting model for higher diagnostic accuracy (SS 216), B-0160
- Bartolozzi C.**
Liver imaging: reality and virtuality: Chairman's introduction (NH 4), A-057
- Bashir W.A., Connell D.**
Sonographic-guided treatment of rotator cuff delamination tears using autologous blood: a one-year follow-up study assessing radiological features, pain scores and shoulder function (SS 510), B-0295
- Bashir W.A., Connell D.A.**
A new minimally invasive safe and reproducible technique for management of cervical radiculopathy: ultrasound-guided cervical transforaminal epidural nerve root injections (SS 510), B-0298
- Basile A.**
Evaluation and treatment of common venous disorders: A. Pelvic congestion (RC 709), A-176
- Basilico R.**
Abdominal emergencies: A. Non-traumatic (acute abdomen) (E³ 520a), A-113
- Bassi C.**
Pancreatic tumours: What the surgeon needs to know (MS 3), A-024
- Battisti S., Gregori L., Arrigoni F., La Marra A., Zugaro L., Barile A., Masciocchi C.**
Evaluation of echo-guided autologous platelet gel (APG) treatment in patients with tendinosis (SS 510), B-0296
- Bauer J.S., Kohn L., Penzel J., Brucker P.U., Imhoff A., Rummenn E.J., Woertler K., Sauerschnig M.**
MRI-based and clinical long-term results of isolated osteochondral transplantation (OATS) of the knee joint (SS 610), B-0438
- Bauer R.W., Holthaus L., Schell B., Beeres M., Al-Butmeh F., Vogl T.J., Kerl J.M.**
Dose and image quality of high-pitch dual source CT for the evaluation of cervical lymph node status: comparison to regular 128-slice single source CT (SS 608), B-0462
- Bauer R.W., Schell B., Beeres M., Wichmann J., Bodelle B., Lehnert T., Vogl T.J., Kerl J.M.**
High-pitch dual source CT pulmonary angiography in freely breathing patients (SS 1304), B-0619
- Bauer R.W., Wrzesniak A., Bernhardt D., Lehnert T., Vega-Higuera F., Vogl T.J., Kerl J.M.**
Fully automated assessment of right ventricular functional parameters from ECG-gated coronary CT angiography data: evaluation of prototype software (SS 1803), B-1000
- Bauer R.W., Radtke I., Zhang S., Block T., Kerl J.M., Mack M.G., Graf T.G., Vogl T.J., Larson M.C.**
True real-time cardiac MRI in free breathing without ECG-synchronisation using radial k-space sampling: initial results (SS 1803), B-1001
- Baum T., Bauer J.S., Sidorenko I., Monetti R., Eckstein F., Matsura M., Lochmueller E., Zysset P.K., Raeth C.**
Scaling relations between trabecular bone mass and 3D microstructure in two locations of the human femur (SS 110), B-0045
- Baum T., Joseph G.B., Alizai H., Carballido-Gamio J., Nardo L., Virayavanich W., McCulloch C.E., Majumdar S., Link T.M.**
Baseline mean and heterogeneity of MR knee cartilage T2 are associated with morphologic degeneration of cartilage, meniscus, and bone marrow over three years: data from the osteoarthritis initiative (SS 610), B-0436

Authors' Index

- Baumhauer M., Seitel M.**
Dedicated workflow solution to facilitate consistent, reproducible, and efficient patient monitoring in oncological trials and routine (SS 1805), B-1013
- Bauner K.U., Theisen D., Sandner T., Reiser M.F., Wintersperger B.J.**
Magnetic resonance T1-mapping in acute myocardial infarction: from core to periphery (SS 103), B-0137
- Bauner K.U., Durand M., Crean A., Nguyen E., Ley S., Wald R., Rakowski H., Paul N.S., Wintersperger B.J.**
Inaccuracies in cine SSFP MR LV volumetric measurements in patients with LV hypertrophy: correction applying the mass conservation principle (SS 1803), B-1003
- Bayraktutan U., Kantarci M.**
Diffusion-weighted MR imaging of acute appendicitis in paediatric patients: comparison with conventional MRI and surgical findings (SS 101a), B-0053
- Bazzocchi A., Brocchi S., Ponti F., Ambrosini V., Facchini G., Fanti S.**
Positron emission tomography and lung nodules: prognostic value of standard uptake value (SS 204), B-0170
- Bazzocchi A., Spinnato P., Garzillo G., Ciccarese F., Fuzzi F., Miglio L., Santilli L., Mignani S.**
Detection of incidental vertebral fractures by MR-localiser in breast imaging (SS 1802), B-0942
- Bazzocchi A., Spinnato P., Cenni A., Zappoli P., Fuzzi F., Filonzi G., Bianchi G., Rossi C.**
Body composition changes after liver transplantation (SS 1801b), B-0963
- Beale T.**
Paranasal sinus imaging: A. Anatomy and anatomic variants (RC 708), A-149
- Beck A.**
MRgFUS: a non-invasive approach to thermoablation (SY 20)
- Becker C.D.**
Acute abdominal inflammatory disorders: B. Liver and bile ducts (E³ 220), A-005
- Becker H.C.**
Coronary CTA and beyond: new evidence and recommendations (SY 7)
- Becker M.**
Performing and reporting head and neck examinations: how do I do it?: A. Sinonasal CT scans (RC 1408), A-423
- Beddy P., Genega E., Ngo L., Hindman N., Wei J., Bullock A., Bhatt R.S., Atkins M.B., Pedrosa I.**
Tumour necrosis on magnetic resonance imaging correlates with aggressive histology and disease progression in clear cell renal cell carcinoma (SS 1307), B-0664
- Beenen L.F.M., Sierink J.C., Saltzherr T.P., Russchen M.J.A.M., Luitse J.S.K., Goslings J.C.**
Prospective study on immediate total body CT in severe trauma patients (SS 617), B-0481
- Beets-Tan R.G.H.**
Imaging and tailored radiation therapy in rectal cancer: Response evaluation by imaging (EM 2), A-143
- Beets-Tan R.G.H.**
Rectal cancer imaging: the next phase: C. Changes in clinical treatment paradigms: the role of radiology (RC 801), A-212
- Beets-Tan R.G.H.**
Lymph node imaging: where are we now?: Chairman's introduction (RC 1216), A-333
- Beitzke D., Nolz R., Edelhauser G., Scherthaner R.E., Wolf F., Plank C., Lammer J., Loewe C.**
Ultra low-dose dual source computed tomography angiography of the supraaortic arteries using 100kV tube voltage, a high pitch and iterative reconstruction: preliminary results (SS 1815), B-0979
- Bekiesinska-Figatowska M.**
Imaging during pregnancy: Chairman's introduction (SA 4), A-071
- Bekker J., Fidler V., de Jong K.P.**
Early hepatic artery thrombosis after liver transplantation: the impact of onset and additional risk factors in a matched case-control study (SS 1801b), B-0962
- Belcaro N.**
Hybrid imaging systems: C. Pre-clinical hybrid imaging (RC 1413), A-422
- Belgrano M., Petronio B., Toscano W., Cova M.A.**
Usefulness of CT angiography of celiac axis prior to pancreatico-duodenectomy (SS 515), B-0345
- Belli A.-M.**
Non-traumatic acute aortic dissection: Chairman's introduction (RC 1915), A-566
- Belli P., Cipriani A., Bufi E., Fubelli R., Rinaldi P., Costantini M., Romani M., Bonomo L.**
Radiological findings in mammary autologous fat injections: a multimodality evaluation (SS 1802), B-0944
- Bellin M.-F.**
Diagnosis and management of GU tract trauma: A. Imaging the kidney and ureter (RC 707), A-166
- Belozerova I.S., GazhonoVA V.E., Churkina S.O., Lozovator A.L., Kurganskaya T.S., Zubarev A.V.**
Possibilities of real-time sonoelastography in local staging of endometrial cancer (SS 1807), B-0932
- Ben Hassen W., Canale S., Vielh P., Mathieu M., Delaloge S., Balleyguier C.**
Is shear wave elastography (acoustic radiation force impulse) able to improve the assessment of BI-RADS 4 breast solid lesions? (SS 502), B-0317
- Benson C.B.**
Volumetric imaging: where are we, where are we going to?: A. Volume imaging in obstetrics and gynaecology (E³ 820b), A-206
- Bercea M.C.**
Radiologist 2052 (Student Session 1), H-5
- Bérczi V.**
Non-traumatic acute aortic dissection: A. Etiology, clinical signs and prognosis of acute non-traumatic aortic dissection (RC 1915), A-567
- Berger F.**
Abdominal tumour evaluation: from morphology to biology: B. Perfusion: a reliable tool for tumour activity assessment (RC 301), A-011
- Berlin L.**
An epidemic spreading from West to East: medico-legal challenges for radiologists: The correct conduct when you have just made a mistake (PC 11), A-291
- Berritto D., Somma F., Iacobellis F., Belfiore M., Cappabianca S., Rotondo A., Grassi R.**
Acute mesenteric ischaemia: do different findings suggest different aetiology? 7T-MRI on a rat model (SS 201a), B-0198
- Bertugno S., Ligabue G., Fiocchi F., Nocetti L., Vasaturo S., Lugli R., Barbieri A., Torricelli P.**
Late gadolinium-enhanced cardiac magnetic resonance (LGE-CMR) quantification of myocardial damage as a predictor of arrhythmic events (SS 903), B-0575
- Besostri V., Ippolito D., Crivellaro M., Poglianii E.M., Di Lelio A., Sironi S.**
Diagnostic value of whole body low-dose computed tomography (WBLDCT) in the staging of patients with multiple myeloma (SS 110), B-0049
- Beyer T.**
Hybrid imaging systems: A. Clinical SPECT/CT and PET/CT (RC 1413), A-420
- Bhalla M., Bhalla N., Vasavada H.**
Concomitant use of endovenous laser and foamed sclerosant in treatment of lower limb varicosities: 3-year follow-up results (SS 609), B-0423
- Bhatia K.S.S., Tong C., Cho C., Lee Y., Yuen E., Wong J.K., Ahuja A.T.**
Shear wave elastography of cervical lymph nodes: preliminary experience for detection of malignancy (SS 1308), B-0679
- Bianchi S.**
Elastography and high frequency US: C. US in musculoskeletal diseases (E³ 920b), A-250
- Bickel H., Pinker-Domenig K., Bogner W., Gruber S., Weber M., Helbich T.**
Diffusion-weighted imaging: an imperfect biomarker for the malignancy of breast tumours (SS 116), B-0011
- Bilbao J.**
Ablation beyond radiofrequency: Chairman's introduction (NH 8), A-185
- Binkert C.**
Evaluation and treatment of common venous disorders: B. Varicose veins in the extremities (RC 709), A-177
- Bischoff P., Duschka R.L., Himmel F., May K., Radke P.W., Kovacs A., Vogt F.M., Barkhausen J., Hunold P.**
Myocardial perfusion MRI at 3T using kt-BLAST in patients with coronary artery stenoses of unclear haemodynamic relevance (SS 203a), B-0241
- Bischoff P., Duschka R.L., Hollmann S., M., Simon, Kovacs A., Radke P.W., Vogt F.M., Barkhausen J., Hunold P.**
Septal late gadolinium enhancement at the right ventricular insertions: more frequent than expected in hypertrophic and dilative cardiomyopathy (SS 903), B-0572

Authors' Index

Bisdas S.

Paediatric head and neck imaging: Imaging of maxillofacial and sinonal pathology in children (SF 16c), A-525

Bladowska J., Koltowska A., Szewczyk P., Zimny A., Hendrich B., Knysz B., Sasiadek M.
Assessment of the degradation of the selected projectile, commissural and association white matter tracts in asymptomatic HIV-positive nontreated, HIV-positive HAART-treated and HIV-HCV-positive patients using diffusion tensor MR imaging (SS 611b), B-0403

Bladowska J., Zimny A., Szewczyk P., Guzinski M., Tabakow P., Kozba-Gosztyla M., Jarmundowicz W., Sasiadek M.
Contribution of diffusion and perfusion-weighted magnetic resonance imaging in the differential diagnosis of sellar and parasellar tumours: preliminary report (SS 1311), B-0735

Blanke P., Bulla S., Pache G., Rylski B., Langer M.

Estimated radiation dose reduction for prospective electrocardiography-triggered dual source CT angiography of the thoracic aorta using iterative reconstruction: a prospective study (SS 215), B-0250

Blautzik J., Keeser D., Berman A., Paolini M., Kirsch V., Mueller S., Reiser M.F., Teipel S., Meindl T.

Test-retest reliability of resting-state networks in healthy elderly subjects and MCI patients (SS 511), B-0323

Bloem J.L.

The role of advanced imaging in musculoskeletal neoplasms: Advanced MR techniques (SF 16a), A-486

Blomqvist L.C.O.

Rectal cancer imaging: the next phase: Chairman's introduction (RC 801), A-209

Blum A., Lecocq S., Louis M., Wassel J., Osemont B., Lux G., Teixeira P.

Imaging hip joint replacement: CT: when should you do it and how? (SA 15), A-456

Bock M.

High field MRI: beyond 3T: A. Challenges of high field MR (RC 1113), A-301

Bodis S.

Impact of imaging on staging, planning and treatment delivery in curative breast cancer radiotherapy (SY 3)

Boellaard T.N., Nio C.Y., Bossuyt P.M.M., Bipat S., Stoker J.

Can radiologic technologists be trained to triage CT colonography for extracolonic findings? (SS 1314), B-0724

Boellaard T.N., Venema H.W., Streekstra G.J., Stoker J.

Effective radiation dose in CT colonography: did we make progress? (SS 1801a), B-0871

Bogaert J.

How I report: C. Cardiac MRI in ischaemic heart disease (RC 403), A-102

Bogaert J.

Cardiac imaging: from diagnosis to prognosis: MRI predictors in coronary artery disease (SF 8b), A-216

Böhm-Sturm P.

Imaging highlights: monitoring disease and therapy: Cell tracking with 19F magnetic resonance imaging (ENCITE), A-433

Bonaffini P.A., Ippolito D., Macchi I., Rossini F., Di Lelio A., Sironi S.

Role of diffusion-weighted whole body MRI with background body signal suppression (DWIBS) for disease detection in patients with multiple myeloma: preliminary results (SS 110), B-0048

Bonaffini P.A., Ippolito D., Macchi I., Rossini F., Di Lelio A., Sironi S.

MRI with diffusion-weighted imaging and apparent diffusion coefficient (ADC) in the assessment of response to treatment in patients with multiple myeloma: preliminary results (SS 1310), B-0644

Bonello L., Preda L., Petralia G., Summers P., Giannitto C., Bellomi M.

Do apparent diffusion coefficient and histological characteristics of squamous cell carcinoma of the oral cavity correlate? (SS 608), B-0468

Bonello L., Petralia G., Summers P., Preda L., Raimondi S., Renne G., Bardo G., Curigliano G., Bellomi M.

Correlation between apparent diffusion coefficient and molecular and histological prognostic factors in breast cancer: observations in 94 patients (SS 1702), B-0801

Bongartz G.M.

How I optimise contrast media administration: B. MRI (RC 1906), A-546

Bonomo L., Valentini V.

Imaging and tailored radiation therapy in rectal cancer: Chairman's introduction (EM 2), A-140

Bonomo L., Sharp P.

Advances in technology for interventional radiology: general overview: Welcome address (EF 1), A-217

Boraschi P., Donati F., Salemi S., Gigoni R., Bartolozzi C., Falaschi F.

Biliary-enteric anastomoses: usefulness of Gd-EOB-DTPA-enhanced MR cholangiography (SS 101b), B-0092

Boraschi P., Donati F., Gigoni R., Pacciardi F., Gherarducci G., Bartolozzi C., Falaschi F.

Acute pancreatitis: qualitative and quantitative evaluation using DW-MRI with parallel imaging technique and multiple b gradient factor values (SS 1717), B-0839

Borges A.

Acute onset of cranial nerve dysfunctions: C. Facial nerve paralysis and trigeminal neuralgia (CC 1619), A-496

Borges A.

Differentiating skull base lesions: B. Cavernous sinus and pterygopalatine fossa lesions (RC 1908), A-564

Bosco J.I.E., Teh H.S.

Usefulness of vascular iodine distribution maps in the diagnosis of pulmonary embolism (SS 504), B-0271

Boujan F., Clauss N., Jahn C., Habashy M., Manisor M., Benjamel H., Mardakhayeva V., Mertz L., Beaujeux R.

A new method of real time skin dose visualisation: clinical evaluation of fluoroscopy-guided interventions (SS 513), B-0355

Boujan F., Clauss N., Hornbeck A., Jahn C., Mertz L., Beaujeux R.

Study of a real-time dosimetry system and its impact on current practices in an angiography room (SS 513), B-0356

Bouma E., Pomoni A., Charokopakis A., Karagiannis E., Moschouris H., Pomoni M., Thanos L., Malagari K., Kelekis D.

Long-term recurrence rates of HCC treated with doxorubicin eluting DC bead (SS 909), B-0522

Bouma E., Charokopakis A., Moschouris H., Pomoni A., Malagari K., Kornezos J., Tandeteles S., Tsagouli V., Pomoni M.

Five-year survival of HCC patients treated with doxorubicin eluting DC bead (SS 909), B-0525

Bourguet P., Palkó A.

Diagnosis of inflammatory conditions: Chairmen's introduction (PC 3), A-040

Bova V., Maruzzelli L., Miraglia R., Vizzini G.B., Tuzzolino F., Luca A.

Predictive factors of downstaging of hepatocellular carcinoma (HCC) beyond the Milan criteria treated with intra-arterial chemoembolisation (SS 909), B-0520

Boyer L.

Diagnosis and management of acute vascular abdominal problems: Acute arterial and venous ischaemia-presentation, management and outcome (SF 4b), A-104

Brader P.

Basics in molecular imaging (1): A. Introduction to molecular imaging: a challenge for radiologists? (MC 23A), A-001

Brader P.

Imaging the complications of cancer treatment: Chairman's introduction (RC 1616), A-504

Brambati M.

A letter to myself between science, technology and human beings (Student Session 3), H-12

Brambs H.-J.

The cystic lesions of the pancreas: A. How can we differentiate cystic neoplasms from pseudocysts? (RC 1601), A-508

Brancatelli G., Schima W.

Liver imaging: always MR, or still a role for CT?: Discussion (MC 724), A-147

Brancatelli G.

Surprise in the liver: C. Interactive case discussion (CC 1618), A-493

Brand M., Gloeckler M., Sommer M., Engert C., Uder M., Kuefner M.A.

X-ray-induced DNA double-strand breaks in lymphocytes of children undergoing cardiac flat-panel CT and angiography (SS 203b), B-0269

Brandao S.

Challenges and solutions for radiographers in MRI: high field and imaging under patient motion: B. Artefacts at high field MRI: clinical applications and technical solutions (RC 814), A-232

Brauweiler R., Eisa F., Hupfer M., Nowak T., Kolditz D., Kalender W.A.

Functional imaging on an interventional C-arm flat detector CT system (SS 113), B-0125

Breatnach É.

An epidemic spreading from West to East: medico-legal challenges for radiologists: Chairman's introduction (PC 11), A-290

Authors' Index

Breen D.J.

How can I be sure that I'm dealing with HCC?: Residual tumour and tumour recurrence: how to evaluate? (SF 11), A-289

Bremer C.

How to address workflow challenges in a broad spectrum MRI-service: first experiences with Dot (SY 18)

Bremerich J.

When CT sees both the heart and the lungs: A. Anatomic cardiac details that every radiologist should know (RC 1204), A-348

Brendle C., Schraml C., Kratt T., Reimold M., Pfannenberg C.

CT protocols in [18F]-FDG-PET/CT examinations: is there an additional benefit of contrast-enhanced CT in the differentiation of incidental gastrointestinal FDG uptake? (SS 606), B-0473

Brendle C., Pfannenberg C., Schmidt H., Wuerslin C., Schwenzer N.

Does simultaneous image acquisition by a hybrid MR-PET system result in a better registration quality of PET and morphologic data compared to sequential image acquisition by PET-CT? (SS 606), B-0477

Brice P.

Lymphoma: What the haematologist needs to know (MS 4), A-097

Brière J.

Lymphoma: The pathologist's view point on lymphomas (MS 4), A-096

Brillet P.-Y.

Phenotypes in obstructive airway disease: how do I image, analyse and report?: A. Asthma and associated conditions (RC 1904), A-560

Brkjacic B.

Highlighted Lectures: Vascular ultrasound: technique and clinical applications (TF 1), A-132

Brkjacic B.

Female pelvic pain: B. Imaging techniques and typical findings (CC 1318), A-372

Brown G.

Imaging and tailored radiation therapy in rectal cancer: Treatment-oriented staging (EM 2), A-141

Brucek B., Pinker-Domenig K..

Magometschnigg H., Bogner W., Bickel H., Helbich T.H., Gruber S.

Is 3D proton spectroscopic imaging at 3 Tesla able to discriminate benign and malignant breast lesions? (SS 1702), B-0803

Brun E., Zhao Y., Sztrokay A., Diemoz P., Huang Z., Mittone A., Reiser M.F., Miao J., Coan P.

Low dose x-ray phase contrast computed tomography for breast cancer diagnosis (SS 1813), B-0995

Bruners P., Penzkofer T., Isfort P., Hofmann A., Schmitz-Rode T., Kuhl C.K., Mahnken A.H.

Multipolar hepatic RFA: influence of electrode configuration on coagulation volume (SS 1809), B-0900

Brzozowska-Czarnek A.A., Urbanik A., Rakowski T.

Is angiographic perfusion score assessed in patients with acute myocardial infarction correlated with cardiac magnetic resonance infarct size and N-terminal pro-brain natriuretic peptide in 6-month follow-up (SS 103), B-0133

Buck F.M., Hoffmann A., Mamisch N., Farshad M., Espinosa N., Resnick D., Hodler J.

Is it possible to identify a pathologic hindfoot alignment on non-weight-bearing coronal MR-images? An attempt using different measurement techniques (SS 1710), B-0770

Buck F.M., Guggenberger R., Koch P.P., Pfirrmann C.W.A.

Femoral and tibial torsion measurements using 3D models based on low dose biplanar x-ray in comparison to standard CT measurements (SS 1710), B-0772

Buemi F., Tondo F., Strangio G., Stecco A., Carriero A.

Diffusion-weighted imaging add diagnostic value to MRI in differentiating thoraco-mediastinic lesions: comparison with PET-CT (SS 104), B-0025

Bufl E., Costantini M., Belli P., Giardina G.G., Rinaldi P., Franceschini G., Masetti R., Bonomo L.

Magnetic resonance imaging for assessing axillary lymph node status in breast cancer patients (SS 1802), B-0939

Bulanova E., Lyadov V., Mershina E., Sinitsyn V.E.

CT assessment of sarcopenia in patients with pancreatic cancer and chronic pancreatitis (SS 901), B-0563

Bulla S., Pache G., Blanke P., Hassepass F., Langer M.

Reducing the radiation dose for low-dose CT of the paranasal sinuses using organ-specific dose reduction (X-CARE) and iterative reconstruction: feasibility and image quality (SS 1708), B-0811

Burmeister H.P., Bitter T., Heiler P.M., Irinchev A., Froeber R., Baltzer P.A.T., Reichenbach J.R., Guntinas-Lichius O., Kaiser W.A.

Signal intensity profile analysis of the olfactory bulb and tract for evaluation of pathologic olfactory bulb changes in neurological and smelling disorders: comparison of 3T, 9.4T MR microscopy, and histological sections (SS 1811), B-0893

Buruian M.

Oncology imaging: breast and liver: Interlude: The beginning of Romanian radiology (EM 4), A-367

Busch J.D., Heller F., Herrmann J., Schoennagel B.P., Adam G., Habermann C.R.

Follow-up of radiologically inserted TCVAP of the upper arm: long-term complications in 127750 catheter days (SS 1309), B-0638

Butler M.-L.

Radiographers' impact on dose optimisation and radiation protection: the essential link in the chain: C. The importance of education and training in the development of the role of the radiographer in quality assurance and radiation protection (RC 1114), A-310

Buy X., Gangi A.

Spinal intervention: Herniated disk? (SF 19), A-553

C**Caborni C., Losio C., Panizza P., Venturini E., De Cobelli F., Del Maschio A.**

A comparison between FAST technique and standard breast MRI: are we ready for MR screening? (SS 102), B-0078

Cáceres J.

The mediastinum (MC 27A), A-006

Cáceres J.

The heart (MC 27B), A-134

Cáceres J.

Major vessels (MC 27C), A-237

Cáceres J.

Pleura and chest wall (MC 27D), A-374

Cáceres J.

The diaphragm (MC 27E), A-537

Cademartiri F., Maffei E.

Cardiac imaging: from diagnosis to prognosis: Coronary CT angiography to predict future events (SF 8b), A-215

Cademartiri F., Maffei E., Seitun S., Min J.K., Chang H., Berman D., Chow B., Achenbach S., Hausleiter J.

Prognostic value of CT coronary angiography in subjects with suspected CAD: focus on severity of coronary artery disease and the presence of left main disease. Results from the CONFIRM Registry (coronary CT angiography evaluation for clinical outcomes: an international multicentre registry) (SS 1703), B-0829

Cademartiri F., Francone M., Patriarca L., Carbone I., Ligabue G., Lovato L., Di Cesare E.
Italian cardiac CT registry: preliminary results (SS 1703), B-0835**Camilleri G., Zarb F., Borg Grima K.**

Identification of sentinel nodes during radiographer performed lymphoscintigraphy prior to sentinel lymph node biopsy (SS 1314), B-0727

Cannavale A., Fanelli F., Bruni A., Allegritti M., Boatta E., Passariello R.

DEB vs PTA for multilevel lower limb revascularisation: 6-month results from a randomised trial (SS 609), B-0422

Cannavale A., Fanelli F., Corona M., Allegritti M., Lucatelli P., Passariello R.

Percutaneous vertebroplasty with 3D-rotational fluoroscopy imaging vs CT with mobile C-arm fluoroscopy guidance (SS 1810b), B-0954

Cannavale G., Francone M., Lampieri I., Conti B., Frustaci A., Catalano C.

Sensitivity of cardiac magnetic resonance varies with clinical presentation of biopsy-proven acute myocarditis (SS 103), B-0131

Cao D., Ding Y., Xing Z., Li J., Xiong M.

Evaluation of susceptibility weighted imaging in distinguishing of high-grade gliomas from primary central nervous system lymphomas (SS 1311), B-0737

Capraro C., Ippolito D., Guerra L., De Ponti E., Messa C., Sironi S.
Conventional 18FDG/PET-CT combined with first-pass CT-perfusion technique in lung cancer patients: clinical staging and functional information in a single study (SS 1704), B-0750

Capraro C., Ippolito D., Guerra L., De Ponti E., Messa C., Sironi S.
Staging and restaging Hodgkin's disease: low-dose non-enhanced FDG-PET/CT versus full-dose contrast-enhanced FDG-PET/CT (SS 1716), B-0784

Caramella D.
Liver imaging: reality and virtuality: Postprocessing and modelling (NH 4), A-059

Caramella D., Paolicchi A., Ruschi F., Vitali S., Castellini I., Parchi P., Lisanti M.
Dedicated 0.31 T MR vs. whole body 1.5 T MR in the diagnosis of meniscal lesions with arthroscopic correlation (SS 210), B-0182

Carbonaro L.A., Babaei Paskeh B., Brambilla G., Malerba P., Menicagli L., Vadala' G., Fantini L., Ciatto S., Sardanelli F.
Incidence and review of interval cancers in a community biannual mammographic screening programme (SS 902), B-0554

Carrafiello G., Piacentino F., Fontana F., Mangini M., Ierardi A., Fugazzola C.
Polytrauma in the golden hour: the key role of emergency radiologists in the ED when time makes the difference: Interventional radiology as life-saving procedure (SA 11), A-264

Caseiro-Alves F.
Essentials in oncologic imaging: what radiologists need to know (part 2): A. Pancreatic cancer (MC 528), A-118

Caseiro-Alves F.
How can I be sure that I'm dealing with HCC?: Chairman's introduction (SF 11), A-285

Cassagnes L., Algeri E., Fairve J., Santangelo T., Remy J., Rémy-Jardin M.
Can CT help recognise a link between left atrial volume, impacting left ventricular preload, and the severity of emphysema? (SS 604), B-0410

Cassar-Pullicino V.N.
Musculoskeletal emergencies: B. Peripheral skeleton (E³ 320), A-008

Cassar-Pullicino V.N.
Imaging hip joint replacement: Chairman's introduction (SA 15), A-454

Casselman J.
Temporal bone imaging: C. Enhancing inner ear structures (RC 308), A-018

Castañer E.
Common radiological problems: incidental chest lesions: A. Solitary pulmonary nodule (E³ 920a), A-246

Catalano C.
Vascular imaging in ischaemic stroke: A. Extracranial and intracranial atherosclerotic disease of carotid arteries (RC 815), A-225

Cava M., De Cobelli F., Esposito A., Ravelli S., Damascelli A., Ligabue G., Fattori R., Del Maschio A.
Myocardial late enhancement in hypertrophic cardiomyopathy: spread more than amount predicts evolution towards heart failure (SS 903), B-0569

Cavagnetto F., Rosasco R., Calabrese M., Tagliafico A., Taccini G., Mongero B., Massari G.
Quantra, BIRADS scale and breast density correlation: preliminary results (SS 513), B-0357

Cazzato R., Del Vescovo R., Faiella E., D'Agostino F., Francesco Grasso R., Beomonte Zobel B.
Diffusion-weighted magnetic resonance imaging in patients selected for radical cystectomy: detection rate of pelvic lymph-node metastases (SS 1807), B-0928

Cellina M., De Cobelli F., Giganti F., Albarello L., Orsenigo E., Chiari D., Esposito A., Staudacher C., Del Maschio A.
Apparent diffusion coefficient (ADC) modifications in assessing gastroesophageal cancer (GEC) response to neoadjuvant treatment (NT): comparison to tumour regression grade (TRG) at histology (SS 1301a), B-0656

Centola A., Stoppino L.P., Bristogiannis C., Santangelo G., Milillo P., Lupo P., Vinci R., Macarini L.
Diagnostic utility of double-contrast MRI (DC-MRI) for evaluation of treatment response of hepatocellular carcinoma to ablative treatments (TACE, PEI, RFA) (SS 1806), B-0972

Chalian H., Tore H.G., Ghadjar K., Yaghmai V.
Renal function of outpatients undergoing contrast-enhanced CT: what have we learned from universal eGFR testing? (SS 1306), B-0706

Challen V.
Changing era of radiography education in Europe: new perspectives for students and staff: B. Strengthening radiography education through European networks (RC 1214), A-359

Chamming's F., Latorre H., Fitoussi V., Le Frere-Belda M., Pidail L., Gennisson J., Cuenod C., Clement O., Fournier L.S.
What is pathology underlying stiffness? Ultrasound elastography of a human breast cancer model, with pathological correlation (SS 502), B-0315

Chandelier F., Stein L., Cabrera T.
Assessment of a new 3D visualisation technique in CT colonography, the Funnel view, compared to standard interpretation strategies and other recent 3D rendering technologies (SS 105), B-0142

Chandramohan S., Roditi G.
Comprehensive MR angiography of the lower limbs: comparison of performance of gadobenate dimeglumine, gadobutrol and gadofosveset trisodium (SS 1315), B-0710

Chen Y., Tang L., Li X., Qi L., Li Y., Zhang X., Cui Y., Sun Y., Zhang X.
Single source dual energy CT improving differentiation between atelectasis and tumour in central lung cancer: clinical practice of a novel technique (SS 104), B-0022

Chernoff K., Christopher S., Karemire G., Karssemeijer N., Vachon C., Nielsen M.
Mammographic texture resemblance generalises as an independent risk factor of breast cancer (SS 202a), B-0214

Cho J., Bosanquet D.C., Williams N., Gower D., GowerThomas K., Lewis M.H.
Requesting radiological investigations - do junior doctors know their patients? (SS 1717), B-0838

Cho S., Kim Y., Cho S., Lee K., Kim B., Kim R., Choi S., Koh S., Lim M.
Rhabdomyolysis revisited: magnetic resonance (MR) imaging finding in detail (SS 210), B-0185

Choi S., Han Y., Lee S., Yu H.
Effectiveness of percutaneous biliary stone removal as primary treatment compared with endoscopic retrograde technique: in cases of IHBD stones, ≥15mm bile duct stones, history of GI bypass surgery (SS 109), B-0037

Choi Y., Kim C., Park B., Park S., Park J., Yoon H., Kim A.
Evaluation of adrenal metastases from renal cell carcinoma or hepatocellular carcinoma using unenhanced and delayed contrast-enhanced CT (SS 1307), B-0661

Chow A.M., Ai V., Cheung P.S.Y., Chan K.M., Yu S.K., Lo G.G.
Intravoxel incoherent motion (IVIM) analysis of breast carcinomas: a pilot study (SS 116), B-0015

Chow A.M., Ai V., Cheung P.S.Y., Lee R., Yu S.K., Lo G.G.
Differentiating invasive and non-invasive breast carcinomas using diffusion-weighted MRI: a feasibility study (SS 1702), B-0802

Chow A.M., Lo G.G., Chan J.K.F., Lau S., Wong E., Yu S.K.
Reproducibility of two-point DIXON technique for measuring hepatic fat fraction (SS 1801b), B-0961

Christe A., Charimo Torrente J., Vock P., Roos J.E.
Ultra-low-dose CT for the detection and characterisation of the most common CT patterns of pulmonary disease (SS 904), B-0512

Chung D.Y.F., Little M., Boardman P., Gleeson F.V., Anderson E.M.
Percutaneous microwave ablation (MWA) with a high energy antennae system of pulmonary malignancies: technical success, safety and imaging follow-up (SS 209), B-0179

Cianci R., Filippone A., Pace E., Bianco V., Esposito G., Tartaro A., Cotroneo A.R.
Diffusion-weighted MR imaging for prediction of early response of locally advanced rectal cancer to chemoradiation therapy (SS 216), B-0156

Cianfoni A.
Radiological management of traumatic emergencies: C. Spine trauma (CC 1219), A-325

Ciatto S., Bernardi D., Pellegrini M.
Validation of EUSOMA criteria for selecting to MRI preoperative staging patients eligible for conservative surgery at conventional staging (SS 202b), B-0226

Ciatto S., Bernardi D., Pellegrini M., Caumo F., Frigerio A., Gentilini M.
Proportional incidence and review of T2+ screen detected carcinomas: a new measure of diagnostic accuracy? (SS 902), B-0553

Authors' Index

- Cieszanowski A., Grodzicka A., Szeszkowski W., Kaczynski B., Maj E., Gornicka B., Grodzicki M., Krawczyk M., Rowinski O.**
Characterisation of focal liver lesion with quantitative techniques: comparison of apparent diffusion coefficient values and T2 relaxation times (SS 1701), B-0820
- Ciet P., Wielopolski P., van der Wiel E., Krestin G.P., Lequin M.H., Morana G., Tiddens H.A.M.W.**
Contrast-enhanced MRI (CE-MRI) is more sensitive to detect small airways disease than proton-MRI (MRI): a comparative study in cystic fibrosis (CF) lung disease (SS 604), B-0416
- Ciolina F., Napoli A., Anzidei M., Zaccagna F., Cartocci G., Bertaccini L., Noce V., Boni F., Catalano C.**
MRgFUS treatment of uterine leiomyomas: results on quality of life, non-perfused volume ratio and size reduction over 12 months (SS 507), B-0304
- Ciolina M., Iafrate F., Iussich G., Regge D., Iannitti M., Baldassari P., Pichi A., Correale L., Laghi A.**
Potential complications at CT colonography in asymptomatic and symptomatic patients: national survey of Italy (SS 1801a), B-0869
- Citone M., Rossi M., Greco L., Varano G.M., Zolovkins A., David V.**
Silverhawk directional atherectomy in the treatment of de novo femoropopliteal atherosclerotic steno-obstructive disease: single centre experience (SS 609), B-0425
- Claudon M.**
Understand recent issues in US technology: A. Recent advances in US technology (E³ 420b), A-079
- Claudon M.**
The patient with renal impairment: B. Imaging the impaired kidneys (CC 1521), A-448
- Claudon M., Durand E., Guillemin F., Micard E., Grenier N., Chaumet-Riffaud P., Pasquier C., Sebag G., Chaumoitre K.**
Evaluation of dynamic contrast-enhanced MR-urography (DCE-MRU) for the determination of the split renal function in chronic and intermittent urinary obstruction in comparison to diuretic renal scintigraphy (DRS): results of a prospective, multicentre study (SS 1807), B-0936
- Claussen C.D.**
Biograph mMR - clinical reality of simultaneous MR-PET and future realm of possibilities (SY 18)
- Clément O.**
Theranostics: combining imaging and treatment: B. Imaging-guided cell-based therapy (MC 23E), A-539
- Clement R.G.E., Davis Z., Perks F.**
Operative management of intra-capsular femoral fracture: is the requirement for additional imaging a barrier to operating within the 48-hour target? (SS 1810b), B-0951
- Cleveland T.J.**
Expanding the role of interventional radiology in hepatocellular carcinoma: C. Portal vein embolisation before surgery (RC 1209), A-357
- Clevert D.A., Helck A., Sommer W., Saam T., Reiser M.F.**
Characterisation of neovascularisation in carotid atherosclerotic plaques with contrast-enhanced ultrasound (SS 1815), B-0977
- Clevert D.A.**
Vascular imaging: Doppler and contrast-enhanced US: C. The role of contrast US (E³ 520b), A-117
- Clevert D.A.**
xMatrix, a new diagnostic tool for abdominal ultrasound (SY 14)
- Coche E.E.J.G.**
How I report: A. Bedside chest radiography (RC 804), A-222
- Colantoni C., Esposito A., De Cobelli F., Palmisano A., Cavallin R.N., Maccabelli G., Colombo S., Della Bella P., Del Maschio A.**
Multidetector computed tomography with late enhancement (MDCT-LE) for pre-treatment planning of ventricular tachycardia (VT) RF-ablation (SS 903), B-0574
- Colleoni A., Scrimieri A., Maroldi R., Cabassa P.**
Hypervasculiar liver lesion at dual energy CT: enhancement evaluation at different tube voltages (SS 201b), B-0233
- Colosimo C.**
Acute onset of cranial nerve dysfunctions: B. Hearing loss (CC 1619), A-495
- Copley S.J.**
Technical and anatomical fundamentals for imaging the lung: C. Anatomy: the hinterland of normal on HRCT (MC 322), A-030
- Coppennrath E.M., Lummel N., Linn J., Nikolaou K., Reiser M.F., Dichgans M., Pfefferkorn T., Saam T.**
Time-of-flight images: a viable alternative to contrast-enhanced MR angiography and fat suppressed T1w images for the diagnosis of cervical artery dissection? (SS 1815), B-0981
- Cornelis F., Lassere A., Tourdias T., Deminiere C., Ferriere J., Le Bras Y., Grenier N.**
Central scar in renal oncocytopomas: late contrast enhancement with MR imaging (SS 1307), B-0667
- Cornelissen S.A., Vonken E., Van Prehn J., Verhagen H.J.M., Moll F.L., Bartels L.W.**
One year after endovascular abdominal aortic aneurysm repair (EVAR) one third of the aneurysm sac still consists of unorganised thrombus in patients with and without detectable endoleak (SS 115), B-0119
- Cornud F.**
MRI in prostate cancer: A. MRI in detection of prostate cancer (RC 1407), A-417
- Corr A.E., Duke D.M., Hambly N., Cunningham J.D.**
Is image-guided biopsy always necessary in women under 30 years with solid, palpable breast masses? (SS 1302), B-0674
- Correas J.-M.**
Understand recent issues in US technology: C. How to choose your equipment (E³ 420b), A-081
- Cotten A.**
The knee: B. Inflammatory disease (RC 1910), A-550
- Coumans J.**
Humanising radiology (SY 6)
- Cowan N.C.**
Renal and adrenal tumours: B. Tumours of the renal pelvis and ureter: the revolution of CT urography (CC 821), A-200 **Cowan N.C.**
Renal and adrenal tumours: B. Tumours of the renal pelvis and ureter: the revolution of CT urography (CC 821), A-200
- Cowan N.C.**
How I report: C. CT urography (RC 1207), A-346
- Crockett M.T., Buckley O., Torreggiani W., Browne R.**
The 100 classical papers of interventional radiology - the evolution of a specialty (SS 1309), B-0633
- Crook D.W., Mader C., Kuhn F.P., Samarin A., Hany T.F., Hodler J., von Schulthess G.K., Schmid D.**
Diagnostic performance of PET/MR versus PET/CT in the abdomen (SS 1716), B-0783
- Curvo-Semedo L.**
Crohn's disease of the small bowel: which test when?: C. Complications and follow-up (RC 1901), A-544
- Cyteval C.**
Factors influencing quantitative values of contrast-enhanced ultrasound and correlations with clinical values in rheumatoid arthritis (SS 510), B-0292
-
- D**
- D'Angelo G., Mirk P., Rufini V., Calcagni M., Di Legge A., Testa A., Scambia G., Giordano A., Bonomo L.**
Additional value of "dual phase" 18F-FDG PET-CT in recurrent gynaecological malignancies (SS 606), B-0474
- Dai X., Xu K., Shao H., Cheng Y., Wang Q.**
Antiangiogenesis effect of arsenic trioxide on synergising the transarterial chemoembolisation effect in the treatment of rabbit VX2 tumours (SS 1709), B-0762
- Damasio M.B.**
Paediatric genito-urinary imaging: B. Imaging urogenital tumours in children: what is different from imaging in adults? (CC 1121), A-274
- Damilakis J.**
Diagnostic radiology and pregnancy: A. Conceptus doses and risks from maternal diagnostic x-ray examinations (RC 1213), A-351
- Dankert P., Hammon M., Suehling M., Tsymbal A., Uder M., Cavallaro A.**
Automated semantic navigation and synchronised alignment in baseline and follow-up full body CT scans: clinical feasibility and accuracy (SS 505), B-0373
- Danti M., Sbarbat S., Camasta G., Alsadi N., Marconi F., Della Sala S.W.**
Acute coronary syndrome with normal coronary arteries and positive enzymes; differential diagnosis with cardiac-MRI (SS 103), B-0135
- Danza F.M.**
Renal and adrenal tumours: C. Adrenal tumours (CC 821), A-201
- Daumke P., Simon K., Simon C., Kotter E., Gerstmair A.**
Retrieving positive findings in radiological images with the aid of textual hints in reports (SS 505), B-0376

Authors' Index

de Baère T.

Ablation beyond radiofrequency: Microwave ablation (NH 8), A-186

de Bazeilaire C., Sabatier F., Chapellier M., Scemama A., Pluvinage A., Bourrier P., Zagdanski A., de Kerviler E.

Percutaneous drainage under CT-guidance of deep abscess using a blunt-tip introducer (SS 509), B-0286

de Bree E.

Peritoneal carcinomatosis: What does the surgeon want to know? (SF 8a), A-191

de Bucourt M., Collettini F., Althoff C., Streitparth F., Greupner J., Hamm B., Teichgräber U.

Initial experience of a novel CT fluoroscopy-guided percutaneous gastrostomy technique with loop gastropexy and peel-away sheath trocar technique in amyotrophic lateral sclerosis patients (SS 509), B-0283

de Bucourt M., Streitparth F., Teichgräber U.

Tailored interactive sequences for continuous MR-image-guided freehand biopsies of different organs in an open system at 1.0 Tesla: preliminary results (SS 509), B-0285

De Cecco C., Muscoguri G., Di Girolamo M., Fierro S., Maurizi Enrici M., David V.

Does exist a correlation between late enhancement mass and left ventricular function in hypertrophic cardiomyopathy? (SS 903), B-0577

De Foer B.

Paediatric head and neck imaging: Chairman's introduction (SF 16c), A-522

De Foer B.

Paediatric head and neck imaging: Imaging of temporal bone pathology in children (SF 16c), A-523

de Heer L.M., Habets J., Kluij J., Mali W.P.T.M., Stella P.R., van Herwerden L.A., Budde R.P.J.

In-vivo imaging characteristics of a transcatheter heart valve prosthesis with multislice computed tomography (SS 203b), B-0267

de Kerviler E.

Lymphoma: Chairman's introduction (MS 4), A-095

de Kerviler E.

Lymphoma: How modern imaging can influence therapy in lymphomas (MS 4), A-098

de Kerviler E.

Lymphoma: Case presentation and discussion (MS 4), A-099

de Mey J.

Introduction (SY 21)

de Paepe K.N., Bevernage C., de Keyzer F., Wolter P., Oyen R., Verhoeft G., Vandecaveye V.

Whole body diffusion-weighted imaging at 3 Tesla field-strength for early treatment assessment and treatment prediction in lymphoma (SS 1316), B-0611

De Paepe K.N., De Keyzer F., Wolter P., Oyen R., Verhoeft G., Vandecaveye V.

Is whole body diffusion-weighted imaging at 3 Tesla field-strength feasible for staging lymphoma? (SS 1316), B-0612

de Roos A.

Imaging of ischaemic heart disease: B. MR perfusion imaging: how much quantification do we need? (RC 703), A-180

De Stefani S., Molinari C., Clauser P., Dal Col A., Londero V., Girometti R., Zuiani C., Bazzocchi M.
Breast MRI and ductal carcinoma in situ: when can we expect to have no enhancement? (SS 202b), B-0225

De Wever W.F.M., Zanca F., Jacobs A., Bergans N., Bogaerts R., Coolen J., Verschakelen J., Bosmans H.
Radiation dose to the radiologist during continuous CT-fluoroscopy-guided lung biopsy using different HandCARE options: how safe is it? (SS 1704), B-0753

De Wilde J.
Advances in technology for interventional radiology: general overview: MR interventional techniques (EF 1), A-220

De Wilde J.
Diagnostic radiology and pregnancy: C. Pregnancy and MRI: risks to the unborn child (RC 1213), A-353

De Zordo T., Vega-Higuera F., Goetti R.P., Plass A., Plank F., Klauser A., Leschka S., Alkadhi H., Feuchtner G.
Quantification of myocardial ischaemia and infarcts by adenosine stress 128-high-pitch DSCT (SS 203a), B-0242

Del Frate C.
How I report: A. Female pelvis MRI (RC 1207), A-344

Del Vescovo R., Di Paola V., Battisti S., Sansoni I., Grasso R., Beomonte Zobel B.
DW-MR and D-CE-MR: evaluation of the response in rectal cancer before, during and after neoadjuvant treatment (SS 1301a), B-0651

Delli Pizzi S., Madonna R., Giammarini A., Romani G.L., De Caterina R., Tartaro A.
In-vivo assessment of skeletal muscle ischaemia in diabetic rats by MR angiography, MR imaging and proton MR spectroscopy (SS 210), B-0188

Delrue L., Blanckaert P., Mertens D., Duyck P.
Variability of CT contrast enhancement in the pancreas: a cause for concern? (SS 201b), B-0230

Demaerel P.
Imaging the complications of cancer treatment: C. Complications of treatment in the CNS (RC 1616), A-507

den Dekker M.A.M., de Smet K., de Bock G.H., Tio R.A., Oudkerk M., Vliegenthart R.
Diagnostic accuracy of coronary CT angiography for stenosis detection according to calcium score: systematic review and meta-analysis (SS 503), B-0363

Dendl L.M., Landfried K., Jung E.M., Platz Batista da Silva N., Friedrich C., Stroszczynski C., Schreyer A.G.
Contrast-enhanced ultrasound for differential diagnosis of suspected GvHD in patients after allogeneic transplantation (SS 201a), B-0200

Derchi L.E.
Emergency radiology: where does US fit in?: A. Acute abdomen in adults: US vs CT (E³ 720b), A-155

Desai S.R.

Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: A. Ground glass opacification: why do we see it and what can it mean? (RC 1104), A-298

Desponds L., Hoornaert B., Lendl M.

Advances in technology for interventional radiology: technology assessment: Panel discussion with angiographic equipment manufacturers (EF 2), A-253

Devaraj A.

Patterns in chest radiology: diffuse lung diseases - what the radiologist should know: B. From pattern recognition to disease diagnosis: a practical approach (part 1) (RC 1604), A-516

Dewey M.

Updated developments in coronary MSCT in patients with atrial fibrillation (SY 10)

Di Giampietro I., Liguori C., Sansoni I., Feliziani A., Cianciulli P., Beomonte Zobel B.

Relationship between myocardial T2* values and right and left ventricular volumetric and functional parameters in thalassemia major (TM) patients evaluated by cardiac magnetic resonance (CMR) (SS 903), B-0571

Di Giampietro I., Liguori C., Sansoni I., Cianciulli P., Mortato L., Beomonte Zobel B.

Black blood versus bright blood T2* acquisition in cardiovascular magnetic resonance (CMR) for thalassaemia major (TM) patients: which can do better? (SS 903), B-0578

Di Grezia G., Gatta G., Lieto R., Iacobellis F., Urciuoli L., Parlato V., Grassi R., Rotondo A.

Dynamic MRI defecography vs. entero-colpo-cysto-defecography in the evaluation of midline pelvic floor hernias in female pelvic floor disorders (SS 201a), B-0191

Diamantopoulos A., Katsanos K., Spiroopoulos S., Karatzas A., Karnabatidis D., Tsopanoglou N., Siablis D.

Parstatin averts development of contrast-induced nephropathy in an in-vivo experimental model (SS 1306), B-0704

Diano D., Ponti F., Sassi C., Garzillo G., Guglielmi G., Salizzoni E., Battista G., Bazzocchi A.

Bariatric surgery and radiologists: besides complications, an important role in the evaluation of treatment efficacy and effects (SS 110), B-0043

Diano D., Andreone A., Garzillo G., Filonzi G., Sassi C., Albisinni U., Battista G., Salizzoni E., Bazzocchi A.

New regions of interest in body composition analysis by dual energy x-ray absorptiometry: liver "adiposity" (SS 1801b), B-0960

Diederich S.

Lung cancer: A. Detection (E³ 1420), A-386

Diederich S.

Imaging the complications of cancer treatment: A. Pulmonary complications of the treatment of malignancy (RC 1616), A-505

Diepstraten S.C.E., Verkooijen H.M., van den Bosch M.A.A.J.

Breast interventions: from diagnosis to treatment: B. Underestimation of disease in needle biopsies (RC 1202), A-342

Authors' Index

- Dietrich T.J., Betz M., Pfirrmann C.W.A., Koch P.P., Fuentese S.F.**
Screw-home mechanism and its influence on tibial tuberosity-trochlear groove (TTTG) distance: measurement on MR examinations of the knee in asymptomatic volunteers in full extension, 15° flexion and 30° flexion (SS 1710), B-0771
- Dietzel M., Hopp T., Ruiter N.V., Kaiser W.A., Baltzer P.A.T.**
Image registration beyond PET/CT - advanced registration of x-ray - and MR-mammograms is feasible and provides morphological and functional information at a glance (SS 105), B-0144
- Dietzel M., Burmeister H.P., Zoubi R., Groeschel T., Gajda M.R., Runnebaum I.B., Kaiser W.A., Baltzer P.A.T.**
Impact of T-stage on lesion characteristics and overall diagnostic accuracy of breast MRI: does size really matter? (SS 202b), B-0224
- Dietzel M., Schoen K., Zoubi R., Burmeister H.P., Gajda M., Runnebaum I.B., Kaiser W.A., Baltzer P.A.T.**
"Magnetic resonance mammography has a high sensitivity but low specificity!": new thoughts and fresh data on an old mantra (SS 905), B-0600
- Dietzel M., Zoubi R., Habrecht H., Gajda M., Runnebaum I.B., Kaiser W.A., Baltzer P.A.T.**
Computer-aided diagnosis (CADx) is a feasible prognostic biomarker for the noninvasive prediction of axillary lymph node metastases (SS 905), B-0601
- Dietzel M., Hopp T., Kreisel P., Ruiter N.V., Burmeister H.P., Kaiser W.A., Baltzer P.A.T.**
Fusion of dynamic CE-MRI mammography at 3.0 Tesla with FFD mammography: pilot study using a dedicated semi-automatic registration software (SS 1816), B-0886
- Dietzel M., Zoubi R., Burmeister H.P., Groeschel T., Gajda M.R., Runnebaum I.B., Kaiser W.A., Baltzer P.A.T.**
Potential of MR-mammography for the differential diagnosis of intraductal papillomas (SS 1802), B-0937
- Dietzel M., Zoubi R., Groeschel T., Burmeister H.P., Gajda M., Runnebaum I.B., Kaiser W.A., Baltzer P.A.T.**
Reading MR-mammography between the lines: is the "constant-sharpness" a useful tool for prediction of benignity? Introduction, diagnostic accuracy and subgroup analysis of a new descriptor (SS 1802), B-0938
- Dietzel M., Habrecht H., Zoubi R., Burmeister H.P., Gajda M., Runnebaum I.B., Kaiser W.A., Baltzer P.A.T.**
Breast MRI as a potential new biomarker to assess the axillary tumour load in patients with newly diagnosed breast-cancer: initial data using computer-assisted diagnosis (CADx) (SS 1802), B-0941
- Dietzel M., Dietzel A., Zoubi R., Camara O., Bogdan M., Kaiser W.A., Baltzer P.A.T.**
Combination of machine learning and computer-assisted diagnosis in breast MRI: systematic investigation identifies high potential to stratify survival outcome in primary breast cancer (SS 1805), B-1007
- Dilli A., Ayaz U.Y., Hekimoglu B.**
Study of the left renal vein variations and inferior vena cava variations by means of spiral computed tomography (SS 1315), B-0718
- Dobritz M., Koehler T., Brown K.M., Fingerle A., Rummeny E.J., Noel P.B.**
Fully iterative reconstruction algorithm for MDCT: initial results (SS 905), B-0608
- Dodd J.D.**
When CT sees both the heart and the lungs: B. Incidental findings and their clinical relevance (RC 1204), A-349
- Dodgeon J., Lukken A., Vahtramae P.**
Echoes from Estonia: introduction of sonography as a specialism for radiographers (SS 1314), B-0722
- Donoso L.**
The future of radiological reporting: by whom, where, and how will it be done?: Teleradiology: more advantages than disadvantages (Standards and Audit), A-256
- Donoso L.**
Radiology on the road: working when you are away from home: Chairman's introduction (SF 12), A-337
- Dormagen J., Gaarder M., Drolsum A.**
Standardised cineloop in abdominal ultrasound yields high reliability of sonographic findings (SS 1801b), B-0965
- Doros A., Hartmann E., Nemeth A., Kozma V., Deak A.P., Kudrnova S., Fazakas J., Kobori L.**
Relationship between biliary complications and hepatic arterial buffer response after liver transplantation, based on ultrasound data (SS 101b), B-0094
- Drisis S., Capelan M., Chao S., Paesmans M., Lemort M.**
Dynamic contrast enhancement MRI as a predictive and surrogate marker of pathological complete response of neoadjuvant treatment for locally advanced breast cancer (SS 202b), B-0227
- Dudea S.M.**
Elastography and high frequency US: B. US of the thyroid gland and the neck (E³ 920b), A-249
- Dunker D., Gothlin J.H., Geijer M.**
Seemingly isolated greater trochanter fractures do not exist (SS 1810b), B-0950
- Duprez T.P.J.**
Differentiating skull base lesions: A. Olfactory apparatus lesions (RC 1908), A-563
- Dussaux V.A., Boiron P.**
RIS, PACS and archiving of images services and beyond delivered from the cloud: the greater Paris area experimentation (SS 1805), B-1008
- Dzelzite S., Likums P.**
Bone marrow oedema and bone marrow oedema-like lesions: C. BME and trauma (RC 810), A-205
-
- E**
- Ebeling Barbier C., Nylander R., Themudo R., Ahlstrom H., Lind L., Larsson E.-M.B., Bjerner T., Johansson L.**
Prevalence of MRI-detected unrecognised myocardial infarction and its relation to cerebral ischaemic lesions in both genders (SS 1703), B-0836
- Ebersberger H., Sudarski S., Schoepf U.J., Tricarico F., Vliegenthart R., Headden G.F., Leber A., Hoffmann E., Apfaltrer P.**
Coronary atherosclerosis in cocaine abusers presenting with acute chest pain: characterisation with coronary CT angiography (SS 617), B-0485
- Ebersberger H., Tricarico F., Apfaltrer P., Vliegenthart R., Allmendinger T., Rowe G., Leber A., Hoffmann E., Schoepf U.**
CT evaluation of coronary artery stents: potential for radiation dose reduction using iterative image reconstruction techniques (SS 1713), B-0853
- Edelhauser G., Erman G., Domenig C., Berzaczy D., Popovic M., Borny R., Lammer J., Funovics M.**
Perfusion system for ex-vivo investigation of human vessels (SS 215), B-0255
- Efimtsev A., Fokin V., Trufanov A., Pashkova A., Khamov D.**
Diffusion tensor imaging and voxel-based morphometry in Parkinson disease (SS 511), B-0328
- Eisa F., Brauweiler R., Hupfer M., Nowak T., Dittrich R., Beckmann M.W., Kalender W.A.**
Pre-clinical assessment of antiangiogenic effects on mice with mammary carcinoma using dynamic contrast-enhanced micro-CT (SS 106), B-0108
- Eisenblaetter M., Albrecht S., Wachsmuth L., Heindel W., Vogl T., Kuhlmann T., Bremer C.**
First parallel, specific visualisation of inflammatory activity and consecutive demyelination in experimental multiple sclerosis (MS) in-vivo using dual-channel optical molecular imaging (SS 106), B-0104
- El Sayed R.F.**
Imaging the female pelvis: C. Imaging for non-gynaecological emergencies (RC 307), A-036
- El-Diasty T.**
Oncologic imaging and paleoradiology in Egypt: the past, present and future: Imaging of urinary bladder cancer (EM 3), A-239
- El-Diasty T.**
How should we image the patient with haematuria?: MR urography (SF 16b), A-503
- El-Dorry A.**
Oncologic imaging and paleoradiology in Egypt: the past, present and future: Interventional management of HCC: Egyptian experience (EM 3), A-243
- Elliott S.T.**
Volumetric imaging: where are we, where are we going to?: B. Volume US: a plus or a new approach to body imaging (E³ 820b), A-207
- Emrich T., Emrich K., Abegunewardene N., Oberholzer K., Muenzel T., Dueber C., Kreitner K.-F.**
Value of cardiac magnetic resonance imaging in patients with acute chest pain, elevated cardiac enzymes and a negative coronary angiogram (SS 103), B-0139
- Engel D.B., Schnitzer A., Kraus-Tiefenbacher U., Blank E., Brade J., Wenz F., Schönenberg S.O., Wasser K.**
Are mammographic follow-up findings indeed more pronounced after intraoperative radiotherapy for breast cancer? Subgroup analysis of a randomised trial (TARGIT A) (SS 1802), B-0943

Authors' Index

- Engelken F., Sack I., Klatt D., Fischer T., Fallenberg E., Diekmann F.**
Tomosynthesis elastography: evaluation of a novel elastography technique on simulated tumours in breast-mimicking phantoms (SS 202a), B-0215
- Engelken F., Friedersdorff F., Hamm B., Diederichs G.**
Pre-operative assessment of living renal transplant donors with computed tomography angiography versus magnetic resonance angiography in 118 patients (SS 1707), B-0788
- Ergen F.B., Yildirim G., Celik A., Yildiz A.E., Karakaya J., Aydingoz U.**
Fat fraction and T2* values of vertebral bone marrow utilising a new fat separation MR technique in peri-menopausal women: comparison with bone mineral densitometry (SS 110), B-0044
- Ernst C.**
Dose in paediatric imaging: how low can we go? (SY 21)
- Esposito A., De Cobelli F., Palmisano A., Canu T., Campana L., Pezzetti G., Manfredi A., Rovere-Querini P., Del Maschio A.**
Magnetic resonance quantitative monitoring of muscle healing through diffusion tensor imaging (DTI) and T2-mapping assessment (SS 210), B-0186
- Esposito R., Cilli F., Pieramico V., Ferretti A., Macchia A., Saggino A., Tartaro A., Romani G., Sensi S.L.**
Acute effects of modafinil on cognition and brain resting state network activity in young healthy subjects (SS 611b), B-0409
- Essig M.**
Oncologic emergencies in neuroradiology: A. Acute paraparesis (CC 1419), A-391
- Essig M.**
Advanced techniques: diffusion tensor imaging (DTI) in clinical practice: B. DTI in brain tumours (RC 1511), A-466
- Eustace S.J.**
Imaging hip joint replacement: MRI: can it replace the above? (SA 15), A-457
- Evangelista L., Cervino A.R., Alfieri R., Castoro C., Muzzio P.C., Pomerri F.**
PET-guided prognosis: a promising role of metabolic imaging in oesophageal cancer (SS 1301a), B-0657
- Evans A.**
Controversies in breast imaging: Should we screen women under 50? (SF 4a), A-086
- Even-Sapir Weizer E.**
The clinical role of molecular breast imaging (SY 20)
-
- F**
- Faermann R., Sperber F., Schneebaum S., Barsuk D.**
Tumour to breast volume ratio as measured on MRI: a possible predictor of breast conservation surgery versus mastectomy (SS 1802), B-0946
- Fagerberg U., Torkzad M.R., Blomqvist L., Hildebrand H., Hellström P., Ullberg U.**
Diagnostic accuracy and clinical significance of magnetic resonance enterography of the small intestine in comparison with ileocolonoscopy in paediatric inflammatory bowel disease (SS 1712), B-0861
- Faggioni L., Bianchi M., Marraccini P., D'Errico L., Neri E., Caramella D., Bartolozzi C.**
CT coronary angiography with 100kV tube voltage and a low noise reconstruction filter in non-obese patients: evaluation of radiation dose and diagnostic quality of 2D and 3D image reconstructions using open source software (OsiriX) (SS 105), B-0143
- Faggioni L., Neri E., Sbragia P., Angeli S., Cini L., Lauretti D., Caramella D., Bartolozzi C.**
Evaluation of pulmonary nodules on chest CT using iPad2®: preliminary experience (SS 1805), B-1010
- Faircloth E.**
Promoting best practice in forensic imaging: C. The importance of standards in education and training in forensic imaging (RC 1414), A-428
- Faletti C.**
From morphology to function: Interlude: Imaging of the skeletal muscle pathology after the 2006 Winter Olympic Games (EM 1), A-109
- Faletti C.**
From morphology to function: Interlude: Reasons to come to the 45th SIRM National Congress (EM 1), A-111
- Faletti C.**
Intra-articular imaging: A. Standard MR techniques (RC 1110), A-277
- Faletti R., Schivazzappa G., Paolino A., Angelino F., Cesaran F., Gandini G.**
Cardiac magnetic resonance for evaluation of bicuspid aortic valve morphology (SS 203b), B-0262
- Fallenberg E.M., Krohn M., Foerster J., Wiebe H., Singh J.M., Diekmann F., Bick U.**
Contrast-enhanced spectral mammography versus MRI in tumour size assessment: initial results (SS 202a), B-0210
- Farina D.**
Paranasal sinus imaging: B. Sinusitis: imaging findings before and after treatment (RC 708), A-150
- Faschingbauer R., Siedentopf C., Feuchtner G., Martinoli C., Jaschke W., Klauser A.**
Meralgia paresthetica: ultrasound-guided injection with 12-month follow-up data (SS 510), B-0299
- Fassaert T.A., Dubelaar I.J.M., de Jong M.D.F., Jager G.J., Rutten M.J.C.M.**
Lesion detection in 3D-US automated breast volume scans (ABVS): correlation with breast MRI (SS 502), B-0313
- Ferino-Pagden S.**
Opening Lecture: Arcimboldo in the service of natural sciences (OL), A-056
- Fernández Taranilla M., Caracela Zeballos C.R., Herrera I., Barcena E., García Benassi J.M., Gonzalez-Gutierrez R.**
CT perfusion and CT angiography: can they better predict the final infarct? (SS 911), B-0506
- Ferrer-Puchol M., Lanciego C., Esteban E., Ciampi J., Edo M., Gonzlez S.E., Gonzlez S.E.**
Transcatheter pelvic arterial embolisation for control of obstetric haemorrhage (SS 109), B-0034
- Ferretti G.R.**
Fever of unknown origin: B. Imaging techniques and typical findings (CC 1518), A-442
- Fetz G., Theumann N., Federau C., Richarme D., Hagmann P., Pfeuffer J., Meuli R., Becc F.**
Diffusion-weighted MR imaging of the spine at 3-T: feasibility, optimization of b-value and utility to differentiate benign from pathological vertebral compression fractures (SS 910), B-0536
- Feuchtner G.**
Imaging of ischaemic heart disease: A. CT: angiography, function and perfusion (RC 703), A-179
- Feuchtner G., Plank F., Battle J., Leipsic J., Dezordo T., Min J., Ziffer J., Katzen B., Cury R.**
Evaluation of myocardial CT perfusion in patients presenting with acute chest pain to the emergency department: comparison with SPECT-MPI (SS 203a), B-0246
- Fiaschetti V., Meschini A., Crusco S., Cama V., Di Vito L., Simonetti G.**
Deeply infiltrating endometriosis: evaluation of retrocervical space on MRI after vaginal opacification (SS 507), B-0302
- Fiehler J.**
Angioplasty and stenting of extra and intracranial arteries: A. Critical appraisal of the literature (RC 1411), A-413
- Figdor C.**
Imaging highlights: monitoring disease and therapy: In vivo imaging of immune responses in cancer patients (ENCITE), A-436
- Filippiadis D.K., Weissbach A., Meyer C., Mazioti A., Schild H.H., Wilhelm K.E.**
Diagnostic digital-subtraction-dacryocystography: criteria of evaluation, frequency and localisation of pathological findings (SS 1309), B-0630
- Filippiadis D.K., Weissbach A., Meyer C., Mazioti A., Schild H.H., Wilhelm K.E.**
Nasolacrimal polyurethane stent: improving outcomes with the Wilhelm-type Wilhelm tear leader stent (SS 1309), B-0632
- Filippone A.**
Abdominal MRI: standard and advanced protocols in clinical settings: A. Liver: how to study a cirrhotic patient (RC 1501), A-437
- Firetto M., Lemos A.A., Marini A., Contessini Avesani E., Biondetti P.**
Acute bowel ischaemia: analysis of diagnostic error by primarily overlooked findings at multidetector CT angiography (SS 1717), B-0844
- Fischer L., Patsch J., Valentitsch A., Schueler-Weidekamm C., Zweytk B., Kainberger F., Langs G.**
Trabecular direction and deformation distribution in lung transplant patients with severe osteoporosis risk (SS 105), B-0145
- Fischer M.A.F., Guggenberger R., Nanz D., Andreisek G.**
Multi-echo MRI for muscle-fat quantification in patients with low back pain: comparison to spectroscopy (SS 910), B-0533

- Fischer M.A.F., Raptis D.A., Donati O.F., Breitenstein S., Clavien P., Alkadhi H., Patak M.A.**
Can contrast-enhanced MRI differentiate malignant from benign hepatocellular tumour in the non-cirrhotic liver? (SS 1301b), B-0694
- Fishman E.K.**
Essentials in oncologic imaging: what radiologists need to know (part 2): B. Kidney cancer (MC 528), A-119
- FitzGerald R.**
The future of radiological reporting: by whom, where, and how will it be done?: Teleradiology: more disadvantages than advantages (Standards and Audit), A-255
- FitzGerald R.**
Radiology on the road: working when you are away from home: Legal issues of teleradiology and portable reporting (SF 12), A-340
- Flatz W.H., Guerkov R., Ertl-Wagner B.B., Dietrich O., Reiser M.F.**
Improved in vivo visualisation and evaluation of endolymphatic hydrops using high-field MRI in Menier's disease and correlation with audiovestibular function (SS 1308), B-0687
- Floery D., Vosko M.R., Fellner F.A., Gruber F., Ginthoer C., Ransmayr G., Uder M., Bradley W.G., Fellner C.**
Acute-onset migrainous aura mimicking acute stroke: MR perfusion imaging features (SS 111a), B-0002
- Floery D., Ginthoer C., Wunn R., Fellner F.A.**
Remission of diffusion lesions in acute stroke MR imaging: a follow-up study with 176 consecutive patients (SS 111a), B-0003
- Floery D., Kirchner S., Ginthoer C., Wunn R., Fellner F.A.**
T1-weighted gradient-echo vs spin-echo sequences in gadolinium-enhanced brain imaging at 3T: comparison in terms of image quality, flow artefacts and depiction of vessels (SS 1811), B-0895
- Fohlen A., Namur J., Wassef M., Ghegediban H., Laurent A., Pelage J.-P.**
Angiographic and pathological comparison of hydrogel-coated coils and fibered coils in a sheep model (SS 1809), B-0899
- Foley S.J., McEntee M.F., Rainford L.A.**
Proposed CT diagnostic reference levels for Ireland (SS 1314), B-0725
- Fornasa F., Pantalone F., Dibenedetto A., Schio N., Quaglia A.**
MR imaging of the normal endometrium: do apparent diffusion coefficient values change among the portions of the uterus and over the phases of the menstrual cycle? (SS 507), B-0300
- Forrai G.**
Breast cancer: B. Follow-up (E³ 1620), A-490
- Forzenigo L.V., Biondetti P., Domanin M., Vergara C., Barberis B.**
Using engineering, mathematical models and CT 4D imaging to understand the haemodynamic after aortic prosthesis insertion (SS 115), B-0117
- Forzenigo L.V., Cresseri D., Alfieri C., Longhi L., Raciti M.G., Garavaglia M.**
Progression of coronary artery calcifications during the first year after renal transplantation (SS 1803), B-0998
- Francis S.**
High field MRI: beyond 3T: C. Is 7T ready for clinical use? (RC 1113), A-303
- Francone M.**
MRI and CT before cardiac interventions or surgery: B. Can MRI predict the outcome of coronary revascularisation? (RC 1503), A-470
- Frandon J., Eker O., Thony F., Rodiere M., Sengel C., Durand P., Sahin M., Vendrell A., Bricault I.**
Embolisation techniques for post-traumatic splenic injury: Grenoble's experience (SS 1309), B-0631
- Franiel T., Vargas H.A., Mazaheri Y., Boehmer S., Hricak H., Akin O., Beyersdorff D.**
Prostate cancer screening: the role of pre-biopsy MRI of the prostate in ruling out prostate cancer (SS 107), B-0062
- Franke P.A., Markl M., Heinzelmann S., Vaith P., Langer M., Geiger J.**
Evaluation of a 32-channel versus a 12-channel head coil for MRI diagnostics in giant cell arteritis (SS 1708), B-0816
- Franquet T.**
HIV/AIDS update 2012: Changing spectrum of HIV-related diseases in the chest: 30 years later (SF 14), A-408
- Franquet T.**
Causation-based imaging review of lung disease: A. Bacterial and viral pulmonary infections (MC 1522), A-458
- Freeman A.H.**
Palpable abdominal mass: C. Interactive case discussion (CC 1118), A-269
- Frei K.A.**
Evaluation of the treated breast and follow-up: A. Evaluation of residual disease after excisional biopsy (RC 1502), A-462
- Freitas V., Kulkarni S., Scaranello A., Bukhanov K., Ghai S., Crystal P.**
Potential role of MRI in assessing the need for sentinel lymph node biopsy in patients undergoing contralateral prophylactic mastectomy (SS 1802), B-0940
- Freling N.J.M., Smets A.M.J.B., Deurloo E.E.**
Paediatric head and neck imaging: Imaging approach for a child with a neck mass (SF 16c), A-524
- Freling N.J.M.**
Common radiological problems: palpable lower neck mass - thyroid or not?: B. Outside the thyroid (E³ 1720b), A-536
- Fries P., Matthes K., Mueller A., Denda G., Massmann A., Sperling J., Schneider G., Buecker A., Seidel R.**
Comparison of prospectively triggered (PT) FLASH with retrospectively self-gated (RSG) FLASH sequences for imaging of experimental liver tumours in rats at 9.4 T (SS 1301b), B-0695
- Fries P., Stroeder J., Mueller A., Massmann A., Seidel R., Schneider G., Buecker A.**
Accelerated cine imaging of the heart in mice at 9.4 T: comparison of retrospectively self-gated and prospectively triggered FLASH sequences (SS 1803), B-1006
- Froehlich J.M., Triantafyllou M., Chong D., Fleischmann A., Birkhaeuser F.D., Thoeny H.C.**
Does USPIO-enhanced diffusion-weighted MRI enhance the diagnostic accuracy of lymph-node staging in normal sized lymph nodes of patients suffering prostate or bladder cancer? (SS 1807), B-0929
- Frölich A.M.J., Schramm R., Klotz E., Knauth M., Schramm P.**
Distinction of antegrade flow across intravascular thrombus from retrograde collateral flow in occluded cerebral arteries: initial experience using time-resolved CT angiography (SS 911), B-0500
- Frydrychowicz A., Jedynak A.R., Kelcz F., Nagle S.K., Reeder S.B.**
Gadoteric acid-enhanced T1-weighted MR cholangiography in primary sclerosing cholangitis (SS 101b), B-0091
- Frydrychowicz A., Niespodzany E., Reeder S.B., Wieben O., Johnson K.M., Francois C.J.**
Validation of radially undersampled 5-point-encoded 4D flow MR (PC-VIPR) in thoracic aorta and main pulmonary artery (SS 115), B-0120
- Frydrychowicz A., Wentland A.L., Johnson K.M., Francois C.J., Grist T.A., Wieben O.**
Pulse wave velocity measurements in 5-point velocity encoded radially undersampled 4D phase contrast MR data (PC-VIPR) (SS 215), B-0258
- Fuchsäger M.H.**
How I report: C. Breast MRI (RC 1402), A-411
- Furman-Haran E., Feinberg-Shapiro M., Weisenberg N., Nissan N., Zehavi T., Grobgeld D., Eyal E., Degani H.**
Evaluation of the ability of parametric dynamic contrast-enhanced MRI and diffusion tensor imaging to detect breast malignancies (SS 1702), B-0800
- Fürst S., Delso G., Jakoby B.W., Ladebeck R., Ganter C., Nekolla S.G., Rummey E.J., Schwaiger M., Ziegler S.I.**
Characterisation of the biograph mMR (SS 113), B-0127
- Furtner J., Schoepf V., Kasprian G., Weber M., Widhalm G., Wolfsberger S., Preusser M., Hainfellner J.A., Prayer D.**
Non-invasive differentiation of high- and low-grade glioma: a pulsed arterial spin labelling study using bolus arrival times (SS 1311), B-0733
- Fusco R., Petrillo M., Setola S., Sansone M., Rotondo A., Petrillo A.**
Standardised index of shape (SIS): a novel semi-quantitative DCE-MRI parameter based on pattern analysis (PA) able to divide responder (R) by not responder (NR) after preoperative radio-chemotherapy (pCRT) in locally advanced rectal cancer (LARC) (SS 1301a), B-0652
- Fustier A., Julles M., Zins M.**
Findings of sigmoid volvulus at CT (SS 1717), B-0842

Authors' Index

Fütterer J.J.

How I report: B. Prostate MRI (RC 1207), A-345

G

Gaardling J., Edwinston Maansson M.

Children's and parents' perception of a MRI examination (SS 614), B-0494

Galia M.

From morphology to function: Outlook and clinical perspectives of MDCT coronary angiography (EM 1), A-108

Gallagher F.A.

Imaging tumour biology and microenvironment: C. Targets for tumour characterisation and treatment response (MC 23C), A-260

Gallez B.

Imaging tumour biology and microenvironment: A. Modulation of the tumour microenvironment to optimise the response to therapies (MC 23C), A-258

Gallucci M., Anselmi M.

How I report: C. Neuroimaging in the acutely ill/ICU patient (RC 1911), A-559

Gämperli O.

Why not having both with cardiac hybrid imaging? (SY 10)

Ganeshan B., Ziauddin Z., Goh V.J., Rodriguez-Justo M., Engledow A., Taylor S.A., Halligan S., Miles K.A., Groves A.M.

Quantitative imaging biomarkers from PET-CT as potential correlates for angiogenesis and hypoxia in colorectal cancer (SS 1801a), B-0876

Gangi A., Buy X., Tsoumakidou G., Garnon J.

Oncologic emergencies in neuroradiology: C. Interventional techniques in oncologic patients (CC 1419), A-393

Gangi A., Buy X., Tsoumakidou G., Garnon J.

Spinal intervention: Treatment of neoplasm (SF 19), A-555

Garcia J.R.

The role of advanced imaging in musculoskeletal neoplasms: PET/CT and scintigraphy (SF 16a), A-487

Garcia-lallana A., Viteri G., Simon I., Anton I., Elizalde A., Pina L.

Does preoperative MRI in breast cancer increase the rate of mastectomy? (SS 202b), B-0222

Garcia-Lallana A., Simon-Yarza I., Viteri G., Anton I., Elizalde A., Pina L.

The role of preoperative MRI in breast cancer: is the menopausal status of relevance? (SS 202b), B-0223

García-Peña M.P.

Abdominal emergencies in children: C. Abdominal trauma in children (RC 1512), A-484

Gassner I.

Imaging the paediatric spine: A. Congenital malformations and neonatal spinal imaging (RC 812), A-234

Gatto A., De Gaetano A., Giuga M., Siciliani L., Riccardi L., Pizzolante F., Vecchio F.M., Pompili M., Bonomo L.

Accuracy of differentiating hepatocellular carcinoma (HCC) from dysplastic nodule (DN) at gadobenate dimeglumine-enhanced hepatobiliary-phase (Gd-BOPTA) magnetic resonance imaging (SS 1301b), B-0697

Gaudino C., Csernus R., Heiland S., Bendszus M., Rohde S.

Dynamic contrast-enhanced T1-weighted MR imaging to distinguish tumour recurrence from scar after treatment in patients with head and neck neoplasms: a pilot study (SS 608), B-0467

Ge Y., Zhou Z., Cheng T., Guo Y., Su X., Li J.

Reducing x-ray dose for liver perfusion on an extended coverage multi-slice CT with a relaxed temporal resolution (SS 201b), B-0236

Geenen R.W.F.

Contrast media and tracers: always as safe as we wish?: A. Iodinated CM: whether CIN is a SIN, and how to avoid it (RC 406), A-065

Geers-van Gemeren S.

Image quality system for radiographers (SS 614), B-0492

Geiger J., Markl M., Arnold R., Jung B., Hirtler D., Herzer L., Stiller B., Langer M.

Flow-sensitive 4D MRI of aortic blood flow in patients with Marfan syndrome (SS 912), B-0597

Geith T., Schmidt G., Biffar A., Dietrich O., Duerr H.R., Reiser M.F., Baur-Melnyk A.

Diagnostic value of qualitative and quantitative diffusion-weighted MRI and chemical-shift imaging in the differentiation of benign and malignant vertebral body fractures: evaluation in a prospective group of patients (SS 1310), B-0645

Gennaro G., Bezzon E., Baldan E., Chersevani R., di Maggio C., La Grassa M., Pescarini L., Polico I., Proietti A.

Specificity: digital breast tomosynthesis versus mammography (SS 602), B-0450

Gervaise A., Osemont B., Lecocq S., Noel A., Micard E., Felblinger J., Blum A.

CT image quality improvement using adaptive iterative dose reduction with wide-volume acquisition on 320-detector CT (SS 1813), B-0987

Gibaud B.

Image processing and computer-aided diagnosis (CAD): B. Semantic web technologies for sharing and reuse of imaging-related information (RC 305), A-054

Giesel F.L., Zechmann C., Wulfert S., Kauczor H.-U., Bruchertseifer F., Morgenstern A., Haberkorn U., Kratowchil C., Giesel F.L.

Multimodal imaging for therapy monitoring of loco-regional alpha therapy (213Bi-DOTATOC) in patients with hepatic metastases of neuroendocrine tumours (SS 916), B-0548

Giesel F.L., Wulfert S., Kuder T., Schwartz L., Kauczor H.-U., Haberkorn U., Kratowchil C.

Diffusion-weighted MRI and (68)Ga-DOTATOC PET for early monitoring of response to loco-regional (90)Y-(177)Lu-DOTATOC therapy in patients with neuroendocrine liver metastases (SS 1716), B-0779

Giganti F., De Cobelli F., Cellina M., Nicoletti R., Martinenghi C., Arcidiacono P., Orsenigo E., Staudacher C., Del Maschio A.

Preoperative locoregional (T and N) staging of gastroesophageal cancers (GEC): comparison between magnetic resonance (MR) including diffusion-weighted sequences (DWI), computed tomography (CT), endoscopic ultrasound (EUS) (SS 1301a), B-0655

Giglio J., Ghione G., Regini E., Durando M., Luparia A., Eandi M.C., Campanino P.P., Mariscotti G., Gandini G.

MRI in the pre-operative breast cancer staging before and after the introduction of digital breast tomosynthesis (DBT): has anything changed? (SS 602), B-0451

Gilbert F.J.

How I report: A. Mammography (RC 1402), A-409

Gilbert F.J., van den Bosch H.C., Petrillo A., Siegmann K., Heverhagen J.T., Corcione S., Faivre-Pierret M., Zechmann C.M., Martincich L.

Influence of breast parenchyma density on malignant lesion detection with gadobenate dimeglumine-enhanced MRI compared to gadopentetate dimeglumine-enhanced MRI, mammography and ultrasound (SS 202b), B-0220

Gillard J.H.

How I report: A. CTA and MRA of supra-aortic arteries (RC 315), A-049

Gillard J.H.

New insight into vascular wall: Non-invasive imaging of the vulnerable atherosclerotic plaque (NH 14), A-384

Giovagnoni A.

From morphology to function: MR contrast agents for liver imaging (EM 1), A-112

Girard F.

Assessing novel technology: applications, performance and quality issues: The impact of radiographers on performance and quality issues arising with novel technology (SF 7b), A-173

Girardi V., Tonegutti M., Manfrin E., Bonetti F.

Additional breast ultrasonography (US) to negative mammography: impact on cancer detection and invasive assessment rate (SS 502), B-0310

Girardi V., Tonegutti M., Manfrin E., Bonetti F.

Additional breast ultrasonography (US) in asymptomatic women with negative mammography: are there risk categories that benefit more than others? (SS 502), B-0312

Girometti R., Maieron M., Bazzocchi M., Padovani R., Zuiani C.

Effects of inhomogeneous radiofrequency power deposition on the apparent diffusion coefficient of the normal breast at 3.0T (SS 102), B-0072

Girometti R., Zuiani C., Da Dalt S., Moretti A., Fazzin R., Bazzocchi M.

Impact of a radiographic positioning doll on developing skills in skeletal radiology: a study on radiography students (SS 614), B-0491

Girometti R., Pullini S., Cereser L., Del Pin M., Como G., Bazzocchi M., Zuiani C.

Comparison of three methods of apparent diffusion coefficient evaluation in assessing solid focal liver lesions with diffusion-weighted imaging (DWI) (SS 1701), B-0822

Girometti R., Del Pin M., Pullini S., Cereser L., Como G., Bazzocchi M., Zuiani C.
Sensitivity of visual assessment vs apparent diffusion coefficient quantification in differentiating malignant and solid benign focal liver lesions with diffusion-weighted imaging (SS 1701), B-0824

Gleeson F.
Lung cancer: B. Follow-up (E³ 1420), A-387

Gnannt R., Winklehner A., Eberli D., Knuth A., Alkadhi H.
Dose reduction with automated attenuation-based tube potential selection in patients with testicular cancer (SS 1713), B-0848

Grant M.
Breast cancer: From the surgeon's perspective (MS 11), A-282

Godi C., Gerevini S., Napolitano S., Ciceri F., Cossu G., Torrente Y., Scotti G., Politi L.S.
Quantitative magnetic resonance imaging of the lower limb muscles in Duchenne muscular dystrophy: a new approach for monitoring the disease progression and response to therapy (SS 210), B-0187

Godi C., Bianchi Marzoli S., Cammarata G., Ambrosi A., Falini A., Scotti G., Politi L.S.
Magnetic resonance parameters and clinical scores in thyroid-associated orbitopathy: which one to trust for the extra-ocular muscles evaluation? (SS 1708), B-0815

Goed S., Dal-Bianco A., Grabner G., Schernthaner M., Vass K., Trattnig S.
Vein density in patients with multiple sclerosis at 7T: a pilot study (SS 111b), B-0085

Goed S., Dal-Bianco A., Grabner G., Schernthaner M., Vass K., Lassmann H., Trattnig S.
Ultra-high-field MRI detected iron accumulation in multiple sclerosis plaques: a pilot study (SS 111b), B-0086

Goel S., Tandon A., Mehrotra G., Bhargava S.K., Bhatt S., Singh I., Srivastava A.
Low dose unenhanced MDCT with radiation dose equivalent to abdominal radiograph in evaluation of acute flank pain (SS 201b), B-0239

Goffette P.
Biliary interventions: B. Interventions after liver transplantation (RC 1109), A-306

Goh L.W., Teh H.S.
Itemised or prose radiology reports? A survey of hospital clinicians and radiologists' preferences (SS 1805), B-1015

Goh V.J., Miles K., Ganeshan B., Rodriguez-Justo M., Engledow A., Groves A.
Is blood flow-blood volume mismatch in colorectal cancer associated with advanced disease? (SS 916), B-0543

Goh V.J., Banerjee D., Sanghera B., Khan A., Simcock I., Stirling J., Glynne-Jones R.
Reproducibility of 2D and 3D fractal analysis techniques for the assessment of spatial pattern of perfusion CT regional blood flow in rectal cancer (SS 1301a), B-0653

Goh V.J., Rodriguez-Justo M., Engledow A., Shastry M., Endozo R., Meagher M., Taylor S.A., Halligan S., Groves A.
Assessment of the metabolic-flow phenotype of primary colorectal cancer: correlations with microvessel density are influenced by the histological scoring method (SS 1716), B-0778

Golding S.J.
Undergraduate teaching: the future of radiology: Why teach undergraduates radiology? (Undergraduate Working Group), A-375

Goo J.
Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: C. GGO in dysplasia and neoplasia (RC 1104), A-300

Goodman L.R.
Thoracic infections: what the radiologist must report: A. Pulmonary infections (E³ 420a), A-062

Goodman L.R.
Wilhelm Conrad Röntgen Honorary Lecture: In search of venous thromboembolism: the first 2,912 years (HL 3), A-378

Gore R.M.
Essentials in oncologic imaging: what radiologists need to know (part 1): C. Colon cancer (MC 428), A-094

Gourtsoyianni S.
Small bowel examination: CT vs MRI: B. Why MRI is the best (MC 424), A-069

Gourtsoyianni S.
Rectal cancer imaging: the next phase: B. Assessing tumour response (RC 801), A-211

Grainger A.J.
Bone marrow oedema and bone marrow oedema-like lesions: B. BME and early inflammatory disease (RC 810), A-204

Gramer B.M., Muenzel D., Noel P.B., Renz V., Vembar M., Fingerle A.A., Rummeny E.J., Huber A.
Perfusion deficits of the myocardium: a comparison of dynamic CT perfusion imaging and coronary computed tomography angiography (SS 203a), B-0247

Grams A.E., Sender J., Moritz R., Schmidt T., Stein M., Oertel M., Krombach G.A., Gizewski E.R.
Dual energy CT myelography in patients with spinal osteosynthesis (SS 1810b), B-0956

Gramsch C., Goericke S., Behrens F., Krasny A., Zimmer L., Schadendorf D., Forsting M., Schlamann M.
Isolated cerebral susceptibility artefacts in patients with malignant melanoma: metastasis or not? (SS 1311), B-0736

Grant P.E.
Advanced techniques: diffusion tensor imaging (DTI) in clinical practice: C. DTI in paediatric diseases (RC 1511), A-467

Grassedonio E., Meloni A., Restaino G., Valeri G., Natale L., Giugno G.R., Lombardi M., Midiri M., Pepe A.
Study of renal iron overload by T2* MRI in a large cohort of thalassemia major patients (SS 1307), B-0668

Grassi R.
From morphology to function: Experimental study with 7T-micro MRI: in vivo rat model of intestinal infarction (EM 1), A-110

Grazioli L.
How can I be sure that I'm dealing with HCC?: Wash-in/wash-out: what do they represent? (SF 11), A-286

Greenbaum N., Appelbaum L., Hirschenbein A., Appelbaum Y., Libson Y., Sosna J.
Optical guidance in percutaneous CT-guided procedures (SS 914), B-0585

Grenier N.
Highlighted Lectures: Molecular imaging: principles and potential applications (TF 1), A-131

Grenier N.
The patient with renal impairment: D. The AV shunts for haemodialysis: imaging and intervention (CC 1521), A-450

Griffiths P.D.
Neuroimaging in neonates, infants and children: when to do what: When is MRI of the brain indicated? (SF 3), A-021

Griffiths P.D.
Neuro paediatrics: imaging of the paediatric brain: C. Phakomatos (RC 1111), A-296

Grimm J.M., Schindler A., Schwarz F., Cyran C.C., Dichgans M., Freilinger T., Reiser M.F., Nikolau K., Saam T.
Head-to-head comparison of CTA and 3T black-blood MRI for identification of symptomatic carotid plaques (SS 1815), B-0983

Grimmer R., Baek J., Pelc N., Kachelriess M.
Frequency-combined extended 3D reconstruction for multiple circular cone-beam CT scans (SS 1813), B-0988

Grimmer R., Fahrig R., Hinshaw W., Gao H., Kachelriess M.
Beam-hardening and scatter removal with empirical cupping correction for primary modulation (ECCP) (SS 1813), B-0989

Gronau J., Neitzel U., Hess R., Wolf R.
Improvement of image quality in paediatric patients by lowering the tube voltage to 40 kV at fixed effective dose in digital radiography. Simulating radiography of extremities (SS 1712), B-0867

Grothoff M., Hoffmann J., Gutberlet M.
Right ventricular hypertrophy after atrial switch operation and its role in a systemic RV: normal adaptation process or risk factor? A cardiovascular magnetic resonance study (SS 203b), B-0265

Guglielmi G., De Terlizzi F., Carini A., Sinibaldi L., Mingarelli R., Brancati F.
Quantitative ultrasound at the phalanges in a cohort of twins of different ages (SS 110), B-0042

Guibernau Lisitano J., Ribo J.I.
Abdominal paediatric trauma: radiologic findings and managing in solid viscera injury (SS 1717), B-0846

Authors' Index

H

Hachulla A., Khung S., Wemeau L.,

Cazaubon J., Remy J., Rémy-Jardin M.

Krypton ventilation imaging using dual energy CT in COPD patients: initial experience (SS 604), B-0411

Haegele J., Biederer S., Wojtczyk H.,

Graeser M., Knopp T., Buzug T.M.,

Barkhausen J., Vogt F.M.

Towards cardiovascular interventions guided by magnetic particle imaging (MPI): first instrument characterisation (SS 509), B-0287

Haegele J., Vogt F.M., Barkhausen J.,

Buzug T.M., Luedtke-Buzug K.

Iron oxide nanoparticles for magnetic particle imaging (MPI) (SS 1806), B-0975

Hahn G.

Oncologic imaging: how to image, follow up and report: C. Oncologic imaging in the paediatric brain (RC 1212), A-364

Hahnemann M.L., Ho M., Schlamann M., Goericke S., Wanke I., Moeninghoff C.,

Forsting M., Ringelstein A.

Silent ischaemic lesions after stent-assisted coiling (SS 611a), B-0388

Halperin J., Rajchgot J., Odedra D., Hany K.,

Hashemi M., Paul N.S.

Dose reduction in CT pulmonary angiography: is it safe to limit scan coverage? (SS 504), B-0277

Hamm B.

Tumours of the female pelvis: C. Imaging and staging of tumours of the uterine cervix: putting guidelines into clinical practice (CC 1421), A-396

Hammon M., Janka R., Seifert S., Kramer M., Uder M., Cavallaro A.

Automated detection and volumetric segmentation of the spleen in CT scans of patients with malignant lymphoma (SS 105), B-0141

Hammon M., Dankerl P., Costa M., Tsymbal A., Seifert S., Sühling M., Uder M., Cavallaro A.

Computer-aided decision support for the characterisation of liver lesions in CT scans (SS 905), B-0602

Hammon M., Wels M., Dankerl P., Kelm M., Tsymbal A., Seifert S., Sühling M., Uder M., Cavallaro A.

Automated detection of osteolytic thoracolumbar spine lesions in CT scans (SS 905), B-0603

Hammond J.

Breast screening programmes: roles and issues for radiographers: A. Establishing competencies of radiographers in national screening programmes (RC 1514), A-479

Haneder S., Konstandin S., Kettnaker P.,

Schad L.R., Schönberg S.O., Michaely H.J.

Quantitative 23Na, and DW-imaging of the healthy human kidney for establishing norm values for the 23Na, concentrations at 3.0T (SS 1307), B-0663

Hanna S.

Oncologic imaging and paleoradiology in Egypt: the past, present and future: Interlude: Imaging of urinary diversion (EM 3), A-240

Hanna S.

Oncologic imaging and paleoradiology in Egypt: the past, present and future: Interlude: Ancient Egyptian medicine (EM 3), A-242

Hanna S.

Oncologic imaging and paleoradiology in Egypt: the past, present and future: Interlude: Discover Egypt's charm (EM 3), A-244

Hansell D.M.

Patterns in chest radiology: diffuse lung diseases - what the radiologist should know: Chairman's introduction (RC 1604), A-514

Hansmann J., Schoeppler G.M., Henzler T., Haubenreisser H., Reichert M., Attenberger U.I., Schönberg S.O., Fink C.

CT in urolithiasis: potential of dose reduction and impact on image quality using iterative reconstruction (SS 207), B-0204

Hansmann J., Fink C., Meyer M., Apfalter P., Schönberg S.O., Henzler T.

Impact of iodine delivery rate with varying flow rates on dual energy CT image quality in patients with suspected pulmonary embolism (SS 504), B-0274

Harms S.E., Hillman B.J., Stevens G., Stough R., Hollingsworth A., Kozlowski K., Moss L.

Diagnostic performance of a dedicated breast MR system using spiral acquisitions (SS 1702), B-0799

Hartel M., Wójcik M., Rudzińska M., Szczudlik A., Kluczecka E.

Arterial hypertension is associated with rostral ventrolateral medulla neurovascular compression (SS 111a), B-0004

Hatzidakis A.A.

Biliary interventions: Chairman's introduction (RC 1109), A-304

Hausmann D., Dinter D., Schönberg S.O., Brade J., Sadick M., Buesing K.

The impact of acquisition time on image in whole body 18F-FDG-PET CT for cancer staging (SS 1716), B-0787

Haustermans K.

Imaging and tailored radiation therapy in rectal cancer: Treatment tailored according to staging (EM 2), A-142

Havsteen I., Christensen L., Christensen A., Nielsen J., Krieger D., Christensen H.

CT angiography "Spot Sign" predicts haematoma expansion in patients with acute spontaneous ICH (SS 911), B-0502

Heggen K., Johansen E., Silkosek R.

Educational programme for radiography students at CT (SS 614), B-0490

Heijnen L., Lambregts D.M.J., Beets G.L., Maas M., Martens M.H., Cappendijk V.C., Bakers F.C.H., Beets-Tan R.G.H.

Gadofosveset-enhanced MRI for nodal staging in rectal cancer: pitfalls and learning curve (SS 1301a), B-0650

Heinz-Peer G.

Contrast media and tracers: always as safe as we wish?: B. MR contrast agents: rumble in the jungle (RC 406), A-066

Heinz-Peer G.

Prostate and urinary bladder: C. Bladder cancer: state-of-the-art aiming and staging (CC 1621), A-499

Helbich T.H.

My most beautiful mistakes: Breast (SF 7a), A-159

Helbich T.H.

Breast cancer: Chairman's introduction (MS 11), A-280

Helbich T.H.

Breast cancer: From the radiologist's perspective (MS 11), A-281

Helbich T.H.

Breast cancer: Case presentation and discussion (MS 11), A-284

Helbich T.H.

3D breast tomosynthesis and contrast enhanced dual energy: a prototype report (SY 1)

Helck A., Schoen F., Schoenermark U., Wessely M., Fischereder M., Klotz E., Reiser M.F., Nikolaou K., Becker H.-C.

Quantitative CT imaging of renal perfusion for assessment of renal allograft dysfunction (SS 1707), B-0792

Helck A., Hummel N., Johnson T., Reiser M.F., Graser A.

Characterisation of adrenal masses using single-phase dual energy CT (SS 1801b), B-0966

Helmberger T.K.

Ablation beyond radiofrequency: Irreversible electroporation (NH 8), A-187

Hemke R., Lavini C., van Rossum M.A.J., van den Berg M., Dolman K.M., van Veenendaal M., Schonenberg D., Kuijpers T.W., Maas M.

Pixel-by-pixel analysis of DCE-MRI curve shapes in knees of juvenile idiopathic arthritis patients (SS 1712), B-0864

Hennen A., Poysko H., Pietila A.

Radiographer's role in dose optimisation in cooperation with dentists in orthopantomography (SS 914), B-0581

Henzler T., Vogler N., Meyer M., Apfalter P., Sudarski S., Schönberg S.O., Fink C.

Impact of different levels of coronary calcium score on the prevalence of coronary artery stenosis in patients with an intermediate pre-test likelihood of coronary artery disease (SS 503), B-0367

Henzler T., Meyer M., Apfalter P., Schönberg S.O., Fink C.

Computed-aided stenosis detection on coronary CT angiography in chest pain patients with an intermediate pre-test likelihood for acute coronary syndrome (SS 905), B-0604

Henzler T., Jafarov H., Meyer M., Shi J., Klein S.A., Apfalter P., Schönberg S.O., Fink C.

Feasibility of 50% dose reduction in whole body lymphoma staging CT using iterative reconstruction (SS 1713), B-0852

Herbrik M.C., Umutlu L., Kalkmann J., Bauer S., Podleska L., Grabellus F., Taeger G., Lauenstein T.

Diffusion-weighted imaging as a non-invasive predictor of tumour grading in soft tissue sarcoma (SS 1310), B-0640

Herbrik M.C., Umutlu L., Kalkmann J., Bauer S., Grabellus F., Taeger G., Lauenstein T.

Assessment of diffusion-weighted imaging for therapy monitoring in neoadjuvant isolated limb perfusion - therapy of soft tissue sarcoma (SS 1310), B-0643

Authors' Index

Herold C.J.

Essentials in oncologic imaging: what radiologists need to know (part 1): B. Lung cancers (primary, metastases) (MC 428), A-093

Heu J.Y.

Robotic science, a future medicine within (Student Session 1), H-4

Heusner T.A., Treffert J., Geiger B., Hartung V., Herbrink M., Forsting M., Antoch G.

Diagnostic accuracy of virtual FDG-PET/CT bronchoscopy for the detection of lymph node metastases in non-small cell lung cancer patients (SS 606), B-0476

Heusner T.A., Hilgard P., Mueller S., Ertle J., Bockisch A., Antoch G.

Radioembolisation with Y-90 glass microspheres in hepatocellular carcinoma: safety and long-term survival (SS 909), B-0529

Heussel C.

Fever of unknown origin: A. Clinical considerations (CC 1518), A-441

Heywang-Koebrunner S.H., Naehrig J., Hfler H., Hacker A., Sedlacek S., Hintermeier N.

Accuracy of minimal invasive breast biopsy in an incipient screening program: analysis of 2477 consecutive percutaneous interventions (SS 1302), B-0673

Hidalgo A., Descalzo M., Leta-Petracca R., Segura L., Pujadas S., Carreras F., Pons-Llado G.

Coronary computed tomography angiography for detection of occult coronary artery disease in asymptomatic patients (SS 503), B-0365

Hidalgo A., Poveda F., Marti E., Gil D., Andaluz A., Carreras F., Ballester M.

Evidence of continuous helical structure of the cardiac ventricular anatomy assessed by diffusion tensor imaging magnetic resonance multi-resolution tractography (SS 1803), B-1002

Hiwatashi A., Yoshiura T., Togao O., Yamashita K., Kikuchi K., Obara M., Honda H.

Evaluation of diffusivity in anterior lobe of the pituitary gland: 3D turbo field echo with diffusion-sensitised driven-equilibrium preparation (SS 1811), B-0887

Hodel J.

3T MRI: new trends in cerebral vascular imaging (SY 6)

Hoeberigs M.C., Waterval J.J., Stokroos R.J., Stadler A.A.R.

Prevalence of anterior internal auditory canal "diverticulum" on CT in patients with otosclerosis (SS 1308), B-0686

Hoeks C.M.A., Hambrock T., Yakar D.,

Hulsbergen-vande Kaa C., Witjes A.J.,

Futterer J.J., Barentsz J.O.

Multi-parametric MR imaging for detection and localisation of transition zone prostate cancer (SS 107), B-0065

Hoffmann C.

Neuro paediatrics: imaging of the paediatric brain: B. Malformation of the posterior fossa (RC 1111), A-295

Hoffmann M.H.K.

Non-traumatic acute aortic dissection: C. Acute aortic dissections: imaging of complications (RC 1915), A-569

Hofvind S., Lee C.I., Elmore J.G.

What do we gain by changing from screen film to full field digital mammographic screening? (SS 602), B-0458

Hofvind S., Lee C.I., Elmore J.G.

Stage-specific incidence rates of breast cancer in participants and non-participants of a population-based mammographic screening programme (SS 902), B-0552

Hohl C.

Acute abdominal inflammatory disorders: A. Colitis and enterocolitis (E³ 220), A-004

Holzapfel K., Ganter C., Settles M., Lorenzen S., Beer A.J., Rummery E.J., Metz S.

Multi-zone tumour model exposed by multiparametric, dynamic contrast-enhanced and diffusion-weighted MR imaging (SS 116), B-0013

Hong H., Im S.

Comparison of non-breathheld single phase CT and 3D reconstructed bronchoscopic images with bronchoscopy for diagnosing airway malacia in infants (SS 912), B-0595

Houssein N., Al-azawi D., Mc Entee M.F.

Improving breath hold during mobile radiography (SS 904), B-0510

Howarth N.

Patterns in chest radiology: diffuse lung diseases - what the radiologist should know: C. From pattern recognition to disease diagnosis: a practical approach (part 2) (RC 1604), A-517

Hricak H.

Essentials in oncologic imaging: what radiologists need to know (part 2): C. Ovarian cancer (MC 528), A-120

Hricak H.

Tumours of the female pelvis: B. Imaging and staging of endometrial tumours: putting guidelines into clinical practice (CC 1421), A-395

Hueper K., Hartung D., Gutberlet M., Wacker F., Sann H., Husen B., Reiche D.

Magnetic resonance diffusion tensor imaging identifies histopathological changes in a rat model of diabetic nephropathy (SS 1707), B-0795

Hugg J.W., O'Connor M.K., Hruska C.B., Weinmann A.L., Conners A.L., Rhodes D.J., DiFilippo F.P., Patt B.E.

Molecular breast imaging (MBI) dose lowered to match mammography: potential for screening dense breasts (SS 202a), B-0217

Hunink M.G.M.

Evidence-based radiology: ongoing projects and perspectives: State-of-the-art in medical imaging: a dynamic overview of current evidence via modern media (EuroAIM), A-312

Husarik D.B., Nelson R.C., Marin D., Hedlund L.W., Johnson G.A.

Evaluation of the reliability and repeatability of dynamic contrast-enhanced tumour perfusion imaging parameters with high-frequency ultrasound (SS 916), B-0541

Husarik D.B., Marin D., Richard S., Samei E., Jaffe T.A., Jaffe T.A., Bashir M.R., Nelson R.C.

Radiation dose reduction with model-based iterative reconstruction: evaluation in different patient sizes and tube voltage settings. A phantom study (SS 1713), B-0857

Iacobellis F., Berrito D., Somma F.,

Belfiore M.P., Cappabianca S., Rotondo A., Grassi R.

Early MRI findings of small bowel obstruction: an experimental study (SS 201a), B-0199

Iafrate F.

Peritoneal carcinomatosis: MDCT vs MRI: advantages and drawbacks (SF 8a), A-192

Iana G.

Oncology imaging: breast and liver: Introduction: Romanian radiology today (EM 4), A-365

Iezzi R.

Vascular imaging: diabetes and vascular occlusive disease: B. Imaging strategies in diabetic foot syndrome (RC 715), A-183

Ihm C., Baur A., Steffen I.G., Tischer E.B., Pavel M., Denecke T.

Evaluation of radiological prognostic factors of hepatic metastases in patients with pancreatic neuroendocrine neoplasms (SS 116), B-0019

Im A., Jeon S., Choi S.

Results of mechanical thrombolysis for acute ischaemic stroke: comparison with intra-arterial urokinase infusion (SS 611a), B-0382

Inchingolo R., Spiliopoulos S.C., Krokidis M., Ahmed I., McGrath A., Gkoutzios P., Salter R., Sabharwal T.

Tracheobronchial stenting for malignant airway disease: long-term results from a single centre (SS 1309), B-0637

Iozzelli A., Oncini L.

Steady state free precession sequences can add valuable diagnostic details to conventional MR cholangiography (SS 101b), B-0095

Ippolito D., Bonaffini P., Capraro C., Meloni M., Sironi S.

Evaluation of quantitative perfusion map, with CT-perfusion technique, as an early predictor for tumour response to radiofrequency ablation in patients with HCC lesions: initial results (SS 201b), B-0232

Ippolito D., Bonaffini P., Capraro C., Meloni F., Corso R., Sironi S.

Dynamic CT perfusion technique in the evaluation of neangiogenesis tumour-related phenomenon in diagnosis and treatment of HCC lesion in cirrhotic patients (SS 1301b), B-0693

Isfort P., Penzkofer T., Tanaka T., Bruners P., Schmitz-Rode T., Kuhl C.K., Mahnken A.H.

Microwave ablation of the kidney: evaluation of cooled antegrade pyeloperfusion for protection of the collecting system in an *in vivo* porcine model (SS 1809), B-0903

Isfort P., Tanaka T., Penzkofer T., Bruners P., Braunschweig T., Kichikawa K., Schmitz-Rode T., Kuhl C.K., Mahnken A.H.

Microwave ablation compared with radiofrequency ablation for breast tissue in an *ex vivo* bovine udder model (SS 1809), B-0906

Israel O.

Diagnosis of inflammatory conditions: Vascular graft infections and inflammation: the nuclear medicine perspective (PC 3), A-043

Iussich G.

Mass screening with CT-colonography: towards a patient friendly, computer-assisted examination (MSY 1)

Authors' Index

Izhaky D., Sklair-Levy M., Mayer A., Pfeffer Y.,
Libson E., Sella T.

Detection of vascular map asymmetry in breast cancer using novel functional infrared imaging technique (SS 1813), B-0994

Izotovs M.

A view into the future of cancer treatment (Student Session 2), H-8

J

Jacobs C., Scholten E.T., Saur S.C.,

Twellmann T., de Jong P.A., van Ginneken B.
Computer-aided detection of ground glass nodules in lung cancer screening: retrospective evaluation of potential benefit (SS 204), B-0167

Jäger H.R.

Vascular imaging in ischaemic stroke: C. Dissection and vasculitis of intracranial and extracranial arteries (RC 815), A-227

Jakab A., Blanc R., Morel A., Berenyi E.L.,
Szekely G.

Target map individualisation for thalamus neurosurgery: possible applications of diffusion tensor tractography and statistical shape models (SS 611b), B-0400

Jambor I., Borrà R., Kemppainen J.,
Lepomki V., Dean K., Alanen K., Nurmi M.,

Aronen H.J., Minn H.

Detection of localised prostate cancer using contrast-enhanced MRI and 11C-acetate PET/CT (SS 1707), B-0797

James S.

Imaging hip joint replacement: Radiography and ultrasound: how far can you go? (SA 15), A-455

Janssens J., Deleu M.

Macrobiopsies for head and neck cancers (SS 608), B-0469

Jeďrzejczyk M., Szopinski K.T.

Contrast-enhanced ultrasound: errors and artefacts (SS 1806), B-0967

Jeon G., Lee B., Chung S., Yoon J., Kim J.,
Lee J.

Portal vein ligation alone compared with portal vein and hepatic artery ligation in a rodent model (SS 1809), B-0902

Joao A.

Impact of robust image processing to reduce errors in computational haemodynamics (Student Session 4), H-20

Joao A.J., Gambaruto A.M., Sequeira A.

Impact of robust image processing to reduce error in computational haemodynamics (SS 105), B-0150

Johnson T.R.C., Thieme S.F., Moeller W.,
Becker S., Schuschnig U., Eickelberg O.,
Helck A.D., Reiser M.F.

Ventilation imaging of the paranasal sinuses using xenon-enhanced dual energy CT (SS 1708), B-0810

Jung C.S.L., Groth M., Bley T.A., Henes F.O.,
Treszl A., Adam G., Bannas P.

Use of pulmonary CT angiography to diagnose anaemia (SS 1304), B-0628

Jung E.M., Agha A.

Contrast-enhanced ultrasonography (CEUS) using early dynamic in microcirculation for localization of pathological parathyroid glands: first-line or complimentary diagnostic modality? (SS 1708), B-0809

Jung E.M., Loss M.

Intraoperative high-resolution linear contrast-enhanced ultrasound (IIOUS) for detection of microvascularisation of malignant liver lesions before surgery or radiofrequency ablation (SS 1301b), B-0698

Jungmann P.M., Liebl H., Alizai H., Nardo L.,
Joseph G., Lynch J., McCulloch C.E.,
Nevitt M.C., Link T.M.

T2 relaxation time measurements are limited in monitoring advanced cartilage degeneration of the knee - longitudinal data from the osteoarthritis initiative (SS 610), B-0435

Juras V., Pressl C., Zbyn S., Apprich S.,
Szomolanyi P., Wimmer J., Domayer S.,
Trattnig S.

Sodium (23Na) MRI of Achilles tendon disease at 7 Tesla: preliminary results (SS 210), B-0183

Juvekar S.L., Mahajan A., Desai S., Puri A.
Iterative decomposition of water and fat with echo asymmetry and least-squares estimation (IDEAL) fast spin-echo imaging of the vertebral column metastasis: initial clinical experience (SS 1310), B-0648

K

Kachelrieß M.

Advances in technology for interventional radiology: general overview: Rotational angiography and cone beam CT (EF 1), A-219

Kada S.

A study of the awareness of x-ray radiation doses among Norwegian student radiographers (SS 914), B-0580

Kahn C.E.

The future of radiological reporting: by whom, where, and how will it be done?: Structured reporting: the benefits of uniformity of reporting world-wide (Standards and Audit), A-254

Kamble H.J., Basti R.J., Kesavadas C.J.,
Thomas B.J.

Utility of susceptibility-weighted imaging for detection of carotid cavernous fistula: a case control study (SS 111a), B-0008

Kang H., Kim S., Kang B.

Automated whole breast ultrasound: radiologists' detection performance and interobserver variability (SS 502), B-0314

Kapsimalakou S., Waldmann A., Katalinic A.,
Grande-Nagel I., Kovacs A., Hunold P.,

Hollmann S., Barkhausen J., Vogt F.M.
Stereotactically guided vacuum assisted breast biopsy: diagnostic reliability and complication rate (SS 1302), B-0677

Karampeliotis S.

Acute central nervous system infections: A. Acute infections of the brain (CC 1519), A-444

Karantanas A.H.

Intra-articular imaging: Chairman's introduction (RC 1110), A-276

Karssemeijer N., Hupse R., Samulski M.,
Lobbes M., den Heeten A.

Standalone computer-aided detection compared to human readers for the detection of breast cancer in screening mammograms (SS 902), B-0557

Kartalis N., Loizou L., Edsborg N.,
Segersvård R., Albiin N.

Diffusion-weighted MRI of pancreas cancer: comparison of free-breathing, respiratory-triggered and breath-hold sequences (SS 901), B-0559

Karunaniyit N.

Spinal intervention: Facet pathology (SF 19), A-556

Kastler A., Aubry S., Cadel G., Kastler B.

Sphenopalatine ganglion alcohol neurolysis under CT guidance in the management of craniofacial pain in 53 procedures (SS 509), B-0284

Katsura M., Matsuda I., Akahane M., Sato J.,
Akai H., Kunimatsu A., Yasaka K., Ohtomo K.
Model-based iterative reconstruction technique for radiation dose reduction in chest CT (SS 904), B-0517

Kauczor H.-U.

Essentials in oncologic imaging: what radiologists need to know (part 4): C. Chemo- and radiation therapy-induced toxicity (MC 728), A-171

Kauczor H.-U.

Causation-based imaging review of lung disease: C. Neoplastic lung disease (MC 1522), A-460

Kaufmann P.A.

Cardiac imaging: the cutting edge: C. Cardiac hybrid imaging (RC 303), A-039

Kawel N., Nacif M., Santini F., Liu S.,
Bremerich J., Arai A., Bluemke D.

Partition coefficient for gadolinium chelates in the normal myocardium: comparison of gadopentetate dimeglumine and gadobenate dimeglumine (SS 103), B-0140

Kayed H., Meyer P., Kraenzlin B., Gretz N.,
Fink C., Schönberg S.O., Sadick M.

Effect of cyclopamine on 18F-FDG-uptake of pancreatic cancer xenografts in nude mice: evaluation by clinically implemented high-resolution PET-CT (SS 106), B-0106

Keeling A.

Percutaneous drainage for general radiologists: A. Pleural drainage (RC 809), A-228

Kele P.G., De Boer M.T., Van der Jagt E.J.,
Lisman J.A., Porte R.J.

The amount of resected liver tissue determines velocity and completeness of liver regeneration after partial hepatectomy (SS 1801b), B-0957

Kelekis A.D.

Spinal intervention: Vertebroplasty (SF 19), A-554

Keller J., Rulseh A.M., Komarek A.,
Latnerova I., Rusina R., Zarubova K.,
Brozova H., Vymazal J.

New non-linear colour look-up table to visualise fractional anisotropy changes: demonstrated on multiple system atrophy (SS 611b), B-0402

Kemmling A., Krumm R., Feyen L.,
Niederstadt T., Heindel W.L.

Automated assessment of regional CT perfusion in acute ischaemic stroke (SS 911), B-0507

Authors' Index

- Kerl J.M., Schell B., Larsson M., Lehnert T., Vogl T.J., Bauer R.W.**
High-pitch dual source CT pulmonary angiography with 30 cc of contrast material (SS 617), B-0487
- Kessel D.O.**
The trauma patient: A. Imaging modalities and logistics (RC 309), A-046
- Kessel K.A., Bougatz N., Bohn C., Oetzel D., Engelmann U., Bendl R., Debus J., Combs S.E.**
A web-based documentation system with exchange of DICOM RT data for multicenter clinical studies in particle therapy (SS 1805), B-1016
- Khatonabadi M., Turner A., Zhang D., Chu G., Banola A., Oria D., DeMarco J., Cagnon C., McNitt-Gray M.**
Organ dose correlation with an attenuation-based patient size metric (SS 1713), B-0855
- Khedr S.**
Preoperative assessment of anterior shoulder instability, comparative study of MR arthrography and CT arthrography (SS 1810a), B-0909
- Khoury G., Eiss D., Beuvon F., Delongchamps N.B., Cornud F.**
Assessment of aggressiveness and tumour volume of prostate cancer: correlation of ADC with histologic grade and pathological tumour volume (SS 107), B-0064
- Kiessling F.M.A.**
Basics in molecular imaging (2): B. Sonographic and photo acoustic techniques for MI (MC 23B), A-122
- Kim A., Kim C., Park B., Huh S., Chong Y., Choi Y., Park J.**
Evaluation of therapeutic response to concurrent chemoradiotherapy in cervical cancer using blood oxygenation level-dependent MR imaging at 3T: preliminary experience (SS 507), B-0306
- Kim A., Lee C., Kim K., Choi J., Lee J., Park Y., Park C.**
Gd-EOB-DTPA-enhanced 3.0T MRI for the evaluation of hepatic metastasis from colorectal cancer: is metastasis always seen as a "defect" on the hepatobiliary phase? (SS 601), B-0442
- Kim C., Gwon D., Ko G., Sung K., Yoon H., Shin J., Kim J., Song H.**
Retrievable covered stent in the treatment of benign biliary strictures: intermediate-term outcomes (SS 109), B-0039
- Kim C., Choi H., Kim M., Cho K.**
Diagnostic performance of multi-detector CT for detecting renal sinus invasion in patients with renal cell carcinoma (SS 1307), B-0665
- Kim H., Park C.M., Lee S.M., Paeng J.C., Goo J.M., Lee H.J.**
Predictive features of FDG-PET/CT and CT in diagnosing nodal metastasis of T1 non-small cell lung cancers manifesting as part-solid nodules (SS 104), B-0023
- Kim J., Goo H.**
Coronary artery abnormalities in Kawasaki disease: comparison between CT and MR coronary angiography (SS 912), B-0590
- Kim K., Suh S., Son K., Lee Y., Seo H., Seol H.**
Comparison of the ultrasound findings of biopsy-proven tuberculous lymphadenitis and Kikuchi disease (SS 1308), B-0681
- Kim S., Lee C., Choi S., Kim K., Choi J., Park C., Lee J., Park Y.**
Is white-blood (2-min)-phase in dynamic liver MRI using hepatobiliary contrast agent (Gd-EOB-DTPA) really useless compared with black-blood (20-min)-phase? A preliminary study (SS 1701), B-0825
- Kim Y., Min J., Kim C., Park B.**
Dynamic contrast-enhanced imaging for evaluation of therapeutic response to concurrent chemoradiotherapy in cervical cancer (SS 507), B-0308
- Kim Y., Baik S., Jang J., Ahn S.**
Progression of the multiple hypointense vessel sign on the susceptibility weighted images after recanalisation in patients with hyperacute ischaemic stroke (SS 111a), B-0007
- Kim Y., Jang J., Kim H.**
Evaluation of a radiation dose reduction strategy for paediatric abdomen CT: comparison between automatic exposure control and weight-based mAs (SS 1712), B-0866
- Kim Y., Choi Y., Im M., Lee K., Lee Y., Kim J.**
The tibiofibular syndesmotic injury in acute ankle fracture: CT evaluation (SS 1810b), B-0947
- Kinkel K.**
The female pelvis: A. Diagnosis of endometriosis with imaging (CC 1221), A-326
- Kiritsi O., Tsitas K., Noussios G., Kiritsis G.**
Infratentorial lesions in multiple sclerosis: improved detection with T2 TIRM MR imaging at 1.5T magnet (SS 111b), B-0084
- Kiss M., Lombay B.**
Ring-like contrast enhancement in liver metastases from rectal tumours - typical findings? (SS 1314), B-0728
- Kitajima K., Ueno Y., Suzuki K., Onishi Y., Kita M., Yoshikawa T., Ohno Y., Senda M., Sugimura K.**
Low-dose non-enhanced CT versus full-dose contrast-enhanced CT in integrated FDG-PET/CT studies for the diagnosis of ovarian cancer recurrence (SS 606), B-0471
- Kitao A., Matsui O., Yoneda N., Kozaka K., Kobayashi S., Koda W., Gabata T., Nakanuma Y., Kaneko S.**
Hypervascular hepatocellular carcinoma showing hyperintensity on gadoxetic acid-enhanced MR imaging: a less malignant subtype with low production of AFP and PIVKA-II (SS 1301b), B-0689
- Klauser A.**
Sports injuries: US or MRI?: B. Tendon and US (RC 1210), A-331
- Klauser A., Tagliafico A., Allen G.M., Boutry N., Campbell R., Court-Payen M., Grainger A.J., Guerini H., McNally E.G., O'Connor P.J., Ostlere S., Peetrons P., Reijnsierse M., Sconfienza L.M., Silvestri E., Wilson D.J., Martinoli C.**
Clinical indications for musculoskeletal ultrasound: consensus paper of the European Society of Musculoskeletal Radiology (SS 510), B-0291
- Klink T., Müller G., Weil J., Adam G., Bley T.A.**
Cardio-vascular MSCT angiography in newborns with known or suspected congenital heart disease applying mean effective doses of 0.36 mSv (SS 203b), B-0266
- Kloeckner R., Dueber C., Schneider J., Bersch A., Ruckes C., Pitton M.B.**
Radiation exposure in vascular angiographic procedures (SS 513), B-0354
- Kloeters C., Umutlu L., Moenninghoff C., Ladd M., Sombetzki A., Antoch G., Schlamann M., Forsting M., Lauenstein T.C.**
Evaluation of efficiency and image quality between a manual and a novel automated MR scanner interface in liver MR imaging (SS 501), B-0338
- Klotz E., Juergens M., Goh V., Alkadhi H.**
Model-dependent differences in tumour perfusion CT (SS 113), B-0122
- Kluza E., Kleijnen J., Maas M., Jeukens C., Backes W., Beets G., Beets-Tan R.G.H.**
Vascular mapping using an MRI blood pool contrast agent reveals vascular asymmetry and chemoradiotherapy-induced vascular remodelling in the mesorectum of rectal cancer patients (SS 216), B-0157
- Koerte I., Pomschar A., Laubender R.P., Steffinger D., Heinen F., Reiser M.F., Alperin N., Ertl-Wagner B.**
Intracranial pressure across the life-span: a study with phase-contrast imaging (SS 111a), B-0010
- Koerte I., Pomschar A., Laubender R.P., Steffinger D., Heinen F., Reiser M.F., Alperin N., Ertl-Wagner B.**
Total cerebral blood flow from childhood to early senescence as assessed with phase-contrast imaging (SS 1711), B-0747
- Kogan I., Leiderman M., Rozenberg R., Engel A., Ofer A.**
PTA the other way: US-guided SAFARI technique (SS 609), B-0424
- Koh J., Kim M., Lee M., Jung D., Park S., Lee M., Won J., Lee D., Lee K.**
Arterial embolisation for cervical leiomyoma: should we treat it as adenomyosis? (SS 109), B-0033
- Koizumi J., Hashimoto T., Myojin K., Itou C., Hara T., Sekiguchi T., Ichikawa T., Kagawa T., Watanebe N.**
The comparison of visualisation among balloon-occluded retrograde transvenous venography using iodine contrast and carbon dioxide gas, and the subsequent obliteration by foam sclerosants for gastric varices under DSA (SS 109), B-0038
- Kolokythas O.**
New advances in liver elastography (SY 14)
- Kolokythas O., Gauthier T.P., Cuevas C., Bhargava P., Mitsumori L.M., Green D.E., Saad A.A.**
Automated Doppler angle correction in liver transplant ultrasound (SS 515), B-0349
- Koltowska A., Bladowska J., Szewczyk P., Zimny A., Hendrich B., Knysz B., Sasiadek M.**
Usefulness of perfusion-weighted MR imaging in the assessment of the effects of HIV brain infection in asymptomatic HIV-positive nontreated, HIV-positive HAART-treated and HIV-HCV-positive patients (SS 1811), B-0890

Authors' Index

Koo H.J., Choi H.J., Kim M., Cho K.

Comparison of 15-minute delayed contrast-enhanced CT and chemical shift MR in the evaluation of adrenal masses (SS 1307), B-0660

Kool D.R.

ER: basic principles: B. Advanced trauma life support: ABCDE from a radiological point of view (RC 417), A-077

Koel D.R.

Abdominal emergencies: B. Traumatic (E³ 520a), A-114

Koops A., Ramcic E., Ittrich H., Habermann C., Adam G.

Impact of hepatic steatosis and fibrosis on segmental liver hypertrophy after pre-operative portal vein embolisation (SS 1709), B-0767

Kopitkovs V.

The future of radiology (Student Session 1), H-2

Körner M.

Polytrauma in the golden hour: the key role of emergency radiologists in the ED when time makes the difference: Whole body MDCT for trauma: protocols and findings (SA 11), A-263

Kösling S.

Temporal bone imaging: A. Normal anatomy and congenital malformations of the ear (RC 308), A-016

Kostiov A.

Breast screening programmes: roles and issues for radiographers: B. Quality control and quality assurance of breast screening programmes from the radiographers viewpoint (RC 1514), A-480

Koumarianos D., Salonikidou M., Zaloni E.

Paediatric CT scanning parameters used in Greek hospitals (SS 914), B-0587

Koutalonis M.

Simulations help us understand x-ray imaging: A. Monte Carlo simulations of x-ray tubes and x-ray spectra (RC 1613), A-526

Kováč K.

Image reading simulator (Student Session 1), H-3

Kovacs A., Zinn P.O., Schwarm F.P., Jolesz F.A., Repa I., Colen R.R.

MRI as an imaging surrogate to predict radiation dosimetry borders: a methodology feasibility study (SS 1816), B-0879

Kozak L.R., Hegyi M., Barsi P., Rudas G.

Passive range-of-motion functional MRI paradigms are useful in the pre-surgical workup of childhood epilepsies (SS 611b), B-0404

Kozak L.R., Szabo A., Toth V., Borbely C., Barsi P., Rudas G.

Functional MRI for neurosurgical intervention planning: retrospective analysis of 87 examinations performed with our standardised language task panel (SS 611b), B-0407

Kramer J.

Intra-articular imaging: C. MR arthrography (RC 1110), A-279

Kreitner K.-F.

Imaging of ischaemic heart disease: C. Imaging patients after bypass surgery (RC 703), A-181

Kreitner K.-F.

When CT sees both the heart and the lungs: C. Pulmonary hypertension and right ventricle function (RC 1204), A-350

Kress B.

Observational post-marketing study on the safety of meglumine gadoterate: interim safety analysis on 17,193 patients (SS 1306), B-0702

Krestin G.P.

MRI and CT before cardiac interventions or surgery: Chairman's introduction (RC 1503), A-468

Kroencke T.J.

The female pelvis: C. Imaging and image-guided therapy of uterine leiomyomas (CC 1221), A-328

Kroepil P., Nagel H.D., Bigdeli A.H., Heusch P., Lanzman R.S., Pentang G., Antoch G., Cohen M.

How different levels of 4th generation iterative reconstruction influence image quality in low-dose cardiac CT (SS 603), B-0392

Kroepil P., Hakimi A.R., Rieger C., Rubbert C., Lanzman R.S., Scherer A., Jungbluth P., Antoch G., Hakimi M.

Cone beam CT for quantitative assessment of bone defect healing: an animal study (SS 1810b), B-0949

Krokidis M.

Biliary interventions: A. Fistula and benign stenosis (RC 1109), A-305

Krüger P., Langner S., Falke K., Guthoff R., Stachs O., Hosten N.

MR microscopy of the human eye: correlation with histology (SS 1708), B-0808

Krüger P., Langner S., Stachs O., Allemann R., Guthoff R., Hosten N.

The human eye after lens replacement surgery (SS 1811), B-0889

Krumina G.

Focal neurological disorders: C. Interactive case discussion (CC 1218), A-322

Krupinski M., Miszalski-Jamka T., Laskowicz B., Róg B., Banys R., Urbanczyk-Zawadzka M., Kostkiewicz M.

Anomalous coronary artery originating from opposite coronary sinus frequently reveals multiple high risk anatomy features (SS 1703), B-0834

Kuehn J.P., Baumeister S., Behrndt P., Hegenscheid K., Voelzke H., Mayerle J., Hosten N., Puls R.

Quantification of pancreatic fat fraction and confounding factors in an adult population-based study using magnetic resonance imaging (SS 901), B-0567

Kuhl C.K.

Breast MRI today: Chairman's introduction (RC 702), A-162

Kuntz J., Sawall S., Socher M., Semmler W., Kachelriess M., Bartling S.

4D Guidance in interventional radiology: prototype development and feasibility study (SS 513), B-0351

Kuntz J., Sawall S., Semmler W., Kachelriess M., Bartling S.

4D intervention guidance: a technical feasibility consideration (SS 513), B-0352

Kurashvili Y., Stepanov A., Bytchenko V., Kulabuchova E., Batarchina O., Lugina I.

MRgFUS treatment for uterine myomas: safety, effectiveness and pathogenesis (SS 1707), B-0796

Kwon B., Kim S., Rho B., Ahn E.

Correlation between tumour size and surveillance of lymph node metastasis for Ia and IIa cervical cancer by MRI (SS 507), B-0309

Kwong Y., Latief K.

Are you keeping up to date? Over half of important radiological research is published in non-radiological journals (SS 1805), B-1009

L

Lackó J.

Imaging professionals of the future: how can tasks be distributed? (Student Session 3), H-15

Ladd M.E.

High field MRI: beyond 3T: B. A complicated solution to a complicated problem: transmit array (RC 1113), A-302

Laghi A.

CT colonography: three steps to success: A. Step 1: bowel prep and distension (RC 1201), A-315

Lalam R.

How I report: B. MR of vertebral body collapse (RC 710), A-153

Lambin P., van Stiphout R.G.P.M.,

Aerts H.J.W.L., Buijsen J., Lammering G.,

Beets-Tan R.G.H., Beets G.L., Valentini V.

Imaging and tailored radiation therapy in rectal cancer: Treatment of rectum cancer tailored according to longitudinal imaging and multifactorial predictors (EM 2), A-144

Lammer J.

Non-traumatic acute aortic dissection: B. Acute aortic dissections: imaging and image-based classification (RC 1915), A-568

Landwehr P.

Vascular imaging: Doppler and contrast-enhanced US: A. Imaging superficial vessels (E³ 520b), A-115

Lang W., Donner R.

Towards efficient simultaneous multi-patient annotation of 3D imaging data (SS 505), B-0375

Langner S., Seipel R., Mensel B., Otto S., Dressel A., Hosten N., Kirsch M.

Imaging of multiple sclerosis at 3T: increased diagnostic yield using subtraction imaging (SS 111b), B-0082

Laniado M., Ros P.R.

Abdominal emergencies: US resists CT!: Discussion (MC 824), A-198

Lanzman R.S., Ljimani A., Pentang G., Kropil P., Heusch P., Miese F.R., Blondin D., Antoch G., Wittsack H.

Diffusion-tensor imaging (DTI) for functional assessment of transplanted kidneys at 3T (SS 1707), B-0790

Authors' Index

Laqmani A., Henes F., Buhk J., von Schultzendorff H., Hammerle D., Nagel H., Adam G., Regier M.
Impact of 4th generation iterative reconstruction technique on image quality in ultra-low-dose computed tomography of the lungs (SS 904), B-0513

Larici A.R.
Imaging during pregnancy: Pulmonary embolism (SA 4), A-075

Larson M.C., Kerl M.J., Bauer R.W., Block T., Zhang S., Hammerstingl R., Zangos S., Vogl T.J., Mack M.G.
Comparison of true real-time MR imaging with radial k-space sampling to videofluoroscopy exams in the follow-up evaluation of velopharyngeal dysfunction treated by surgery (SS 1708), B-0817

Lasbleiz J., Burgun A., Duvaufier R., Saint-Jalmes H.
An ontology of magnetic resonance imaging sequences (SS 1805), B-1011

Laskowicz B., Krupinski B., Miszalski-Jamka T., Guzik B., Andres M., Banys R., Urbanczyk - Zawadzka M., Kostkiewicz M.
The area stenosis measurement of significant coronary artery lesions by quantitative computed tomography coronary angiography (QCTA) correlates better with quantitative invasive coronary angiography (QCA) than diameter stenosis measurement (SS 503), B-0360

Lassau N., Vilgrain V., Lacroix J., Taieb S., Sarran A., Aziza R., Kind M., Luciani A., Koscielny S.
Multicentric prospective study of DCE-US for the evaluation of antiangiogenic treatments: determination of criteria with correlation to overall survival (SS 916), B-0539

Lassel E., Rao R., Schwenke C., Schönberg S.O., Michaely H.J.
Evidence-based medicine: decision-making on renal lesions based on meta-analysis of MR diffusion-weighted imaging (SS 1307), B-0659

Latnerova I., Keller J., Rulseh A., Jiru F., Skoch A., Hoskova M., Ruzicka E., Vymazal J.
Cerebellar changes in essential tremor patients detected by magnetic resonance spectroscopy (SS 511), B-0327

Lau K.K., Li J., Ardley N., Lau T.
Breath-hold at ease: a method of improving the diagnostic quality of CT pulmonary angiogram (SS 1304), B-0620

Lauenstein T.C., Umutlu L., Fischer A., Kloeters C., Quinsten A., Kinner S.
Feasibility of time-resolved MR angiography with interleaved stochastic trajectories (TWIST) for the diagnosis of thoracic outlet syndrome (SS 115), B-0115

Lauenstein T.C., Odenhausen C., Quinsten A., Forsting M., Ladd S.
Interobserver agreement of whole body MR angiography for the depiction of atherosclerosis (SS 215), B-0256

Lauenstein T.C., Boy C., Poeppel T., Stoffels I., Schadendorf D., Bockisch A., Klode J.
SPECT-CT for the depiction of sentinel lymph nodes in cutaneous head and neck tumours (SS 608), B-0461

Lauenstein T.C., Theysohn J., Schlaak J., Ertle J., Mueller S., Bockisch A., Forsting M.
Radioembolisation with Y-90 glass microspheres: do we really need SPECT-CT to identify extrahepatic shunts? (SS 1809), B-0898

Laurent F.
Common radiological problems: cardiovascular: B. Looking at the heart in chest CT (E³ 1720a), A-534

Lavdas E.
Challenges and solutions for radiographers in MRI: high field and imaging under patient motion: A. Advantages of high field MRI: a radiographer's perspective (RC 814), A-231

Leal J., Rodriguez R., Peinado J., Vicente S., Salgado C., Flores A., Gil J., Orgaz A., Doblas M.
Duplex evaluation of distal renal artery to predict the presence of proximal significative acceleration: an experience of 2,200 explorations (SS 1315), B-0714

Leander P.
How I optimise contrast media administration: A. CT (RC 1906), A-545

Lederman R., Leichter I., Greenberg M.
Presorting by CAD according to lesion type: increasing the reader's awareness of mammographic lesions in a screening environment (SS 902), B-0555

Lederman R., Leichter I., Greenberg M.
Can CAD be used as a preliminary reader in screening mammography? (SS 902), B-0556

Lee J., Kim J., Han J., Joo I., Choi B., Keifer B.
Timing bolus dynamic contrast-enhanced magnetic resonance imaging for characterization of solid focal pancreatic lesions (SS 901), B-0565

Lee K.L., Liu Y.S., Tong S.C., Ng E.K., Ahuja A.T.
CT: morphological change of aldosterone-producing adenoma after radiofrequency ablation (SS 209), B-0171

Lee L.K.Y., Kim K., Lee J., Kang E., Oh Y., Je B., Choo J.
A genome-wide association study of COPD with lung volumetry and airway measurement using MDCT (SS 604), B-0412

Lee S., Yoon Y.
Ankle cartilage: correlation between T2 value and ligament injury (SS 210), B-0184

Lee S.
Radiation dose reduction in chest CT with the adaptive statistical iterative reconstruction (ASIR) technique in children (SS 912), B-0594

Lee S., Jee W., Jung J., Lee S., Ha K., Park C.
MR imaging of the lumbar spine: comparison of 3D isotropic turbo spin-echo SPACE sequence versus conventional 2D sequences at 3.0 T (SS 910), B-0532

Lee Y., Kim Y., Lee K.
Preoperative CT findings predicting the recurrence of pancreatic cancer after surgical resection (SS 901), B-0568

Leen E.
Volumetric imaging: where are we, where are we going to?: C. Why volume imaging and fusion are important for diagnosis and treatment (E³ 820b), A-208

Leen E.
Advances in interventional radiology with xMatrix CEUS and fusion imaging (SY 24)

Leferé M., Demeter M., De Keyzer F., Coolen J., Verschakelen J., De Wever W.
Evaluation of dual energy CT lung perfusion-maps: a correlation with V/Q scan and lung parenchymal changes (SS 504), B-0270

Leferé P.
What we know about training radiologists: current status and future directions (MSY 1)

Lehmkuhl L., Haensig M., Rastan A.J., Kempfert J., Mukherjee C., Holzhey D.M., Grothoff M., Mohr F.W., Gutberlet M.
Aortic valve calcium scoring (AVCS) is a predictor of significant paravalvular aortic insufficiency in transapical aortic valve implantation (TAVI) (SS 203b), B-0260

Lehmkuhl L., Foldyna B., von Aspern K., Haensig M., Luecke C., Andres C., Nitzsche S., Grothoff M., Gutberlet M.
Computed tomography evaluation of possible intraprocedural obstruction of the coronary ostia by the aortic valve leaflets during transapical aortic valve implantation (SS 203b), B-0264

Leiner T.
How I report: C. CTA and MRA of peripheral arteries (RC 315), A-051

Lelieveldt B.
Imaging highlights: monitoring disease and therapy: Integrated image analysis of multi-modal pre-clinical imaging studies (ENCITE), A-435

Lemke H.U.
New PACS architecture: decoupling image management from image navigation: Chairman's introduction (RC 1605), A-529

Lemmerling M.M.
Performing and reporting head and neck examinations: how do I do it?: B. Temporal bone CT and MRI scans (RC 1408), A-424

Lemos A.A., Brambilla R., Firetto M., Biondetti P.
Whole body CT for trauma: strategies to justify radiation dose using the injury severity score (SS 617), B-0480

Leni D., Vacirca F., Ippolito D., Corso R.
Percutaneous transthoracic needle biopsy of pulmonary nodules with Xper-CT and Xper-guide: a new technical approach (SS 1704), B-0754

Leo N., Vibert E., Ciacio O., Ricca L., Adam R., Castaing D., Lewin M.
Prospective evaluation of vascular alterations in liver transplantation by intraoperative CEUS compared to conventional Doppler US: a pilot study (SS 1806), B-0969

Authors' Index

Leon Guevara D., Guma Martinez A.,

Prieto Alvarez L., Ortega Martinez R.,

Valdivielso A., Vidal Lancis C.,

Garcia Martinez M.

Phenotypic characteristics of interval breast cancers diagnosed in a population-based screening program in Catalonia, Spain. Correlation with radiological findings (SS 902), B-0551

Leong L.C.H., Sim L.S., Fook-Chong S.M.C., Jara-Lazaro A.R., Tan P.H.

Lesion characteristics and histopathological factors affecting diagnostic performance of breast ultrasound elastography (SS 502), B-0318

Leporq B., Pilleul F., Beuf O.

Optimisation of liver intravoxel incoherent motion imaging protocol at 3.0T for chronic liver diseases assessment (SS 601), B-0440

Leporq B., Pilleul F., Beuf O.

Liver intravoxel incoherent motion imaging at 3.0T: comparison with conventional dual b-values method (SS 601), B-0445

Lesaru M.

Oncology imaging: breast and liver: Imaging and guided biopsy in breast malignancies (EM 4), A-370

Lewin M., Fartoux L., Vignaud A., Arrive L., Menu Y., Rosmorduc O.

A new diffusion-weighted MR imaging approach for evaluating response to sorafenib treatment in advanced hepatocellular carcinoma (SS 116), B-0012

Lice A.

Delicate totality (Student Session 2), H-10

Lim S., Lee Y., Moon S., Kang D., Wee S., Kim M.

Detectability of small urinary stones on virtual nonenhanced images with different slice thickness, generated at pyelographic phase dual energy CT (SS 207), B-0203

Lim T.-H.

Detection of occult myocardial infarcts and coronary stenosis in asymptomatic diabetic patients (SY 10)

Lima P.E., Sousa P., Rodrigues S., Abrantes A.F.C.L., Silva C.A., Ribeiro L.P.V., Almeida R.P.P., Azevedo K.B.

Study of the scattered x-ray distributions around a mammography unit (SS 914), B-0584

Lin Z., McMillan K., Yan L., Avinash U.

Regional cortical thickness deterioration in elderly healthy persons from AIBL MRI 3T data: a MRI study using brain surface intensity model (BSIM) (SS 511), B-0320

Lincot J., Riehm S., Babay N., Matern J., Meyer N., Veillon F.

Middle ear cholesteatoma: compared diagnostic values of incremental MRI protocols including non-echo-planar diffusion-weighted imaging performed on 3T and 1.5T scanners (SS 1308), B-0688

Lindberg P., Feydy A., Maier M.A., Drape J.

Diffusion tensor imaging of the median nerve in patients with recurrent carpal tunnel syndrome after surgical release (SS 910), B-0538

Linsenmaier U.

Polytrauma in the golden hour: the key role of emergency radiologists in the ED when time makes the difference: Chairman's introduction (SA 11), A-261

Linsenmaier U.

Polytrauma: redefining imaging issues for management priorities: C. Extremities (RC 1517), A-453

Liserre R., Poliani P.L., Ferrara M., Grisanti S., Buttolo L., Buglione di Monale M., Gasparotti R.

DSC-MRI in glioblastomas: correlation of whole tumour histogram analysis of cerebral blood volume and vascular permeability (Ktrans) with biomarkers of tumour aggressiveness (SS 1311), B-0730

Liu Y., Shu N., Duan Y., He Y., Li K.

Disrupted white matter structural networks in clinically isolated syndromes suggestive of MS (SS 111b), B-0087

Llopis E., Belloch E., Higueras V.

Musculoskeletal emergencies: A. Axial skeleton (E3 320), A-007

Lo G.G., Ueno E., Yeung W.H., Wong R.K.P., Chow A.M., Yu S.K.

Iodine uptake ratio (IUR): a novel approach to differentiate between malignant and benign lung lesions (SS 204), B-0161

Lo Casto A., Petrucci G., Gallo P., Purpura P., Barreca F., La Tona G.

A customised dental CT software for automatic correction of patient positioning error and detection of jaw midline (SS 1708), B-0813

Lobbes M., Keymeulen K., Smidt M., Beets-Tan R.G.H., Wildberger J.E., Boetes C.

Retrospective comparison of the accuracy of two different computer-aided detection systems for detecting malignant lesions on mammography (SS 902), B-0558

Lobo M.L.

Paediatric genito-urinary imaging: A. Normal findings and diseases of the male and female developing genital systems (CC 1121), A-273

Lobo M.L.

Chest imaging: what to use and when to use it: A. Thoracic trauma and foreign body inhalation (RC 1912), A-570

Loekke R.J.V., Schulz A., Groven S., Gaarder C., Naess P.A., Dormagen J.B.

The volume of free intraperitoneal fluid influences the sensitivity of primary focused assessment with sonography in trauma (FAST), whereas radiologist's experience does not (SS 617), B-0484

Loewe C.

MRI and CT before cardiac interventions or surgery: A. Can CT predict the outcome of percutaneous intervention? (RC 1503), A-469

Loewe C., Arnaiz J., Krause D., Marti-Bonmati L., Aschauer M., Tartaro A., Lombardi M., Burrel M., Izzillo R.

Efficacy of Dotarem®-enhanced mra in the diagnosis of peripheral artery disease compared to Gadovist®-enhanced MRA (SS 1315), B-0711

Lollert A., Oberholzer K., Junginger T., Biesterfeld S., Schimanski C., Mildenberger P., Dueber C.

Rectal cancer: dynamic contrast-enhanced MRI correlates with lymph node status, distant metastases and EGFR expression (SS 216), B-0153

Lomas D.J.

Abdominal tumour evaluation: from morphology to biology: Chairman's introduction (RC 301), A-009

Londero V., Di Gaetano E., Zuiani C., Graziani G., Di Loreto C., Bazzocchi M.

US-guided 14G core needle biopsy of breast masses categorised as BI-RADS 3, 4 and 5: can the radiologist predict the adequacy of tissue sampling? (SS 1302), B-0676

Lonn L.

The trauma patient: C. Solid organ trauma (RC 309), A-048

Lopci E., Burnelli R., Cistaro A., Piccardo A., Guerra L., Chiti A., Zucchetta P., Fanti S.

Additional value of FDG-PET in partial responders on CT: data deriving from a multicentric Italian paediatric HD study (SS 1712), B-0858

Lorenzon M., Zuiani C., Linda A., De Stefanis S., Maieron M., Girometti R., Bazzocchi M.

To contrast or not to contrast? A new approach to unenhanced MR mammography (SS 102), B-0077

Løvblad K.

Ischaemic stroke ('acute neurologic deficit'): B. Which patients are candidates for thrombolysis? (CC 319), A-014

Lucatelli P., Anzidei M., Cavallo Marincola B., Napoli A., Fanelli F., Passariello R.

Low dose contrast-enhanced time-resolved MR angiography at 3 T: diagnostic accuracy for treatment planning and follow-up of body vascular malformations (SS 515), B-0348

Luciani M., Pediconi F., Telesca M., Vasselli F., Casali V., Miglio E., Catalano C.

To compare MR spectroscopy at 3T with tumour type and grading of breast cancers (SS 1702), B-0805

Luijckx T., Cramer M.J., Prakken N.H.J., Buckens C.F., Backx F.J.G., Mali W.P.T.M., Velthuis B.K.

Sport category is an important determinant of cardiac adaptation: an MRI study (SS 1803), B-0999

Lumia D., Angeretti M.G., Cani A.,

Maresca A.M., Genovese E.A., Fugazzola C. Non-enhanced magnetic resonance angiography (MRA) of the renal arteries: comparison with contrast enhanced MRA (SS 1315), B-0715

Lund G.K., Mllerleile K., Groth M., Sring D., Klinik T., Halaj S., Folwarski G., Kaul M., Adam G.

Improved agreement between experienced and inexperienced observers using a standardised evaluation protocol for cardiac volumetry and infarct size measurement (SS 103), B-0136

Lundqvist E., Biglarnia A., Segelsjo M., Magnusson A.

Measurement of transplanted pancreatic volume by computed tomography: reliability by intra- and inter-observer variability (SS 201b), B-0231

Lupescu I.G.

Oncology imaging: breast and liver: Hepatic nodules in cirrhosis (EM 4), A-366

Lutchmaya-Flick C., Becce F., Alamo L., Delaloye J., Meuli R., Meuwly J.
Breast-conserving surgery for non-palpable breast cancer: relationship of lumpectomy resection margins measurements between remote perioperative ultrasound and postoperative histopathology (SS 1802), B-0945

Lv P., Lin X., Li J., Gao J., Ke M.
Evaluation of hepatic fatty infiltration with dual energy spectral CT (SS 105), B-0149

Lv P., Lin X., Chen K., Gao J., Shen Y.
Spectral CT of hypervascular liver lesions in patients with HCC: investigation of image quality and sensitivity (SS 1301b), B-0691

M

Ma C., Pan C., Zhang H., Wang H., Wang J., Chen S., Lu J.
Apparent diffusion coefficient values of healthy pancreas from diffusion-weighted imaging of upper abdomen at 3.0 T (SS 601), B-0446

Maas M.
Imaging the paediatric spine: C. Imaging spinal trauma in childhood (RC 812), A-236

Maas M., Lambregts D.M.J., Lalji U., Lahaye M.J., Beets G.L., Beets-Tan R.G.H.
Accuracy of gadofosveset-enhanced 3D T1W MRI for selection of ypT1-2 after chemoradiation for rectal cancer (SS 216), B-0152

Maas M., Lambregts D.M.J., Berkhof M., Beets G.L., Beets-Tan R.G.H.
Nodal restaging after chemoradiation for locally advanced rectal cancer: predictive factors (SS 1301a), B-0649

Maas M., Lambregts D.M.J., Leijtens J.W.A., Sosef M., Hulsewe K.W.E., Beets G.L., Beets-Tan R.G.H.
Accurate identification of complete responders after CRT for rectal cancer with endoscopy and MRI (SS 1301a), B-0654

Maas M., Engelen S.M., Lahaye M., Lambregts D.M.J., Leijtens J.W., Van Berlo C.L., Verkooijen H., Beets G.L., Beets-Tan R.G.H.
Long-term outcome of MRI-based individualised treatment for rectal cancer: a multicentre study (SS 216), B-0155

Maccarone M.T., Basilico R., Rodolfino E., Calamita V., Ferri A., De Tursi M., Cotroneo A.R.
Early diagnosis of recurrence of peritoneal carcinomatosis: MDCT correlated with serum tumour markers (SS 916), B-0547

Maccioni F.
Diagnosis of inflammatory conditions: Imaging inflammatory bowel disease: the radiology perspective (PC 3), A-042

Maccioni F.
Crohn's disease of the small bowel: which test when?: B. Disease activity assessment (RC 1901), A-543

Maccioni F., Buonocore V., Staltari I., Pino A., Bella G., De Marco V., Marini M.
Proposal of a qualitative MRI activity index for Crohn's disease (SS 101a), B-0055

Macera A., Petracchini M., Balbo Mussetto A., Fornari A., Lario C., Gallo T., Cirillo S.
Detection of colorectal hepatic metastases using Gd-EOB-DTPA MR imaging and diffusion-weighted imaging (DWI) alone and in combination in patients after chemotherapeutic treatment (SS 501), B-0331

Mack M.G.
Paranasal sinus imaging: Chairman's introduction (RC 708), A-148

Mackay S.J., Hogg P., Cooke G.T., Baker R.D., Dawkes T.
Are UK radiographers more emotionally intelligent than a normative comparison group? An age- and gender-matched analysis (SS 614), B-0498

Maffei E., Martini C., Seitun S., Cademartiri F.
Influence of intra-coronary enhancement on performance of second generation dual source CT coronary angiography (SS 503), B-0368

Maffei E., Cademartiri F., Seitun S., Hadamitzky M., Kaufmann P., Nasir K., Shaw L.J., Raff G., Villines T.
Prognostic value CT coronary angiography in subjects with suspected CAD: focus on severity of coronary artery disease and presenting symptoms. Results from the CONFIRM Registry (coronary CT angiography evaluation for clinical outcomes: an international multicentre registry) (SS 1703), B-0830

Maffei E., Cademartiri F., Seitun S., Min J.K., Al-Mallah M., Budoff M.J., Callister T.Q., Cheng V., Delago A.
Coronary computed tomography angiography in the selection and evaluation of outlier patients: results from the international multicentre CONFIRM (coronary CT angiography evaluation for clinical outcomes: an international multicentre registry) (SS 1703), B-0831

Maffei E., Martini C., Midiri M., Seitun S., Rengo M., Russo V., Francone M., Cademartiri F.
Age- and sex-related differences in outcome based on coronary computed tomography angiography; preliminary results from the Italian National PRORECAD Registry (SS 1703), B-0837

Magagnoli M., Lopci E., Rodari M., Marzo K., Giordano L., Lutman F.R., Anastasia A., Santoro A., Chiti A.
Prognostic value of residual CT masses in HD patients with a negative FDG PET after chemo/radiotherapy (SS 1716), B-0785

Magerkurth O., Jacobson J.A., Morag Y., Caoili E.M., Fessell D., Sekiya J.
Capsular laxity of the hip: findings at MR arthrography (SS 1810a), B-0911

Maggi F., Leccisotti L., Treglia G., Persiani R., Giordano A., Bonomo L.
Early prediction of histopathological response to pre-operative chemotherapy in locally advanced gastric cancer by FDG PET-CT (SS 1816), B-0881

Mahnken A.H., Allmendinger T., Sedlmair M., Reinartz S., Kuhl C., Flohr T.
Full field image reconstruction in high-pitch dual source CT (SS 1813), B-0993

Makanyanga J., Pendse D., Atkins E., Steward M., Bloom S., McCartney S., Punwani S., Halligan S., Taylor S.A.
Magnetic resonance imaging is correlated with faecal calprotectin level in the evaluation of small bowel and colonic Crohn's disease (SS 101a), B-0058

Malago R., Pezzato A., Barbiani C., Alfonsi U., Sala G., Pozzi Mucelli R.
Non-invasive cardiac vein mapping: role of MDCT-CA (SS 1803), B-1005

Malamateniou C.
Challenges and solutions for radiographers in MRI: high field and imaging under patient motion: C. Reducing motion artefacts in foetal MRI: the contribution of the radiographer (RC 814), A-233

Maleux G.
Expanding the role of interventional radiology in hepatocellular carcinoma: Chairman's introduction (RC 1209), A-354

Malich A., Kott A., Ulrich A., Feger J., Chelaru R.
Feasibility and reliability of MR-guided biopsy of the prostate gland: comparison to histopathological outcome (SS 107), B-0069

Maly Sundgren P.C.
Neuroimaging in neonates, infants and children: when to do what: What is the role of advanced post-processing of MRI images? (SF 3), A-022

Maly Sundgren P.C.
My most beautiful mistakes: Neuro (SF 7a), A-161

Maly Sundgren P.C.
Oncologic emergencies in neuroradiology: B. Iatrogenic emergencies in oncology patients: PRES and radiation necrosis (CC 1419), A-392

Mameri C.S., Mameri Filho J., Nazario A.C.P.
Improving detection rates of DCIS with digital DR mammography (SS 602), B-0459

Manenti G.
Breast interventions: from diagnosis to treatment: C. New developments: therapeutic interventional procedures (RC 1202), A-343

Manfredi R.
Pancreatic tumours: Chairman's introduction (MS 3), A-023

Manfredi R.
Pancreatic tumours: Imaging of pancreatic tumours (MS 3), A-026

Manfredi R.
Pancreatic tumours: Case presentation and discussion (MS 3), A-027

Manfredi R.
The cystic lesions of the pancreas: B. IPMN: diagnostic and staging criteria (RC 1601), A-509

Mang T.
CT colonography: three steps to success: B. Step 2: analysis and how to avoid pitfalls (RC 1201), A-316

Manganaro L., Tomei A., Fierro F., Bernardo S., Vinci V., Sollazzo P., Sergi M.E., Silvestri E., Marini M.
Role of foetal MRI in the evaluation of cerebellar morphostructure and biometry (SS 1812), B-0924

Mann R.M.
From control to prediction, moving forward in the field of neoadjuvant chemotherapy (SY 3)

Authors' Index

- Mann R.M., Mus R.D.M., Geppert C.,**
Frentz C.P.M., Karssemeijer N., Huisman H.,
Platel B.
Initial maximum slope of the contrast enhancement versus time curve for dynamic evaluation of breast lesions on ultrafast breast MRI (SS 1702), B-0798
- Mansour M., Haage P.**
Evaluation and treatment of common venous disorders: C. Varicocele (RC 709), A-178
- Mantini C., Feragalli B., Civitareale N.,**
Polverosi R., Tartaro A., Cotroneo A.
Prevalence, clinical significance and diagnostic value of extrapleural and cardio-phrenic lymph nodes (SS 104), B-0024
- Marcus R.P., Bamberg F., Sander T.,**
Schwarz F., Baloch E., Hinkel R., Theisen D.,
Hildebrandt K.J., Nikolaou K.
Association between myocardial blood flow as measured by dynamic adenosine-mediated stress perfusion computed tomography and coronary artery flow in a large animal model (SS 203a), B-0245
- Margineanu I.S.**
Radiology as seen by Romanian medical students: guidelines for the future (Student Session 3), H-14
- Marincek B., Gallix B.**
Small bowel examination: CT vs MRI: Discussion (MC 424), A-070
- Maroldi R.**
Antonio Chiesa Honorary Lecture: Small is beautiful! The voyage of head and neck imaging into the future (HL 2), A-257
- Maroldi R.**
Post-treatment head and neck management: the diagnostic dilemma: Chairman's introduction (RC 1508), A-475
- Marshall N.**
Simulations help us understand x-ray imaging: C. Monte Carlo simulations of x-ray detectors and x-ray images (RC 1613), A-528
- Marten-Engelke K.**
Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: B. Inflammatory and infectious GGO (RC 1104), A-299
- Martí-Bonmatí L.**
Basics in molecular imaging (1): C. PET-CT-MRI and radiotracers for MI (MC 23A), A-003
- Martí-Bonmatí L.**
Abdominal tumour evaluation: from morphology to biology: C. Beyond vascularisation: exploring tumour biology (RC 301), A-012
- Martí-Bonmatí L.**
Liver imaging: reality and virtuality: Acquisition and display of liver 'reality' (NH 4), A-058
- Martin D.F.**
Biliary interventions: C. In tandem with endoscopy (RC 1109), A-307
- Martin-Rodriguez J.L., Jimenez-Moleon J.J.,**
Machado Gallas J., Navarro-Labrat M.R.,
Velasco Torres M., Sanchez-Gonzalez J.,
Gonzalez-Calvin J.L.
Quantification of liver fat content by 3 Tesla spectroscopy magnetic resonance (3T SRM) in nonalcoholic fatty liver disease: correlation with serum levels of alanine aminotransferase (ALT) (SS 601), B-0444
- Martincich L.**
Controversies in breast imaging: What to do with false positive MR imaging (SF 4a), A-088
- Martincich L.**
Evaluation of the treated breast and follow-up: B. Evaluation of response to neoadjuvant chemotherapy (RC 1502), A-463
- Martinez A.R., Paladini H., Mela M.J.,**
Perea F.M., Cerdá M., Ganum G., Castignola M.,
Dulbecco E., Haberman D.
Accuracy of multidetector computed tomography to evaluate acute aortic syndromes: 5-year experience in a cardiovascular center (SS 617), B-0488
- Martínez P., Garcia- Lallana A.,**
Sainz-Mendiguren R., Minguilón C., Pina L.
The role of breast tomosynthesis combined with digital mammography (SS 602), B-0452
- Martinez Gambaro F.I., Henes F.O., Nagel H.D.,**
Adam G., Regier M.
Rapid semiautomatic liver segmentation using a new user-friendly, prototypic software tool: initial experience (SS 505), B-0377
- Martini C., Fabbro E., Ferrero G., Orlandi D.,**
Silvestri E.
Sonoelastography can help in the evaluation of supraspinatus tendon degeneration (SS 510), B-0290
- Martino C., Zamboni G.A., Salvagno G.,**
Pozzi Mucelli R.
Emergency CTPA performed in one year: clinical results (SS 617), B-0489
- Martinoli C.**
Sports injuries: US or MRI?: A. Muscle and US (RC 1210), A-330
- Martinoli C.**
The role of advanced imaging in musculoskeletal neoplasms: Sonography: diagnostic developments (SF 16a), A-488
- Martinoli C.**
Advancements in musculoskeletal ultrasound (SY 14)
- Masciocchi C.**
Postoperative joint imaging: C. Ankle (RC 1410), A-399
- Masselli G.**
Imaging the female pelvis: A. Imaging for pelvic pain in pregnancy (RC 307), A-034
- Mateka I., Rusko L., Varadi Z., Kriston A.,**
Perenyi A., Berenyi Z., Petrovszki V.,
Demjen O., Palko A.
Intra-operator variability of liver segment volumetry using vessel-based and plane-based techniques (SS 105), B-0147
- Mathias K.D., Ranft A.**
Endovascular treatment of extracranial carotid artery aneurysms (SS 609), B-0426
- Matsushima M., Tanaka R., Kikuchi Y.**
Development of a computer-aided independent monitor unit verification system using Clarkson's sector integration routine (SS 905), B-0607
- Mattei P.A., Salice S., Tortora D., Panara V.,**
Briganti C., Cotroneo A.R., Caulo M., Tartaro A.
Role of multimodal MR in brain glioma grading (SS 1311), B-0729
- Maurer M.H., Winkler A., Powerski M., Elgeti F.,**
Hamm B., Roettgen R., Marnitz T.
Ultrasound follow-up of polytrauma patients after initial computed tomography: an analysis of role and costs (SS 617), B-0482
- Maurer M.H., Heine O., Wolf M., Durmus T.,**
Wagner M., Hamm B.
Tolerability and diagnostic value of gadoteric acid in general and in patients with risk factors: results in more than 84,000 patients (SS 1306), B-0701
- Maurer M.H., Niehues S.M., Schnapauff D.,**
Grieser C., Rothe J., Chopra S.S., Hamm B.,
Denecke T.
Low-dose computed tomography to detect body packing: stepwise dose reduction in an animal model (SS 1801a), B-0873
- Mauri G., Cova L., Ierace T., Tondolo T.,**
Lomuscio G., Baroli A., Solbiati L.
Percutaneous US-guided interstitial laser ablation of metastatic lymph nodes in the neck from papillary thyroid carcinoma following thyroidectomy and lymphadenectomy (SS 209), B-0174
- Mauri G., Tondolo T., Cova L., Ierace T.,**
Solbiati L.
Microwave ablation (MWA) versus radiofrequency ablation (RFA) for small liver malignancies: rates of technical success (SS 209), B-0177
- Mauri G., Cova L., Ierace T., Tondolo T.,**
Goldberg S.N., Solbiati L.
Local control of focal hepatic malignancies treated with microwave ablation with a high-power applicator system in 151 patients (SS 209), B-0180
- Mauri G., Cova L., Ierace T., Tondolo T.,**
Lomuscio G., Baroli A., Pacella C.M., Solbiati L.
Percutaneous US-guided interstitial laser ablation of metastatic lymph nodes in the neck from papillary thyroid carcinoma following thyroidectomy and lymphadenectomy (SS 1308), B-0680
- May K.M., Simon M., Vogt F.M., Hunold P.,**
Barkhausen J., Kovacs A.
Image quality and radiation dose of BMI-adjusted peripheral CT-angiography with 80/100 kVp compared to a standard protocol with 120 kV (SS 215), B-0259
- Mazonakis M., Pagonidis K., Damilakis J.**
A computer-assisted method for the rapid and accurate assessment of left ventricular volumes, ejection fraction and mass by MRI (SS 905), B-0605
- Mazzei M.A., Sani E., Guerrini S.,**
Cioffi Squitieri N., Fodera' E., de Mauro C.,
Mazzei F.G., Voltterrani L.
Reduced time CT perfusion acquisitions are sufficient to measure the permeability surface area product with a deconvolution method (SS 113), B-0123

Authors' Index

- Mc Entee M.F., Nikolovski I., Bourne R., Pietrzyk M., Evanoff M., Brennan P., Tay K.**
Does JPEG lossy compression disguise cranial fractures? (SS 105), B-0146
- Mc Fadden S.**
Radiographers' impact on dose optimisation and radiation protection: the essential link in the chain: A. Dose optimisation - what more is there to be done? The role of the radiographer (RC 1114), A-308
- McKenna-Küttner A.**
3T MRI - between a luxury good and clinical necessity (SY 18)
- McNulty J.**
Promoting best practice in forensic imaging: B. The role of radiographers in forensic imaging (RC 1414), A-427
- McPherson S.**
Diagnosis and management of acute vascular abdominal problems: Acute non variceal upper gastrointestinal haemorrhage: the evidence base for and role of intervention (SF 4b), A-105
- McQueen A.S.**
Post-treatment head and neck management: the diagnostic dilemma: A. Expected changes after treatment (RC 1508), A-476
- Medeiros F.D.F.R., Azevedo K.B., Ribeiro L.P.V., Abrantes A.F.C.L., Rodrigues S., Silva C.A., Almeida R.P.P.**
The evaluation of patient's anxiety levels undergoing magnetic resonance imaging examination (SS 614), B-0493
- Meinel F.G., Fischer J., Woehrle N., Koerte I., Steffinger D., Laubender R.P., Reiser M.F., Alperin N., Ertl-Wagner B.**
Preserved regulation of intracranial pressure in patients with cerebral arteriovenous malformations (SS 111a), B-0009
- Meinel F.G., Zhang Q., Bamberg F., Bischoff B., Reiser M.F., Johnson T.R.C.**
Metal artefact reduction in dual source computed tomography using monoenergetic extrapolation: a systematically optimised protocol (SS 113), B-0121
- Melnikov I., Akhadov T., Semenova N., Petryakin A., Sidorin S., Gur'yakov S.**
Magnetic resonance imaging of diffuse axonal injury in acute period of paediatric crano-cerebral trauma (SS 1812), B-0921
- Méndez C.A., Pizzorni Ferrarese F., Summers P., Petralia G., Menegaz G.**
Integration of diffusion and perfusion images of human breast cancer by registration and dissimilarity-based clustering (SS 505), B-0379
- Mensel B., Kühn J.P., Langner S., Hosten N., Puls R.**
Measuring aortic and pulmonary trunk diameters in epidemiologic research: do we need gadolinium and orthogonal slices? (SS 115), B-0112
- Mentzel H.-J.**
The vomiting infant and child: B. Imaging techniques and typical findings (CC 1418), A-389
- Menu Y.**
Essentials in oncologic imaging: what radiologists need to know (part 3): A. Oncologic imaging: terminology, definitions and buzzwords (MC 628), A-128
- Menys A., Atkinson D., Punwani S., Proctor I., Novelli M., Rodriguez-Justo M., Hawkes D., Halligan S., Taylor S.A.**
MRI-derived small bowel motility as a marker of disease activity in Crohn's disease using a histopathological standard of reference (SS 101a), B-0054
- Merli I.**
An illuminating blunder (Student Session 3), H-13
- Mertelmeier T.**
Introduction (SY 1)
- Messner P., Kuehn J.P., Ittermann T., Mensel B., Hegenscheid K., Voelzke H., Mayerle J., Hosten N., Puls R.**
Secretin-stimulated magnetic resonance cholangio-pancreaticography: safety, reliability, and assessment of pancreatic exocrine function (SS 101b), B-0100
- Metafratzis Z.M., Alexiou E., Fanariotis M., Argiri P., Chovas A., Komnos A.**
Cerebral perfusion CT f quantifying regional functional parameters at the onset of the stroke and 24hs after intravenous thrombolytic therapy (SS 911), B-0504
- Metsala E., Henner A.**
Radiographer's role in teleradiology (SS 614), B-0499
- Meyer M., Apfalterer P., Henzler T., Dinter D.J., Hohenberger P., Schönberg S.O., Fink C.**
CT-based response assessment of advanced gastrointestinal stromal tumour: is dual energy CT a more predictive imaging biomarker of response than RECIST or Choi criteria? (SS 116), B-0020
- Meyer M., Fink C., Roeger S., Apfalterer P., Hagh D., Kaminski W., Neumaier M., Schönberg S.O., Henzler T.**
Benefit of combining quantitative cardiac CT parameters with troponin I for predicting right ventricular dysfunction and adverse clinical events in patients with acute pulmonary embolism (SS 203a), B-0249
- Michaely H.J.**
How I report: B. CTA and MRA of thoracic and abdominal aorta (RC 315), A-050
- Michaely H.J., Benck U., Goettmann U., Runge T., Kraemer B.K., Haneder S., Schönberg S.O.**
Ultrasmall particles of iron oxide-enhanced MR-imaging of ischaemic acute renal failure in a rat model on a clinical 3T scanner (SS 1807), B-0930
- Michelozzi C., Galli F., Di Leo G., Silva Barbosa F., Sardanelli F., Cornalba G.**
Subependymal nodules and giant cell tumour prevalence in genetically studied tuberous sclerosis complex patients (SS 1311), B-0738
- Migaleddu V., Virgilio G., Scaru A., Dore M., Porcu A., Marzo M., Sirigu D., Scaru D.**
Non-invasive assessment of bowel wall fibrosis in Crohn's disease: role of the qualitative elastographic imaging (IE) and correlation with baseline (US), colour Doppler (CD-US) and contrast-enhanced ultrasound (CE-US) patterns (SS 101a), B-0057
- Migaleddu V., Sanna V., Scaru D., Pintus G., Sirigu D., Uzzau S., Marzo M., Sechi M., Virgilio G.**
Evaluation in vitro of new polymeric contrast microbubbles using Qontrast software (SS 1806), B-0970
- Migliorisi C., Barbosa F., Ticca C., Nichelatti M., Mazzzone D., Vercelli R., Solcia M., Rampoldi A., Cornalba G.**
Renal radiofrequency ablation (RFA): effect of primary thermal ablation on the medium-term survival (SS 209), B-0178
- Minar E.**
Vascular imaging: diabetes and vascular occlusive disease: A. Metabolic syndrome, diabetes and vascular disease: what do we need to know? (RC 715), A-182
- Minko P., Jaeger S., Buecker A., Katoh M.**
Directional atherectomy of calcified stenotic lesions of the lower limb in segments with high biomechanical stress: 3-year results (SS 609), B-0420
- Molloi S.**
Breast density measurement - risk assessment in screening (SY 15)
- Monguzzi L., Ippolito D., Capraro C., Talei Franzesi C., Galimberti S., Sironi S.**
Combined qualitative and quantitative analysis of DWI in early assessment of poor responders after chemoradiation therapy: preliminary results in locally advanced rectal cancer (SS 116), B-0017
- Monguzzi L., Ippolito D., Colombo M., Bonaffini P.A., Sironi S.**
High-b-value diffusion-weighted imaging with background body-signal suppression: a pivotal role for the evaluation of complete response to neoadjuvant treatments in rectal cancer (SS 216), B-0154
- Monguzzi L., Ippolito D., Guerra L., De Ponti E., Messa C., Sironi S.**
Treatment monitoring in LARC: role of diffusion-weighted imaging and 18-FDG-PET-CT in evaluation of tumour regression grade during and after CRT (SS 216), B-0159
- Monteiro M., Santos J., Silva C., Santos N.**
Comparison of automatic exposure control in CT equipment 64 slices (SS 1314), B-0726
- Montet X.**
From inflammatory to fibrotic processes: A. Imaging inflammation in organs and vessels (MC 23D), A-379
- Montet X.**
How I optimise contrast media administration: C. PET/CT (RC 1906), A-547
- Monzani Q., Schull A., Delongschamps N.B., Beuvon F., Legmann P., Cornud F.**
Accuracy of ultrahigh b values (b2000) to differentiate benign from malignant prostatic nodules on endorectal diffusion-weighted imaging (SS 107), B-0068
- Moonen C.**
Theranostics: combining imaging and treatment: A. MR and US-guided drug delivery (MC 23E), A-538
- Morana G.**
Malignant pancreatic tumours: B. Cystic tumours (E³ 1120), A-266

Morcos S.K.

Contrast media and tracers: always as safe as we wish?: Chairman's introduction (RC 406), A-064

Morcos S.K.

The patient with renal impairment: A. Iodine and Gd-based contrast media in patients with renal impairment: a tale of two evils (CC 1521), A-447

Mori H., Tanaka C., Ikeya Y., Fujii T., Shizuma T., Fukuyama N.

Development of in-hospital x-ray radiographic system using rotating cerium anode for coronary and cerebral microangiography (SS 513), B-0350

Mortazavi-Jehanno N., Balvay D., Bourillon C., Badoual C., Bernardini M., Faraggi M., Cuenod C., Clement O., Fournier L.S.

Multimodality quantification of tumour perfusion in diffusion-weighted MRI and dynamic PET in a rodent model (SS 1816), B-0883

Moschetta M., Stabile Ianora A.A., Lorusso F., Telegrafo M., Scardapane A., Angelelli G.

Prediction of bowel necrosis extent basing on the degree of bowel dilatation detected by CT reconstructions (SS 1717), B-0841

Moschetta M., Cosmo T., Binetti F.

Scardapane A., Stabile Ianora A.A., Angelelli G. CT diagnosis of nature of bowel obstructions: morphological evaluation of the transitional point (SS 1717), B-0845

Mostbeck G.H.

Understand recent issues in US technology: B. Portable machines: the future of US? (E³ 420b), A-080

Mostbeck G.H.

Fever of unknown origin: C. Interactive case discussion (CC 1518), A-443

Moussa S.

How should we image the patient with haematuria?: Ultrasound and intravenous urography: what is the new role? (SF 16b), A-501

Much C.C., Busch J.D., Schlampp S.,**Forkert N.D., Adam G., Habermann C.R.**

Correlation between strength of paraspinal lumbar muscles, muscle degeneration and diffusion properties (SS 910), B-0535

Much C.C., Solano E., Ernst T., Yamamura J., Adam G., Arck P., Wedegaertner U.

High-field MRI in assessment of murine placental functional morphology and comparison to histology (SS 1707), B-0794

Mueller-Lisse U.G.

Diagnosis and management of GU tract trauma: B. Imaging the bladder and urethra (RC 707), A-167

Mueller-Lisse U.G.

Renal and adrenal tumours: A. Imaging and staging of renal parenchymal tumours (CC 821), A-199

Muenzel D., Noel P.B., Renz V., Gramer B.M., Vembar M., Fingerle A.A., Rummey E.J., Huber A.

Dynamic CT perfusion imaging of the myocardium using a wide detector CT scanner: first results (SS 203a), B-0243

Muenzel D., Noel P.B., Gramer B.M., Renz V.,**Vembar M., Fingerle A.A., Rummey E.J., Huber A.**

Dynamic CT perfusion imaging of the myocardium: comparison of reconstructions from 180° and 360° (SS 203a), B-0244

Muharemovic O.

Information to the parents in connection with their child's diagnostic examination (SS 614), B-0495

Mulkens T.H.E., Bellinck P., Salgado R.

A local dose survey of cranial CT in children: comparison with different European DRL levels and possibilities for dose optimisation (SS 1812), B-0919

Muto M.

Spine: update on spinal disorders: C. Percutaneous treatment of spinal diseases (RC 1611), A-513

N**Naguib N.N., Nour-Eldin N.-E.A., Schell B., Gruber-Rouh T., Lehnert T., Vogl T.J.**

Uterine artery embolisation: pre-interventional prediction of the best tube angle obliquity for visualisation of the uterine artery origin using 3D reconstructed contrast-enhanced MR angiography (SS 109), B-0031

Naguib N.N., Nour-Eldin N.-E.A., Lehnert T., Gruber-Rouh T., Harth M., Vogl T.J.

3D reconstructed contrast-enhanced MR angiography: 1.5 Tesla vs 3 Tesla in detection of the different branches of the internal iliac artery in females scheduled for uterine artery embolisation (SS 515), B-0347

Najmi N.

Evaluating the diagnostic accuracy of ultrasound in craniostostosis among infants under 1 year (SS 1812), B-0920

Nakamura S.

CT findings of pneumonc type adenocarcinoma: comparison between invasive mucinous adenocarcinoma and nonmucinous adenocarcinoma (SS 1704), B-0748

Nakano S., Fujii K., Yorozuya K., Yoshida M., Kousaka J., Shiomi Y., Fukutomi T., Ishiguchi T., Arai O.

Fusion of US and FDG-PET/CT image for evaluation of loco-regional recurrence of breast cancer using real-time virtual sonography (RVS): first experience (SS 202a), B-0219

Nakano S., Yorozuya K., Fujii K., Yoshida M., Kousaka J., Shiomi Y., Fukutomi T., Ishiguchi T., Arai O.

Utility of second-look US with real-time virtual sonography (RVS) for MRI-detected lesions of the breast (SS 502), B-0319

Nance Jr J.W., Schoepf U., Schlett C.L., Barraza J., Bamberg F.

Gender differences in the prognostic value of cardiac CT angiography (SS 1703), B-0828

Napoli A., Pediconi F., Anzidei M., Di Mare L., Cartocci G., Bertaccini L., Boni F., Noce V., Catalano C.

Treatment of invasive breast cancer: initial clinical experience using high intensity focused ultrasound therapy with 3T magnetic resonance guidance (SS 102), B-0080

Napoli A., Anzidei M., Cavallo Marincola B., Molisso L., Cartocci G., Boni F., Bertaccini L., Noce V., Catalano C.

Magnetic resonance-guided focused ultrasound (MRgFUS) for the treatment of osteoid osteoma (SS 1310), B-0646

Napoli A., Anzidei M., Marotta E., Brachetti G., Cartocci G., Boni F., Bertaccini L., Noce V., Catalano C.

Pain palliation of bone metastasis: initial clinical experience using high-intensity focused ultrasound therapy with magnetic resonance guidance (SS 1310), B-0647

Nappi J.J., Yoshida H., Regge D.

Accuracy of computer-aided detection in detecting flat lesions in CT colonography (SS 1801a), B-0868

Nardella V., Secchi F., Giardino A., Resta E., Di Leo G., Sardanelli F.

Symmetry of atherosclerotic lesions at the lower extremities arteries on magnetic resonance angiography (MRA) (SS 1315), B-0717

Nardo L., Carballido-Gamio J., Karampinos D., Alizai H., Ma B.C., Link T.M., Krug R.

Quantitative assessment of fat infiltration in the rotator cuff muscles using MRI (SS 210), B-0189

Nardo L., Prasad A., Schooler J., Liebl H., Link T.M.

MR-based baseline T2 relaxation time predicts progression of knee osteoarthritis (SS 610), B-0437

Natale L.

How I report: A. Chest x-ray in cardiac disease (RC 403), A-100

Natori H., Mori M., Takabatake H., Honma H., Nimura Y., Mori K.

Automated branch name labelling system of tracheobronchial tree by computational anatomy (SS 905), B-0606

Navab N., Wendler T.

Liver imaging: reality and virtuality: Intraoperative functional imaging: visualisation and navigation for liver surgery (NH 4), A-061

Navarro U., Ravanelli M., Rizzardi P., Sandrini S., Maroldi R.

DWI with mono- and biexponential analysis in kidneys allografts early after transplantation (SS 1707), B-0791

Nechifor P.R., Dorobat B.

Advantages of the brachial approach in uterine arteries embolisation (SS 109), B-0032

Nederend J., Voogd A.C., Groenewoud J.H., Louwman M.W.J., Duijm L.E.M.

Dramatic increase in stereotactic core needle biopsy rate and ductal carcinoma in-situ detection after conversion from analogue to digital screening mammography (SS 602), B-0456

Nederend J., Louwman M.W.J., Groenewoud J.H., Voogd A.C., Duijm L.E.M.

Conversion from analogue to digital screening mammography results in a more favorable tumour stage and tumour biology of screen-detected cancers (SS 602), B-0457

Authors' Index

Neelsen J., Biernath-Wuepping J., Schaefer P.J., Kroj K., Order B., Heller M., Jonat W., Schaefer F.K.W.
Bleeding, haematoma and scar formation after vacuum-biopsy under stereotactic guidance: MammotomeR-system 11G/8G vs ATECR-system 12G/9G (SS 1302), B-0678

Neeman M.
Theranostics: combining imaging and treatment: C. Imaging-guided gene-based therapy (MC 23E), A-540

Neff W., Zahn K., Schaible T., Schönberg S.O., Schad L.R., Zoellner F.G.

Quantitative pulmonary perfusion imaging at 3.0 T of 2-year-old children after congenital diaphragmatic hernia (CDH) repair (SS 912), B-0598

Negru D.

Oncology imaging: breast and liver: Interlude: Ten reasons to see Romania (EM 4), A-369

Nelson R.C., Hara A.K., Foley W.D., Paulson E.K., Sahani D., Husarik D.B.

Ultra-low radiation dose 64-row MDCT: multicentre clinical trial to assess the diagnostic feasibility of model-based iterative reconstruction (ultra-low Veo study) (SS 1713), B-0851

Nemec U., Nemec S.F., Weber M., Brugger P.C., Prayer D.

Femoral length assessment on prenatal MRI (SS 1710), B-0768

Nensa F., Stattaus J., Nokay B., Thiering B., Lipinski H., Forsting M., Scheulen M., Kalkmann J.

Early assessment of tumour response to sorafenib in uveal melanoma with liver metastases using semi-quantitative DCE-MRI (SS 116), B-0016

Neri E.

Image processing and computer-aided diagnosis (CAD): C. Image processing and CAD: workflow in clinical practice (RC 305), A-055

Nestola M., Iezzi R., Santoro M., Marano R., Di Stasi C., Bonomo L.

Low-dose multidetector-row CT angiography in the evaluation of infrarenal aorta and peripheral arterial occlusive disease (SS 215), B-0253

Nestola M., Iezzi R., Santoro M., Dattesi R., La Torre M., Bonomo L.

Balloon-occluded percutaneous radio-frequency thermal ablation (RFA) plus transcatheter arterial chemoembolisation (TACE): a new combined single-step therapy for treatment of single large hepatocellular carcinoma (SS 909), B-0521

Ng F.K.H., Ganeshan B., Kozarski R., Miles K., Goh V.

Assessment of tumor heterogeneity: CT texture as a biomarker of overall survival in primary colorectal cancer (SS 116), B-0018

Nguyen V.L., Backes W.H., Kooi E.M., Wishaupt M.C.J., Hellenthal F.A.M.V., Bosboom M.E.H., Van der Geest R.J., Schurink G.W.H., Leiner T.

Quantification of microvascular vessel wall characteristics of abdominal aortic aneurysms with MRI: feasibility, reproducibility and initial experience (SS 115), B-0116

Nicholson A.

Diagnosis and management of acute vascular abdominal problems: Chairman's introduction (SF 4b), A-103

Nicolau C.

US and contrast-enhanced US for focal lesions: B. Evaluation of kidney lesions (E^a 620), A-126

Niesten J., Van Der Schaaf I., Riordan A., De Jong H., Mali W., Velthuis B.

Recommendations for selecting the vascular input functions to optimise the validity in CT-perfusion imaging in 256 (or more)-slice scanners (SS 911), B-0508

Niesten J., Van der Schaaf I., Biessels G., Kappelle L., Van Seeters T., Van Der Graaf Y., Mali W., Velthuis B., Horsch A.

Relationship between thrombus density and different stroke subtypes (SS 1711), B-0746

Niggemann P., Stoetzel E., Hoeffer J., Beyer H.K., Schild H.H.

Influence of weight-bearing and lumbar lordosis on the dural sac in patients with severe stenosis of the lumbar spinal canal (SS 910), B-0534

Niggemann P., Seifert M., Foerg A., Schild H.H., Urbach H., Krings T.

Positional venous MR angiography: an operator independent tool to evaluate cerebral venous outflow haemodynamics (SS 1711), B-0742

Nikolaou K.

Cardiac imaging: the cutting edge: B. Cardiac CT: tubes, rows and what else? (RC 303), A-038

Niwa T., Aida N., Fujii Y., Okabe T., Nozawa K., Tachibana Y., Shibasaki J.

Impairment of the branches of the deep cerebral veins on neonatal germinal matrix haemorrhage using susceptibility-weighted imaging (SS 1812), B-0922

Noebauer-Huhmann I., Juras V., Pfirrmann C.W.A., Szomolanyi P., Zbyn S., Messner A., Wimmer J., Friedrich K., Trattnig S.
Sodium imaging of the lumbar intervertebral disc at 7 Tesla: correlation with T2 mapping and modified Pfirrmann score at 3 Tesla (SS 910), B-0531

Noebauer-Huhmann I., Szomolanyi P., Juras V., Kronnerwetter C., Schmock M., Payer D., Trattnig S.

Magnetic resonance imaging contrast of brain tumours at 7 Tesla compared to 3 Tesla: enhancement after half and full routine contrast agent dose (SS 1806), B-0973

Nolz R., Wibmer A., Einspieler H., Asenbaum U., Magnaldi S., Peck-Radosavljevic M., Ba-Ssalamah A.

Functional imaging using Gadoxetate disodium-enhanced 3.0-T MR cholangiography versus conventional 3.0-T MR cholangiography: comparison with ERCP in patients with primary sclerotic cholangitis (SS 101b), B-0096

Nolz R., Teufelsbauer H., Beitzke D., Funovics M., Asenbaum U., Wibmer A., Plank C., Lammer J., Schoder M.

Type-II endoleaks after endovascular abdominal aortic aneurysm repair: fate of the aneurysm sac during long-term follow-up (SS 609), B-0427

Ntoulia A., Papadopoulou F., Papachristou F., Siomou E., Darge K.

Voiding urosonography with a second generation contrast agent as a first step study for the diagnosis and grading of vesicoureteric reflux in children (SS 1712), B-0859

Ntziachristos V.

Basics in molecular imaging (2): C. Potential of optical imaging *in vivo* (MC 23B), A-123

Nuyts J.

Novel developments in CT and impact on dose: C. New image reconstruction techniques (RC 1513), A-474

Nyman U., Bjorkdahl P., Goldman B., Olsson M., Wettemark S.

80-kVp 16-MDCT to diagnose pulmonary embolism with minimised radiation dose (SS 504), B-0276

O

O'Neill S.B., O'Neill F., McGarrigle A., Shanahan F., Maher M.M.

Low-dose CT in initial evaluation of Crohn's disease in the emergency setting? Toward replacing the PFA (SS 101a), B-0060

O'Leary D.

Breast screening programmes: roles and issues for radiographers: C. The radiographer's role in optimisation of dose and image quality in mammography (RC 1514), A-481

Oberhofer N.

Physical characteristics and image quality of reconstructed planes in digital breast tomosynthesis (DBT) - a system comparison (SS 513), B-0358

Oberholzer K., Lollert A., Junginger T., Heintz A., Kreft A., Hansen T., Dueber C.

Rectal cancer: assessment of response to neoadjuvant chemoradiation by dynamic contrast-enhanced MR imaging (SS 216), B-0151

Oca R., Tardaguila G., Delgado C., Trindad C., Fernandez Del Valle A., Tardaguila Montero F.
Pulmonary embolism at dual source CT angiography: do we overdose? (SS 504), B-0275

Odink A.E., Rossius M., Vermeule W., Schaefer-Prokop C.M., Hartmann I.

Frequency and origin of lung perfusion defects on dual energy computed tomography (DECT) in an unselected patient group (SS 504), B-0273

Ohno Y., Nishio M., Koyama H., Takenaka D., Yoshikawa T., Matsumoto S., Fujisawa Y., Sugimura K.

Newly developed mathematical model for perfusion CT using 320-detector row CT in patients with pulmonary nodules: comparison of diagnostic capability with previously utilised models for first-pass perfusion CT and FDG-PET/CT (SS 204), B-0162

Ohno Y., Nishio M., Koyama H., Takenaka D., Yoshikawa T., Matsumoto S., Sugihara N., Inokawa H., Sugimura K.

Adaptive iterative dose reduction using three-dimensional processing (AIDR 3D) for reduced and low-dose CT examination: comparison with standard-dose CT of image quality and radiological finding assessment for patients with various pulmonary diseases (SS 904), B-0516

Ohno Y., Nishio M., Koyama H., Yoshikawa T., Takenaka D., Matsumoto S., Sugimura K.
Contrast-enhanced MDCT vs. time-resolved MR angiography vs contrast-enhanced perfusion MRI: assessment of treatment response by patients with chronic thromboembolic pulmonary hypertension (SS 1304), B-0626

Oikonomou A.
Anatomy-based imaging review of lung disease: A. Around and between the lungs: pleura, mediastinum, and hilus (MC 422), A-082

Oikonomou A.
Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: Chairman's introduction (RC 1104), A-297

Oikonomou A., Tzouvelekis A., Skendros P., Mitroulis I., Apostolidou E., Thomaidi A., Ritis K., Bouros D., Prassopoulos P.
Small airway and interstitial lung involvement in asymptomatic patients with antiphospholipid syndrome (SS 604), B-0418

Okada M., Kondo H., Sou H., Murakami T., Kanematsu M., Ichikawa T., Awai K., Yoshimitsu K., Yamashita Y.
The efficacy of contrast protocol in liver dynamic CT: multicentre prospective study in community hospitals in Japan (SS 1806), B-0971

Ollivier L., Apter S., Servois V., Neuenschwander S.
Monitoring response: the essential guide for all radiologists: B. Response measurement in 'difficult' tumours (RC 1416), A-402

Ording-Müller L.-S.
The vomiting infant and child: A. Clinical considerations (CC 1418), A-388

Orlandi D., Fabbro E., Martini C., Ferrero G., Sconfienza L.M., Serafini G., Silvestri E.
Combined ultrasound(US)-guided percutaneous treatment of epitrochleitis: a randomised controlled trial (SS 510), B-0297

Orsi F.
Ablation beyond radiofrequency: High intensity focused ultrasound (HIFU) (NH 8), A-188

Orsi F.
Expanding the role of interventional radiology in hepatocellular carcinoma: B. Intra-arterial procedures (RC 1209), A-356

Orsini C., Della Latta D., Bernardeschi I., Di Girolamo G., Patronelli M., Guadagni M., Positano V., Chiappino D., Monteleone A.
Semi-automated segmentation and characterisation of liver and liver lesions in contrast-enhanced CT images (SS 505), B-0370

Osborn A.G.
HIV/AIDS update 2012: Understanding the role of immune activation and restoration in HIV infection (SF 14), A-407

Osborne A.M., Halpenny D., Burke P., Good D.W., Torreggiani W.C.
Testis cancer: MDCT staging with histopathological correlation (SS 1807), B-0927

Osimani M., Bellini D., Caruso D., Giansante D., Laghi A.
Diagnostic role of CT perfusion in the management of patients affected by prostate cancer (SS 1807), B-0934

Ou S., Luo D., Peng G., Qian M.
The diagnostic value of dual source CT in complex congenital heart disease (SS 203b), B-0268

Ou S., Li S., Peng G., Guo Y.
Myocardial perfusion imaging using adenosine-induced stress dual energy computed tomography of the heart: comparison with single-photon emission computed tomography and conventional coronary angiography (SS 203a), B-0248

Owens C.
An epidemic spreading from West to East: medico-legal challenges for radiologists: Medico-legal issues within paediatric practice: the history, the challenges, and the future (PC 11), A-292

Ozdoba C.
Neurological emergencies: A. Non-traumatic (E³ 720a), A-138

Özmen M.N.
How should we image the patient with haematuria?: CT urography (SF 16b), A-502

P

Pace E., Filippone A., Cianci R., Bianco V., Esposito G., Cotroneo A.
Abdominal CT in emergency: how to avoid the missed diagnosis of appendicitis (SS 1717), B-0843

Pache G., Bulla S., Blanke P., Baumann T., Langer M.
Detection of bone marrow lesions with dual energy CT virtual noncalcium technique is not affected by dose reduction (SS 1810b), B-0948

Padhani A.R.
Imaging tumour biology and microenvironment: B. Molecular imaging of angiogenic characteristics of tumours (MC 23C), A-259

Padhani A.R.
Prostate and urinary bladder: A. State-of-the-art imaging of prostate cancer: which technique should I use? (CC 1621), A-497

Pagniez J., Pontana F., Faivre J., Flohr T., Rémy-Jardin M., Remy J.
Raw-data-based iterative reconstruction for chest computed tomography (CT) angiography: comparison of low-dose low-kV iterative reconstruction CT and standard-dose filtered back projection CT in 80 patients (SS 504), B-0278

Pais A., Margalit R., Biton I.E., Yosepovitch A., Degani H.
In vivo molecular MRI of the estrogen receptor in breast cancer using a targeted contrast agent (SS 106), B-0101

Palana P., del Riego J., Villajos M., Teixido M., Vilagran M., Diaz-Ruiz M., Canales L., Ribe J., Sentis M.
Multicentre cooperative study of the effectiveness of fine needle aspiration cytology (FNAC) of axillary lymph nodes under sonographic guidance in the pre-treatment management of breast cancer patients: results after 792 consecutive cancer cases (SS 1302), B-0669

Palkó A.
Imaging during pregnancy: Polytrauma (SA 4), A-074

Palmisano A., Esposito A., De Cobelli F., Maffi P., Canu T., Magistretti P., Ironi G., Secci A., Del Maschio A.

Magnetic resonance assessment of functional changes in liver perfusion related to intrahepatic islets transplantation (islet-tx) and clinical outcome: preliminary results (SS 501), B-0337

Pameijer F.A.
Post-treatment head and neck management: the diagnostic dilemma: B. Surveillance imaging, tumour recurrence and treatment complications (RC 1508), A-477

Panara V., Mattei P.A., Tortora D., Salice S., Briganti C., Cotroneo A.R., Caulo M., Tartaro A.
Diagnostic accuracy of multimodal MR (MRS, DWI, DTI and DSC-PWI) tumour recurrence and radionecrosis (SS 1311), B-0732

Panicsek D.M.
Essentials in oncologic imaging: what radiologists need to know (part 1): A. Principles of oncologic imaging and reporting (MC 428), A-092

Panunzio A., Evangelista L., Cervino A.R., Gregoriani M., Saladini G., Muzzio P.C., Polverosi R.

Early bone marrow (BM) metastases: metabolic data using 18F-fluorodeoxyglucose (FDG) PET/CT versus CT imaging (SS 606), B-0472

Papadakis A.E., Perisinakis K., Raissaki M., Damilakis J.
Effect of x-ray tube parameters and iodine concentration on radiation dose and image quality in paediatric and adult brain CT angiography: a phantom study (SS 1812), B-0917

Papadopoulou F., Evangelou E., Riccabona M., Ntoulia A., Darge K.
Contrast-enhanced voiding urosonography for diagnosis of vesicoureteric reflux in comparison to conventional methods: a meta-analysis (SS 1712), B-0860

Papanikolaou N.
Abdominal MRI: standard and advanced protocols in clinical settings: B. Small bowel and colon: how to study a patient with suspected inflammatory bowel disease (RC 1501), A-438

Paprottka P.M., Ingrisch M., Zengel P., Cyran C.C., Nikolaou K., Reiser M.F., Clevert D.A.
Comparison of consecutive bolus tracking and flash replenishment measurements for the assessment of tissue haemodynamics using contrast-enhanced ultrasound (CEUS) in an experimental squamous cell carcinoma model (SS 106), B-0110

Parekh H.P., Bahri N.U., Vasavada D.P.
MRI sinography/fistulography is a newer and less used technique for imaging patients with sinus/fistulas when compared to conventional sinography/fistulography but more helpful and accurate without radiation (SS 201a), B-0196

Parekh H.P., Vasavada D.P.
T2 relaxometry (on 3.0T MR) made temporal lobe epilepsy diagnosis easy (SS 511), B-0325

Parizel P.M.
Radiological management of traumatic emergencies: B. Craniocerebral trauma (CC 1219), A-324

Park C., Han J., Jo S., Youn Y.
Tuberculosis, Kikuchi (SS 1308), B-0682

Authors' Index

- Park J., Kim C., Park B., Lee H., Jeon S., Seo S., Choi H.**
Prostate cancer: role of pretreatment multiparametric MRI in predicting biochemical recurrence following radical prostatectomy (SS 107), B-0063
- Park S., Kim J., Won H., Shin Y., Kim P.**
Radiofrequency ablation of hepatic metastases after curative resection of extrahepatic cholangiocarcinoma (SS 209), B-0172
- Park Y., Lee C., Kim K., Choi J., Lee J., Park C.**
Can we differentiate infiltrative hepatocellular carcinoma and confluent fibrosis in background liver cirrhosis with Gd-EOB-DTPA-enhanced 3T MRI? (SS 601), B-0441
- Parmentier N., Fretellier N., Bruneval P., Wallon C., Jestein G., Hollenbeck C., Factor C., Idee J., Corot C.**
Clinical and pathological effects and in vivo stability of all categories of gadolinium chelates on a new model of renal failure in rats (SS 1306), B-0705
- Pasetto S., Colombo P., Torresin A., Tagliabue M.**
Breast tomosynthesis: physical characterisation and comparison between two systems (SS 513), B-0359
- Pastor Toledo R., Leon Guijarro J.L., López Blasco I., Paz Maya S., Ariño Montaner L., Soriano Mena D., Llanes Rivada A., Uchiyamada J., Sanchez Oro R.**
Hippocampal malrotation: not everything is mesial sclerosis (SS 511), B-0326
- Patak M.A.**
Crohn's disease of the small bowel: which test when?: A. Detection and classification (RC 1901), A-542
- Paterson A.**
Chest imaging: what to use and when to use it: C. Imaging of neonatal chest emergencies (RC 1912), A-572
- Paul N.S., Mehrez H., Hashemi M., Alhumayyd S., Murphy G., Cobbold R.**
Evaluation of adaptive iterative dose reduction (AIDR) for lung nodule detection in ultra-low-dose thoracic CT (SS 204), B-0163
- Pauwels R., Bosmans H., Jacobs R., Bogaerts R., Stamatakis H., Tsiklakis K., Horner K.**
Quantification of metal artefacts on cone beam computed tomography images (SS 1708), B-0812
- Pecchi A., Gibertini M., De Santis M., Di Benedetto F., Torricelli P.**
Role of GD-EOB-DTPA-enhanced magnetic resonance cholangiography (MRC) in the evaluation of biliary strictures after orthotopic liver transplantation (OLT): preliminary results (SS 101b), B-0097
- Pediconi F., Telesca M., Luciani M., Vasselli F., Casali V., Miglio E., Catalano C.**
Breast MRI at 3T: a pilot study estimating sensitivity and specificity of unenhanced MRI (DWI combined with T2 IDEAL sequence) vs CE-MRI in the assessment of response to neo-adjuvant chemotherapy (SS 102), B-0076
- Pediconi F., Kubik R., Chilla B., Schwenke C., Kinkel K.**
Intra-individual, randomised comparison of the MRI contrast agents Gadovist® 1.0 versus MultiHance® for pre-operative breast MR imaging, evaluated in a blinded read (SS 202b), B-0221
- Pedraza S.**
Acute onset of cranial nerve dysfunctions: A. Acute loss of vision (CC 1619), A-494
- Pedraza S.**
Undergraduate teaching: the future of radiology: What and how should we teach undergraduates? (Undergraduate Working Group), A-377
- Pei Y.**
Evaluation of renal artery aneurysm by non-contrast magnetic resonance angiography: a SLEEK sequence comparison with CTA (SS 1315), B-0716
- Pelage J.-P., Fohlen A., Ghegediban H., Namur J., Laurent A., Wassef M.**
Mid-term recanalisation after embolisation using hydrocoils vs fibered coils in an animal model (SS 1809), B-0901
- Pelc N.**
Novel developments in CT and impact on dose: B. New frontiers in CT: functional and spectral imaging (RC 1513), A-473
- Perdikakis E., Karantanas A.**
MR arthrography of the shoulder: prospective tolerance evaluation of four different injection techniques (SS 1810a), B-0907
- Pereira V., Lovblad K.**
Angioplasty and stenting of extra and intracranial arteries: C. PTA and stenting of intracranial arteries (RC 1411), A-415
- Perisinakis K., Seimenis I., Papadakis A.E., Tzedakis A., Damilakis J.**
Screening CT colonography with 256-slice scanning: comparison of radiation risks and benefits (SS 1713), B-0849
- Pescatore J., Amiot C.**
2D curvelet spatio-temporal filtering applied to x-ray digital flat panel detector imaging (SS 513), B-0353
- Petraikin A., Akhadov T., Semenova N., Karaseva O., Melnikov I., Sidorin S.**
Multiphase contrast-enhanced MRI for control of subacute trauma of abdomen and chest in children (SS 1712), B-0862
- Petralia G., Padrenostro M., Alessi S., Di Filippi R., Raimondi S., Bonello L., Garcia-Bennett J., Bellomi M.**
Whole body magnetic resonance imaging with diffusion-weighted sequences for the follow-up of stage III melanoma patients (SS 1316), B-0613
- Petrillo M., Fusco R., Granata V., Catalano O., Sansone M., Rotondo A., Grassi R., Petrillo A.**
Assessment of preoperative radio-chemo therapy (pCRT): a novel numerical semi-quantitative DCE-MRI parameter compared with morphologic MRI (mMRI) and qualitative time intensity curves (tMRI) (SS 216), B-0158
- Peynircioglu B.**
Diagnosis and management of GU tract trauma: C. Interventional radiology for GU trauma (RC 707), A-168
- Pfirrmann C.W.A.**
Intra-articular imaging: B. CT arthrography (RC 1110), A-278
- Pianykh O.S.**
Digital perfusion phantoms and their use in perfusion validation (SS 505), B-0372
- Pietrabissa A., Pugliese L., Peri A., Tinozzi F.P., Ferrari V.**
New PACS architecture: decoupling image management from image navigation: B. Intraoperative imaging for surgeons (RC 1605), A-531
- Pina Insausti L.J.**
Breast interventions: from diagnosis to treatment: A. Practical tips for a successful needle biopsy procedure (RC 1202), A-341
- Pinheiro J.P., Ribeiro L.P.V., Rodrigues S., Abrantes A.F.C.L., Silva C.A., Almeida R.P.P.**
Patient's knowledge about radiation and radiological protection (SS 914), B-0579
- Pinker-Domenig K., Bickel H., Magometschnigg H., Brueck B., Gruber S., Bogner W., Schernthaner M., Berzaczy D., Helbich T.H.**
Can molecular imaging of breast tumours with high-field multiparametric MRI obviate unnecessary breast biopsies? (SS 106), B-0105
- Pinker-Domenig K., Bickel H., Bogner W., Gruber S., Magometschnigg H., Brueck B., Schernthaner M., Helbich T.H.**
Molecular imaging of breast tumours with MR-PET (SS 606), B-0478
- Pinto A.**
An epidemic spreading from West to East: medico-legal challenges for radiologists: Case-based review of medico-legal aspects in emergency radiology (PC 11), A-293
- Pinto F., Farina R., Pinto A., Acampora C., Romano L.**
The value of contrast-enhanced ultrasound (CEUS) in the follow-up of post-traumatic abdominal injuries submitted to nonoperative management (SS 617), B-0483
- Pinto F., Acampora C., Pinto A., Farina R., Nicotra S., Romano L.**
CEUS usefulness in the characterisation of haemodynamic abnormalities associated with endoleak following endovascular treatment of abdominal aortic aneurysms (SS 1717), B-0847
- Pirovano G., Munley J., Schultz C., Parker J., Kirchin M.A., Quince K., Spinazzi A.**
Nephrogenic systemic fibrosis: a review of published cases and results from three prospective observational studies (SS 1306), B-0699
- Pisano E.**
Benefits of dose reduction in mammography (SY 15)
- Pitre-Champagnat S., Castaigne J., Calmels L., Leroy-Willing A., Leguerney I., Thalmensi J., Bonniaud G., Lassau N., Coulot J.**
Parametric maps of tumoral perfusion with dynamic contrast-enhanced ultrasound versus histology: multimodalities melimage project (SS 916), B-0540
- Plein S.**
Questions and answers (SY 10)

Authors' Index

- Plein S.**
Introduction (SY 10)
- Podgorski P., Zimny A., Szewczyk P., Bladowska J., Szmyrka-Kaczmarek M., Sasiadek M.**
DTI tract-specific evaluation of the corpus callosum in patients with diagnosed systemic lupus erythematosus (SS 611b), B-0401
- Poletti P.-A.**
Polytrauma in the golden hour: the key role of emergency radiologists in the ED when time makes the difference: Ultrasound: why, when, how and by whom? (SA 11), A-262
- Pomoni A., Schmidt S., Uldry E., Halkic N., Denys A., Meuli R., Beccé F.**
Alveolar echinococcosis of the liver: diffusion-weighted MR imaging findings (SS 501), B-0339
- Pontana F., Chalayer C., Faivre J., Murphy C., Rémy-Jardin M., Rémy J.**
Pseudo-embolic perfusion defects in COPD: evaluation with dual energy CT angiography (DECT) in 170 patients (SS 504), B-0272
- Pontana F., Moureau D., Faivre J., Flohr T., Rémy-Jardin M., Rémy J.**
Can iterative reconstruction restore image quality at 60% dose reduction? Clinical experience in 50 patients with simultaneous availability of low-dose and standard-dose images from dual source datasets (SS 904), B-0518
- Pontone G.**
New advances in cardiovascular CT to lower dose and improve diagnosis (SY 21)
- Popa B., Popiel M., Gulie L.**
Oncology imaging: breast and liver: Interventional treatment in liver malignancies (EM 4), A-368
- Portelli J.**
Changing era of radiography education in Europe: new perspectives for students and staff: C. Exploring the benefits of European radiography networks: a personal and professional perspective of the Erasmus radiography group (RC 1214), A-360
- Portelo A., Sousa I., Vilela P., Figueiredo P.**
Non-invasive CVR assessment using ASL and BOLD (SS 111a), B-0001
- Portugaller R.H., Hausegger K.A.**
Percutaneous drainage for general radiologists: C. Nephrostomy (RC 809), A-230
- Possakka M.P., Oksanen V.J.**
Radiographic imaging: image quality and radiation dose optimisation in digital imaging (SS 914), B-0582
- Poznaka U.**
Radiologic diagnostics and surgical management tactics of craniosynostosis (Student Session 4), H-16
- Pozza S., De Marchi A., Petraz M., Aloj D., Biino G., Faletti C.**
CEUS evaluation in the pseudarthrosis before and after treatment with autologous transplantation of bone marrow stem cells: preliminary results (SS 510), B-0293
- Prabhakar N., Kalra N., Bhasin D.K., Rana S., Singh R., Khandelwal N.**
Comparison of 64-slice CT colonography with conventional colonoscopy in patients with ulcerative colitis (SS 1801a), B-0872
- Prassopoulos P.K.**
Peritoneal carcinomatosis: Chairman's introduction (SF 8a), A-190
- Prayer D.**
Imaging during pregnancy: What are the real risks of radiation and contrast media to the mother and the foetus? (SA 4), A-072
- Priolo F., Petralia G., Bonello L., Raimondi S., Di Filippi R., Colleoni M., Cassano E., Bellomi M.**
Conventional and diffusion-weighted magnetic resonance imaging in predicting residual disease after neoadjuvant chemotherapy in patients with breast cancer (SS 202b), B-0228
- Prokop M.**
Palpable abdominal mass: B. Imaging techniques and typical findings (CC 1118), A-268
- Prokop M.**
Common radiological problems: incidental abdominal masses: B. Renal mass (E³ 1220), A-319
- Prokop M.**
How to marry scanner and contrast variables to maximise radiation dose reduction (SY 7)
- Prubo J.-P.**
Subarachnoid haemorrhage ('the worst headache ever'): C. Imaging after aneurysm treatment (CC 1119), A-272
- Puderbach M.U.**
Phenotypes in obstructive airway disease: how do I image, analyse and report?: C. Cystic fibrosis and other bronchiectatic diseases (RC 1904), A-562
- Puglielli E., Fuschi M., Di Egidio V.**
Endovascular reperfusion for acute ischaemic stroke (AIS). Preliminary results of a single centre retrospective study (SS 611a), B-0381
- Puglielli E., Bafile M., Fuschi M., Di Egidio V., Monina M.**
Cerebral vasospasm (CV) after aneurysmal subarachnoid haemorrhage (A-SAH): intra-arterial management (SS 611a), B-0384
- Puglielli E., Bafile M., Fuschi M., Di Egidio V., Monina M.**
Dynamic perfusion CT (PCT) imaging and alteration of blood brain barrier permeability (BBB-P) after acute ischaemic stroke (AIS), prognostic significance (SS 911), B-0505
- Puijpe G.D., Winklehner A., Plass A., Frauenfelder T., Baumüller S.**
Evaluation of contrast injection protocols for thoraco-abdominal high-pitch dual source CT angiography: a phantom study (SS 1306), B-0708
- Puijpe G.D., Baumüller S., Alkadhi H., Pfammatter T., Hunziker R., Schiesser M., Goetti R.P.**
Diagnostic performance of a non-contrast-enhanced MR imaging protocol for potential living-related kidney donors (SS 1707), B-0789
- Pullini S., Girometti R., Del Pin M., Cereser L., Como G., Bazzocchi M., Zuiani C.**
Comparison of the apparent diffusion coefficient thresholding method vs. lesion-to-liver ADC ratio in discriminating solid benign and malignant focal liver lesions (FLLs) (SS 1701), B-0823
- Puylaert J.B.C.M.**
Abdominal emergencies: US resists CT! A. Why bother with CT when US answers so many questions? (MC 824), A-196
- Pyra K., Jargiełło T., Trojanowski P., Jarząbek M., Szczerbo-Trojanowska M.**
Post-traumatic epistaxis treated with embolisation (SS 1309), B-0636
-
- Q**
- Qi L., Tang L., Zhang X., Li Y., Li Y.**
Evaluation of dose reduction and image quality in chest CTs using adaptive statistical iterative reconstruction with the same group of patients (SS 904), B-0519
- Quaia E., De Paoli L., Cabibbo B., Degrassi F., Cova M.**
The diagnostic value of small bowel wall vascularity after sulphur hexafluoride-filled microbubble injection in the differentiation of inflammatory and fibrotic stenoses in patients with Crohn's disease (SS 101a), B-0059
- Quaia E., Baratella E., Lorusso A., Casagrande F., Ulcigrai V., Cova M.**
Digital chest tomosynthesis: impact on patient management (SS 904), B-0511
- Quaia E., Ulcigrai V., De Paoli L., Cabibbo B., Pantano E., Cova M.**
Spectral pre-saturation inversion-recovery MR imaging sequence after gadolinium injection to identify mesorectal fascia infiltration in patients with rectal carcinoma after neoadjuvant chemo- and radiation therapy (SS 1301a), B-0658
- Quaia E., De Paoli L., Pulvirenti S., Cabibbo B., Cova M.**
Comparison of contrast-enhanced US to 64-row multidetector CT and MR with Gd-BOPTA in the depiction of diagnostic vascularity pattern in hepatocellular carcinoma nodules ≤ 2 cm in diameter (SS 1301b), B-0690
- Quaia E., Cabibbo B., Pulvirenti S., Toscano W., Cova M.**
Bolus versus continuous infusion of microbubble contrast agent for liver US using an automatic power injector (SS 1806), B-0968
-
- R**
- Raabé N., Ernst T., Heine M., Salmen S.C., Kaul M., Habermann C., Adam G., Ittrich H.**
Comparison of ADC measurements and USPIO uptake into different human xenograft tumour models at 7T MRI (SS 106), B-0109
- Rácz A.**
Flow phenomena – A case study of time of flight imaging (Student Session 4), H-18
- Radhakrishnan A., Simcock I., Stirling J., Khan A., Glynne-Jones R., Goh V.J.**
Improving image quality of volumetric helical perfusion CT at 100kV using spatiotemporal filtering: a strategy for dose reduction (SS 113), B-0124
- Raghavan B., Rajmohan M., Sivaramalingam G.**
Role of breast tomosynthesis in the morphological analysis of breast lesions (SS 602), B-0453

- Rahul K., Mandeep K., Deepak K B., Rajesh G., Naveen K., Ashish B., Surinder S., Khandelwal N.**
Comparative performance of CT and MRI in prognostication of acute pancreatitis: correlation with clinical outcome (SS 901), B-0562
- Raiissaki M., Papadakis A., Perisinakis K., Damilakis J.**
Bismuth shielding and automatic tube current modulation during paediatric head CT (SS 1812), B-0918
- Rajeshkannan R., Mahesh K., Kulkarni C., Moorthy S., Sreekumar K.P., paepe A.D., Nampoothiri S.**
Imaging findings in a distinct lethal inherited arteriopathy syndrome associated with a novel mutation in Fibulin4 gene (SS 215), B-0254
- Ranschaert E.R.**
Radiology on the road: working when you are away from home: Teleradiology in 2012: growing or shrinking in importance (SF 12), A-338
- Rao Y., Yang W., Liu B., Cao L., Bu Y., Chai W., Chen K.**
Dual source dual energy CT scan to evaluate the mediastinal lymph node metastases in non-small cell lung cancer: feasibility study (SS 916), B-0542
- Rao Y., Yang W., Liu B., Cao L., Bu Y., Chai W., Chen K.**
Dual source dual energy CT for lung cancer evaluation: correlation study between weighted iodine concentrations and pathological results of tumour lesion (SS 916), B-0544
- Ratib O.**
Image processing and computer-aided diagnosis (CAD): Chairman's introduction (RC 305), A-052
- Ratib O.**
Liver imaging: reality and virtuality: Planning and simulation (NH 4), A-060
- Ratib O.**
Radiology on the road: working when you are away from home: Use of PDAs and other hand held devices in radiology: beyond the head? (SF 12), A-339
- Ratib O., Nkoulou R., Vincenti M.G., Quercioli A., Heinzer S., Didier D., Stuber M., Schindler T.H., Vallee J.**
Hybrid PET/MRI in the assessment of cardiac viability: added value compared to PET/CT (SS 103), B-0132
- Ravanelli M., Farina D., Botturi E., Marconi A., Mazza V., Maroldi R.**
First experience with tri-exponential analysis of DWI signal attenuation in normal cervical lymphnodes: feasibility study (SS 1308), B-0684
- Rechichi G., Galimberti S., Cadonici A.C., Talei Franzesi C., Perego P., Sironi S.**
ADC maps: differentiation of metastatic from non-metastatic lymph nodes in patients with endometrial cancer (SS 1816), B-0882
- Reekers J.A.**
Advances in technology for interventional radiology: general overview: Radiologist's point of view: physician required for the new technology (EF 1), A-218
- Rees M.R.**
Cardiac imaging: from diagnosis to prognosis: Chairman's introduction (SF 8b), A-213
- Regge D.**
CAD-radiologist interaction in clinical diagnosis: lessons from the CADIMPACT trial (MSY 1)
- Regier M., Kandel S., Bolte H., Hoffmann B., Adam G., Biederer J.**
Computer-aided lung nodule volumetry: can MDCT be replaced by highfield MRI at 3T? (SS 204), B-0169
- Regier M., Laqmani A., von Schulzendorff H.C., Hammerle D., Henes F.O., Groth M., Nagel H.D., Adam G., Buhk J.H.**
Impact of 4th generation iterative reconstruction techniques on image quality in low-dose computed tomography of the upper urinary tract (SS 207), B-0201
- Regier M., Henes F.O., Schwarz D., Groth M., Riesenber G., Adam G., Begemann P.G.C.**
Intraindividual comparison of image quality using retrospective and prospective respiratory gating for the acquisition of thin sliced 4D MDCT of the thorax (SS 904), B-0515
- Regier M., Henes F.O., Schwarz D., Laqmani A., Kooijman H., Adam G.**
Dynamic perfusion MRI in patients suffering from primary lung cancer: a novel approach to tumour characterisation? (SS 1704), B-0749
- Regini F., Pasquinelli F., Nardi C., Mazzoni L., Belli G., Colagrande S.**
Sensibility and specificity of DWI-related parameters, apparent diffusion coefficient (ADC), diffusion coefficient (D) and perfusion fraction (PF), in distinguishing among benign and malignant focal liver lesions (FLs) (SS 1701), B-0821
- Rehani M.M.**
Upcoming challenges in radiation protection: Hybrid systems and growing challenge posed by CT (PC 16), A-521
- Reichardt W.**
Imaging highlights: monitoring disease and therapy: Imaging of novel therapies in Glioblastomas using multiple biomarkers (ENCITE), A-434
- Reichert M., Tao A., Treilles M., Rao R.K., Nittka M., Padua A., Schönberg S.O., Runge V.M., Attenberger U.I.**
Metal artefact reduction in MR-imaging at 1.5 Tesla in comparison to 3 Tesla using innovative sequence strategies (SS 1810a), B-0913
- Reid J.H., van Beek E., Williams M., Connell M., Murchison J.T.**
'Stunned lung': a novel observation of resolving pulmonary embolism on lung perfusion CT (SS 1304), B-0622
- Reinartz S.D., Diefenbach B.S., Allmendinger T., Kuhl C.K., Mahnken A.H.**
Reconstructions with identical filling (RIF) of the heart: a physiological approach to image reconstruction in coronary CT angiography (SS 603), B-0390
- Reis C., Radu L., Sakellaris T., Carrasqueiro S., Pascoal A.**
Digital mammography: training, technical/clinical practices and workflow issues (SS 1314), B-0720
- Reiser M.F.**
Essentials in oncologic imaging: what radiologists need to know (part 4): B. Musculoskeletal neoplasms (MC 728), A-170
- Reiser M.F.**
New insight into vascular wall: Chairman's introduction (NH 14), A-382
- Rempp H., Hoffmann R., Waibel L., Pereira P., Claussen C.D., Clasen S.**
MR-guided radiofrequency ablation using a wide bore 1.5 T system: clinical results of 226 treated liver tumours (SS 1709), B-0760
- Rémy-Jardin M.**
Anatomy-based imaging review of lung disease: C. Pulmonary vessels (MC 422), A-084
- Rémy-Jardin M.**
When CT sees both the heart and the lungs: Chairman's introduction (RC 1204), A-347
- Reponen J.**
New PACS architecture: decoupling image management from image navigation: A. Image navigation and new PACS architecture (RC 1605), A-530
- Restaino G.**
Female pelvic pain: A. Clinical considerations (CC 1318), A-371
- Restaino G., Missere M., Distefano D., Casale R., Pierro A., Sallustio G.**
Are pancreatic calcifications predictive of impairment of pancreatic exocrine function? A retrospective study with S-MRCP and abdominal CT in patients with known or suspected pancreatic disease (SS 901), B-0561
- Revel M.-P., Bordonne C., Blons H., Lupo A., Cazes A., Chatellier G.**
CT findings predicting EGFR gene mutation in patients with non-small-cell lung cancer (SS 1704), B-0752
- Reznek R.H.**
Common radiological problems: incidental abdominal masses: A. The incidental adrenal mass (E³ 1220), A-318
- Ribeiro M.M.C.P., Resendes A.L., Rodrigues F.P., O'Neill J.E.G., Mauricio J.C.**
Practices to control infection related to chest radiography in intensive care unit (SS 614), B-0497
- Ribeiro M.M.C.P., de Oliveira E.L., Gomes J.S., Goncalves M.L., Costa J.P., Lanca L., O'Neill J.G., Mauricio J.C.**
The control infection in a mammography setting: a looking over practices and analysis of microorganisms (SS 914), B-0588
- Riccabona M.**
Paediatric genito-urinary imaging: C. Hydronephrosis and urinary tract obstruction in neonates and infants (CC 1121), A-275
- Riccabona M.**
Abdominal emergencies in children: B. GU emergencies in children: kidney, ovary, testis (RC 1512), A-483
- Richli Meystre N., Bulliard J.**
Mammography image quality in Switzerland (SS 914), B-0583

- Riedl C.C., Luft N., Bernhart C.B., Heinz-Peer G., Pinker K., Helbich T.H.**
Subgroup analysis of the final results of the Austrian screening trial for familial breast cancer (SS 102), B-0079
- Rieger A.**
HIV/AIDS update 2012: Clinical challenges in HIV and CART era (SF 14), A-405
- Riffel P., Rao R., Meyer M., Kettnacker P., Lemke A., Handeder S., Schönberg S.O., Michaely H.J.**
Implementation of dual source RF excitation techniques with 3T imaging systems allows for nearly identical ADC values in comparison to 1.5T MR scanners when imaging the abdomen (SS 601), B-0448
- Rinaldi G., Mineo G., Montanari F., Mazzanti L., Prandstraller D., Russo V., Buia F., Lovato L., Zompatori M.**
Vascular anomalies in a population with Turner syndrome: real adjunctive diagnostic role and clinical impact of magnetic resonance angiography (MRA) vs echocardiography (ECHO) (SS 515), B-0346
- Rinaldi G., Mineo G., Spinnato P., Russo V., Lovato L., Zompatori M.**
Incidental detection of coronary artery calcifications on non-gated chest CT: do radiologists report them? (SS 1803), B-0997
- Ringe K.I., Bektaç H., Ringe B.P., Opherk P.J., Reichelt A., Wacker F., Lotz J., Meyer B.C.**
Characterisation and staging of hilar cholangiocarcinoma (Klatskin Tumour): evaluation of the hepatocyte-specific contrast agent gadoxetate disodium (SS 101b), B-0093
- Ringe K.I., Hinrichs J., Merkle E.M., Wacker F., Meyer B.C.**
Hepatobiliary excretion of gadoxetate disodium (Primovist) in patients with primary sclerosing cholangitis (PSC) (SS 101b), B-0099
- Ringelstein A., Schlamann M., Gricke S., Moenninghoff C., Sandalcioglu I., Forsting M., Wanke I.**
Angiographic outcome after endovascular treatment of intracranial aneurysms with the silk flow diverter (SS 611a), B-0385
- Rizzardi P., Ravanelli M., Sottocornola L., Giardini A., Maroldi R., Cabassa P.**
HCC wash-out at contrast-enhanced ultrasonography (CEUS): isoechoicity or hypoechoicity? A comparison with MDCT (SS 1301b), B-0692
- Rizzati R., Tartari S., Cavallini C., Princivalle M., Righi R., Anania G., Benea G.**
Value of CT colonography as preliminary study prior to laparoscopic surgery in patients with colon malignancies and complicated diverticular disease (SS 1801a), B-0870
- Rizzato G.**
Elastography and high frequency US: A. Breast: when elastography adds to conventional US (E³ 920b), A-248
- Rizzato G.**
How I report: B. Breast US (RC 1402), A-410
- Robba T., Clementi V., Stratta M., Regis G., Gallo A., Linari A., Piana R., Faletti C.**
DCE MRI in differential diagnosis of soft tissue masses (SS 1310), B-0639
- Robba T., Clementi V., Stratta M., Regis G., Gallo A., Piana R., Linari A., Ciccone V., Faletti C.**
DWI in differential diagnosis of enchondroma and central chondrosarcoma (SS 1310), B-0642
- Rockall A.G.**
Imaging the female pelvis: B. Imaging gynaecological emergencies (RC 307), A-035
- Rockall A.G.**
Female pelvic pain: C. Interactive case discussion (CC 1318), A-373
- Rockall A.G.**
Monitoring response: the essential guide for all radiologists: A. RECIST made easy (RC 1416), A-401
- Roebuck D.**
Oncologic imaging: how to image, follow up and report: B. Paediatric liver malignancies (RC 1212), A-363
- Roehlen S., Arsov C., Blondin D., Klasen J., Lanzman R., Antoch G., Albers P., Quentin M.**
Functional prostate MRI: evaluation of a scoring system (SS 107), B-0061
- Roemer F.W.**
Bone marrow oedema and bone marrow oedema-like lesions: A. BME and osteoarthritis (RC 810), A-203
- Rogalla P.**
Liver imaging: always MR, or still a role for CT?: A. Why CT is the work horse (MC 724), A-145
- Rollandi G.A., Biscaldi E.**
Small bowel examination: CT vs MRI: A. Why I prefer CT (MC 424), A-068
- Romero Jaramillo A.**
Diagnosis of inflammatory conditions: Vascular graft infections and inflammation: the radiology perspective (PC 3), A-044
- Romoli L., Ukmor M., Casagrande F., Naccarato M., Battaglini P., Cova M.**
F-MRI study of smell: perceptual, cognitive and semantic component of cortical elaboration of four familiar aromas (SS 611b), B-0405
- Rosenblatt M.**
Changing era of radiography education in Europe: new perspectives for students and staff: A. The change from diploma to bachelor's degree: new perspectives for students and staff (RC 1214), A-358
- Rosendahl K.**
Children's bones and joints: B. Hip dysplasia: US techniques and recommendations (RC 1412), A-430
- Rossi A., Klotz E., Merkus D., Uitterdijk A., Mollet N.R., de Feyter P., Duncker D., Krestin G.P.**
Quantification of regional myocardial perfusion at different levels of coronary flow in a large animal model using dynamic perfusion CT (SS 203a), B-0240
- Rossi A., van Straten M., Dharampal A., Booij R., Russo B., Springeling T., van Geuns R.J., Weustink A., Krestin G.P.**
Iterative reconstruction (IR) improves image quality and diagnostic confidence of CT delayed enhancement imaging for the detection of myocardial infarction: preliminary results (SS 603), B-0393
- Rossi A., Neefjes L.A., Dharampal A.S., Weustink A.C., Krestin G.P., Nieman K., de Feyter P.J., Mollet N.R.**
A randomised study to test the diagnostic performance of 128-slice dual source CT coronary angiography in patients with various heart rates using 3 low-dose scan protocols (SS 603), B-0398
- Rossi A.**
Neuroimaging in neonates, infants and children: when to do what: Chairman's introduction (SF 3), A-019
- Rossi A.**
Neuro paediatrics: imaging of the paediatric brain: A. Systemised approach to inherited white matter disease in children (RC 1111), A-294
- Rostad E., Gullien R., Linnestad H.**
How to increase the participation rate among non-European immigrants in the mammography screening programme in Oslo, Norway (SS 1314), B-0721
- Roth U., Mack N., Schroeder B., Zimmermann H.**
Considerations for sharing radiology reports and images on a national level in Luxembourg (SS 1805), B-1012
- Rothe J.H., Papendieck R., Grieser C., Schnapauff D., Hamm B., Dencke T.**
MRI-based liver segmentation for quantification of functional liver volume: evaluation of a threshold-based method facilitated by hepatobiliary contrast media (Gd-EOB) (SS 1816), B-0885
- Rotondo A.**
From morphology to function: Introduction: Italian Society of Radiology (SIRM) in the third millennium (EM 1), A-107
- Rouviere O., Papillard M., Girouin N., Boutier R., Rabilloud M., Riche B., Mege-Lechevallier F., Colombel M., Gelet A.**
Is it possible to model the risk of malignancy of focal abnormalities found at prostate multiparametric MRI? (SS 107), B-0067
- Rovira-Cañellas A.**
General neuroradiology: introduction to the brain: C. Differential diagnosis of multiple brain lesions: tumour and tumour-like lesions (RC 411), A-091
- Rozemberg R., Kogan I., Leiderman M., Engel A., Guralnik L.**
Which solitary ground-glass opacity pulmonary lesion necessitates invasive investigation? (SS 204), B-0166
- Rozhkova Z.Z., Shkliar M.**
1H MRS and DWI for differentiation of Parkinson's disease (PD) from parkinsonian syndromes (PS) (SS 511), B-0322
- Rozikhodjaeva F.**
Development trends and future perspectives in vascular diagnostics (Student Session 3), H-11
- Rozzanigo U., Pellegrin A., Centonze M., Casagrande G., Cetrulo M., Donner D.**
Diagnosis of large vessel vasculitis with 18F-FDG PET/CT: single centre experience on 64 patients (SS 515), B-0341
- Rud E., Baco E., Klotz D., Svindland A., Eggesbo H.B.**
MRI and ultrasound-guided prostate biopsy using real time soft image fusion (Koelis®): a pilot study (SS 107), B-0070

Authors' Index

Rudas G.

Focal neurological disorders: B. Imaging techniques and typical findings (CC 1218), A-321

Ruggiero A., Holland J.P., Hudolin T., Lewis J.S., Grimm J.

PET imaging of therapy-induced prostate cancer cell death by targeting the internal epitope of prostate-specific membrane antigen (SS 106), B-0102

Rupreht M., Vogrín M., Jevsek M., Sersa I., Ježvič V.

The use of diffusion-weighted and dynamic contrast-enhanced MRI for quantitative evaluation of the tibial tunnel after anterior cruciate ligament reconstruction with intraoperatively administered platelet-rich plasma gel (SS 210), B-0181

Russo F., Armando E., Mazzetti S., Bertotto I., Bollito E., Porpiglia F., Regge D.

Retrospective correlation between pathological specimens and multiparametric MRI for detection of prostate cancer (SS 107), B-0066

Russo V., Gobbi E., Rinaldi G., Mineo G.,

Buia F., Lovato L., Galie N., Zompatori M.

Role of CT coronary angiography in suspected ab-extrinsic coronary compression in patients with pulmonary hypertension (SS 503), B-0369

Rutten M.J.C.M.

3D breast ultrasound: a poor man's MRI? (SY 3)

Ryan S.

Highlighted Lectures: Chest x-ray in children (TF 1), A-133

S

Saam T.

New insight into vascular wall: Atherosclerosis: a reversible disease? (NH 14), A-385

Saam T., Rominger A., Habs M., Walter L., Bartenstein P., Rist C., Reiser M.F., Hacker M., Nikolaou K.

Impact of cardiovascular risk factors and vessel wall inflammation on atherosclerotic disease progression: a PET/CT study (SS 515), B-0340

Saba L., Sannia S., Raz E., Ledda G.

Asymmetry of carotid artery wall thickness between carotid arteries (SS 1711), B-0744

Sabharwal T.

Spinal intervention: Chairman's introduction (SF 19), A-552

Sablayrolles J.-L.

Preserving diagnostic image quality with new CT reconstruction techniques and low concentration Iso-osmolar contrast media (SY 21)

Said N.H., Abol Magd H., Mokhtar M.,

Bassam L., Waheed S., Salem D., Selim A.

Does combining 3D breast tomosynthesis with digital mammography improve diagnostic accuracy? (SS 602), B-0454

Sakai M., Nakanishi K., Tomita Y., Yamashita Y., Kuriyama K.

Early and progressive signs on MRI in patients with progressive multifocal leukoencephalopathy (SS 111b), B-0090

Sala E.

The female pelvis: B. The acute female pelvis (CC 1221), A-327

Salem D.

Oncologic imaging and paleoradiology in Egypt: the past, present and future: Egyptian women's health outreach programme: yesterday, today and tomorrow (EM 3), A-245

Salgado R.

MRI and CT before cardiac interventions or surgery: C. The value of CT before percutaneous aortic valve replacement (RC 1503), A-471

Samarin A., Burger C., Crook D.W., Burger I.A., Schmid D.T., von Schulthess G.K., Kuhn F.P.

Bone tissue and body region-specific variability of errors in SUV values: implications on attenuation correction methods in MR-PET (SS 606), B-0479

San Roman L., Obach V., Macho J., Blasco J., Lopez A., Tomasello A., Perandreu J., Branera J., Chamorro A.

Single centre experience of intracerebral artery thrombectomy using TREVO device in 60 patients with acute ischaemic stroke (SS 611a), B-0380

Sano K., Motosugi U., Morisaka H., Sou H., Ichikawa T., Araki T.

Multi-organ perfusion CT in the abdomen using a 320-detector row CT scanner: preliminary results of perfusion changes in the liver, spleen, and pancreas of cirrhotic patients (SS 201b), B-0234

Sansoni I., Piccolo C.L., Pitocco F.,

Alloni R.L., Del Vescovo R., Coppola R., Beomonte Zobel B.

Multiple swallowing disorders of oro-oesophageal tract and gastro-oesophageal junction: role of MR-fluoroscopy with high-speed kinetic sequences (SS 201a), B-0195

Sansoni I., Piccolo C.L., Pitocco F.,

Del Vescovo R., Cicala M., Beomonte Zobel B.

Dark lumen bowel MR in patients with Crohn's disease: two-step whole intestinal preparation with polyethylene glycol (SS 101a), B-0052

Sansoni I., Piccolo C.L., Pitocco F.,

Del Vescovo R., Cicala M., Beomonte Zobel B.

MR activity assessment in Crohn's disease of the terminal ileum: free-breathing diffusion-weighted imaging (DWI) and dynamic motility evaluation as a possible alternative to MR with intravenous contrast agent (SS 101a), B-0056

Santoro M., Iezzi R., Dattesi R., La Torre M.F., Nestola M., Bonomo L.

Single-step balloon-occluded percutaneous radio-frequency thermal ablation (RFA) plus transcatheter arterial chemoembolisation (TACE) for treatment of "complex" unresectable hepatocellular carcinoma (SS 909), B-0523

Santos J.

Radiographers' impact on dose optimisation and radiation protection: the essential link in the chain: B. From screen-film to digital systems: how to implement an optimisation process (RC 1114), A-309

Sardanelli F.

Breast MRI today: C. Evidence-based controversies (RC 702), A-165

Sardanelli F.

Evidence-based radiology: ongoing projects and perspectives: Evidence-based radiology 2001-2010: the authorship (EuroAIM), A-311

Sardanelli F.

More than 10 years of experience with Gadovist® (SY 5)

Saxon S.R., Khatonabadi M., McNitt-Gray M.F., Ruehm S.G., Iwamoto K.S.

DNA damage repair kinetics from ionising radiation in the range of doses experienced in CT studies (SS 1713), B-0854

Sayer C., Vitta L.

Utilisation of neonatal brain MRI: experience, variation and implications: a survey study of UK level 3 neonatal units (SS 1812), B-0926

Scaglione M.

Polytrauma: redefining imaging issues for management priorities: B. Chest and abdomen (RC 1517), A-452

Scariolla L., Maréchal C., Tromba A., El Hachemi M., Thirion T., Beomonte Zobel B., Simoni P.

CT arthrography (CTA) of the hip and shoulder: optimisation of technique and of radiation burden in vitro and in cadavers (SS 1810a), B-0910

Schabel C., Ketelsen D., Fenchel M., Schmidt B., Flohr T.G., Korn A., Thomas C., Claussen C.D., Heuschmid M., Schraml C.

Clinical evaluation and potential radiation dose reduction of the novel sinogram-affirmed iterative reconstruction technique (SAFIRE) in abdominal computed tomography angiography (SS 215), B-0251

Schaefer F.K.W., Berg W., Cosgrove D., Gay J., Henry M.S., Wolf O., Cohen-Baciec C., International BE-1-collaborative study group

ShearWave™-elastography worldwide breast trial model - can additional SWE-features support downgrading BI-RADS 3 to BI-RADS 2? (SS 502), B-0316

Schaefer-Prokop C.M.

Technical and anatomical fundamentals for imaging the lung: A. Examination protocols for imaging the lung: CT and MRI (MC 322), A-028

Schaefer-Prokop C.M.

Thoracic infections: what the radiologist must report: B. Non-pulmonary chest infections (E³ 420a), A-063

Schaefer-Prokop C.M.

Josef Lissner Honorary Lecture: The pulmonary nodule: old and new challenges (HL 1), A-124

Schaeffeler C., Waldt S., Holzapfel K., Kirchhoff C., Jungmann P., Wolf P., Rummery E.J., Imhoff A.B., Woertler K.

Lesions of the biceps pulley: diagnostic accuracy of MR arthrography of the shoulder and evaluation of new and established diagnostic criteria (SS 210), B-0190

Schaeffer B., Kreis M., Mang T., Graser A.

CT colonography: three steps to success: C. Step 3: setting up your service (RC 1201), A-317

Schäfers M.

New insight into vascular wall: Molecular imaging of atherosclerosis: ready for prime time? (NH 14), A-383

Scheer F., Wins A., Kamusella P., Wigermann P., Wissgott C., Andresen R.

Clinical importance of CT-assisted sympatheticolysis in primary, focal plantar and palmar hyperhidrosis (SS 509), B-0289

Scheurecker G., Scheurecker C.,**Scheurecker A., Kramer J.**

Is there a relationship between T2-mapping of knee cartilage or the whole-organ MRI scoring method (WORMS) for knee osteoarthritis and the patient's pain, symptoms, function in daily life (ADL), function in sport and recreation (Sport) and knee-related quality of life (QOL) as given by the knee osteoarthritis outcome score (KOOS) questionnaire? (SS 1710), B-0774

Schian E., Panizza P., Rodighiero M., Fedele I., Venturini E., Losio C., De Cobelli F., Del Maschio A.

Tailored breast cancer screening program in 40-49ers: results from an Italian single centre pilot study (SS 902), B-0550

Schima W.

Malignant pancreatic tumours: A. Solid tumours (E³ 1120), A-265

Schima W.

Lymph node imaging: where are we now?: A. The current criteria for nodal involvement on CT/MRI (RC 1216), A-334

Schindler A., Apfaltrer P., Vliegenthart R., Allmendinger T., Vogt S., Raupach R., Bamberg F., Nikolaou K., Schoepf U.

CT coronary artery calcium scoring and iterative image reconstruction techniques: reproducibility, accuracy, and potential for radiation dose reduction (SS 603), B-0391

Schlemmer H.-P.

Monitoring response: the essential guide for all radiologists: Chairman's introduction (RC 1416), A-400

Schlosser T., Jensen C., Bruder O., Nassenstein K.

Right ventricular involvement in acute left ventricular myocardial infarction: prognostic implications of cardiac MRI findings (SS 103), B-0138

Schlosser T., Bурбелько M., Ulrich M., Antoch G., Adamus R.

Percutaneous arterio-venous shunting in patients with severe COPD: a novel interventional treatment (SS 1309), B-0634

Schmaranzer E., Kogler M., Reichkendler M., Vavron P.

MR-traction arthrography of the hip in femoroacetabular impingement (SS 1810a), B-0912

Schmid-Tannwald C., Dahi F., Jiang Y., Sethi I., Otto A.

Focal liver lesions in the right and left hepatic lobes on diffusion weighted MR imaging: is there a difference? (SS 1701), B-0819

Schmid-Tannwald C.M., Schmid-Tannwald C., Neumann R., Haug A., Reiser M.F., Rist C.

Comparison of abdominal MRI including diffusion-weighted sequences with 68Ga-DOTATATE PET/CT in detecting neuroendocrine tumours of the pancreas (SS 901), B-0560

Schmidt D., Bieberstein J., Schumann C., Trumm C., Clasen S., Claussen C.D., Pereira P.L.

Fast automatic computation of path proposals for CT-guided radiofrequency (RF) ablation of malignant liver tumours: initial clinical experience (SS 105), B-0148

Schmidt G.P., Biffar A., Dietrich O., Sourbron S., D'Anastasi M., Nikolaou K., Reiser M.F., Baur-Melnyk A.

Quantitative analysis of perfusion parameters in osteoporotic patients with acute vertebral fracture using dynamic contrast-enhanced MRI (SS 110), B-0047

Schmidt G.P., Stieber P., Di Gioia D., Heinemann V., Nagel D., Rist C., Reiser M.F., Baur-Melnyk A.

FDG-PET-CT and whole body MRI for early detection of tumour recurrence in asymptomatic breast cancer patients with tumour marker kinetics (SS 1316), B-0615

Schmidt G.P., Paprottka P.M., Jakobs T.F., Hoffmann R.-T., Baur-Melnyk A., Haug A., Reiser M.F., Rist C.

Whole body MRI and FDG-PET-CT for triage in patients planned for radioembolisation therapy (SS 1316), B-0616

Schmidt S., Meuwly J., Meuli R.

Rectal cancer imaging: the next phase: A. Local and distant staging (RC 801), A-210

Schmitt B., Krusche-Mandl I., Apprich S., Juras V., Trattnig S.

Long-term results 8 years after autologous osteochondral transplantation: 7T gagCEST and sodium magnetic resonance imaging with morphological and clinical correlation (SS 610), B-0439

Schmitt B., Welsch G.H., Zbyn S., Goed S., Trattnig S.

Feasibility of gagCEST imaging on a clinical 3T MRI system: initial results and comparison with sodium imaging at 7 Tesla (SS 1810a), B-0916

Schneider G.K., Massmann A., Buecker A., Fries P.

Contrast-enhanced magnetic resonance angiography in management of pulmonary arterio-venous malformations in patients with HHT (Osler disease) (SS 515), B-0342

Schneider G.K., Schuerholz H., Fries P., Buecker A.

Safety and diagnostic efficacy of gadobenate dimeglumine (MultiHance) in MR imaging of paediatric patients (SS 1306), B-0703

Schoder H.

Essentials in oncologic imaging: what radiologists need to know (part 4): A. Lymphoma (MC 728), A-169

Schoennagel B., Much C., Yamamura J., Tornquist K., Adam G., Wedegärtner U.

Cardiac MRI using a new trigger method: MR compatible Doppler-ultrasound device to trigger the heart frequency in comparison to ECG (SS 1803), B-1004

Schönberg S.O.

Vascular imaging: diabetes and vascular occlusive disease: C. Imaging prior to revascularisation: US, CTA, MRA or DSA? (RC 715), A-184

Schraml C., Schwenzer N.F., Werner M.K., Brendle C., Mueller M., Claussen C.D., Pfannenberg C.

Staging of neuroendocrine tumours: comparison of 68Ga-DOTATOC-PET/CT and MRI (SS 1716), B-0781

Schraml C., Schmidt H., Brendle C., Sauter A., Mueller M., Pfannenberg C., Claussen C.D., Schwenzer N.F.

Comparison of MR/PET and PET/CT in the assessment of pulmonary masses (SS 1716), B-0786

Schramm P., Dolatowski K., Schramm R., Froelich A., Klotz E., Knauth M.

Detection of cerebral vasospasm using dynamic CT: analysis of volume perfusion CT maps and 4D-CT angiography (SS 1711), B-0745

Schreer I.

Evaluation of the treated breast and follow-up: C. Surveillance for and detection of recurrent disease after therapy (RC 1502), A-464

Schueller G.

Polytrauma: redefining imaging issues for management priorities: A. Vascular trauma (RC 1517), A-451

Schuknecht B.F.

Radiological management of traumatic emergencies: A. Maxillofacial trauma (CC 1219), A-323

Schulz A., Dormagen J.B., Drolsum A., Bjørnbeth B.A., Labori K.J., Kløw N.

Impact of contrast-enhanced intraoperative ultrasound on operation strategy in case of colorectal liver metastasis (SS 501), B-0335

Schulz-Wendtland R., Meier-Meitinger M., Heinz M., Adamietz B., Uder M., Schwab S.

Pilot study for the detection of simulated lesions at a 2D resp. 3D digital full-field digital mammography system with a new developed high-resolution detector on the base of two shifts of a-Se (SS 202a), B-0212

Schwartz E., Langs G., Hofeld J., Czerny M.

An automated method for visualising changes in vessel wall dynamics (SS 505), B-0374

Schwarz F., Grandi K., Arnoldi A., Sommer W.H., Bamberg F., Reiser M.F., Becker H.-C.

Higher iodine concentration permits dose reduction while increasing contrast-to-noise-ratio in high-pitch, wide-range CT angiography (SS 215), B-0252

Schwarz F., Goetz T., Arnoldi A., Nikolaou K., Reiser M.F., Becker H.-C.

Standard vs high-pitch CT of the chest in ventilated patients: comparison of motion artefacts, image noise and effective dose (SS 617), B-0486

Schwarz F., Ingrisch M., Hartmann M., Sourbron S.S., Cyran C.C., Grimm J., Nikolaou K., Reiser M.F., Saam T.

MRI-based quantification of adventitial contrast dynamics for the carotid artery as a marker for neovascularization in atherosclerosis: comparison of symptomatic and asymptomatic patients (SS 1815), B-0985

Schwarz F., Nikolaou K., Cyran C.C., Hartmann M., Grimm J., Reiser M.F., Dichgans M., Pfefferkorn M., Saam T.

Reproducibility and differentiation of cervical arteriopathies using in vivo high-resolution MRI (SS 1815), B-0986

Secchi F., Jabbour A., Sardanelli F., Pennell D., Mohiaddin R.

Increased late gadolinium enhancement of the left atrium by cardiovascular magnetic resonance in cardiac amyloidosis (SS 903), B-0576

Sefidbakht S., Babainezhad M., Borhani Haghighi A., Jalli R., Zare Z.

Revised McDonald's criteria for dissemination in space; accuracy in diagnosis of multiple sclerosis from Neurobehcet's disease (SS 111b), B-0088

Sefidbakht S., Khademi B.,

Hoseini al Hashemi H., Lotfi M., Zare Z., Jalli R., Sefidbakht M.

A subjective score for olfactory bulb injury in post-trauma anosmia (SS 1811), B-0892

Seidel R., Matthes K., Mueller A., Buecker A., Fries P.

Evaluation of T1, T2* and T2 relaxation times in young and aging rat liver at 9.4T (SS 601), B-0449

Seidenbusch M.C., Schneider K.

New conversion coefficients for dose reconstruction in high-resolution computed tomography (HR-CT) of the chest in neonates and infants (SS 912), B-0593

Seker F.

Molecular imaging: a great chance for radiology (Student Session 2), H-9

Sekovski B., Cambj Sapunar L.

A novel technique of percutaneous closure of enterocutaneous fistula (SS 109), B-0035

Selim A.S.M.

Oncologic imaging and paleoradiology in Egypt: the past, present and future: MDCT of Royal Egyptian Mummies: secrets unveiled (EM 3), A-241

Selwaness M., van den Bouwhuisen Q., Verwoert G.C., Dehghan A., Vernooy M., Hofman A., Wentzel J.J., Witteman J.C.M., van der Lugt A.

Pulse pressure as risk factor for MRI-detected intraplaque haemorrhage in the carotid arteries: the Rotterdam study (SS 1815), B-0984

Sentis M.

Evaluation of the treated breast and follow-up: Chairman's introduction (RC 1502), A-461

Seo N., Gwon D., Ko G., Sung K., Yoon H., Shin J., Kim J., Song H.

Percutaneous Y-configured covered stent placement for malignant hilar biliary obstruction: a prospective pilot study (SS 109), B-0040

Serafin Z., Strześniewski P., Lasek W., Beuth W.

Predictors and volume measurement of residual flow in embolised intracranial aneurysms at follow-up (SS 1309), B-0629

Serafin Z., Strześniewski P., Lasek W., Beuth W.

Time-resolved imaging of contrast kinetics does not improve performance of follow-up MRA of embolised intracranial aneurysms (SS 1711), B-0740

Serafin Z., Strześniewski P., Lasek W., Beuth W.

Follow-up after embolisation of ruptured intracranial aneurysms: a prospective comparison of two-dimensional digital subtracted angiography, three-dimensional digital subtracted angiography, and time-of-flight magnetic resonance angiography (SS 1711), B-0741

Serra G., Ciarlo G., Massaccesi V., Fiorelli A., Liberati S., Paoletti M., Catalano C., Macri F., Fraioli F.

Chest MRI in the evaluation of pulmonary alterations detected by CT in the follow-up of paediatric patients with middle lobe syndrome (MLS): comparison with XR (SS 912), B-0596

Sertdemir M., Dinter D., Hausmann D., Michaely H.J., Schönberg S.O., Weidner A. Interscanner comparison of dynamic contrast-enhanced MRI in prostate cancer: 1.5T versus 3T MR (SS 1816), B-0877

Shaham D., Leichter I., Manevitch A., Bogot N., Lederman R.

New gold-standard for designing a CXR CAD algorithm for lung nodules and assessing its performance (SS 204), B-0168

Shaikh S.M.

Whole body PET/CT compared to whole body MRI in the diagnosis of sclerotic bone metastases (SS 606), B-0475

Sharma A.K.S.

Imaging findings in arterial stenosis and mural involvement in Takayasu arteritis on CEMRA (SS 515), B-0344

Shepherd B., Kumar P., Bryant T.J.C., Breen D.J.

The significance of persistent intra-lesional enhancement of renal tumours following percutaneous cryoablation (SS 209), B-0176

Shim J., Lee C., Kim A., Kim K., Choi J., Lee J., Park Y., Park C.

Paradoxical uptake of Gd-EOB-DTPA on the hepatobiliary phase in the evaluation of hepatic metastasis from breast cancer: is the "target sign" a common finding? (SS 501), B-0330

Shin A.G., Vakhidova Z.A., Safonova N.I., Shinkareva T., Makarenko V.

MDCT evaluation of the tracheobronchial tree anomalies in children with congenital heart disease (SS 604), B-0419

Shinagawa M., Kaida H., Kunou Y., Uchida M., Ishibashi M., Hayabuchi N., Yasumoto M., Naito Y.

Relationship between clinicopathological factors and total lesion glycolysis in pancreatic cancer (SS 901), B-0564

Shiomi T., Szomolanyi P., Juras V., Zbyn S., Trattning S.

Biomechanics of human knee cartilage-loading of knee during 3T MRI (SS 610), B-0430

Shrimpton P.C.

Novel developments in CT and impact on dose: A. Patient dose assessment in CT (RC 1513), A-472

Siddiqui M.A., Ahmad I., Rizvi S.A.A., Ullah E. Ultrasound scoring system for preoperative evaluation of cholelithiasis: how accurate it is for preoperative prediction of difficult laparoscopic cholecystectomy (SS 101b), B-0098

Sidhu P.S.

CEUS, a solution to reduce radiation exposure in abdominal imaging (SY 24)

Signore A.

Diagnosis of inflammatory conditions: Imaging inflammatory bowel disease: the nuclear medicine perspective (PC 3), A-041

Silvestri V., Marano R., Savino G., Merlino B., Verrillo G., Meduri A., Natale L., Bonomo L.

Is there a role for 64-row MDCT in the follow-up of heart transplanted patients? A comparison study with echocardiography and MR performed on the same day (SS 503), B-0361

Simon M., Drueschler F., Kovacs A., Hunold P., May K., Barkhausen J., Vogt F.

Triphasic multidetector CT for the assessment of intramural haematoma of the aorta and the pulmonary artery (SS 115), B-0111

Singh A.K., Kurra V., Cai W., Harris G., Sahani D.

Development of non-necrotic tumour volumetry criteria for evaluation of therapy response in hepatocellular carcinoma (SS 916), B-0545

Singh A.K., Kurra V., Chen Y.E., Cai W., Nielsen G., Harmon D., Hornicek F.J.

Comparison of viable tumour volumes estimated on dynamic MRI by computer-aided quantification technique with the tumour viability scores of pathology following excision of soft tissue sarcoma's: prospective study (SS 1310), B-0641

Sit C., Dikaios N., Kirkham A., Allen C., Freeman A., Moore C., Emberton M., Kelly J., Punwani S.

Contrast enhanced MRI features of early (microscopic) extra-capsular disease in patients with known prostatic cancer (SS 1816), B-0878

Sjekavica I.

The patient with renal impairment: C. The transplanted kidney (CC 1521), A-449

Sklair-Levy M., Sella T., Cohen M., Rosin M., Allweiss T., Shapiro M., Libson E., Izhaky D.

Functional infrared imaging of the breast: automatic breast cancer detection using multiparametric computer analysis (SS 202a), B-0216

Smets A.M.J.B.

Oncologic imaging: how to image, follow up and report: A. Renal and adrenal tumours in children (RC 1212), A-362

Smit E.J., Vonken E., van Seeters T., Dankbaar J.W., van der Schaaf I.C., Velthuis B.K., van Ginneken B., Prokop M.

Poor collateral status on timing-invariant CTA is a strong predictor of poor clinical outcome in acute stroke patients with large vessel occlusion (SS 911), B-0501

Söderman M.

Subarachnoid haemorrhage ('the worst headache ever'): A. Diagnosis of subarachnoid haemorrhage (SAH) (CC 1119), A-270

Solbiati L.

US and contrast-enhanced US for focal lesions: C. Intraoperative and therapeutic applications (E³ 620), A-127

Authors' Index

Solbiati L.

Advances in technology for interventional radiology: general overview: US interventional techniques (EF 1), A-221

Solbiati L.

Introduction: 2011 and 2012, European and worldwide update of recommendations for CEUS (SY 24)

Soldatos T., Karabinis A., Tsagkouli V., Kampanarou S., Tanteles S., Economou G., Thanos L., Pomoni M., Kelekis D.A.

Sonographic evaluation of the intracranial pressure in adult brain injury (SS 1811), B-0888

Soldatos T.

Sonographic evaluation of the intracranial pressure in adult brain injury (SS 1811), B-0896

Sommer C.M., Stampfli U., Bellemann N., Holzschuh M., Kortes N., Kueller A., Bluemmel J., Radeleff B.A., Kauczor H.-U.

An experimental study on multimodal visibility (angiography, CT and MRI) of embolisation particles performed in porcine kidneys (SS 1809), B-0904

Sommer W.H., Haack M., Meinel F., Reiser M.F., Weidenhagen R.

Intraobserver and interobserver variability of CT-based volumetry and diameter measurements of abdominal aortic aneurysms after endovascular aneurysm repair (SS 115), B-0113

Sommer W.H., Haack M., Weidenhagen R., Meinel F., Reiser M.F.

Long-term volumetric follow-up of abdominal aortic aneurysms after endovascular aneurysm repair to determine the effect of endoleaks on aneurysm volume (SS 609), B-0429

Song H., Jee W., Jung J., Kim Y.

SLAP tears at 3.0T shoulder MR arthrography: diagnosis with a 3D isotropic VIBE sequence versus 2D standard sequences (SS 1810a), B-0908

Song Y., Jia Z., Li X., Wang Z., Tian Y.

The assessment for the intervertebral foramen in the lumbar disk herniations using 640-slice dynamic volume CT: a pilot study (SS 910), B-0530

Souvatzoglou M., Fuerst S., Kruschke C., Nekolla S., Ziegler S., Ganter C., Rummeny E.J., Schwaiger M., Drzezga A.

Simultaneous [18F]-FET MR/PET in patients with cerebral tumours: comparison with conventional PET/CT (SS 1311), B-0734

Souvatzoglou M., Beer A., Eiber M., Fuerst S., Ziegler S., Nekolla S., Rummeny E.J., Schwaiger M., Drzezga A.

Simultaneous whole body MR/PET in patients with oncological diagnoses: comparison to PET/CT (SS 1716), B-0780

Spencer J.A.

Tumours of the female pelvis: A. Imaging of the ovarian mass: is US enough? (CC 1421), A-394

Spencer J.A., Forstner R.

Female pelvic infections: what the radiologist must report: Female pelvic infections: what the radiologist must report (E³ 1520), A-440

Spencer J.A.

Imaging the complications of cancer treatment: B. Imaging the effects of cancer treatment in the abdomen and pelvis (RC 1616), A-506

Spiliopoulos S.C., Inchingolo R., Krokidis M., Gkoutzios P., McGarth A., Ahmed I., Karunanithy N., Salter R., Sabharwal T.

Fluoroscopically guided dilatations of oesophageal strictures due to epidermolysis bullosa dystrophica: long-term results from a single centre study (SS 109), B-0036

Spreafico C., Lanocita R., Morosi C., Civelli E., Maccauro M., Romito R., Frigerio L.F., Marchianò A., Mazzaferro V.

Blood flow redistribution: infusion strategy before radioembolisation (SS 909), B-0526

Squillaci E., Bolacchi F., Cicco' C., Antonicoli M., Manenti G., Simonetti G.

Bone marrow lesions in patients with myeloma: whole body DWIBS vs T1-weighted contrast-enhanced MR imaging (SS 1316), B-0609

Squillaci E., Cicci C., Manenti G., Bolacchi F., Schillaci O., Simonetti G.

Whole body MRI with DWI and 3D-CE-T1w in tumour staging: comparison with PET-CT (SS 1316), B-0614

Staatz G.

Chest imaging: what to use and when to use it: B. Infiltrative diseases of the chest (RC 1912), A-571

Stajgis M.

ER: basic principles: C. Mechanism of injury and MDCT protocols: choosing the right protocol for the patient (RC 417), A-078

Stajgis M.

Neurological emergencies: B. Traumatic (E³ 720a), A-139

Stampanoni M., Wang Z., David C., Roessl E., Trippel M., Singer G., Kubik-Huch R.A., Hohl M.K., Hauser N.

Differential phase contrast mammography: a new tool for breast imaging (SS 202a), B-0211

Staskiewicz G., Czekajska-Chehab E., Przegaliński J., Uhlig S., Torres K., Maciejewski R., Drop A.

Volume rendering reconstruction of right ventricle improves interobserver agreement and accuracy of interventricular septum bowing sign in patients with acute pulmonary embolism (SS 1304), B-0623

Stedman J.M., Blick C.G.T., Nazir S.A., Mallett S., Turney B.W., Onwu N.N., Roberts I.S.D., Crew J.P., Cowan N.C.

Evaluation of diagnostic strategies for diagnosing bladder cancer using CT urography, flexible cystoscopy and voided urine cytology: results for 778 patients (SS 207), B-0209

Stefanova M., Kratochwil C., Schwartz L., Haberkorn U., Giesel F.L.

Impact of normal tissue uptake using 68Ga DOTATOC-PET/CT in patients with neuroendocrine tumour - a follow-up study (SS 106), B-0107

Steger G.

Breast cancer: From the oncologist's perspective (MS 11), A-283

Steiger P., Ith M., Gugger M., Kruse A., Fröhlich J., Chong D., Thoeny H.

Comparison of diffusion-weighted MRI and histopathologic findings in kidney transplant patients with deteriorating renal function (SS 1707), B-0793

Steketee R.M.E., Ooms S., Luijten M., Houston G., van Swieten J.C., Smits M.

Arterial spin labelling perfusion magnetic resonance (MR) imaging contributes to the early diagnosis of dementia (SS 511), B-0321

Stojanov D.A., Illic M., Bosnjakovic P.

New ischaemic brain lesions on diffusion-weighted MRI after carotid artery stenting with protection: a single-centre study (SS 611a), B-0389

Stoker J., Rimola J.

Crohn's disease of the small bowel: which test when?: Chairman's introduction (RC 1901), A-541

Stolzmann P., Gnanat R., Winklehner A., Fischer M., Alkadhi H., Karlo C.

Dual energy split-bolus CT for the detection of urinary stone disease. One phase acquisition: threefold information (SS 207), B-0205

Straiton J.B., Bethapudi S., Poon F.W.

Incidental F-18 FDG positive focal thyroid nodules on PET/CT: evaluation and outcome (SS 608), B-0460

Straiton J.B., Bethapudi S., McCallum A., Han S.

Management of head and neck carcinoma of unknown primary: the diagnostic accuracy of F-18 FDG-PET/CT in detection of the clinically occult tumour (SS 608), B-0463

Strube H., Wirth S., Reiser M.F., Treitl M.

Managing IT services in a completely digitised radiological department with an in-house departmental IT group: a 7-year follow-up experience (SS 1805), B-1014

Stumpf P., Fernau M., van Daal K., Gosch D., Nagel H., Kahn T.

Influence of different iteration levels in fourth generation iterative reconstruction technique on image noise in CT examinations of the abdomen (SS 201b), B-0235

Sudholt P., Urigo C., Bongartz G., Hohmann J.

Comparison of SPACE and 3D-TSE-MRCP regarding image quality and diagnostic certainty in patients in a routine clinical setting (SS 113), B-0128

Sumkauskaitė M., Hillengass J., Heiss C., Dornisch M., Stieljes B., Schlemmer H.-P., Goldschmidt H., Delorme S.

Diagnostic value of functional magnetic resonance imaging for differentiation of benign osteoporosis and multiple myeloma (SS 1816), B-0880

Sun J., Li X., Yong C., Zhang X., Gao S., Wang Z., Sun Y., Zhang X.

Is it available, by iodine concentration of the active part of renal mass, for differentiation between renal angiomyolipoma and renal cell carcinoma? (SS 201b), B-0238

Sundin A.E.

Monitoring response: the essential guide for all radiologists: C. Assessment of response using functional imaging: the essentials (RC 1416), A-403

Authors' Index

Sutter R., Pfirrmann C.W.A., Espinosa N., Buck F.M.

3D-hindfoot alignment measurements based on low-dose biplanar x-rays: comparison to standard radiographic measurements (SS 1710), B-0769

Sutter R., Dietrich T.J., Pfirrmann C.W.A.

Is the alpha-angle able to discriminate between symptomatic patients with femoroacetabular impingement (FAI) and asymptomatic volunteers? (SS 1710), B-0773

Sutter R., Ulbrich E.J., Jellus V., Nittka M., Pfirrmann C.W.A.

Through-plane distortion correction and view-angle tilting for reduction of metal artefacts at MR imaging in patients with total hip arthroplasty: performance of STIR and T1 sequences (SS 1710), B-0776

Sutton L.N.

New PACS architecture: decoupling image management from image navigation:

C. Dismantling PACS: separating the image viewing from the data storage and sharing (RC 1605), A-532

Suwatanapongched T., Pornsuriyasak P., Sukkasem W., Rattanasiri S.

The performance of CT severity scores determined from paired expiratory/inspiratory high-resolution CT in predicting the severity of airflow obstruction (SS 604), B-0413

Suzuki C., Nagata M., Kitagawa K., Murashima S., Nagasawa N., Sakuma H.

Abdominal CT with model based iterative reconstruction: comparison with adaptive statistical iterative and filtered back projection reconstruction (SS 201b), B-0237

Sverzellati N.

Phenotypes in obstructive airway disease: how do I image, analyse and report?: B. Chronic obstructive pulmonary disease (COPD) (RC 1904), A-561

Szabó E., Palkó A.

Surprise in the liver: A. Clinical considerations (CC 1618), A-491

Szewczyk P., Zimny A., Bladowska J., Szmyrka-Kaczmarek M., Sasiedek M.

Evaluation of metabolic, perfusion and microstructural cerebral alterations in patients with systemic lupus erythematosus using MR spectroscopy, perfusion and diffusion tensor imaging (SS 111b), B-0089

Szikora I., Gubucz I., Marosfai M., Berentei Z., Ovary C., Varga D.

Ischaemic stroke ('acute neurologic deficit'): C. Interventional neuroradiology for the treatment of ischaemic stroke (CC 319), A-015

T

Tacelli N., Santangelo T., Scherpereel A., Hachulla A., Remy J., Rémy-Jardin M.

Angiogenesis in non-small cell lung cancer: early assessment of therapeutic response to antiangiogenic chemotherapy with perfusion multidetector-row CT (MDCT) (SS 916), B-0546

Tack D.

Technical and anatomical fundamentals for imaging the lung: B. Radiation dose in lung imaging: issues and practical solutions (MC 322), A-029

Taina M., Vanninen R., Hedman M., Jakala P., Sipola P.

Increased left atrial or left atrial appendage volume: an independent risk factor for cardioembolic stroke in patients without atrial fibrillation? Cardiac computed tomography study (SS 1703), B-0832

Takx R.A.P., Schoepf U. J., Nance J.W., Moscariello A., Das M., Fink C., Henzler T.

Coronary CT angiography: comparison of a novel iterative reconstruction with filtered back projection for reconstruction of low-dose CT (SS 603), B-0395

Talei Franzesi C.R., Ippolito D., Monguzzi L., Capraro C., Cadonici A.C., Sironi S.

Value of functional MRI with diffusion-weighted imaging in characterisation of indetermined adrenal lesions: comparison with chemical shift imaging (SS 1307), B-0662

Tali E.T.

Infections of the central nervous system: what the radiologist must report: B. Bacterial and parasitic infections (E³ 820a), A-195

Tanaka J., Niitsu M., Momose A., Kido K., Nagashima M., Thiele F.

Human medical imaging with reformed x-ray interferometry using a practical x-ray tube: a preliminary study with normal volunteers (SS 1813), B-0996

Tang L., Zhang X., Sun Y., Li Z., Ji J., Li X., Liu Y., Wu Q.

Sandwich sign of Borrmann type 4 gastric cancer on diffusion-weighted magnetic resonance imaging (SS 201a), B-0197

Tang L., Zhang X., Sun Y., Qi L., Cui Y., Gao S., Li Y.

Material decomposition of spectral CT: a new way in the prediction of response to chemotherapy in gastric carcinoma? (SS 1801a), B-0874

Tang T.W., Wu W.N., Ouyang O.H., Huang H.Y., Liu L.L., Li L.M., Wang W.Y., Xu X.X.

The presurgical T staging of non-small cell lung cancer: efficacy comparison of 64-MSCT versus 3.0T MR imaging (SS 104), B-0021

Tanghe H.

Differentiating skull base lesions: C. Jugular fossa lesions: how to differentiate? (RC 1908), A-565

Tantawy W.H., Ibrahim A.S., Mohamed M.A., El-Gemeie E.H.

Extrapleural paravertebral CT-guided fine needle biopsy of subcarinal lymph nodes (SS 509), B-0282

Taourel P.

How I report: B. CT in a patient with bowel obstruction (RC 701), A-136

Tartari S., Rizzati R., Princivalle M., Capello K., Benea G.

Characterisation of atherosclerotic plaque of carotid arteries: high-resolution multisequence MR imaging vs colour Doppler ultrasonography (US) (SS 1815), B-0978

Tarulli E., Roberts H., de Perrot M., OSullivan B., Dong G., Paul N.S., Patsios D.

Incidental findings in a study screening asbestos exposed workers for lung cancer and mesothelioma using low-dose computed tomography (LDCT): what you can find when you are not looking (SS 104), B-0027

Tashiro M., Ikeda S., Furukawa K., Okamura N., Furumoto S., Iwata R., Yanai K., Kudo Y., Arai H.

Visualisation of amyloid deposition in the heart of familial systemic amyloidosis using [11C]BF-227 PET (SS 903), B-0573

Taupitz M.

From inflammatory to fibrotic processes: B. Molecular imaging of extracellular matrix changes (MC 23D), A-380

Tavitian B., Dubois A., Winkeler A.

Basics in molecular imaging (1): B. Multiscale imaging: from *in vivo* to *in vitro* and back (MC 23A), A-002

Tavitian B.

Contrast media and tracers: always as safe as we wish?: C. PET tracers: established tracers and those on the horizon (RC 406), A-067

Tawfiq A.M., Nour-Eldin N.-E.A., Naguib N.N.N., Kerl J., Abdel Razek A.A., Vogl T.J.

Dual energy CT-derived iodine content and iodine overlay for characterisation of enlarged cervical lymph nodes (SS 1308), B-0683

Taylor K.A., Wallis M.G., Foreman J., Britton P.D.

Staging the axilla with ultrasound and biopsy: maximising diagnostic yield whilst minimising unnecessary biopsy (SS 1302), B-0670

Taylor S.A.

CT colonography: three steps to success: Chairman's introduction (RC 1201), A-314

Teh H.S., Shikhare S.N., Othman M.I., Yeow K.K.

Can virtual non-contrast images of dual energy CT replace true non-contrast images in evaluation of renal pathologies (SS 207), B-0206

Teh H.S., Shikhare S.N., See P.P.L., Yeow K.K.

Triple bolus technique with dual energy MDCT: a new perspective in CT urography (SS 207), B-0207

Telesca M., Pediconi F., Luciani M., Vasselli F., Casali V., Miglio E., Catalano C.

Accuracy of 3T magnetic resonance imaging with a high-relaxivity contrast agent in assessing treatment response in patients undergoing neoadjuvant chemotherapy (SS 102), B-0073

Teneva T.G.

The lady with the x-ray eyes (Student Session 1), H-1

Theysohn J.M., Schlaak J.F., Ertle J., Mueller S., Bockisch A., Lauenstein T.C.

Radioembolisation of hepatic tumours: hepatopulmonary shunt reduction by administration of Sorafenib (SS 909), B-0524

Theysohn J.M., Mueller S., Schlaak J.F., Sipilae S., Bockisch A., Lauenstein T.C.

Segmental radioembolization using Yttrium 90 and its effect on hepatic volume changes (SS 1709), B-0758

Theysohn J.M., Kraft O., Orzada S., Landgraeben S., Ladd M.E., Lauenstein T.C.

7 Tesla hip imaging in avascular necrosis using a multi-channel transmit array and RF shimming (SS 1710), B-0777

Authors' Index

Theysohn N., Qin S., Maderwald S., Poser B.A., Theysohn J.M., Ladd M.E., Gizewski E.R., Fernandez G., Tendolkar I.
Visualising hippocampal BOLD activity in humans at 3 and 7 Tesla (SS 611b), B-0408

Thoeny H.C.
Lymph node imaging: where are we now?: B. MRI techniques: what do they contribute? (RC 1216), A-335

Thurnher M.M.
HIV/AIDS update 2012: Chairman's introduction: Living with AIDS - numbers and facts (SF 14), A-404

Thurnher M.M.
HIV/AIDS update 2012: HIV and brain (SF 14), A-406

Thurnher M.M.
Acute central nervous system infections: B. Acute infections of the spine and spinal cord (CC 1519), A-445

Thurnher M.M.
Spine: update on spinal disorders: B. Myelitis, myelopathy and spinal cord tumours (RC 1611), A-512

Timmers J., den Heeten G., Adang E.M., Oten J.D., Verbeek A.L.M., Broeders M.J.M.
Dutch digital breast cancer screening: implications for breast cancer care (SS 602), B-0455

Tipker-Vos C.A., Kolkman S., Bak A.A., Been L.F., Laméris J.S.
Assessing novel technology: applications, performance and quality issues: How to keep up with new technique application: a continuous education programme for radiographers in action (SF 7b), A-174

Tjiong R., Van den Bent M., Smits M.
High diagnostic accuracy of dynamic susceptibility contrast (DSC) magnetic resonance (MR) perfusion imaging to distinguish radiation necrosis from recurrent tumour in high-grade glioma patients (SS 1311), B-0731

Todd-Pokropek A.
Image processing and computer-aided diagnosis (CAD): A. The link between image reconstruction and image analysis (RC 305), A-053

Toepker M., Moritz T., Weber M., Krauss B., Mang T., Euller G., Wolf F., Herold C.J., Ringl H.
Virtual non-contrast in second-generation, dual energy computed tomography: reliability of attenuation values (SS 113), B-0126

Tolan D.J.M.
How I report: A. MRI in a patient with rectal cancer (RC 701), A-135

Tomà P.
Abdominal emergencies in children: A. Non-traumatic abdominal emergencies in childhood (RC 1512), A-482

Tortora D., Panara V., Salice S., Mattei P.A., Briganti C., Cotroneo A.R., Tartaro A., Caulo M.
Comparison of 1.5T and 3T scanners for evaluating myelination in neonatal brains (SS 111b), B-0081

Trakymas M., Ulys A.
The crucial role of fiducial markers on assessment of ablative margin (SS 209), B-0175

Tran V.H.P., Volmerink M., Imholz A., Louwen M., van Dijk R.
Diffusion weighted imaging (DWI) as a mammacarcinoma characteristic: association of apparent diffusion coefficient (ADC) and pathological outcome in patients treated with neoadjuvant chemotherapy (SS 202b), B-0229

Tranquart F.
Vuebox(TM) a new quantification software tool dedicated to CEUS (SY 24)

Trecate G., Agresti R., Vergnaghi D., Valeri B., Ferraris C., Bohm S., Maugeri I., Carcangiù M., Scaramuzza D.
Ex-vivo MRI of breast specimen: an innovative technique for the management of only or better MRI-detected cancer (SS 1702), B-0807

Tremper J., Puderbach M., Stieljes B., Eichinger M., Schlemmer H.-P., Delorme S.
Lung cancer screening by morphological MRI in comparison to low-dose CT (SS 104), B-0028

Trianni A., Colombo P.E.
Advances in technology for interventional radiology: technology assessment: Angiographic equipment performance assessment (EF 2), A-251

Triantopoulou C.
The cystic lesions of the pancreas: C. How to manage incidental findings (RC 1601), A-510

Tricarico F., Apfaltrer P., Schoepf U.J., Vliegenthart R., Spears J.R., Savino G., Marano R., Bonomo L., Hlavacek A.
Iterative image reconstruction techniques in paediatric cardiovascular CT angiography: image quality and potential for radiation dose reduction (SS 912), B-0592

Trimboli R.M.
Evidence-based radiology: ongoing projects and perspectives: Preoperative breast MRI: Multicenter International Prospective Analysis of individual woman data (EuroAIM), A-313

Trimboli R.M., Gombos E., Sippo D., Fernandez I., Raza S.
Incidence of cancer in consecutive negative core needle breast biopsy cases submitted to surgery (SS 1302), B-0675

Trimboli R.M., Verardi N., Carbonaro L.A., Cartia F., Di Leo G., Sardanelli F.
Back to the future: non-contrast breast MRI (nc-BMRI) using a combination of T1-weighted, diffusion-weighted and STIR imaging (SS 102), B-0075

Trojanowska A.
Performing and reporting head and neck examinations: how do I do it?: C. CT scans of the head and neck (RC 1408), A-425

Trumm C.G., Helmberger T.K., Jakobs T.F., Zech C.J., Stahl R., Sandner T.A., Paprottka P.M., Reiser M.F., Hoffmann R.-T.
CT fluoroscopy-guided percutaneous vertebroplasty in spinal malignancy: technical results, PMMA leakages and complications in 202 patients (SS 509), B-0280

Tsagkouli V., Soldatos T., Kampanarou S., Tanteles S., Thanos L., Malagari K., Pomoni M., Kelekis D.A.
DC-beads chemoembolisation of HCC and evaluation of the results using CEUS and MDCT: a two-year study (SS 1709), B-0764

Tsetis D.K.
Vascular imaging: Doppler and contrast-enhanced US: B. Imaging deep vessels (E³ 520b), A-116

Tsoumakidou G., Lang H., Abdelli O., Buy X., de Mathelin M., Jacqmin D., Gangi A.
Percutaneous MR-guided cryoablation of prostate cancer: technical feasibility and preliminary results (SS 509), B-0288

Tushima F., Ono S., Fujita H., Tokuda T., Kakehata S., Seino H., Shibutani K., Miura H., Takai Y.
Quantitative evaluation of chronic lung disease in infant with thin-section CT (SS 912), B-0589

Tudisco C., Meloni A., Valeri G., Chiodi E., Missere M., Carollo A., Lombardi M., Midiri M., Pepe A.
Feasibility, reproducibility and reliability for the T2* iron evaluation at 3T in comparison with 1.5T (SS 903), B-0570

Turgut A.T.
MRI in prostate cancer: B. MRI in post-treatment follow-up (RC 1407), A-418

Turgut A.T.
How should we image the patient with haematuria?: Chairman's introduction (SF 16b), A-500

Tweed K.E., Lewis C., Parameshwar J., Gopalan D.
Utility of computed tomography coronary angiography (CTCA) in diagnosis of cardiac allograft vasculopathy (CAV) (SS 503), B-0366

U

Uchiyama N.
Potential role of digital breast tomosynthesis (DBT) in breast cancer diagnosis (SY 3)

Umutlu L., Kraff O., Fischer A., Forsting M., Ladd M.E., Maderwald S., Lauenstein T.C.
1.5 Tesla vs 3 Tesla versus 7 Tesla abdominal MRI: the more Tesla, the better? (SS 601), B-0447

Umutlu L., Theysohn N., Maderwald S., Wrede K., Dammann P., Ladd M.E., Goericke S.L., Forsting M., Schlammann M.
7 Tesla MRI of the intracranial arterial vasculature: non-enhanced versus contrast-enhanced MPAGE imaging (SS 1711), B-0743

Urbano J.
The trauma patient: B. Management of arterial trauma (RC 309), A-047

Ursani A., Mehrez H., Blobel J., Kashani H., Paul N.S.
Stenosis quantification using different kV: a phantom study comparing volume CT to micro-CT (SS 603), B-0397

V

Vag T., Slotta-Huspenina J., Nitsche U., Rosenberg R., Rummey E.J., Gaa J.
Preoperative lymph node staging in patients with rectal cancer using dynamic magnetic resonance imaging: initial results (SS 1801b), B-0964

Válek V.
Expanding the role of interventional radiology in hepatocellular carcinoma: A. RF ablation (RC 1209), A-355

Authors' Index

Valentino M.

Emergency radiology: where does US fit in?: C. Abdominal trauma: US or not US? (E³ 720b), A-157

Valle M., Martinoli C.

Children's bones and joints: C. Imaging of juvenile idiopathic arthritis (RC 1412), A-431

Vallejos J., Capunay C., Carrascosa P.,**Martinez Ferro M., Carrascosa J.**

Lung volume in patients with pectus excavatum: quantifying the pulmonary involvement? (SS 104), B-0029

Vallejos J., Carrascosa P., Capunay C.,**Vasconcelos A., Baronio M., Papier S.**

CT virtual hysterosalpingography: experience in 5000 cases (SS 207), B-0202

Valls C.

How I report: C. CT in a patient with a solid mass of the pancreas (RC 701), A-137

Valvassori L.

Vascular imaging in ischaemic stroke: B. Vertebrobasilar atherosclerotic arterial disease (RC 815), A-226

van Beek E.J.R.

How I report: C. PET/CT (RC 804), A-224

Van Beers B.

From inflammatory to fibrotic processes: C. Structural and molecular imaging of fibrotic process (MC 23D), A-381

van Breest Smallenburg V., Nederend J.,**Klopmehouwer E.G., Duijm L.E.M.**

Variations in screening outcome among pairs of radiologists at independent double reading of screening mammograms: a population-based study (SS 902), B-0549

van Buchem M.A.

General neuroradiology: introduction to the brain: B. Brain haemorrhage: from microbleeds to lobar haematomas (RC 411), A-090

van Delden O.M., Reekers J.A.

Diagnosis and management of acute vascular abdominal problems: Management of abdominal haemorrhage in the severely injured trauma patient (SF 4b), A-106

van den Boom R., Oei M.T.H., Oostveen L.J., Smit E.J., Lafabre S.J., van Ginneken B., Manniesing R., Prokop M.

Effect of radiation exposure on quantitative evaluation of cerebral CT perfusion maps: results from a hybrid digital phantom (SS 911), B-0509

van den Bouwhuijsen Q.J.A., Vernooij M.W., Krestin G.P., Niessen W.J., Ikram M.A., Hofman A., Witteman J.C.M., van der Lugt A.

Carotid atherosclerotic plaque morphology and ischaemic vascular brain disease on MRI (SS 111a), B-0005

van der Lugt A.

Ischaemic stroke ('acute neurologic deficit'): A. Early diagnosis of ischaemic stroke: CT, MRI or other? (CC 319), A-013

Van Dyck P.

The knee: A. Patterns of injury (RC 1910), A-549

Van Dyck P., Gielen J.L., Wouters K.,**Vanhoenacker F.M.H.M., Dossche L.,****Parizel P.M.**

Comparison of 3D-SPACE vs. 2D-FSE sequence for the evaluation of internal knee derangement at 3.0T (SS 1710), B-0775

Van Goethem J., Venstermans C., De Belder F.,**van den Hauwe L., Parizel P.M.**

Spine: update on spinal disorders: A. Imaging algorithm for degenerative spinal disease and spondyloarthropathies in 2012 (RC 1611), A-511

Van Goethem M.L.A., Verslegers I., Hufkens L.,**Biltjes I., Parizel P.**

Breast MRI today: A. How to set up a high quality breast MRI unit (RC 702), A-163

Van Hecke W.

Advanced techniques: diffusion tensor imaging (DTI) in clinical practice: A. DTI technique, sequences, software and post processing (RC 1511), A-465

Van Ongeval C.

Controversies in breast imaging: How to image the dense breast (SF 4a), A-087

van Overhagen H.

Common radiological problems: palpable lower neck mass - thyroid or not?: A. Thyroid nodule (E³ 1720b), A-535

van Rijn R.R.

Emergency radiology: where does US fit in?: B. Acute abdomen in children: US vs CT (E³ 720b), A-156

van Rijn R.R.

Oncologic imaging: how to image, follow up and report: Chairman's introduction (RC 1212), A-361

van Rijn R.R.

The vomiting infant and child: C. Interactive case discussion (CC 1418), A-390

van Rijswijk C.

How I report: A. Soft tissue mass: US/MR (RC 710), A-152

Van Santen-Van Doorn M.M.A.C.,**Van Den Berg R., Van Der Kallen B.,****Nijeholt G.L.A., Van Zwam W.,****Van Oostenbrugge R., Van Der Lugt A.,****Roos Y., Majoe C.B.L.M.**

Mechanical thrombectomy with the trevo stent device in proximal intracranial arterial occlusions (SS 611a), B-0383

Vande Berg B.

My most beautiful mistakes: MSK (SF 7a), A-160

Vande Berg B.

Bone marrow oedema and bone marrow oedema-like lesions: Chairman's introduction (RC 810), A-202

Vandecaveye V.

Post-treatment head and neck management: the diagnostic dilemma: C. Predicting outcome of radiation therapy in head and neck cancer: clinical reality? (RC 1508), A-478

Vandulek C., Maas M.

Assessing novel technology: applications, performance and quality issues: Chairman's introduction (SF 7b), A-172

Vanhoenacker F.M.H.M.

The knee: Chairman's introduction (RC 1910), A-548

Vaño E.

Advances in technology for interventional radiology: technology assessment: Patient and staff radiation issues in angiography (EF 2), A-252

Vaño E., Vock P.

Upcoming challenges in radiation protection: Chairmen's introduction (PC 16), A-518

Vaño E.

Upcoming challenges in radiation protection: Challenges in radiation protection for imaging: work in progress by ICRP (PC 16), A-519

Vassalou E., Matalliotaki P., Spanakis K.,**Maidas P., Magkanas E., Karantanas A.**

Knee joint configuration: the implication of severe osteoarthritis and ACL injury (SS 610), B-0431

Veillon F.

Temporal bone imaging: B. Cholesteatoma and chronic infection (RC 308), A-017

Veltman J.

Breast MRI today: B. Beyond differential diagnosis and local staging: prognosis and distant staging (RC 702), A-164

Venancio J.

MRI in prostate cancer: Chairman's introduction (RC 1407), A-416

Venkatesh S.K., Wang G., Madhavan K., Wee A.
Comparison of MR elastography and diffusion-weighted MR imaging for differentiating benign and malignant focal liver lesions (SS 1701), B-0827

Venturini M., Agostini G., Pilla L., Losio C., Cappio S., Del Maschio A.

Trans-arterial chemoembolization (TACE) using drug-eluting bead preloaded with irinotecan (DEBIR) in the treatment of metastases from uveal melanoma (UM) confined to the liver: preliminary assessment of tumour response and predictive value of angiographic pattern and diffusion-weighted magnetic resonance imaging (DW-MRI) (SS 1709), B-0766

Vera Cartas M., Schonstedt Geldres V., Auger Acosta C., Mitjana Penella R., Rovira-Cañellas A.

Value of DIR MR sequences in comparison to FLAIR and DP/T2 when identifying cortical and juxtacortical lesions in patients with multiple sclerosis (SS 111b), B-0083

Verbist B.

Paranasal sinus imaging: C. Sinonasal tumours (RC 708), A-151

Verschakelen J.A.

Patterns in chest radiology: diffuse lung diseases - what the radiologist should know: A. The glossary of terms for thoracic imaging: old and new definitions (RC 1604), A-515

Verstraete K.

Undergraduate teaching: the future of radiology: The European scene: lessons from the 2010 survey (Undergraduate Working Group), A-376

Verstraete K.

Postoperative joint imaging: B. Knee (RC 1410), A-398

Vikestad K.G., Eikefjord E.N., Hofmann B.M.

Evaluation of the first radiographers with additional degree in ultrasound: to what extent are the learning objectives achieved 6 months after graduation? (SS 1314), B-0723

Authors' Index

Vilanova J.C.

The role of advanced imaging in musculoskeletal neoplasms: Chairman's introduction (SF 16a), A-485

Vilanova J.C.

The knee: C. Soft tissue tumours/tumour-like lesions (RC 1910), A-551

Vilar J.

Common radiological problems: incidental chest lesions: B. Mediastinal mass (E³ 920a), A-247

Vilela P.

Angioplasty and stenting of extra and intracranial arteries: Chairman's introduction (RC 1411), A-412

Vilela P.

How I report: A. MRI in microvascular and inflammatory diseases (RC 1911), A-557

Vilgrain V.

How can I be sure that I'm dealing with HCC?: Equivocal nodules: how to interpret and clinical implications (SF 11), A-287

Villa A., Chiesa F., Rosenberg I., Calabrese M.

Management of flat epithelial atypia diagnosed at vacuum-assisted breast biopsy performed on suspicious microcalcifications. Comparison between 9G and 11G devices (SS 1302), B-0672

Vliegenthart R.

Cardiac imaging: from diagnosis to prognosis: Coronary calcium scoring: is it good for prognosis assessment? (SF 8b), A-214

Vock P.

Diagnostic radiology and pregnancy: B. X-ray imaging and pregnancy: justification and optimisation of exposure (RC 1213), A-352

Vock P.

Promoting best practice in forensic imaging: A. Forensic imaging: another important growing field (RC 1414), A-426

Vogl T.J., Rode N., Stoever T., Sader R.,

Burck I., Harth M., Gruenwald F.

Comparison of contrast-enhanced PET-CT and MRI in patients with head and neck cancer (SS 608), B-0464

Vogl T.J., Auerbach K., Engels K., Ochs K., Zangos S., Naguib N.N.N., Lehnert T., Nour-Eldin N.-E.A.

Transarterial chemoembolisation (TACE) with mitomycin and cisplatin in hepatocellular carcinoma: curative, palliative and neoadjuvant therapy protocol (SS 909), B-0527

Vogl T.J., Dommermuth A., Eichler K.,

Zangos S., Mack M.G.

Long-term survival data of patients with liver metastases of colorectal cancer after MR-guided laser-induced thermotherapy (LITT) (SS 1709), B-0759

Vogl T.J., Auerbach K., Ochs K., Zangos S., Lehnert T., Naguib N.N.N.

New combination of mitomycin and cisplatin for transarterial chemoembolisation (TACE) of unresectable hepatocellular carcinoma: different aetiologies and local response rate (SS 1709), B-0761

Vogl T.J., Naguib N.N.N., Lehnert T., Nour-Eldin N.-E.A., Bechstein W.O., Zeuzem S., Trojan J., Gruber-Rouh T.

Transarterial chemoembolisation (TACE) in patients with unresectable cholangiocarcinoma: results and prognostic factors (SS 1709), B-0763

Vogl T.J., Lindemayr S., Nour-Eldin N.-E.A., Dauda T., Zangos S.

Transpulmonary chemoembolisation (TPCE) as a regional oncological treatment for non-resectable lung metastases (SS 1709), B-0765

Vogl T.J., Darvishi A., Farshid P., Azizi A., Bazrafshan B., Naguib N.N.N., Nour-Eldin N.-E.A., Zangos S., Trojan J.

Ablation therapy of hepatic malignancy: a comparative study between radio-frequency and microwave ablation techniques (SS 1809), B-0905

Volders D., Peters N., De Foer B., Bacher K., Casselman J.W.

Comparative study of MDCT and CBCT of the temporal bone: anatomy-otosclerosis-superior semicircular canal dehiscence, early experience and preliminary results (SS 1308), B-0685

Von Schulthess G.K.

PET/MR vs PET/CT: the clinical reality check starts (SY 6)

Voormolen M.H.J., Van der Zijden T., Menovsky T., d'Arachambeau O., Fransen H., Parizel P.M.

Subarachnoid haemorrhage ('the worst headache ever'): B. Endovascular treatment of aneurysms (CC 1119), A-271

Vorontsova N.A., Gazhonova V.E., Cherkina S.O., Savinova E.B., Ponomorenko I.A., Zubarev A.V.

Sonoelastography in patients with endometriosis of different location (SS 1807), B-0931

Vrachliotis T.G.

Percutaneous drainage for general radiologists: B. Abdominal abscess (RC 809), A-229

Vult von Steyern K., Bjorkman-Burtscher I., Hoglund P., Bozovic G., Wiklund M., Geijer M.

A scoring system for tomosynthesis in pulmonary cystic fibrosis (SS 604), B-0417

Vymazal J., Seidl Z., Mechli M., Goyal M., Herman M., Pasowicz M., Schneider G., Bastianello S., Ruscalleda J.

Does higher gadolinium concentration play a role in the morphologic assessment of brain tumours? Results of a multicentre intraindividual crossover comparison of gadobutrol versus gadobenate dimeglumine (the MERIT study) (SS 1806), B-0974

W

Wagner M., Maggiori L., Ronot M., Vilgrain V., Panis Y., Van Beers B.E.

Detection of colorectal liver metastases: sensitivity of T2-weighted and diffusion-weighted imaging using pathological examination as method of reference in a rat model (SS 501), B-0334

Walleyo A., Debus A., Kehl S., Weiss C.,

Schönberg S.O., Schaible T., Buesing K.A., Neff K.W.

MR lung volume assessment at different times of gestation for prediction of survival, need for ECMO-therapy and development of chronic lung disease in fetuses with congenital diaphragmatic hernia (SS 1812), B-0925

Wallis M.G.

Single-shot spectral mammography in clinical practice (SY 15)

Wallis M.G.

Controversies in breast imaging: Chairman's introduction (SF 4a), A-085

Wallis M.G., Cheung S., Britton P.D., Kearins O.

Pre-operative staging of the axilla: UK audit of screen detected breast cancer 2008/9 and 2009/10 (SS 1302), B-0671

Wallner C., Hittinger M., Koerner M., Linsenmaier U., Reiser M.F.

Digital mammography with a new needle-based detector system: clinical results after a one-year trial (SS 202a), B-0213

Wang C., Persson A., Engvall J., De Geer J., Czekiera W., Bjorkholm A., Fransson S., Smedby Ö.

Can segmented 3D images be used for stenosis evaluation in coronary CT angiography? (SS 503), B-0362

Wang X.Y., Wu N., Zhao Y.F.

Diagnostic capability of whole body diffusion-weighted imaging in malignant tumours compared with whole body 18F-FDG PET-CT (SS 1316), B-0617

Watanabe Y., Tanaka H., Nishizawa M., Kunitomi Y., Tsukabe A., Tomiyama N.

Dual energy CT for detection of contrast leakage within high-density haematoma in patients with intracranial haemorrhage: iodine images versus combined images (SS 911), B-0503

Watkinson A., Kessel D.O.

The trauma patient: Chairman's introduction (RC 309), A-045

Weber C., Buhk J., Bley T., Fink-Wedel A., Koops A., Adam G., Bannas P.

Intraindividual comparison of whole body MR angiography at 1.5 and 3 Tesla in high risk patients with hereditary hyperlipidaemia (SS 215), B-0257

Weber C., Hentschel H., Bley T., Kroeger N., Adam G., Bannas P.

Whole body MRI for response assessment of multiple myeloma after stem cell transplantation (SS 1316), B-0610

Weber M.-A., Nagel A.M., Wolf M.B., Jurkat-Rott K., Semmler W., Kauczor H.-U., Lehmann-Horn F.

Permanent muscular sodium overload and muscle oedema in Duchenne muscular dystrophy: a possible contributor of progressive muscle degeneration (SS 1712), B-0865

Weber W.

Lymph node imaging: where are we now?:

C. Nuclear medicine: PET and other techniques (RC 1216), A-336

Authors' Index

Weigel S., Heindel W., Biesheuvel C.

Diagnostic assessment of digital mammography screening: evidence on incremental breast cancer detection by bilateral ultrasound examination (SS 502), B-0311

Weininger M., Mills J., Rumboldt Z., Huda W., Cianfoni A.

Accuracy of CT-guidance for lumbar facet blocks (SS 509), B-0281

Weir-McCall J., Christodoulou D., Shaw A., Arya A., Knight A., Howlett D.

The accuracy of pre-operative CT in the assessment of the acute abdomen (SS 1801a), B-0875

Werncke T., Renger B., Tischenko O., Wacker F., Meyer B.

Exposition in CT-angiography: the impact of the new OPED algorithm in CT-angiography (CTA) - a phantom study (SS 1813), B-0990

Werner M.K., Wiegand J., Kupferschlaeger J., Lois C., Bezrukov I., Schmidt H.

Pfannenberg C., Schwenzer N., Beyer T.

PET/CT and PET/MR image quality in the presence of dental implants (SS 1708), B-0814

Wielputz M.O., Puderbach M., Eichinger M., Weinheimer O., Ley S., Mall M.A., Bischoff A., Kauczor H.-U., Heussel C.

Automatic airway analysis on MDCT in cystic fibrosis: correlation with pulmonary function testing (SS 604), B-0415

Wiggermann P., Jung E., Stroszczynski C.

Contrast-enhanced ultrasound (CEUS) improves real-time imaging of ablation region during radiofrequency ablation (RFA): preliminary results (SS 209), B-0173

Wiggermann P., Jung E., Stroszczynski C.

Experimental feasibility study on real-time ultrasound elastography of hepatic thermal lesions: first results (SS 1809), B-0897

Wildberger J.E.

How I report: B. CT angiography (RC 804), A-223

Wildgruber M., Ale A., Kosanke K.,

Rummenny E.J., Ntziachristos V.

Molecular imaging of apoptosis in the early course after myocardial infarction using hybrid fluorescence molecular tomography/x-ray computed tomography FMT-XCT targeting Annexin V (SS 106), B-0103

Williams M.C., Weir N.W., Uren N., McKillop G., Newby D.E., Reid J.H.

The effect of iterative reconstruction on computed tomography coronary artery calcium score (SS 603), B-0394

Williams M.C., MacLachlan D.S., Mirsadraee S., Newby D.E., Weir N.W.

Computed tomography coronary angiography (CTCA) radiation dose: a systematic review of the application of conversion factors (SS 603), B-0399

Wilms G.

Infections of the central nervous system: what the radiologist must report: A. 'Dangerous' viral and prion infections (E³ 820a), A-194

Wilson D.J., Owen S.E., Corkill R.A.

Coblation vertebroplasty as a means of treating high risk painful vertebral compression fractures (SS 1810b), B-0955

Wintersperger B.J.

Cardiac imaging: the cutting edge: A. Cardiac MRI: high fields vs 1.5T (RC 303), A-037

Wintersperger B.J., Sivagnanam M.,

Paul N.S., Diva D., Nguyen E., Crean A.M., Jimenez Juan L., Wald R.M., Ley S.

MR assessment of pulmonary (QP) to systemic (QS) flow using 4D phase contrast technique: comparison with conventional through-plane 2D phase contrast technique (SS 203b), B-0263

Wirth S., Michael L., Maxien D., Deak Z., Scherr M., Linsenmaier U., Reiser M.F., Körner M.

Upgrading to adaptive statistical iterative reconstruction (ASIR) in 64-row computed tomography (CT) of the chest: detailed analysis of the performance of different ASIR modes and levels by intra-individual comparison of dose-reduced ASIR scans to full-dose filtered back projection series (SS 904), B-0514

Wissgott C., Kamusella P., Luedtke C., Andresen R.

Excimer laser atherectomy in arteries of the lower limb with TASC C and D lesions (SS 609), B-0428

Woitek R., Kasprian G., Weber M., Brugge P.C., Prayer D.

Fractional anisotropy of the foetal midbrain and myelination (SS 1812), B-0923

Wolf G., Laniado M., Abolmaali N., Paulus T.

Development of a tissue-equivalent phantom for standardisation of diffusion-weighted MRI (SS 113), B-0129

Wolf G., De Keyzer F., Paulus T., Hermans R., Abolmaali N.

Towards standardisation of diffusion-weighted MRI: status survey across instruments using a tissue-equivalent phantom (SS 113), B-0130

Woods L., Nair A., Patel D., Devaraj A., Madden B., Vlahos I.

Incidence and aetiology of mosaic lung attenuation (MLA) in a large cohort of patients with right heart catheter (RHC) corroborated pulmonary hypertension (PH) (SS 1304), B-0627

Wörtler K.

Postoperative joint imaging: A. Shoulder (RC 1410), A-397

Wozniak M.

Imaging during pregnancy: What are the real risks of US and MRI to the foetus? (SA 4), A-073

Y

Yacoub J.H., Zini C., Fan X., Yousuf A., Rubin D.T., Oto A.

MR perfusion of normal small bowel (SS 101a), B-0051

Yamamoto A., Oba H., Kotoku J., Furui S.

Age and gender alterations in signal intensities of posterior pituitary gland on 3-dimensional T1-weighted magnetic resonance imaging (SS 1811), B-0894

Yanagita H., Watanabe W., Shimizu Y., Okada T., Ohno H., Osada H., Honda N., Nakayama M.

Prediction of postoperative pulmonary function by single-breath dual energy xenon CT: a preliminary report (SS 104), B-0030

Yang F., Liu D., Lv Y., Kong X.

High-resolution magnetic resonance imaging of the brachial plexus using an isotropic-enhanced scan of 3D-STIR sequence (SS 910), B-0537

Yano K., Watanabe K., Kataoka M.Y., Kido A., Togashi K.

Automated detection and measurement of uterine peristalsis in cine MR images (SS 505), B-0371

Yildirim A., Ridge C.A., Boiselle P.M., Franquet T., Gevenois P.A., Schaefer-Prokop C.M., Tack D., Bankier A.A.

Differentiating subsolid and solid pulmonary nodules on CT: inter- and intraobserver agreement among experienced thoracic radiologists (SS 204), B-0165

Yoo M., Hwang S., Kim T., Kim S.

Response monitoring for lung cancer therapy using dynamic contrast-enhanced CT scan: a correlation with PET-CT (SS 1704), B-0756

Yoon K., Jin G., Han Y., Lee Y.

Small pulmonary nodules less than 7mm: how to distinguish malignancy and benignity? (SS 204), B-0164

Yoon S.

Scaled signal intensity of uterine fibroids in T2-weighted MR images; new objective parameter to determine the suitability for magnetic resonance-guided focused ultrasound surgery of uterine fibroids (SS 507), B-0301

Yousry T.A.

General neuroradiology: introduction to the brain: A. Brain anatomy made easy: the language system (RC 411), A-089

Yuan X., Ao G., Zhang J.

Lung cancer perfusion: can we measure pulmonary and bronchial circulation simultaneously? (SS 1704), B-0751

Z

Zacharopoulos G., Yarmenitis S.

Real-time compression elastography of the peripheral zone prostatic cancer: the impact in improving the diagnostic approach (SS 1807), B-0933

Zackrisson S.

Breast tomosynthesis: a feasible breast cancer screening modality? (SY 1)

Zamboni G.A., Ambrosetti M., Zivelonghi E., Pozzi Mucelli R.

Single energy low-voltage arterial phase scans for the detection of adenocarcinoma of the pancreas (SS 901), B-0566

Zamboni G.A., Ambrosetti M.C., Zivelonghi E., Pozzi Mucelli R.

Single-energy low-voltage arterial phase scanning increases conspicuity of hypervascular lesions of the liver: an intra-patient study (SS 1301b), B-0696

Zamboni G.

Pancreatic tumours: Complete or incomplete resection: the added value of the pathologist (MS 3), A-025

Zanetti M.

How I report: C. MR of the unstable shoulder (RC 710), A-154

Authors' Index

Zankl M.

Simulations help us understand x-ray imaging:
B. Monte Carlo simulations of virtual patients
(anthropomorphic phantoms) (RC 1613), A-527

Zarb F., McEntee M.F., Rainford L.

A novel optimisation strategy in CT results in significant dose reductions (SS 914), B-0586

Zbyn S., Apprich S., Juras V., Szomolanyi P.,**Domayer S., Trattnig S.**

Multi-parametric MRI of talar and tibial cartilage in cadaver ankles at 7T: correlation with immunohistological findings (SS 610), B-0432

Zdanovskis N.

eReader usage in education (Student Session 4), H-19

Zech C.J.

VALUE of Primovist® MRI vs CE-MRI and MDCT for staging of patients with liver metastases (SY 5)

Zech C.J.

Surprise in the liver: B. Imaging techniques and typical findings (CC 1618), A-492

Zech C.J., Gschwend S., Ba-Ssalamah A.,**VALUE-Study Group T.**

Multi-center, randomised comparison study to evaluate outcomes and resource needs of imaging and treatment following Gd-EOB-DTPA-enhanced MRI of the liver in comparison to extracellular contrast media (ECCM)-enhanced MRI and contrast-enhanced multidetector computed tomography (MDCT) in patients with a history of colorectal cancer and known or suspected metachronous liver metastases: the value study (SS 501), B-0332

Zhang D., Khatonabadi M., Jude C.M.,**Zaragoza E., Kim H., Lee M., Andrews-Tang D.,****Poon C., Douek M., Patel M., Doepleke L.,****McNitt-Gray S., Cagnon C., DeMarco J., McNitt-Gray M.**

The effect of CT dose reduction on performance of a diagnostic task (SS 1713), B-0856

Zhou Y., Han P., Wang Y., Shi H.

Assessment of the correlation between CT angiographic clot load score, pulmonary perfusion defect score and global right ventricular function by dual source CT for acute pulmonary embolism (SS 1304), B-0624

Zhou Z., Yu H., Zhu B., Hong Y., Fang J.

Combined diffusion-weighted magnetic resonance imaging and MR lymphography reliably detect and evaluate sentinel lymph node in cervical cancer (SS 507), B-0305

Zindel C.

Welcome creating the future of MRI (SY 18)

Zins M.

My most beautiful mistakes: Chairman's introduction (SF 7a), A-158

Zizka J., Jandura J., Kvasnicka T., Grepl J.

Reduction of effective and organ dose to the eye lens in cerebral MDCT scans using iterative image reconstruction (SS 1713), B-0850

Zografos G., Koulocheri D., Liakou P.,**Grigoropoulos P., Sofras M., Hadjiagapis S.,****Marmarelis V.**

Non-invasive differentiation of small breast lesions via 3D MT imaging (SS 202a), B-0218