

---

## Authors' Index

---



## Authors' Index (E)

## **A**

**Abdel Razek N.M.A., El Ghazaly H.A., Yousef O.Z.**  
Radiological evaluation of complete pathological response after neoadjuvant chemotherapy treatment of breast carcinoma (SS 602), B-0452

**Abdel Razek N.M.**  
Percutaneous breast lesion excision system (BLES): a new tool for complete closed excision of high risk lesions (SS 1802a), B-0957

**Abdel Rehim M., Sibert A., Barrau V., Ben Lakhdar Z., Vilgrain V.**  
Colorectal liver metastases: Role of image-guided treatment in colorectal liver metastases (MS 3), A-021

**Abdullah B.J.J., Yeong C.H., Goh K.L., Yoong B.K., Ho G.F., Yim C.**  
Robot-assisted radiofrequency ablation of liver tumours: early experience (SS 609a), B-0422

**Abe T., Izuka T., Motohashi N., Shiraishi Y., Koyanagi N., Kurosaki A., Ito M., Ogata H., Kudou S.**  
Function ventilation analysis in dynamic chest x-ray examination: in comparison with 133Xe lung ventilation scintigraphy (SS 1704), B-0760

**Abreu V., Nordberg A.**  
PIB-PET as a pathological and functional marker in Alzheimer's disease (SS 606), B-0508

**Abrigo J.M., Wong V., Yeung D., Wong G., Chan A., Chan H., Chu W.**  
Phosphorus magnetic resonance spectroscopy (31P-MRS) in non-alcoholic fatty liver disease (NAFLD) (SS 601), B-0441

**Acosta Ruiz V., Magnusson A., Dahlman P., Brekkan E., Lönnemark M.**  
Retrospective study of renal tumors treated with radio frequency ablation at Uppsala University Hospital since 2007: which factors affect ablation results? (SS 209), B-0177

**Adam A.**  
The visibility of the radiologist: Radiology in the 21st century: time to come out of the dark? (PC 4), A-104

**Adams A., Gilhuijs K.G.A., Pengel K.E., Loo C.E., Mali W.P.T.M., Elias S.G.**  
Imaging features in mammography and breast ultrasound are related to HER-2 receptor over-expression of primary invasive breast cancer (SS 202), B-0218

**Adams A., Wesseling N., Strengers J.L.M., de Vries W.B., Molenschot M.C.**  
Reference values for cardiac valve diameters in extreme preterm infants (SS 1312), B-0734

**Adiotomre E., Summers L., Broadley P., Lang I., Morrison G., Offiah A.**  
Replacing conventional spine radiographs with dual-energy x-ray absorptiometry (DXA) in children with suspected reduction in bone density (SS 912), B-0599

**Agarwal S.**  
The usual, the unusual and the dangerous: C. GU complications in patients with spinal cord damage (CC 1621), A-536

**Agostini G., Venturini M., Querques G., Maffi P., Gremizzi C., Palmisano A., De Cobelli F., Secchi A., Del Maschio A.**

Presence/absence of hepatic steatosis after percutaneous intraportal pancreatic islet transplantation in 108 allo- and auto-transplanted patients: can ultrasound predict the clinical outcome? (SS 601), B-0440

**Agostini G., Venturini M., De Cobelli F., Cappio S., Salvioni M., Di Rosa E., Balzano G., Maffi P., Del Maschio A.**

Clinical relevance and interventional-radiological management of early complications after pancreatic surgery: a 12-year single-centre experience on 1285 patients (SS 1709), B-0769

**Åhlström Riklund K.**

Legal matters related to multimodality techniques: Chairman's introduction (PC 12), A-398

**Åhlström Riklund K.**

Legal matters related to multimodality techniques: Legal matters in Scandinavia (PC 12), A-401

**Ahn H., Kim S., Yun B., Kim M., Jang M., Park S., Kim S., Kang E.**

Usefulness of ultrasonography (US) and ultrasonography-guided fine-needle aspiration biopsy (FNAB) for axillary staging in breast cancer: is the breast imaging reporting and data system (BI-RADS) categorisation applicable? (SS 202), B-0210

**Akhavan F., Motevalli M., Abolfat-h-Zadeh Ghale Joughi N.**

Different patterns of delayed cardiac enhancement in symptomatic patients with post-total correction of tetralogy of fallot assessed by cardiac MRI and its correlation with right ventricular function: a report from Iran (SS 1703), B-0857

**Al-Kalbani J., Alnabhan I., Afqa A., Syed R., O'Meara C., Barnes A., Boumanji J.**

Cross over PET/MRI vs PET/CT study in oncological patients: does it change management? (SS 916), B-0549

**Albert T.S.E., Parienty I., Catala V., Xue H., Katazbathina V., Lopera J.E., Jin Z.Y., Yellin N., Akahane M.**

An international multi-centre comparison of the non-contrast MR angiography technique time-spatial labelling inversion pulse (time-SLIP) against contrast-enhanced CT angiography for assessing renal artery stenosis: the renal artery contrast-free trial (REACT) (SS 215), B-0255

**Alessi S., Petralia G., Musi G., Alconchel A., Bardo G., Raimondi S., Renne G., De Cobelli O., Bellomi M.**

Preoperative multiparametric magnetic resonance imaging (mp-MRI) reduces positive surgical margins after robotic-assisted laparoscopic prostatectomy (RALP): experience in 136 patients (SS 107), B-0082

**Alexandre A., Izzo G., Giardina G.G., Coro' L., Alexandre A.**

Acute low back/leg pain due to lumbar disc herniation: intradiscal and intraforaminal injections of oxygen-ozone vs steroid and anaesthetics (SS 1811b), B-0902

**Alfayate Sáez E.**

Knowledge development as a tool for radiographers' professional improvement: The Spanish radiographer's role in advanced MRI research (EM 5), A-285

**Alghamdi F., Bertrand P., Barantin L., Lauvin M.A., Cazals X., Domengie F., Bibi R., Herbreteau D., Cottier J.**

The incidence of biological effects from 3.0 Tesla (T) MRI compared to 1.5 T: an observational study in 911 consecutive outpatients (SS 113), B-0105

**Alizai H., Lin W., Liebl H., Nardo L., McCulloch C., Lynch J., Nevitt M.**

Meniscal tears are associated with adjacent tibiofemoral cartilage degeneration assessed using 3T MRI T2 relaxation time (SS 1810), B-0934

**Alkadhi H.**

Technical and anatomical fundamentals for imaging the heart: B. Examination protocols for imaging the heart: CT (MC 322), A-037

**Alkadhi H.**

Polytrauma: redefining imaging issues for management priorities: Chairman's introduction: advanced imaging, logistics and management priorities in patients after polytrauma (RC 817), A-218

**Alkadhi H.**

The fast and the furious: vascular trauma resulting from traffic accidents: B. Imaging techniques and typical findings (CC 1618), A-539

**Alkadhi H.**

Clinical benefits of a new fully integrated CT detector

**Allen S.D.**

Follow-up of local treatments of breast cancer: B. Pre- and post- imaging appearance of breast lesion excision system (BLES) lesions (CC 1619), A-542

**Amalou H., Xu S., Pinto P., Wood B.**

MRI+US fusion-guided prostate biopsy and ablation (SS 209), B-0173

**An H., Ko S., Hwang H., Song M., Choi J., Shin J.**

Assessment of aortic valve area in patients with severe aortic stenosis using cardiac dual-source computed tomography: comparison with transthoracic echocardiography and cardiac magnetic resonance (SS 203), B-0269

**Anderson E.M., Franklin J.M., Tanner L., Brady M., Gleeson F.V.**

Prediction of subsequent metastatic disease by dynamic contrast MRI in locally advanced rectal cancer (SS 1316), B-0624

**Andreini D.**

Optimising image quality and patient care in cardiac CT (SY 21)

**Antoch G.**

Lung cancer staging in 2013: C. Distant metastasis and whole body imaging (RC 1204), A-383

**Antoch G.**

Hybrid imaging systems: B. Clinical MR/PET (RC 1413), A-458

**Antoniutti M., Maso C., Vecchiato N., Doratiotto S.**

Risk management in radiology: applying failure mode effects and criticality analysis in computer tomography (SS 114), B-0131

**Antoniutti M., Doratiotto S.**

Risk management in computed tomography using an incident reporting system (SS 514), B-0382

# Authors' Index

- Anzidei M., Napoli A., Brachetti G., Cavallo Marincola B., Cartocci G., Boni F., Noce V., Bertaccini L., Catalano C.**  
MR-guided high-intensity focused ultrasound for non-invasive treatment of osteoid osteoma (SS 1309), B-0643
- Apfaltrer P., Schymik G., Germann T., Schroefel H., Meyer M., Fink C., Schönberg S.O., Henzler T.**  
Is aortic valve calcium distribution a predictor for outcome after transcutaneous aortic valve implantation? (SS 203), B-0265
- Apfaltrer P., Schindler A., Schoepf U.J., Nance J., Ebersberger U., Vliegenthart R.**  
Epicardial fat volume and coronary artery disease at CT: racial differences in African American and white patients with acute chest pain (SS 603a), B-0419
- Arik B., Gümuş C., İnci M., Ege M., Zorlu A., Varol K., Doğan Ö.**  
Advanced age and apnoea-hypopnoea index predict subclinical atherosclerosis in patients with obstructive sleep apnoea syndrome (SS 903), B-0587
- Arcuri P., Fodero G., Roccia S., Molica S., Arcuri V.**  
Gadoxetic acid-enhanced hepatobiliary phase MRI and high b-value diffusion-weighted imaging (DWI) in the differential diagnosis between benign to malignant liver lesions (SS 1806), B-1031
- Ardies P.**  
Spectral imaging: clinical breakthrough in oncology (SY 21)
- Ardley N., Buchan K., Lau K.**  
Efficacy of a liver detection algorithm for noise reduction in abdominal CT (SS 1301), B-0701
- Argyropoulou M.I.**  
Paediatric: A. Neonatal hypoxic-ischaemic brain injury (E<sup>3</sup> 520c), A-119
- Argyropoulou M.I.**  
Imaging the paediatric spine: B. Inflammation, infection and tumours: the role of imaging (RC 812), A-252
- Artigas J.M., Martí De Gracia M., Soto J.A., Garcia-Valiente A., Marini M., Parrilla P.**  
Traumatic aortic injury: what is changing? (SS 117), B-0122
- Athanasiou A.**  
Functional imaging of the breast: B. Ultrasound elastography (RC 302), A-028
- Athelogou M., Kaemmerer D., Lupp A., Prasad V., Schoenmeyer R., Binnig G., Baum R.**  
Quantification of correlations between somatostatin receptors expression in biopsies from neuroendocrine tumours and PET/CT uptake values in the context of personalised medicine (SS 205), B-0282
- Aubry S., Risson J., Kastler A., Barbier-Brion B., Runge M., Kastler B.**  
Biomechanical properties of the calcaneal tendon in vivo assessed by transient shear wave elastography (SS 510), B-0312
- Avila R., Yankelevitz D., Archer V., Zahlmann G.**  
Calibration of computed tomography (CT) volumetric measurements for assessing tumour response to drug therapy in a randomised multicentre oncology study (SS 1716), B-0799
- Avni F.E.**  
Paediatrics: C. Prenatal detection of GU diseases (CC 1521), A-484
- Ayuso C.**  
Imaging: essential tool from diagnosis to treatment: Introduction (EM 1), A-111
- Ayuso C.**  
Assessing HCC response: C. Ablative therapies (CC 1219), A-360
- Ayuso C.**  
Making homogeneous the reading in HCC: HCC diagnosis: how to report 'typical' findings (SF 16c), A-564
- Azarine A.A., Hrynychshyn N., Samadi A., Perdriz L., Ashrafpoor G., Redheuil A., Macron L., Mousseaux E., Diebold B.**  
Additional value of cardiac computed tomography to assess prosthetic valvular dysfunctions (SS 103), B-0007
- Azavedo E.**  
How I report: A. Mammography (RC 1402), A-446
- B**
- Babikir S., Ganeshan B., Groves A.M., Kayani I.**  
Textural analysis of lymphoma on unenhanced computed tomography: initial evidence for a relationship with tumour glucose metabolism, stage, end of treatment status and survival (SS 216), B-0205
- Bai Y., Shi D., Dou S., Sun F., Wang M.**  
Intravoxel incoherent motion MR imaging with biexponential and stretched-exponential model in grading cerebral gliomas (SS 911), B-0517
- Balageas P., Cornelis F., Le Bras Y., Ferrière J., Ravaud A., Grenier N.**  
Mid-term results of percutaneous image-guided radiofrequency ablation of renal tumours (SS 209), B-0176
- Balleyguier C.S.**  
Strain imaging in the breast - with a focus on the new VTIQ technology (SY 9)
- Balleyguier C.S., Fallenberg E., Canale S., Dromain C.**  
Functional imaging of the breast: A. Contrast-enhanced mammography (RC 302), A-027
- Balleyguier C.S.**  
Breast cancer: A. Detection (E<sup>3</sup> 1120), A-296
- Baltzer P.A.T.**  
Functional imaging of the breast: C. MRI diffusion, perfusion and spectroscopy (RC 302), A-029
- Baltzer P.A.T., Dietzel M., Halder J.L., Kaiser W.A.**  
The additional value of diffusion-weighted imaging (DWI) in MR-mammography: should we still look at curves? (SS 102), B-0074
- Baltzer P.A.T., Dietzel M., Halder J.L., Kaiser W.A.**  
Apparent diffusion coefficient (ADC) measurements of breast lesions: most suspect area versus complete lesion assessment (SS 102), B-0075
- Baltzer P.A.T., Dietzel M., Kaiser W.A.**  
Diagnosis of breast lesions using proton MR-spectroscopy at 1.5 and 3 Tesla: a systematic review and meta-analysis (SS 102), B-0079
- Baltzer P.A.T., Dietzel M., Kaiser W.A.**  
Breast MRI for assessment of primary systemic chemotherapy (PSC): computer assisted diagnosis (CAD) predicts degree of tissue response and residual tumour mass (SS 602), B-0457
- Baltzer P.A.T., Dietzel M., Habrecht H., Zoubi R., Jerowski C., Runnebaum I.B., Kaiser W.A.**  
Comparison of breast-MRI vs. standard prognostic factors for the prediction of local recurrence after treatment of primary breast cancer (SS 1716), B-0808
- Bamberg F., Marcus R., Hildebrandt K., Schwarz F., Theisen D., Bauner K., Becker A., Johnson T., Nikolaou K.**  
Feasibility of CT-based dynamic stress perfusion imaging to differentiate ischaemic and infarcted myocardium as compared with magnetic resonance imaging (SS 903), B-0582
- Banchik E., Dombrovsky V., Kogan M., Mitusov V.**  
Clinical relevance of magnetic resonance dynamic spongiourethrotomography of male urethral stricture detection (SS 1307), B-0695
- Bannas P., Lenz A., Kunick V., Danquah W., Haag F., Trepel M., Adam G., Ittrich H., Koch-Nolte F.**  
Comparison of nanobodies and conventional monoclonal antibodies for in vivo fluorescence imaging of lymphomas (SS 1706), B-0882
- Barchetti F., Panebianco V., Pace A., Forte V., Forte V., Tombolini V., Catalano C.**  
Correlation between 1H-MR spectroscopy and haematochemical evaluation (PSA) in patients undergoing radiation therapy for prostate cancer (SS 107), B-0089
- Barchetti F., Panebianco V., Forte V., Pace A., Tombolini V., Catalano C.**  
The role of 3 T diffusion imaging in prostate cancer recurrence after radical prostatectomy (SS 107), B-0090
- Barden E., Menezes L., Ganeshan B., Rodriguez-Justo M., Endozo R., Kotze C.W., Yusuf S.W., Groves A.M.**  
CT textural analysis of culprit lesions in transient ischaemic attack and/or stroke: correlation with immunohistochemistry (SS 1815), B-1003
- Barentsz J.O.**  
Essentials in oncologic imaging: what radiologists need to know (part 3): C. Prostate cancer (MC 628), A-136
- Barentsz J.O.**  
The male genital system: D. Interactive case discussion (CC 1421), A-427
- Bargalló N.**  
Epilepsy: a lack of knowledge can be dangerous: C. fMRI in epilepsy (RC 1511), A-511
- Bargellini I.**  
Making homogeneous the reading in HCC: Information technology: the practical impact on the management of HCC patients (SF 16c), A-567

# Authors' Index

**Bargy S.**

Do vascular events impact brain maturation of twin pregnancies complicated with twin-to-twin transfusion syndrome? (SS 1712), B-0861

**Barillari M., Cerini R., Spagnoli F., Cardobi N., Carner M., Colletti L., Colletti V., Pozzi****Mucelli R.**

Congenital sensorineural hearing loss and ABI surgery: pre-operative radiological protocol and considerations after 12 years of experience (SS 1308), B-0710

**Barkhof F.**

Infection and inflammation: B. Multiple sclerosis (E<sup>3</sup> 720b), A-165

**Barkhof F.**

Imaging of the mind: Brain wiring: resting state fMRI (NH 14), A-421

**Barkhof F.**

Multiple sclerosis: 2013 update: B. New developments in the diagnosis of multiple sclerosis (RC 1911), A-614

**Baron R.L.**

Essentials in oncologic imaging: what radiologists need to know (part 3): B. Liver cancers (primary, metastases) (MC 628), A-135

**Barrington S.F.**

Evaluation of response in haematological malignancy: Evaluation of response in lymphoma with PET/CT (SA 11), A-301

**Bartolo V., Ippolito D., Trattenero C.,****Bonaffini P.A., Besostri V., Sironi S.**

Diagnostic value of MR enterography (MRE), after oral administration of glucose-polyethylene, in the determination of the activity of disease in patients with known Crohn's disease: a prospective single centre study (SS 1710), B-0787

**Bartolozzi C.**

Making homogeneous the reading in HCC: Chairman's introduction (SF 16c), A-563

**Bastarrika G.**

Ischaemic heart disease: C. The ischaemic heart after treatment: still alive? (MC 722), A-184

**Bastarrika G.**

Pitfalls in heart imaging: A. CT (E<sup>3</sup> 820a), A-201

**Bâth M.**

Lung and chest imaging: new approaches: Role of tomosynthesis in lung imaging (EF 1), A-236

**Bauer J.S., Jungmann P., Schäffeler C.,****Sauerschnig M., Mann A., Baum T.,****Rummey E.J., Wörtler K.**

MR imaging of articular cartilage at the ankle: utility of axial traction (SS 210), B-0180

**Bauer P.**

Hot topics in magnetic resonance imaging: A. New trends in MR safety (RC 1114), A-343

**Bauer R.W., Al-Butmeh F., Frellesen C.,****Wichmann J.A., Lehnert T., Vogl T.J., Kerl M.**

70 kV CT pulmonary angiography in clinical routine: initial experience, radiation dose and image quality (SS 1304), B-0633

**Bauerfeind P.**

Pancreatic cystic neoplasms 2013: Current role of endoscopic ultrasonography (EM 2), A-147

**Baum T., Gräbeldinger M., Grande Garcia E.,****Burgkart R., Patsch J., Rummey E.J., Link T.M., Bauer J.S.**

Trabecular bone structure analysis of the spine using clinical MDCT: can it predict vertebral bone strength? (SS 910), B-0548

**Baum T., Penzel J., Sauerschnig M., Rummey E.J., Wörtler K., Bauer J.S.**

Early changes of trabecular bone structure in asymptomatic subjects with knee malalignment (SS 1810), B-0937

**Baumann T., Schäfer A., Langer M.**

Combination of continuously moving table MRI and PET including image fusion: improved lesion detection in local and distant recurrence of rectal cancer (SS 916), B-0551

**Bauner K.U., Sander T., Theisen D., Pietsch H., Jost G., Reiser M.F., Nikolaou K., Wintersperger B.J.**

Myocardial T1-mapping and myocardial extracellular volume (ECV) fraction: intraindividual comparison of gadobutrol and gadoterate meglumine in an animal model (SS 1803), B-0913

**Baxa J., Tupý R., Rohan V., Kreuzberg B., Ferda J.**

Contribution of the temporal maximum intensity projection (tMIP) datasets for measurement of the middle cerebral artery (MCA) occlusion and predictive value for results of systemic thrombolytic therapy (SS 511), B-0358

**Bazot M., Jarboui L., Thomassin-Naggara I., Haab F., Darai E.**

Abdominal MRI: standard and advanced protocols in clinical settings: B. Pelvic floor disease (RC 1601b), A-553

**Bazzocchi A., Diano D., Ponti F., Andreone A., Sassi C., Albisinni U., Battista G.**

Visceral fat by DXA: current methods and potential clinical implications (SS 510), B-0316

**Bazzocchi A., Brocchi S., Facchini G., Ambrosini V., Ascanio S., Battista G., Fanti S.**

Is there a role for standard uptake value in the prognostic evaluation of lung nodules? (SS 916), B-0555

**Bazzocchi A., Facchini G., Bettelli G., Castiello E., Cavaciocchi M., Rotini R., Albisinni U.**

Osteoid osteomas of the elbow: a challenging location (SS 1309), B-0642

**Becc F., Ben Salah Y., Verdun F.R., Vandenberg B.C., Lecouvet F.E., Meuli R., Omoumi P.**

Computed tomography of the cervical spine: comparison of image quality between standard-dose filtered back-projection and low-dose iterative reconstruction protocols (SS 910), B-0542

**Beck K.S., Lee B., Kim H., Han D.**

Clinical significance of high density thrombi on non-enhanced CT scan in patients with pulmonary thromboembolism (SS 1304), B-0637

**Becker C.D.**

Acute abdominal inflammatory disorders: B. Liver and bile ducts (E<sup>3</sup> 1620), A-529

**Becker H.**

How to balance radiation dose and diagnostic yield? (SY 11)

**Becker M.**

Main pipelines of the neck: pharynx and larynx: Main pipelines of the neck: pharynx and larynx (MC 24C), A-274

**Becker M.**

Head and neck cancer battle: the power of imaging studies: Detection of tumour recurrence in head and neck cancer: challenges and pitfalls (SF 16b), A-570

**Beeson J., Wickings N., Anikin V., Kaul S., Dalal P.**

Primary lung cancer treated using radiofrequency ablation: two-year outcome data (SS 104), B-0030

**Beets-Tan R.G.H.**

Staging and restaging of rectal and anal cancer: Chairman's introduction (RC 301), A-007

**Beets-Tan R.G.H.**

Imaging and radiotherapy: all you need to know: MR imaging biomarkers for response evaluation (SF 7b), A-175

**Beets-Tan R.G.H.**

The essentials of lymph node imaging of solid tumours: what the radiologist needs to know: Chairman's introduction (RC 1416), A-437

**Beiderwellen K.J., Poeppel T.D., Hartung-****Knemeyer V., Buchbender C., Kuehl H.,****Bockisch A., Lauenstein T.C.**

Simultaneous 68Ga-DOTATOC PET/MRI for whole body staging in patients with neuroendocrine tumours: preliminary results (SS 606), B-0500

**Beigelman C.**

Pulmonary infections: the old and the new: A. Mycobacterial infections (RC 1104), A-333

**Belcaro N.**

Hybrid imaging systems: C. Preclinical hybrid imaging (RC 1413), A-459

**Belghiti J.**

Colorectal liver metastases: Surgical resection of liver metastases: when and how (MS 3), A-019

**Belli A.-M.**

Gynaecological and obstetrical haemorrhagic emergencies: Chairman's introduction (RC 1209), A-388

**Bellin M.-F.**

Diagnosis and management of GU tract trauma: A. Imaging the kidney and ureter (RC 707), A-176

**Bellin M.-F.**

What if the patient is at risk? (SY 11)

**Belloni E., Emanuele E., Marchesi G., Aschieri D., Ferraro S., Michieletti E., Villani G.Q., Scagnelli P.**

Utility of cardiac magnetic resonance in the identification of patients eligible for early implantation of cardioverter defibrillator after acute myocardial infarction (SS 203), B-0267

**Benito A.**

Hepatocellular carcinoma: Abdominal radiology (MS 4), A-076

**Benjamin P., Lawrence A.J., Patel B., Chung A.W., Barrick T.R., Mackinnon A.D., Morris R., Markus H.S.**

MRI findings in small vessel disease and their relationship to cognitive impairment (SS 511), B-0359

# Authors' Index

**Berg W.A.**

Should we add ultrasound to mammographic screening of dense breasts?: A. We can reduce the interval cancer rate (MC 723), A-154

**Beringer P., Nardo L., Liebl H., Heilmeyer U.R., Lai A., Liu F., Joseph G.B., Eckstein F., Link T.M.**

Longitudinal evaluation of T2 relaxation time in relation to baseline volume of femorotibial cartilage - data from the osteoarthritis initiative (SS 610b), B-0483

**Berkovitz N., Gottlieb P., Tal S.**

Directional diffusivity changes describing micro-structural damage in normal appearing and lesioned cervical cord white matter in multiple sclerosis (SS 211), B-0227

**Bernardi B., Verdolotti T.**

My most beautiful mistakes in paediatric radiology: CNS (SF 16a), A-532

**Bernardi D.**

Initial experience with tomosynthesis biopsy (SY 17)

**Bernardo S., Vinci V., Sollazzo P., Sergi M., Saldari M., Manganaro L.**

Role of foetal MR in the evaluation of gastrointestinal tract anomalies (SS 1712), B-0868

**Berritto D., Iacobellis F., Belfiore M.P.**

Mazzei M.A., Saba L., Di Mizio R.

Cappabianca S., Rotondo A., Grassi R.

Venous mesenteric ischaemia vs acute arterial mesenteric ischaemia with reperfusion: similarities and differences (SS 101a), B-0057

**Berritto D., Iacobellis F., Belfiore M.P.**

Mazzei M.A., Saba L., Scaglione M.,

Cappabianca S., Rotondo A., Grassi R.

Diagnosis of acute arterial mesenteric ischaemia with and without reperfusion using 7T-MRI in an animal model (SS 101a), B-0059

**Berta L., Mascaro L., Cataldo M., Maroldi R.**

Physical characterization of iterative reconstruction algorithms in computed tomography and assessment of image quality for the optimization of a dual-energy abdominal protocol (SS 213), B-0246

**Bertani V., Marcon M., Claußer P., Linda A., Lontero V., Girometti R., Zuiiani C., Bazzocchi M.**

Breast dynamic MRI in patient with DCIS percutaneous biopsy diagnosis: are different grades associated with specific features? (SS 902), B-0568

**Bertolotto M., Savoca V., Toscano W., Kus S., Cercato C., Cova M.A.**

Characterization of complex cystic renal masses according to the Bosniak criteria: results after a 5-year follow-up with CEUS (SS 1807), B-0972

**Bertolotto M., Derchi L.E., Cecil M., Valentino M., Pavlica P., Cova M.A.**

US and colour-Doppler findings in testicular lymphoma and their mimics (SS 1807), B-0974

**Bertolotto M.**

The male genital system: C. The penis (CC 1421), A-426

**Bertram H.H., Thörmer G., Garnov N., Schütz T., Peter V., Kahn T., Busse H.**

In-phase/opposed-phase MRI and MR spectroscopic measurements for the quantification of liver fat content in morbidly obese patients (SS 601), B-0448

**Bertugno S., Ligabue G., Fiocchi F., Nocetti L., Vasaturo S., Morini V., Barbieri A., Lugli R.**

Extent of myocardial scar detected by late Gadolinium enhancement-cardiac magnetic resonance (LGE-CMR) as a predictor of major adverse cardiac events (MACE) in HCM patients (SS 603b), B-0462

**Bertugno S., Ligabue G., Fiocchi F., Nocetti L., Vasaturo S., Morini V., Barbieri A., Lugli R., Torricelli P.**

Myocardial scar extension detected by late Gadolinium enhancement-cardiovascular magnetic resonance (LGE-CMR) for arrhythmic risk stratification of HCM patients (SS 603b), B-0463

**Besostri V., Ippolito D., Bonaffini P.A., Masetto A., Cuccia A., Sironi S.**

Efficacy of whole body low-dose CT (WBLDCT) in the staging of patients with early multiple myeloma: comparison with whole body magnetic resonance imaging (WBMRI) (SS 610a), B-0438

**Besseling R., Jansen J., Backes W.H.**

Language impairment and reduced structural connectivity in Rolandic epilepsy (SS 111), B-0012

**Besutti G., Pecchi A., De Santis M., Tarantino G., Di Benedetto F., Torricelli P.**

Accuracy of contrast-enhanced imaging in the pretransplantation staging of hepatocellular carcinoma (HCC) and pathologic predictive factors of HCC recurrence after liver transplantation (LT) (SS 201b), B-0231

**Besutti G., Pecchi A., De Santis M., Tarantino G., Di Benedetto F., Torricelli P.**

Recurrence patterns of hepatocellular carcinoma (HCC) after liver transplantation (LT) and variations in dynamic imaging and histopathological characteristics between the primary and the intrahepatic recurrent HCC (SS 201b), B-0237

**Betti M., Orlandini L., Biagini C., de Liguoro M., Mungai F., Natale L., Cionini L.**

Dosimetric impact of MR vs CT delineation of boost volume in breast cancer (SS 516), B-0325

**Beyer T.**

Hybrid imaging systems: A. Clinical SPECT/CT and PET/CT (RC 1413), A-457

**Bezzi M.**

Update on biliary interventions: A. Fistula and benign stenosis (RC 1109), A-340

**Bick U.**

Overdiagnosis from screening mammography: should we care about it?: B. How breast radiologists should control the risk of overdiagnosis (MC 423), A-063

**Bickelhaupt S., Pazahr S., Froehlich J.M., Cattin R., Bouquet H., Rogler G., Frei P., Boss A., Patak M.**

Crohn's disease activity: correlation of inflammatory mediators with overall small-bowel motility (SS 201a), B-0198

**Bickelhaupt S., Cattin R., Raible S.,**

Froehlich J.M., Bouquet H., Bill U., Patak M.A. Software-supported evaluation of small-bowel motility using free-breathing cine MRI (SS 905), B-0616

**Biederer J.**

"MRI of the lung: to go?": Preparing your menu (SF 4a), A-082

**Biederer J.**

Lung cancer staging in 2013: Chairman's introduction: the latest TNM classification (RC 1204), A-380

**Bilbao J.I.**

Hepatocellular carcinoma: Interventional radiology (MS 4), A-077

**Bilbao J.I., Sharp P.**

Lung and chest imaging: new approaches: Welcome address (EF 1), A-233

**Binaghi S., Zerlauth J., Beck-Popovic M., Munier F., Meuli R.**

Intra-arterial ophthalmic artery chemotherapy for group D retinoblastoma in children: 4-years Lausanne experience (SS 1311), B-0670

**Bisdas S.**

Laryngeal cancer and radiology: B. Evaluation after surgery and non-surgical treatment: expected findings (RC 1408), A-462

**Bittersohl B., Miese F.R., Dekkers C.,**

Senyurt H., Kircher J., Wittsack H., Antoch G., Krauspe R., Zilkens C.

T2\* mapping and delayed gadolinium-enhanced magnetic resonance imaging in cartilage (dGEMRIC) of glenohumeral cartilage in asymptomatic volunteers at 3T (SS 610b), B-0486

**Björkman B., Enskär K., Golsäter M., Simeonsson R.J.**

How do radiographers interact with children in the radiographic examination? (SS 514), B-0380

**Bladowska J., Zimny A., Zacharzewska A., Gondek T.M., Banaszek A., Źak T., Noczyńska A., Sasiadek M.**

Evaluation of metabolic changes within the normal appearing grey and white matters in children with growth hormone deficiency: magnetic resonance spectroscopy and hormonal correlation (SS 1812), B-1016

**Blanke P., Spira E., Bernhardt D., Ionasec R., Ebersberger U., Flohr T., Langer M., Schoepf U.J.**

Transcatheter aortic valve replacement: performance of an aortic valvular complex model for semi-automated quantification of aortic annulus dimensions at cardiac CT (SS 203), B-0263

**Blomqvist L.C.O.**

Complications of cancer treatment and the detection of recurrences: C. Rectal cancer (RC 1616), A-551

**Blomqvist L.C.O., Kling-Hassler C., Sjövall A., Almqvist T., Asp P., Walfridsson H., Sundqvist R., Hertin U.**

Cross regional diagnostic radiology network for preoperative assessment of colorectal cancer: preliminary experiences (SS 105), B-0149

# Authors' Index

- Blondiaux E., Sileo C., Nahama-Allouche C., Moutard M., Gelot A., Jouannic J., Ducou le Pointe H., Garel C.**  
Periventricular nodular heterotopia: prenatal ultrasound findings (SS 1712), B-0867
- Blondiaux E., Pidial L., Autret G., Balvay D., Cuenod C., Ducou le Pointe H., Clément O.**  
High-resolution susceptibility-weighted magnetic resonance imaging of rat heart microvasculature (SS 1803), B-0911
- Bly R., Jahnens A., Olerud H., Vassileva J., Järvinen H., Vogiatzi S.**  
European population dose and differences in radiological procedures between European countries (SS 1813), B-0989
- Bodelle B., Naguib N.N.N., Eichler K., Vogl T.J., Zangos S.**  
1.5T magnetic resonance-guided transgluteal biopsies of the prostate in patients with clinically suspected prostate cancer: technique and feasibility (SS 209), B-0170
- Boellaard T.N., van der Paardt M.P., Hollmann M.W., Eberl S., Peringa J., Kavaliauskene G., Runge J.H., Tielbeek J.A.W., Stoker J.**  
A multi-centre randomised double-blind placebo-controlled trial to evaluate the value of a single bolus intravenous alfentanil in CT colonography (SS 1701a), B-0790
- Bogaert J.**  
Non-ischaemic heart disease: B. Valvular disease (MC 422), A-092
- Bogaert J.**  
Quantitative imaging biomarkers in cardiac radiology: Imaging biomarkers for myocardial function (SF 12), A-370
- Bojanowski K., Baron J., Kostkiewicz B., Zawadzki M., Walecki J.**  
Long-term results of microsurgical and endovascular therapy of intracranial aneurysms in patients following subarachnoid haemorrhage (SS 509), B-0303
- Boland G.**  
Assessment of radiologists' professional performance: Radiologists' performance: assessment using peer review (Standards and Audit Session), A-270
- Bolle N.**  
Leading. With MAGNETOM. (SY 12)
- Bomer J., Klerk F., Holscher H.C.**  
Painful paediatric hip: frog-leg lateral view only! (SS 912), B-0597
- Bonaffini P.A., Ippolito D., Besostri V., Casiraghi A., Di Lelio A., Sironi S.**  
Role of apparent diffusion coefficient (ADC) maps in the evaluation of tumour response in chemotherapy in patients with multiple myeloma (SS 610a), B-0439
- Bongartz G.M.**  
How I optimise contrast media administration: B. MRI (RC 1906), A-595
- Bonomo L.**  
Lung cancer staging in 2013: A. Local tumour staging (RC 1204), A-381
- Bonomo L.**  
Comprehensive CT cardiothoracic imaging: a new challenge for radiologists: Chairman's introduction (SF 14b), A-449
- Boraschi P., Donati F., Gigoni R., Gherarducci G., Boggi U., Falaschi F., Bartolozzi C.**  
Diffusion-weighted 3T MR imaging with b-multiple SE-EPI in the differential diagnosis of cystic pancreatic lesions (SS 901), B-0577
- Borg Grima K., Rainford L., Bezzina P., O'Leary D.**  
A survey of the various methods and techniques employed in myocardial stress testing (SS 1814), B-1022
- Borges A.**  
A taste of the oral cavity and salivary glands: A taste of the oral cavity and salivary glands (MC 24A), A-001
- Borges A.**  
Skull base lesions: imaging studies and differential diagnosis: B. Middle cranial fossa pathologies (RC 1108), A-310
- Borggrefe J., Giravent S., Thomsen F., Peña J., Wulff A., Günther A., Heller M., Glüer C.C.**  
Association of QCT bone mineral density and bone structure with vertebral fractures in patients with multiple myeloma (SS 610a), B-0436
- Borrallo L., Ribeiro L.P.V., Silva C.A., Abrantes A.F.C.L., Pinheiro J., Almeida R.P.P.**  
Patient satisfaction assessment in mammography exams (SS 1714), B-0876
- Borrego Gómez J., Martel Villagrán J., De la Peña E., Culebras J., Llorente C.**  
Usefulness of diffusion-weighted magnetic resonance imaging in patients with muscle-invasive bladder cancer selected for radical cystectomy: lymph node staging prospective study and comparison with CT scan (SS 1307), B-0690
- Bos D., Ikram M.A., Isaacs A., Verhaaren B.F.J., Hofman A., van Duijn C.M., Witteman J.C.M., van der Lugt A., Vernooy M.W.**  
Genetic loci for coronary calcification and serum lipids relate to aortic and carotid calcification (SS 115), B-0114
- Bos D., Vernooy M.W., Hofman A., Krestin G.P., Witteman J.C.M., van der Lugt A., Ikram M.A.**  
Atherosclerotic calcification is related to cognitive decline: the Rotterdam study (SS 511), B-0350
- Bosmans H.**  
Physical challenges with digital breast tomosynthesis (SY 5)
- Bosmans J.M.L.**  
Assessment of radiologists' professional performance: Radiologists' performance: referrers' view (Standards and Audit Session), A-272
- Botelho M.P.F., Gonzalez-Guindalini F.D., Entezari P., Chalian H., Yaghmai V.**  
CT angiography in renal donors using automated kVp selection in combination with sinogram-affirmed iterative reconstruction: evaluation of radiation dose and image quality (SS 515), B-0363
- Botelho M.P.F., Gonzalez-Guindalini F.D., Chalian H., Yaghmai V.**  
Rapid semi-automated volumetry of pleural effusion in MDCT (SS 905), B-0615
- Bouchareb Y., Masoomi M., Newell M.**  
Assessment of the performance of TOF-PET and PET reconstructions on edge definition of cold regions in the presence of solitary hot spots and low count-rate studies (SS 113), B-0104
- Bozovic G., Steen S., Sjöberg T., Schaefer-Prokop C., Verschakelen J., Liao Q., Siemund R., Björkman-Burtscher I.**  
High-resolution computed tomography (HRCT) of the lungs in brain dead pigs: a feasibility study (SS 204), B-0169
- Bozzi E., Bargellini I., Turini F., Cicorelli A., Cioni R., Bartolozzi C.**  
Role of transarterial chemoembolization as bridging strategy in T2 HCC patients on the waiting list (SS 109), B-0035
- Brader P., Liu Y.**  
A radiologist with a ruler in his hand is a dangerous person: seeking standardisation in multicenter imaging trials: Introduction: imaging and the future of cancer therapy (EIBIR/EORTC Joint Workshop), A-095
- Brandmaier P., Purz S., Reinhardt M., Gawlitza M., Barthel H., Sabri O., Kahn T., Kluge R., Stumpf P.**  
Feasibility and first clinical experiences with simultaneous PET/MR imaging of cervical cancer: comparison of image quality with MRI and PET/CT (SS 916), B-0558
- Brassart N., Winant C., Tack D., Gevenois P., de Maertelaer V., Keyzer C.**  
Reduced Z-axis coverage at multidetector-row CT to decrease radiation dose and maintain diagnostic accuracy in adults suspected of acute appendicitis (SS 101a), B-0053
- Braunagel M., Radler E., Ingrisch M., Staehler M., Crispin A., Nikolaou K., Reiser M.F., Notohamiprodjo M.**  
Perfusion and permeability DCE-MRI measurements in renal cell carcinoma and metastases: effect of ROI size and positioning on inter- and intraobserver variability (SS 1807), B-0975
- Breen D.J.**  
Follow-up of thermal ablation (part II): C. Follow-up imaging of thermal ablative therapies for kidney tumours (CC 1519), A-491
- Bremerich J.**  
Adults with congenital heart disease (GUCH): Which modality, for which patient? MRI or CT, that's the question (SF 11), A-324
- Bremerich J.**  
How I report: C. Cardiac MRI in ischaemic heart disease (RC 1603), A-574
- Brillet P.-Y.**  
Phenotypes in obstructive airway disease: how should I image, analyse and report?: A. Asthma and associated conditions (RC 1904), A-616
- Britton P.D.**  
Multi-modality breast imaging: A. Conventional, functional and interventional lymph node assessment (RC 1202), A-374
- Brookfield H., Manning-Stanley A.S., England A.**  
Antero-posterior (AP) pelvic radiography: collimator errors and their effects on radiation dose (SS 914), B-0608

# Authors' Index

## Brouwer P.A.

Neuro applications using Aquilion ONE (SY 19)

## Buchbender C., Heusch P., Hartung-

Knemeyer V., Kühl H., Lauenstein T.,

Forsting M., Antoch G., Heusner T.A.

Standardised uptake values for [18F]-FDG in normal organ tissues: comparison of whole body PET/CT and PET/MRI (SS 916), B-0553

## Buls N., Schoenaers J., Van Gompel G.,

Nieboer K., de Mey J.

The impact of tube voltage, scan direction and beam collimation on the performance of automatic tube current modulation systems in paediatric and adult CT (SS 213), B-0248

## Burck I., Nagy N.N., Harth M., Stöver T.,

Vogl T.J., Strieth S.

Volume-rendering 3D-MRI for detection of auditory pathways in children under evaluation for cochlear implantation (SS 1308), B-0709

## Burger I.A., Vargas H.A., Donati O.F.,

Andikyan V., Schoder H., Chi D., Sala E.,

Hricak H.

Diagnostic and prognostic value of 18F-FDG PET/MR over MR and PET/CT in recurrent gynaecologic malignancies prior to pelvic exenteration (SS 607), B-0390

## Burrel M.

Imaging: essential tool from diagnosis to treatment: Hepatocellular carcinoma: the BCLC approach (EM 1), A-116

## Butler M.-L., Rainford L.

An investigation into the relationship between the exposure index value and image quality (SS 914), B-0606

# C

## Cáceres J.

Tips and tricks in chest imaging: A. Plain radiography (E<sup>3</sup> 920a), A-254

## Calabria L., Rossi Espagnet M., Tavanti F., Boellis A., Coppola V., Federici M., Romano A., Fantozzi L., Bozzao A.

Apparent diffusion coefficient obtained by magnetic resonance imaging as a prognostic marker in glioblastomas: correlation with MGMT promoter methylation status (SS 911), B-0518

## Calandriello L., Larici A.R., del Ciello A.,

Rindi G., Petrone G., Bonomo L.

Prognostic value of CT perfusion parameters in patients with early stage resectable non-small cell lung cancer (SS 104), B-0021

## Camera L., Baglio I., Barbazeni G., Bianchin A., Valdo M., Montemezzi S.

Radiological findings in breast autologous fat injection: a retrospective review in 12-year follow-up (SS 602), B-0454

## Camps Herrero J.

How I report: B. Breast US (RC 1402), A-447

## Camps Herrero J.

Follow-up of local treatments of breast cancer: C. Common features and pitfalls in imaging the treated breast (CC 1619), A-543

## Cândido S., Ribeiro A.M., Ribeiro L.P.V.,

Abrantes A.F.C.L., Pinheiro J., Azevedo K.B., Almeida R.P.P.

Assessment of radiological imaging conformities based in quality control charts (SS 914), B-0603

## Canestrini S., D'Onofrio M., De Robertis R.,

Crosara S., Demozzi E., Puntel G., Pozzi

Mucelli R.

Pancreatic cystic lesion fluid content virtual analysis by means of acoustic radiation force impulse (ARFI) ultrasound imaging: fact or fiction? (SS 901), B-0572

## Cannavale G., Francone M., Rosati R., David P.,

Frustaci A., Catalano C.

Sensitivity of cardiac magnetic resonance varies with clinical presentation of biopsy-proven acute myocarditis: correlation with necrosis/apoptosis patterns of viral aetiology (SS 603b), B-0466

## Capalbo E., Sajadidhekrodi F., Cosentino M.,

Peli M., Lovisatti M., Kluzer A., Fornari S.,

Cariati M.

Diagnosis of bowel obstruction performed by MSCT in emergency department compared with the surgical findings (SS 117), B-0128

## Caramella D.

Improving workflow efficiency and quality: Chairman's introduction (RC 1605), A-575

## Carbonaro L.A., Trimboli R.M., Verardi N.,

Fedeli M., Di Leo G., Sardanelli F.

Influence of breast density on diagnostic performance of digital breast tomosynthesis (DBT) after digital mammography (DM) focusing on recall rate reduction (SS 1702), B-0814

## Carbonaro L.A., Trimboli R.M., Verardi N.,

Khouri Chalouhi K., Di Leo G., Sardanelli F.

Recall rate reduction by adding double reading digital breast tomosynthesis (DBT) to digital mammography (DM) (SS 1702), B-0815

## Carbone S.F., Palumbo M., Ricci V., Pelliccia L.,

Cacchiarelli E., Volterrani L.

Diffusion-weighted-based volumetry in the assessment of response in patients with rectal cancer treated with neo-adjuvant therapy: feasibility study (SS 1801a), B-0941

## Carbone S.F., Palumbo M., Carfagno T.,

Ricci V., Pirtoli L., Volterrani L.

Diffusion-weighted-based MRI: volumetry and apparent diffusion coefficient (SS 1801a), B-0947

## Carriço C., Inácio M., Kristiansen A., Larsen M.,

Santos J., Holm S., Paulo G.

Dose values in eye lens in paediatric brain computed tomography: influence of different protocols (SS 214), B-0275

## Cartes-Zumelzu F.W., Ingorkova S., Kostron H.,

Feuchtnner G.M., Kremsner C., Granata R.,

Broessner G., Thomé C.

Diffusion tensor imaging of the spondylotic cervical spinal cord: a new biomarker in cervical spinal cord myelopathy? A preliminary study (SS 1811b), B-0907

## Caseiro-Alves F.

Diffusion-weighted imaging (DWI) of the abdomen: Liver and pancreas: answering burning questions (SA 4), A-070

## Caseiro-Alves F.

Essentials in oncologic imaging: what radiologists need to know (part 2): A. Pancreatic cancer (MC 528), A-122

## Caseiro-Alves F.

Introduction (SY 6)

## Cassar-Pullincino V.N.

Cartilage imaging: Chairman's introduction (NH 7), A-149

## Cassar-Pullincino V.N.

Inflammatory/infectious disorders: Inflammatory/infectious disorders (MC 25C), A-275

## Cassar-Pullincino V.N.

Musculoskeletal emergencies: B. Peripheral skeleton (E<sup>3</sup> 1720b), A-585

## Casselman J., De Foer B.

Temporal bone: imaging the most common symptoms and signs: B. Sensorineural hearing loss: a challenge for radiologists (RC 1908), A-620

## Castañer E.

Thoracic emergencies: A. Vascular (E<sup>3</sup> 1520), A-476

## Catalano C.

Josef Lissner Honorary Lecture: MR guided focused ultrasound: a new string to the radiologist's bow (HL 1), A-127

## Catalano C.

Ischaemic heart disease: Interactive case discussion (MC 722), A-185

## Catalano C.

Complications of cancer treatment and the detection of recurrences: B. Liver and pancreatic cancer (RC 1616), A-550

## Catalano O., Vallone P., Granata V., Izzo F., Albino V., Nunziata A., Petrillo A.

Integrating contrast-enhanced sonography (CEUS) in the follow-up algorithm of patients with percutaneously ablated hepatocellular carcinoma (HCC) (SS 201b), B-0233

## Cava M., De Cobelli F., Esposito A.,

Perseghin G., Rossini A., Lanzi R., Losa M.,

Canu T., Del Maschio A.

Morpho-functional and metabolic assessment of the heart in adult-onset growth hormone (GH) deficiency patients with cardiac magnetic resonance (CMR) and 31P MR spectroscopy (31P-MRS) (SS 1703), B-0850

## Cazzato R., Del Vescovo R., Giurazza F.,

Grasso R.F., Beomonte Zobel B.

Safety of dorsal wrist arthroscopy portals: a magnetic resonance study (SS 110), B-0049

## Cazzato R., Grasso R., Luppi G., Faiella E.,

Del Vescovo R., Giurazza F., Beomonte

Zobel B.

Retrograde ureteral stent exchange: comparison between the direct grasping and the simple snare technique (SS 209), B-0179

## Cazzato R., Piccolo C.L., Del Vescovo R.,

Giurazza F., Grasso R.F., Beomonte Zobel B.

MR imaging evaluation of rectal cancer before and after chemoradiation therapy (SS 1801a), B-0939

## Chabrol A., Rositi H., Marinescu M., Langer M., Olivier C., Peyrin F., Frindel C., Wiart M., Berthezène Y.

Synchrotron radiation micro-CT imaging of the mouse brain (SS 1811a), B-0890

## Chakraborty S., Ahmad M.E., Wasserman J.K.,

Keyhaniyan K., Dowlatshahi D., Stotts G.

Time-to-peak (TTP) maps using whole brain CT perfusion in minor stroke: a diagnostic tool beyond penumbra measurement (SS 1711), B-0756

# Authors' Index

**Chamming's F., Le Frère-Belda M., Fitoussi v., Pidial L., Latorre-Ossa H., Gennisson J., Clément O., Cuenod C., Fournier L.S.**  
Stiffness measured by Shear Wave elastography: a biomarker of the early chemotherapy response in a human breast cancer model? (SS 502), B-0335

**Chan H.**  
Digital breast tomosynthesis: Clinical aspects of computer aided detection and diagnosis in DBT (SF 15b), A-508

**Chandelier F., Cabrera T., Kocsis P., Stein L., Demers V.**  
Segmentation-free scheme for computer-assisted image interpretation: application to CT colonography (SS 905), B-0619

**Chatelot J.-F., Missonnier S.**  
Paediatric MSK radiology: what is important?: A. Scoliosis: what the radiologist needs to know (RC 1512), A-525

**Chełstowska S., Jurkiewicz E., Pakuła-Kościesza I., Nowak K., Malczyk K., Rączkowska S., Armata M., Walecki J.**  
Paediatric brain tumour classification by quantitative methods of magnetic resonance imaging: combination of DTI, PWI and MRS (SS 1812), B-1014

**Chen W., Ye X., Zhou C.**  
Preliminary application of spectral CT imaging in the differentiation of hepatic tumours (SS 1301), B-0707

**Chen X.**  
Personalised low dose chest CT applying adaptive iterative dose reduction algorithm (AIDR 3D) integrated automatic exposure control techniques with 320-slice MDCT: initial clinical trial (SS 214), B-0270

**Chiesa A., Ciccarese F., Gardelli G., Feletti F., Regina U., Zompatori M.**  
Lung ultrasound in the elderly population: investigating the limit between physiological and pathological patterns (SS 1704), B-0763

**Choi H., Jeon G., Kim M., Lee J., Yoon J., Hwang S.**  
Is uterine artery embolisation in large sized myoma as efficient as in normal sized myoma: a retrospective comparative study in 263 patients (SS 609b), B-0494

**Choi S., Park Y., Lee C., Kim K., Choi J., Lee J., Park C.**  
Correlation of measurements of diffusion-weighted MR imaging and Gd-EOB-DTPA-enhanced MR imaging in hepatic malignant tumours: ADC versus signal intensity on hepatobiliary phase (SS 1701b), B-0831

**Choi Y.A., Park B.K., Seo J.M., Park S.Y., Kim C.K.**  
Contrast-enhanced CT and chemical shift MRI: accuracy for lipid-poor adenoma characterization (SS 1707), B-0826

**Chondrogiorgi M., Tzarouchi L.C., Zikou A., Kosta P., Argyropoulou M.I., Konitsiotis S.**  
Increased regional grey matter volume in Parkinson's disease patients with excessive daytime sleepiness: an MRI study (SS 611), B-0406

**Choo K., Park J., Kim J., Roh J.**  
Comparison of high pitch (3) and standard pitch (0.6) CT angiography using 128-slice dual-source CT in patients with peripheral arterial disease (SS 515), B-0364

**Choo K., Park J., Kim J., Roh J., Park C.**  
Vascular enhancement and image quality of lower-extremity CT venography using 100 kVp and ultrahigh pitch: comparison of conventional lower-extremity CT venography using 120 kVp and standard pitch (SS 1815), B-1002

**Chouhan M., Bainbridge A., Davies N., Mookerjee R., Jalan R., Walker-Samuel S., Lythgoe M., Punwani S., Taylor S.A.**  
Differential portal venous flow response to terlipressin in normal and cirrhotic rats: non-invasive assessment using phase-contrast MRI (SS 101b), B-0097

**Choyke P.L.**  
Molecular imaging in oncology: A. New PET-tracers for oncology (RC 306), A-014

**Choyke P.L.**  
The essentials of lymph node imaging of solid tumours: what the radiologist needs to know: C. Nuclear medicine: PET and other nuclear medicine techniques (RC 1416), A-440

**Chrispijn M., Gevers T.J.G., Drenth J.P.H.**  
An accurate formula for a quick estimate of liver volume in polycystic liver disease (SS 1801b), B-0988

**Christensen A., Ovesen C., Damm J., Nielsen J., Christensen H.**  
Advanced MRI sequences in the acute evaluation of transient ischaemic attack (TIA). A comparison between DTI, DWI and ASL including 8 weeks follow-up scans: preliminary results from the Copenhagen TIA-MRI-study (SS 1711), B-0750

**Christensen L., Christensen A., Christensen H.**  
Feasibility of MRI in patients with implanted subcutaneous loop recorder type REVEAL XT®: data from the surprise study (SS 103), B-0010

**Chu S., Wang Y., Yang Z., Xv F., Boyko O.**  
MRI susceptibility-weighted imaging (SWI): role in the differentiation of inflammatory pathologies from high-grade glioma (SS 1811a), B-0893

**Chuck N.C., Azzabi Zouraq F., Eberli D., Boss A.**  
In vivo differentiation of muscle precursor cells using MR relaxometry (SS 510), B-0318

**Ciatto (posthumous) S., Houssami N., Bernardi D., Caumo F., Macaskill P.**  
The STORM trial of screening mammography: screening with tomosynthesis or standard mammography (SS 1702), B-0818

**Ciccarese F., Facchini G., Di Pietro E., Moscano F., Iero L., Franzoni E., Battista G., Bazzocchi A.**  
DXA as a key instrument for the evaluation and the follow-up of adolescents affected by anorexia nervosa (SS 912), B-0598

**Ciccarone A., D'Errico I., Esposito M., Mortilla M., Fonda C.**  
Diffusion tensor tractography and fractional anisotropy in paediatric cortical abnormalities evaluation with TBSS analysis (SS 1812), B-1018

**Ciet P., Gonzalez Graniel K., Stick S., de Bruijne M., Tiddens H.A.W.M., Van straten M.**  
Chest-CT protocol standardization for multicentre trial in cystic fibrosis (CF) infants (SS 1312), B-0737

**Ciolina F., Napoli A., Zaccagna F., Boni F., Bertaccini L., Noce V., Cavallo Marincola B., Catalano C.**  
Retrospective analysis of elements that can predict short- and long-term outcome in patients affected by uterine leiomyomas and treated with MRgFUS (SS 607), B-0399

**Ciolina F., Napoli A., Cavallo Marincola B., Boni F., Zaccagna F., Noce V., Bertaccini L., Catalano C.**  
Non-invasive treatment of uterine fibroids using MR-guided high-intensity focused ultrasound: results on quality of life, non-perfused volume ratio and size reduction over 12 months (SS 609b), B-0490

**Ciolina M., De Cecco C., Baldassari P., Iannitti M., Pichi A., Iafrate F., Laghi A.**  
Retrospective evaluation of diverticular disease in a large cohort of 1091 patients who underwent CT colonography (SS 1701a), B-0796

**Claudon M.**  
Paediatrics: D. Interactive case discussion (CC 1521), A-485

**Claudon M.**  
Justifying CT in paediatric radiology: Why and when CT does not need to be performed (SF 4b), A-108

**Claudon M.**  
Advances in diagnostic ultrasound: better results through cooperation: The EFSUMB/WFUMB liver-CEUS guidelines (Joint Session of the ESR and EFSUMB), A-583

**Clauser P., Londero V., Molinari C., Girometti R., Da Dalt S., Zuiiani C., Bazzocchi M.**  
How important is the experience in breast imaging for radiographers performing breast-MRI? (SS 114), B-0132

**Clauser P., Londero V., Molinari C., Girometti R., Taibi A., Vecchio S., Zuiiani C., Bazzocchi M.**  
Is 2D central projection obtained with digital breast tomosynthesis qualitatively equivalent to digital mammography? (SS 1302), B-0684

**Claussen C.D.**  
The radiologist, the clinician and the patient: an impossible trio: Chairman's introduction (PC 13)

**Clavien P., Conlon K.**  
Pancreatic cystic neoplasms 2013: Introduction (EM 2), A-144

**Clément O.**  
Contrast media safety: update: A. Acute non-renal reactions to contrast media: new concepts (RC 1407), A-454

**Co S.J., Nicolaou S., Mayo J., Liang T., Hou D., Krzymytk K.**  
Sinogram-affirmed iterative reconstructed simulated ECG-gated ultra high pitch CT pulmonary angiography in the acute setting: effect on dose and image quality (SS 1304), B-0632

# Authors' Index

**Coban G., Çöven I., Çifçi E.B., Yıldırım E., Yazıcı C.A., Horasanlı B.**  
The importance of cranivertebral and cervicomedullary angle on cervicogenic headache (SS 1811b), B-0901

**Colantoni C., Esposito A., Palmisano A., De Cobelli F., Baratto F., Maccabelli G., Della Bella P., Del Maschio A.**  
Late enhancement multidetector computed tomography (LE-MDCT) assessment of scar substrate in recurrent ventricular tachycardia (VT) (SS 903), B-0585

**Colantoni C., Venturini M., Modorati G., Colucci A., Di Nicola M., Agostini G., De Cobelli F., Bandello F., Del Maschio A.**  
Local tumour control in uveal melanoma (UM) after gamma knife radiosurgery (GKR): quantitative assessment of tumour response with contrast-enhanced ultrasound (CEUS) (SS 1308), B-0712

**Colin C., Foray N., De Vathaire F., Bourguignon M., Valette P.**  
Individual radiosensitivity: a key-issue to reconsider high breast cancer risk patient screening modalities (SS 902), B-0559

**Colombo M., Ippolito D., Bonaffini P.A., Trattenero C., Bartolo V., Sironi S.**  
Non-invasive assessment of solid benign and malignant focal liver lesions by quantitative analysis of functional MRI with diffusion-weighted imaging (SS 1701b), B-0832

**Conlon K.**  
Pancreatic cystic neoplasms 2013: How aggressive should the surgeon be? (EM 2), A-148

**Conneely M.J., Ferguson D., Donagh C., Quinlan M., McHale T., McCarthy P.**  
To assess parameters within CT findings to aid distinction of histological subtype of renal cell carcinoma within our institute (SS 1707), B-0823

**Cóprio R.B.J., Azevedo K.B., Abrantes A.F.C.L., Ribeiro L.P.V., Almeida R.P.P., Silva C.A.**  
Accuracy of students, and radiographers, with and without, mammography post-graduation in interpretation of mammography images (SS 1714), B-0875

**Correas J.-M., Khairoune A., Tissier A.-M., Vassiliu V., Méjean A., Hélénon O.**  
Quantitative shear wave elastography: detection and characterisation of prostate cancer on 105 patients (SS 107), B-0084

**Correas J.-M.**  
CEUS of the kidney: from new technology to patient management improvement (SY 18)

**Costa S., Oliveira E., Serranheira F., Viegas S., Reis C.I.S.**  
Ergonomic and environmental assessment in digital mammography room: impact on radiographers' activity (SS 1714), B-0874

**Cotten A.**  
The knee: B. Inflammatory disease (RC 1110), A-314

**Cowan N.C.**  
Stones: diagnosis and intervention: D. Interactive case discussion (CC 1121), A-305

**Cowan N.C.**  
How I report: C. CT urography (RC 1207), A-379

**Cowan N.C.**  
Evaluation of diagnostic strategies for hematuria using risk stratification (SS 1707), B-0820

**Crienen S., de Rooij M., Barentsz J.O., Witjes J.A., Grutters J.P.C., Rovers M.M.**  
The cost-effectiveness of MRI and MR-guided biopsy versus TRUS-guided biopsy in the diagnosis of prostate cancer (SS 107), B-0083

**Croisille P.**  
Quantitative imaging biomarkers in cardiac radiology: Imaging biomarkers of myocardial viability (SF 12), A-371

**Crosara S., D'Onofrio M., De Robertis R., Canestrini S., Pozzi Mucelli R.**  
Comparison between CT and CEUS in the diagnosis of pancreatic adenocarcinoma (SS 901), B-0574

**Crush L., O'Keeffe M., Normoyle B., O'Neill F., Canniff E.M., Mc Laughlin P.D., O'Neill S., O'Connor O., Maher M.M.**  
Low does CT angiography using iterative reconstruction for the assessment of carotid artery stenosis (SS 115), B-0119

**Cunningham J.D., Corr A., Kelliher E., O'Shea A., Kerr J., Duke D., Hambly N.**  
To excise or not to excise? Management of high-risk breast lesions in a symptomatic population (SS 902), B-0564

**Curvo-Semedo L.**  
Staging and restaging of rectal and anal cancer: B. Assessment of rectal cancer response (RC 301), A-009

**Czlonkowski M., Trojanowska A., Trojanowski P., Klatka J., Drop A.**  
Diagnostic evaluation of patients with squamous cell cancer of the head and neck after free flap reconstructions - the usefulness of functional imaging techniques (SS 208), B-0153

## D

**D'Anastasi M., Laubender R.P., Heinemann V., Reiser M.F., Schlichting M., Graser A.**  
Evaluating the agreement between tumour volumetry and the estimated volumes of tumour lesions using an algorithm (SS 1716), B-0800

**D'Errico I., Ciccarone A., Esposito M., Mortilla M., Fonda C.**  
Apparent kurtosis coefficient (AKC) in brain: a feasibility study in paediatric populations (SS 1812), B-1012

**D'Onofrio M.**  
Ultrasound study of the pancreas with CPS (CEUS) and ARFI (elastography): improving the diagnosis of pancreatic tumours (SY 9)

**Dallaudiere B., Lempicki M., Pesquer L., Meyer P., Schouman-Claeys E., Serfaty J.**  
Efficacy of intra-tendinous injection of platelet-rich plasma to treat tendinosis: comprehensive assessment on a murine model (SS 510), B-0310

**Damilakis J.**  
Security scanners at airports: are they safe?: X-ray backscatter security scanners: principles, performance and potential health risks (ESR Radiation Protection Session), A-051

**Daneshi M., Patel K., Huang D., Sellars M., Sidhu P.**  
Can a contrast-enhanced ultrasound nephrostogram be used instead of a fluoroscopic nephrostogram: preliminary findings (SS 1807), B-0976

**Danse E., Laterre P., Jacquet L., Dragean A., Nicu I., Trefois P., Annet L.**  
Imaging in intensive care patients: Point-of-care versus diagnostic ultrasound in the intensive care unit (SF 7c), A-196

**Danse E., Lebecque O., Michoux N., Reding R.**  
Feasibility of a volumetric measurement of the left liver lobe with 3D ultrasound compared with MRI (SS 1801b), B-0987

**Danza F.M.**  
Retrorperitoneal anatomy, variants and diseases: A. Retroperitoneal anatomy: an embryology based approach (CC 1221), A-351

**Das M., Reymen B., Lambin P., Sharifi H., Wildberger J.E., De Ruysscher D., van Elmpt W.**  
CT perfusion imaging in stage II-III non-small cell lung cancer patients undergoing chemo-radiotherapy-evaluation of metabolic tumour activity (SS 116), B-0065

**De Bock G.H., Vermeulen K.M., Jansen L., Oosterwijk J.C., Siesling S., Feenstra T., Houssami N., Greuter M.J.W.**  
Which screenings program should be offered to women with BRCA1 or BRCA2 mutations? A simulation of comparative cost-effectiveness (SS 902), B-0560

**de Bondt R.B.**  
Temporal bone: imaging the most common symptoms and signs: C. Tinnitus and vertigo: diagnostic algorithm (RC 1908), A-621

**De Bondt T., Collier Q., Salgado R., Geldof M., Deferme F., Valette J., Jomier A., Van Hecke W., Parizel P.M.**  
Can the CT acquisition protocol be used in combination with the study description to optimise patient dose tracking for CT examinations? (SS 205), B-0285

**De Bondt T., Collier Q., Salgado R., Geldof M., Deferme F., Valette J., Jomier A., Van Hecke W., Parizel P.M.**  
A patient dose managing solution identifies erroneous parameter settings in CT acquisition protocols, and contributes towards lowering radiation exposure (SS 205), B-0286

**De Cecco C.N., Ciolina M., Maceroni M.M., Muscogiuri G., Iafrate F., Laghi A.**  
Role of perfusional MRI and DWI to predict pathological complete response to neoadjuvant chemoradiotherapy in rectal cancer (SS 1316), B-0626

**De Cecco C.N., Darnell A., Macias N., Muscogiuri G., Ayuso C., Laghi A.**  
Second generation dual-energy CT of the abdomen: radiation dose comparison with 64- and 128-row single energy acquisition (SS 1301), B-0704

**De Filippo M., Saba L., Concari G., Rossi C.**  
Computed tomography guided trans-thoracic fine needle aspiration biopsy of pulmonary nodule: pulmonary haemorrhage, complication or advantage? (SS 909), B-0532

# Authors' Index

## De Foer B.

Temporal bone: so beautiful, yet so complicated: Temporal bone: so beautiful, yet so complicated (MC 24E), A-588

## De Jonge M.C.

Overuse injuries in sport: a multimodality approach: B. Overuse injuries in the gymnast's spine (RC 1210), A-362

## de Kerviler E.

The visibility of the radiologist: Clinical radiology puts you in the spotlight: taking over the clinical responsibility (PC 4), A-103

## de Kerviler E.

Evaluation of response in haematological malignancy: Chairman's introduction (SA 11), A-298

## de Kerviler E.

MRI follow-up after kidney cancer cryoablation (SY 14)

## de Lange C.E.

Paediatric emergencies: B. Imaging of acute chest pain and/or distress in children (RC 1412), A-469

## De Paepe K.N.A., Hermans R., De Keyzer F.,

Vander Poorten V., Nuyts S., Hauben E.,

Decallonne B., Bex M., Vandecastevye V.

Combined perfusion-diffusion-weighted MRI for staging of recurrent papillary thyroid cancer: a feasibility study (SS 208), B-0152

## de Perrot T., Rager O., Pusztaszeri M., Koehl L., Figueiral A., Pelte M., Iselin C., Ratib O., Vallee J.

Advantage of hybrid whole body 3T PET-MRI scanner for prostate cancer imaging (SS 1807), B-0970

## de Roos A.

Technical and anatomical fundamentals for imaging the heart: Interactive case discussion (MC 322), A-039

## de Roos A.

Practical approach to cardiovascular risk stratification with CT and MRI: C. Myocardial perfusion and viability for risk scoring (RC 803), A-250

## De Wever W.F.M.

Lung cancer staging in 2013: B. Lymph node staging (RC 1204), A-382

## Deák Z., Grimm J., Mück F., Treitl M., Reiser M.F., Wirth S.

Comparison of filtered back projection (FBP) with hybrid and iterative reconstruction algorithms (HIR and IR) in low dose protocols including high and low kV settings in CT angiography by testing the detectability of simulated endoleak and thrombus in a phantom study (SS 213), B-0243

## Deandreas D.

Follow-up of thermal ablation (part I): B. PET/CT for the evaluation of ablative therapy: Who? Where? When? Does it help? (CC 1419), A-432

## Decoster R., Mol H., Smits D.

Detector dose vs image quality in radiography with digital detectors: a visual grading analysis (SS 1813), B-0997

## Dedout F.

Advances in forensic radiology: Virtual anthropology and forensic identification using MDCT (SF 14c), A-474

## Defez D., Coulon P., Douek P.C., Boussel L.

Evaluation of patient dose reduction after introduction of iterative reconstruction in routine MDCT (SS 1813), B-0994

## del Cura J.

Expanding the role of interventional radiology in hepatocellular carcinoma: A. RF ablation (RC 709), A-187

## del Cura J.

Bringing radiology to medical undergraduates: Finding the time and resources in the radiology department (PC 3), A-024

## Del Vescovo R., Giurazza F., Cazzato R.L., Piccolo C.L., Grasso R.F., Beomonte Zobel B.

Assesment cisplatin-induced interstitial nephropathy using diffusion-weighted MRI (SS 507), B-0342

## Delavaud C., D'Assignies G., Cros J., Ruszniewski P., Hammel P., Couvelard A., Vilgrain V., Vullierme M.

Imaging features of acinar cell cystadenoma: can we differentiate them from branch duct IPMNs? (SS 901), B-0576

## den Dekker M.A.M., van den Dungen J.J.A.M.,

Tielliu I.F.J., Tio R.A., Jaspers R.M.J.J.,

Oudkerk M., Vliegenthart R.

Prevalence of severe subclinical coronary artery disease on cardiac CT and MRI in patients with extra-cardiac arterial disease (SS 903), B-0588

## den Dekker M.A.M., Zwiers M., van den

Heuvel E.R., de Vos L.C., Smit A.J.,

Oudkerk M., Vliegenthart R., Lefrandt J.D.,

Mulder D.J.

Skin autofluorescence, a non-invasive marker for AGE accumulation, is elevated in subjects with evidence for subclinical atherosclerosis (SS 1815), B-1001

## Denecke T.

Pitfalls in interpretation of pancreatic imaging: B. How can we differentiate cystic neoplasms from pseudocysts? (RC 401), A-056

## Denecke T.

Cholangiocarcinoma: Radiology - diagnostics and portal vein embolisation in hilar and extrahepatic cholangiocarcinoma (MS 11), A-318

## Denys A., Bize P.

Expanding the role of interventional radiology in hepatocellular carcinoma: C. Portal vein embolisation before surgery (RC 709), A-189

## Denys A., Bize P.

Follow-up of thermal ablation (part I): A. The zone of cell death and collateral phenomena on cross-sectional imaging: from histopathology to the standardisation of terms (CC 1419), A-431

## Deray G.

Tolerance of MR contrast agent in at risk patients (SY 14)

## Derchi L.E.

ER: comprehensive imaging of non-traumatic abdominal emergencies: C. Imaging of the most frequent emergencies of the genitourinary tract (RC 1517), A-495

## Derchi L.E.

Advances in diagnostic ultrasound: better results through cooperation: ESR/EFSUMB collaboration: a newly established platform for joint development of ultrasound in radiology and clinical specialties (Joint Session of the ESR and EFSUMB), A-580

## Deroose C.M.

Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: B. The current role of nuclear medicine techniques (RC 1916), A-603

## Desai S.R.

Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: A. Ground glass opacification: why do we see it and what does it mean? (RC 804), A-238

## Deschamps F., Farouil G., de Baere T.

Follow-up of thermal ablation (part II): B. Follow-up imaging of percutaneous local treatment of bone tumours (CC 1519), A-490

## Deseive S.D.C., Menges A., Martinoff S.,

Hadamitzky M., Flohr T., Schmidt B.,

Thierfelder C., Allmendinger T., Hausleiter J.

Impact of a new detector technology (Stellar, Siemens Healthcare) on image noise in coronary CTA (SS 503), B-0372

## deSouza N.M.

A radiologist with a ruler in his hand is a dangerous person: seeking standardisation in multicenter imaging trials: Setting up clinical trials with functional imaging end-points: trials and tribulations (EIBIR/EORTC Joint Workshop), A-096

## Dettmer S., Otten O., de Wall C., Kuhnigk J., Wacker F., Shin H.

Value of inspiratory and expiratory lung volume und lung density for detection of bronchiolitis obliterans syndrome (BOS): a feasibility study (SS 204), B-0165

## Dettmer S., Kairet T., Solyanik O., de Wall C., Wacker F., Shin H.

Value of density mappings in computed tomography for detection of bronchiolitis obliterans syndrome (BOS) (SS 204), B-0166

## Dharampal A.S., Rossi A., Dedic A.,

Papadopoulou S.L., Weustink A., Nieman K.,

Boersma E., de Feijter P.J., Krestin G.P.

Updated algorithms using "in-office-evaluation" and calcium score may reduce referral of stable angina patients to computed tomography coronary angiography (SS 603a), B-0410

## Dharampal A.S., Papadopoulou S.L., Rossi A., Meijboom W.B., Boersma E., Nieman K., de Feijter P.J., Krestin G.P.

Diagnostic performance of computed tomography coronary angiography to detect or exclude angiographic 'high-risk-CAD' (SS 603a), B-0415

## Di Clemente L., Tortora D., Panara V.,

Savastano M., Calvisi V., Palumbo P.,

Tartaro A., Cotroneo A.R., Caulo M.

Microstructural evaluation of the cruciate ligaments with MR diffusion tensor imaging (DTI): correlations with knee stability (SS 1810), B-0930

## Di Girolamo M., Muscogiuri G., Cappucci M.,

Catena V., Persechino R., David V.

Use of FLAIR sequences for detection and local staging of bladder tumours with MRI (SS 1307), B-0691

# Authors' Index

**Di Girolamo M., Cantone C., Pandolfi E.M., Persechino R., Caporilli Razza F., David V.**  
Voiding MR cystourethrography: a new diagnostic imaging technique for the evaluation of male lower urinary tract (SS 1307), B-0693

**Di Girolamo M., Trucchi A., Mariani S., Muscogiuri G., Casazza I., David V.**  
Urinary bladder neck dysfunction in male patients: evaluation with MRI and with voiding MR-cystourethrography (SS 1307), B-0696

**Di Leo G., Carbonaro L.A., Bazzocchi M., Lontero V., Dal Col A., Trimboli R.M., Sardanelli F.**  
Does the adjunct of digital breast tomosynthesis (DBT) increase inter-reader reproducibility of two-dimensional digital mammography (2D-DM)? (SS 1302), B-0687

**Di Marco D., Giglio M., Fachechi R., Sironi S., Spagnolo P.**  
Optimisation of contrast injection protocol for CT angiography in transcatheter aortic valve implantation (TAVI): preliminary results (SS 203), B-0268

**Di Martino M., Di Mischio R., Del Monte M., Lombardo C., Geiger D., Catalano C.**  
DWI magnetic resonance imaging in the evaluation of HCC recurrence after trans-arterial chemoembolization (TACE): comparison with contrast-enhanced MR imaging (SS 1701b), B-0836

**Di Paolo P.L., Vargas H.A., Hricak H.**  
The role of CT as a staging tool and prognostic biomarker in the pretreatment evaluation of intradiverticular bladder tumours (SS 1307), B-0689

**Di Perri C., Laureys S.**  
Imaging of the mind: fMRI in disorders of consciousness: diagnostic and legal challenges (NH 14), A-422

**Dias M., Abrantes A.F.C.L., Silva C.A., Almeida R.P.P., Ribeiro L.P.V., Pinheiro J., Azevedo K.B.**  
Evidence-based practice in radiology (SS 114), B-0138

**Diederich S.**  
Lung cancer: A. Detection (E<sup>3</sup> 220), A-003

**Dietzel M., Baltzer P.A.T., Zoubi R., Habrecht H., Jerowski C., Runnebaum I.B., Kaiser W.A.**  
Application of breast MRI vs. classical prognostic factors to predict survival in patients with primary breast cancer (SS 102), B-0077

**Dietzel M., Dörfler A.**  
Semiautomatic evaluation of quantitative pharmacokinetic parameters - systematic evaluation of a new CAD-tool and evaluation of clinical performance at high field 3T MRI (SS 905), B-0614

**Dietzel M., Baltzer P.A.T., Kaiser W.A.**  
Magnetic resonance imaging of fibroadenomas in the female breast: new insights on dynamic and morphologic profiles and differential diagnosis from malignant breast lesions (SS 1302), B-0679

**Dietzel M., Saake M., Baltzer P.A.T., Lang S., Volbers B., Struffert T., Engelhorn T., Dörfler A.**  
Are quantitative pharmacokinetic data of dynamic contrast-enhanced MRI influenced by observer-related bias? New data with special focus on reproducibility, precision, accuracy, reliability, repeatability and systematic bias (SS 1811a), B-0895

**Dijkstra H., Handayani A., Kappert P., Oudkerk M., Sijens P.E.**  
Clinical implications of fatty liver on hepatic diffusion-weighted imaging studied in healthy subjects (SS 601), B-0442

**Ding Z., Wang Z.**  
Feasibility of low dose protocol at 640-slice dynamic volume CT for diagnosing central airways narrowing (SS 214), B-0271

**Ding Z., Wang Z.**  
Influence of different arm positioning of MSCT of chest by apply automatic tube current modulation technique (SS 214), B-0276

**Ding Z., Wang Z.**  
Feasibility of contrast agent volume reduction on 640-slice CT coronary angiography in patients with low heart rate (SS 1306), B-0742

**Domey J., Bergemann C., Krumbein I., Reichenbach J.R., Bremer-Streck S., Kaiser W.A., Hilger I.**  
Bimodal NIRF nanoparticles as an optical and MRI contrast agent for imaging cells of the mononuclear phagocyte system (SS 1706), B-0886

**Doo K., Kang E., Yong H., Woo O., Lee K., Oh Y.**  
CT evaluation of thoracic bone metastasis: comparison of 3D volume-rendered images and combined axial and coronal multiplanar reconstruction images (SS 610a), B-0433

**Doo K., Kang E., Yong H., Woo O., Lee K., Oh Y.**  
Accuracy of lung nodule volumetry using adaptive iterative dose reduction 3D for ultra-low dose of 320-detector row CT: a phantom study (SS 904), B-0528

**Dörfler A.**  
Stroke: C. Interactive case discussion: what is next after diffusion and perfusion? (CC 1118), A-308

**Dousset V.**  
Infection and inflammation: C. Mimics of multiple sclerosis (E<sup>3</sup> 720b), A-166

**Dreval M., Krotenkova M., Kalashnikova L., Dobryinina L., Konovalov R.**  
Differential diagnosis of cervical artery dissection and intra-arterial thrombosis using MRI and MRA (SS 515), B-0365

**Driessens M.M.P., Baggen V.J.M., Freling H.G., Meijboom F.J., Sieswerda G.T., Snijder R.J., Leiner T., Willems T.P.**  
Pressure overloaded right ventricles: importance of trabeculae in evaluation of RV function by CMR (SS 103), B-0005

**Dromain C.**  
Streamlining workflow through integrated reviewing and post-processing (SY 8)

**Dromain C., Caramella C., Vilcot L., Bidault S., Bidault F., Deschamps F.**  
Follow-up of thermal ablation (part I): C. Everyday practice: MR and CT for evaluating response to thermal ablation (CC 1419), A-433

**Drumm O., Chan O., Malliaras P., Morrissey D., Maffulli N.**  
Periosteal high volume image-guided injection of recalcitrant medial collateral ligament injuries: a retrospective case series analysis (SS 210), B-0184

**Dudás I., Györke T., Korom C., Pajor P., Zsirka-Klein A., Horvath E., Bozó A., Kupcsulik P., Hahn O.**  
Future remnant liver function after portal vein occlusion measured with 99mTc-mebrofenin SPECT/CT (SS 1801b), B-0982

**Dugar N.**  
Improving workflow efficiency and quality: B. Improving quality and efficiency of reporting by structure and templates (RC 1605), A-577

**Duijm L.E.M., den Heeten G.J., Nederend J., Broeders M.J.M.**  
Non-blinded versus blinded double reading of screening mammograms in the Netherlands: a population-based study (SS 1802b), B-0960

**Duijm L.E.M., den Heeten G.J., Nederend J., Broeders M.J.M.**  
Discrepant screening mammography assessments at double reading: impact of arbitration by a third reader on screening outcome (SS 1802b), B-0961

**Duijm L.E.M., Wiersma H.**  
Transition from analogue to digital screening mammography significantly increases the proportion of women referred twice for the same lesion (SS 1802b), B-0963

**Duprez T.P.J.**  
Skull base lesions: imaging studies and differential diagnosis: A. Anterior cranial fossa with special emphasis on olfactory apparatus lesions (RC 1108), A-309

**Durand P., Moreau-Gaudry A., Frandon J., Medici M., Chipon E., Sengel C., Bricault I.**  
CTNAV: a prospective randomised clinical trial of a navigation system for computer assisted CT guided interventions (SS 609a), B-0429

**Durmus T., Luhur R., Blobel J., Mews J., Lembeck A.**  
Radiation dose reduction in cardiac CTA using a novel iterative reconstruction algorithm in 320-row detector CT (SS 503), B-0374

**E**  
**Ebersberger U., Marcus R.P., Schoepf U.J., Blanke P., Wang Y., Geyer L., McQuiston A.D., Bernhardt D., Bamberg F.**  
Dynamic CT perfusion imaging for the detection of myocardial ischaemia: a first experience with a 3D semi-automated evaluation software (SS 603a), B-0411

**Ebersberger U., Halligan W.T., Morris P.B., Mischen B.T., Chiaramida S.A., Schoepf U.J.**  
Transient ischaemic dilation of the left ventricle on SPECT: correlation with findings at coronary CT angiography (SS 603a), B-0417

# Authors' Index

**Eggesbø H.B.**

Performing and reporting head and neck examinations: how should I do it?: A. Sinonasal CT scans: technique and evaluation (RC 1508), A-519

**Eiber R.**

How I report: A. Bedside chest radiography (RC 304), A-033

**Eiber M., Souvatzoglou M., Rummeny E.J., Schwaiger M., Beer A.J.**

First clinical experience in restaging of patients with recurrent prostate cancer by 11C-choline-PET/MR: comprehensive diagnostic MR protocol and comparison with 11C-choline-PET/CT (SS 516), B-0322

**Elangovan S.**

Magnetic resonance virtual cystoscopy versus conventional cystoscopy in the detection of urinary bladder cancer (SS 1307), B-0692

**Elie S., Veldkamp W.J.H., van Engen R.E., Broeders M.J.M.**

Contrast-detail visibility analysis for digital breast tomosynthesis versus digital mammography (SS 1713), B-0841

**Engelhorn T.**

Is diagnostic catheter angiography still useful in neuroimaging?: Diagnostic catheter angiography is not dead: current indications and advantages over the non-invasive techniques (SF 8a), A-206

**Engelke C.**

Pulmonary embolism: guidelines and best practice throughout Europe: A. Piopet 1-2-3: what have we learned so far? (RC 1604), A-560

**England A.**

Towards advancing and developing the role of radiographers: B. The importance of evidence-based practice for the future of advanced practice in radiography (RC 1414), A-466

**Erb K., Willerding G., Taupitz M., Hamm B., Asbach P.**

The value of DWI in differentiating ocular tumours from retinal detachment (SS 516), B-0324

**Ertl-Wagner B.**

The paediatric brain: not just a small brain: A. Neurocutaneous syndromes: more than neurofibromatosis (RC 411), A-085

**Espinoza-Boireau S., Khettab I., Lacan**

Melki A., Halimi P.

Parotid gland tumours shear wave elastography: a preliminary study (SS 1308), B-0714

**Essig M.**

Is diagnostic catheter angiography still useful in neuroimaging?: Chairman's introduction (SF 8a), A-203

**Essig M.**

Pitfalls in brain imaging: B. MRI (E<sup>3</sup> 1220), A-347

**Etxano J., Slon P., Simon-Yarza I., Zalazar R., Elizalde A., Pina L.**

The role of tomosynthesis after normal mammography according to ACR density patterns (SS 1702), B-0813

**Etxano J., Simon-Yarza I., Viteri G., Paramo M., Elizalde A., Pina Insausti L.J.**

BI-RADS 3 category, a pain in the neck for the radiologist: which technique detects more cases? (SS 1802b), B-0966

**Eustace S.J.**

Overuse injuries in sport: a multimodality approach: A. Overuse injuries in the footballer's ankle (RC 1210), A-361

**F****Facchetti L., Berta L., Mascaro L., Pittiani F., Romanini L., Maroldi R.**

Can iterative reconstructions improve the detection of small hypervascular liver nodules with dual-energy CT? (SS 1301), B-0705

**Faggioni L., Neri E., Bruschini L., Seccia V., Sellari Franceschini S., Bartolozzi C.**

Ultra-low-dose CT of the inner ear with adaptive statistical image reconstruction in infants candidate to cochlear prosthesis implantation: preliminary experience (SS 1812), B-1010

**Faivre S.**

Colorectal liver metastases: Chemotherapy and novel therapy in colorectal liver metastases: rationale, indications and results (MS 3), A-020

**Faletti C.**

Intra-articular imaging: A. Standard MR techniques (RC 1910), A-598

**Faletti R., Fronda M., Barisone F., Bogetti C., Dominguez A., Rapellino A., Marchisio L., Fonio P., Gandini G.**

MRCP using hepatospecific contrast media (GD-EOB-DTPA) in biliary leaks (SS 1806), B-1033

**Falini A.**

Imaging of the mind: fMRI of cognitive functions: discriminating normal aging, minimal cognitive impairment and Alzheimer's disease (NH 14), A-423

**Fallenberg E.M.**

Contrast enhanced spectral mammography versus breast MRI - clinical experience (SY 13)

**Falzon C.**

An investigation into the psychological anxiety of Maltese women before and after a mammogram (SS 1714), B-0873

**Fanelli F.**

What should every radiologist know about the endovascular treatment of abdominal aortic aneurysms?: B. EVAR techniques and results (RC 809), A-246

**Fanelli F., Cannavale A., Boatta E., Corona M., Cirelli C., Salvatori F.M.**

Carotid artery stenting: results and analysis of a single-centre experience after 12 years (SS 509), B-0300

**Fanelli F., Cannavale A., Lucatelli P., Wlderk A., Cirelli C., Salvatori F.M.**

Lower limb multilevel treatment with drug eluting balloon: 12-month results from the "DEBELLUM" trial (SS 1809), B-0920

**Farina D.**

Performing and reporting head and neck examinations: how should I do it?: C. CT and MRI of the neck: how to address key clinical questions (RC 1508), A-521

**Farras Roca J.A., Luciani A., Bosc R.,**

Meyblum E., Beaussart P., Pigneur F.,

Belkacemi Y., Rahmouni A., Dao T.

Breast cancer recurrence in DIEP flap reconstructed breasts: a 12-year retrospective study (SS 602), B-0459

**Farrell T.P., Stenson M., Carroll P.A., Griffin M., Connolly E.M., O'Keefe S.A.**

The Z011 trial: is this the end of axillary ultrasound in the pre-operative assessment of breast cancer patients? (SS 202), B-0216

**Fausto A., Mercuri P., Mantovani L., Volterrani L.**

Second-look US with MR volume navigation (V Nav) of breast lesions: a way to make it objective (SS 1302), B-0682

**Feier D.S., Balassy C., Bastati-Huber N., Stift J., Badea R., Ba-Ssalamah A.**

The efficacy of Gadoxetate Disodium-enhanced magnetic resonance (MR) imaging in staging liver fibrosis (SS 101b), B-0096

**Fellner C., Wendl C.M., Stroszczynski C., Finkenzeller T.**

Optimising a BLADE sequence for T2-weighted MRI of the cervical spine in transverse orientation: is there a chance for artefact reduction? (SS 1811b), B-0903

**Fernandes C.L.D.C., Rodrigues S.I., Abrantes A.F.C.L., Ribeiro L.P.V.,**

Almeida R.P.P., Silva C.A., Azevedo K.B.

Dose assessment in paediatric head computed tomography examinations (SS 214), B-0274

**Fernandez del Valle A., Delgado C., Oca R., Silva N., Tardaguila G.**

Comparison of image quality and radiation dose between 64-MDCT and high pitch 128-DSCT protocols in triple rule-out studies (SS 1304), B-0631

**Fernandez-Bayó J.**

Tablet-computers in radiology: friend or foe?: Tablet-computers: a technical overview (SF 19), A-606

**Ferraioli G., Tinelli C., Dal Bello B., Lissandrini R., Zicchetti M., Filice C.**

Accuracy of a new real-time shear wave elastography technique in the assessment of significant liver fibrosis: preliminary results (SS 101b), B-0092

**Ferrari F., Miccoli A., Arrigoni F., Giordano A.V., Fassetti E., Mascaretti G., Masciocchi C.**

Uterine adenomyosis treated by MRgFUS: technical approach and clinical results (SS 609b), B-0493

**Ferré R., Gibon E., Feydy A., Guerini H., Campana R., Zee N., Bourdet C., Hammadouche M., Drapé J.**

Evaluation of a new method for the assessment of anterior acetabular coverage and hip joint space narrowing (SS 1710), B-0786

**Ferreira C., Martins P., Cunha G., Canário N., Nunes C., Miranda A.C., Ribeiro J., Afonso S., Castelo-Branco M.**

Functional mapping of the visual word form area with frequent words of the Portuguese lexicon: an fMRI study (SS 1814), B-1021

**Ferretti G.R., Lantuejoul S.**

Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: C. GGO in dysplasia and neoplasia (RC 804), A-240

**Ferri A., Basilico R., Civitareale N., Lella A., Calamita V., Cotroneo A.**

Diagnostic performance of MDCT in the evaluation of bowel obstruction: can the radiologist's experience make a difference? (SS 117), B-0127

# Authors' Index

- Feydy A., Bazeli R., Freire V., Elhai M., Wipff J., Job-Deslandre C., Kahan A., Drapé J.**  
Radiological peripheral involvement in a cohort of polyarticular juvenile idiopathic arthritis at adulthood (SS 1310), B-0650
- Feygin T., Pollock A., Stein J., Victoria T.**  
Real time cine-MRI in children and foetuses with head and neck pathology (SS 1712), B-0864
- Filipe T.R., Ribeiro L.P.V., Almeida R.P.P., Rodrigues S.I., Azevedo K.B., Silva C.A., Abrantes A.F.L.**  
Radiographers perceptions of magnetic resonance imaging: a study of the causes that lead to the repetition of exams (SS 1814), B-1020
- Fior D., Ippolito D., Bonaffini P.A., Capraro C., Messa C., Sironi S.**  
Assessment of tumour aggressiveness with quantitative perfusion imaging and tumour volume in patients with lung cancer: correlation with metabolic parameters of 18 FDG-PET/CT (SS 606), B-0505
- Fischer A., Kraff O., Orzada S., Nensa F., Schäfer L.C., Ladd M.E., Umutlu L., Lauenstein T.C.**  
Ultra-high-field imaging of the biliary tract at 7 Tesla: initial results of Gd-EOB-DTPA-enhanced magnetic resonance cholangiography (SS 1301), B-0708
- Fischer M.A.F., Pfirrmann C.W.A., Espinosa N., Raptis D.A., Buck F.M.**  
Dixon-based MRI for assessment of muscle-fat content in-vitro and in patients with achillodynia in comparison to healthy volunteers (SS 510), B-0314
- Fischer T.**  
The impact of smart fusion on the diagnostic outcome (SY 18)
- Fishman E.K.**  
Essentials in oncologic imaging: what radiologists need to know (part 2): B. Kidney cancer (MC 528), A-123
- Flechsig P., Kratochwil C., Moltz J., Heussel C.-P., Talanow R., Kauczor H.-U., Haberkorn U., Giesel F.L.**  
3D CT-histogram analysis enables distinguishing affected and FDG-negative lymph nodes in patients with lung cancer (SS 216), B-0200
- Fleming S., Cooper R., Swift S., Chowdhury F., Scarsbrook A., Patel C.**  
Impact of FDG PET-CT on patient management and radiotherapy treatment planning in locally advanced cervical carcinoma (SS 916), B-0554
- Floridi C., Fontana F., Ierardi A., DeMarchi G., Nocchi-Cardim L., Pellegrino C., Carrafiello G., Fugazzola C.**  
C-arm cone-beam computed tomography (CBCT) needle path overlay for percutaneous biopsy of pulmonary nodules (SS 909), B-0531
- Foldyna B., Haensig M., Lücke C., Holzhey D., Nitzsche S., Borger M., Mohr F.W., Gutberlet M., Lehmkohl L.**  
Anatomical angulation between the long axis of the left ventricle and left ventricular outflow tract as possible predictor of postprocedural complications in patients undergoing transapical aortic valve implantation (SS 203), B-0260
- Foley S.**  
Dose optimisation in computed tomography: A. Innovations in dose optimisation (RC 1214), A-392
- Folio L.R., Derderian V.M., Jones E.C., Merchant M.S., Venkatesan A.M., Lotan E.**  
Software validation of metastatic sarcoma lesion assessment using CT volumetric density tumour trajectory (SS 216), B-0209
- Fondevila J.J., Carreras M.S., Arrieta I., Mesa J., Gil A.R., Marquina T., Castrillo A., Aguirregoitco I., Martínez L.**  
Usefulness of low-dose CT with or without adaptive statistical iterative reconstruction (ASIR) in the diagnosis of acute appendicitis (SS 1317), B-0724
- Fornasa F., Gasparini A., Pantalone F., Bellotti M., Dibenedetto A., Cicciò C.**  
Diffusion-weighted magnetic resonance imaging of the female pelvis: do apparent diffusion coefficient values of the fat tissue change over the menstrual phases? (SS 607), B-0397
- Forner Giner J., Alberich-Bayarri A., Garcia Martí G., Pomar-Nadal A., Rayón-Aledo J., Martí-Bonmatí L.**  
MR spectroscopy in mild and moderate cognitive impairment as illness outcome predictor: preliminary experience (SS 611), B-0403
- Forrai G.**  
Breast cancer: B. Follow-up (E<sup>3</sup> 1120), A-297
- Forstner R.**  
The female pelvis: B. Benign ovarian masses (CC 1321), A-410
- Foti G., Oliboni E., Romano L.**  
Evaluation of MR-arthrography in identifying bony Bankart lesions: usefulness of thin-slice T1 weighted GRE sequences (SS 110), B-0045
- Fraile Moreno E.**  
Imaging: essential tool from diagnosis to treatment: Interlude: Spanish radiologists: open to the world (EM 1), A-113
- Franchi-Abella S., Correas J.-M., Elie C.**  
In vitro comparison of ultrasound-based elastography techniques (SS 113), B-0110
- Francone M.**  
Pitfalls in heart imaging: B. MRI (E<sup>3</sup> 820a), A-202
- Franiel T., Egbers N., Schwenke C., Maxeiner A., Stephan C., Hamm B.**  
MRI-guided biopsy of the prostate: evaluation of patient acceptance and adverse effects (SS 209), B-0172
- Franklin J.M., Hill E.J., Pwint T., Gleeson F.V., Sharma R.A., Anderson E.M.**  
Acute changes in rectal cancer perfusion CT parameters during short-course radiotherapy correlate with radiological response to therapy (SS 116), B-0062
- Franklin J.M., Enescu M., Hill E.J., Sharma R.A., Schnabel J.A., Gleeson F.V., Anderson E.M.**  
A perfusion CT-derived patient-specific arterial input function for pharmacokinetic modelling of dynamic contrast-enhanced MRI (SS 116), B-0070
- Franquet T.**  
Pulmonary infections: the old and the new: C. Emerging infections (RC 1104), A-335
- Fransen H.**  
Neurological interventions using Toshiba Infinix (SY 19)
- Freitas V., Kulkarni S., Ghai S., Fleming R., Scaranello A., Crystal P.**  
Is availability of breast MRI-guided intervention associated with improved results of breast MRI screening of the contralateral breast in women with newly diagnosed breast carcinoma? (SS 202), B-0219
- Frellesen C., Kerl J., Lehnert T., Harth M., Schulz B., Bodelle B., Beeres M., Vogl T.J., Bauer R.W.**  
Automated selection of tube potential in thoraco-abdominal trauma CT results in significant dose savings (SS 1317), B-0723
- Freyschmidt J.**  
Metabolic/endocrine disease: Metabolic/endocrine disease (MC 25E), A-589
- Friedrich K.M., Wimmer J., Juras V., Zbyn S., Nöbauer-Huhmann I., Trattning S.**  
In-vivo sodium magnetic resonance (MR) imaging of healthy intervertebral discs during unloading (SS 610b), B-0488
- Fries P., Morr D., Müller A., Lux F., Tillement O., Palm J., Schneider G., Seidel R., Buecker A.**  
Evaluation of enhancement properties of gadolinium-labelled nanoparticles for contrast-enhanced MRI in rats with experimental liver tumours at 9.4 T (SS 1806), B-1035
- Frigerio A.**  
Should we add ultrasound to mammographic screening of dense breasts?: B. Do we have enough radiologists to do it? Alternatives to ultrasound to reduce interval cancers (MC 723), A-155
- Froehlich J.M., Joeres A., Probst P.J., Nussberger F., Thoeny H.C.**  
Impact of patient mobilisation on interpretation of upper urinary tract filling defects seen on MDCT urography (SS 1707), B-0819
- Fuchs S., Gebauer B., Stelter L., Maurer M., Renz D., Schwabe P., Hamm B., Streitparth F.**  
Osteoidosteoma - post-procedural MR-imaging characteristics following percutaneous MR-guided laser ablation in an open 1.0 Tesla MRI (SS 210), B-0189
- Fuchsjäger M.H.**  
Breast ultrasound: A. Physics and practical aspects of high-quality hand-held and automated breast US (RC 1902), A-610
- Fujita M., Kitagawa K., Ito T., Shiraishi Y., Kurobe Y., Nagata M., Ishida M., Sakuma H., Dohi K.**  
Image quality and radiation exposure of low-dose dual-source dynamic CT stress myocardial perfusion Imaging: a randomized study comparing 80-kVp/370-mAs and 100-kVp/300-mAs protocols (SS 903), B-0581
- Fung V.K., Shum J.S., Lai B.M., Chu C., Kan W.K.**  
Carotid blowout syndrome in patients with nasopharyngeal carcinoma treated with radiotherapy: a review of 12-year experience (SS 608), B-0474

# Authors' Index

**Fusco R., Granata V., Petrillo M., Sansone M., Petrillo A.**  
Therapy response assessment in locally advanced rectal cancer: comparison between functional dynamic and diffusion parameters in MRI (SS 1801a), B-0942

**Fütterer J.J.**  
How I report: B. Prostate MRI (RC 1207), A-378

**Fütterer J.J.**  
The male genital system: A. Imaging of prostate cancer: an update (CC 1421), A-424

## G

**Gadda D., Mazzoni L., Moretti M., Chiti S., Giordano G.**  
Dynamic contrast-enhanced (DCE) MRI of cerebral gliomas: assessment of tumoral angiogenesis with low gadolinium-based contrast agent dose (SS 911), B-0511

**Galanaud D.**  
Traumatic brain injury: Advanced imaging of brain trauma: outcome prediction (SF 15a), A-503

**Gale A.G.**  
Assessment of radiologists' professional performance: Radiologists' individual performance: use of standardised test images (Standards and Audit Session), A-271

**Galea N., Francone M., Carbone I., Iacucci I., David P., Vizza C., Catalano C.**  
Prognostic value of RV remodelling in pulmonary hypertension: cardiac magnetic resonance study (SS 603b), B-0464

**Gallagher F.A.**  
Molecular imaging in oncology: B. Potential of MRI for molecular imaging in oncology (RC 306), A-015

**Gallix B.**  
Cross-sectional imaging of colitis: B. Differentiating between the causes of colitis (RC 1901), A-592

**Gallucci M.**  
Percutaneous treatment of chronic back pain and sciatica: B. Facet syndrome (RC 309), A-042

**Gallusi G., Di Martino M., Lombardo C., Del Monte M., Di Mischio R., Attili A.F., Catalano C.**  
Accuracy of mRECIST versus RECIST 1.1 in predicting outcome in hepatocellular carcinoma treated with Sorafenib (SS 201b), B-0238

**Galvez M.**  
Topics of ongoing radiological research from the Andes: Neuroimaging in epilepsy: in search of invisible lesions (EM 4), A-406

**Gamhewage G.**  
Risk assessment and risk communication: C. Communication of risk to patients and public (RC 1213), A-387

**Gangi A., Garnon J., Tsoumakidou G., Enescu I.**  
Percutaneous treatment of chronic back pain and sciatica: C. Intervertebral disc syndromes (RC 309), A-043

**Gangi A., Garnon J., Tsoumakidou G., Enescu I.**  
Palliative interventional techniques in cancer: Cementoplasty of lytic bone metastasis (SF 14a), A-442

**Gangi A., Garnon J., Tsoumakidou G., Enescu I.**  
Spine: update on postoperative imaging and minimally invasive procedures: B. Indications for vertebroplasty (RC 1611), A-557

**Garel C.**  
Paediatric: C. Imaging of the foetal brain (E<sup>3</sup> 520c), A-121

**Gasparotti R.**  
The orbit, the petrous bone and the sella: C. Sella and parasellar pathology (E<sup>3</sup> 420), A-074

**Gebauer B.**  
Cholangiocarcinoma: Radiology - diagnostics and image guided therapies in intrahepatic cholangiocarcinomas (MS 11), A-320

**Geers-van Gemeren S.**  
Clinical audit: from EURATOM to the clinical environment: B. Implementation in practice: a comparison of different models (RC 714), A-191

**Geertse T.D., Holland R., van Lansveld-Verhoeven C.G.C.M., Timmers J.M.H., Schuur K.H., Pijnappel R., Jansen F., Broeders M.J.M., den Heeten G.J.**  
Audits as part of quality assurance in the Dutch breast cancer screening programme (SS 1802b), B-0964

**Geiger J., Markl M., Hirtler D., Jung B., Stiller B., Langer M.**  
Whole heart 4D haemodynamics in patients with transposition of the great arteries after switch procedure (SS 1312), B-0736

**Geijer M., Lindqvist U., Husmark T., Aleinik G., Larsson P.T., Teleman A., Theander E.**  
Slow radiographic progression of bone destruction in the hands in early psoriatic arthritis without correlation to clinical disease activity (SS 1310), B-0653

**Geijer M., Collin D., Göthlin J.H.**  
Digital tomosynthesis in diagnosis of occult hip fractures (SS 1710), B-0781

**Geith T., Biffar A., Schmidt G., Sourbron S., Duerr H.R., Reiser M.F., Baur-Melnyk A.**  
Differentiation of benign and malignant vertebral body fractures with dynamic contrast-enhanced MRI (SS 910), B-0547

**Gençturk M., Anik Y., Efendi H., Demirci A.**  
Diffusion tensor imaging and magnetisation transfer imaging of spinal cord in MS patients (SS 1811b), B-0908

**Gennarelli A., Di Sibio A., Perri M., Di Stasio F., Felli V., Di Luzio M., Giordano A.V., Di Cesare E., Masciocchi C.**  
One beat coronary CT angiography using 640 slices multidetector CT scanner in patients with atrial fibrillation (SS 503), B-0378

**Gennaro G.**  
Digital breast tomosynthesis: Chairman's introduction (SF 15b), A-505

**Gennaro G., Hendrick E.R., Toledano A., Chersevani R., di Maggio C., La Grassa M., Pescarini L., Polico I., Projetti A.**  
Lesion detection and characterization of one-view digital breast tomosynthesis combined with one-view mammography compared to two-view mammography (SS 1302), B-0686

**Gerevini S.**  
Peripheral nerve imaging: MRI and US: A. Applied radiological anatomy and pathology of the brachial plexus (RC 710), A-161

**Geschwind J.**  
Wilhelm Conrad Röntgen Honorary Lecture: Interventional oncology: the era of molecular targeted therapy (HL 2), A-273

**Geyer L.L., Krazinski A., Silverman J.R., Bamberg F., Ebersberger U., Costello P., Schoepf U.J.**

Biomarkers of atherosclerotic and myocardial remodelling: correlation with plaque volume in cardiac CT (SS 1703), B-0849

**Ghaye B.**  
Pulmonary embolism: guidelines and best practice throughout Europe: B. PE in oncologic patients (RC 1604), A-561

**Ghoncheh Z., Panjush M., Banihashemi H.**  
An investigation of relative signal intensity of MR images in retrodisck tissue and lateral pterygoid muscle in patients with temporomandibular joint disorder and its relation with MRI findings (SS 608), B-0477

**Gibaud B.**  
New PACS architecture: decoupling image management from image navigation: C. Dismantling PACS: separating image viewing from the data storage and sharing (RC 305), A-050

**Gibson R.N.**  
Bringing radiology to medical undergraduates: Establishing a radiological presence in the undergraduate curriculum (PC 3), A-023

**Gielen J.L.M.A., De Schepper A.M., Ceyssens S., Creytens D.H., Somville J., Van Dyck P., Pauwels P., Peeters M., Parizel P.M.**  
Comparison of efficacy of surgical-, CT- and PET-CT-guided biopsy in musculoskeletal lesions (SS 610a), B-0432

**Giganti F., De Cobelli F., Canevari C., Orsenigo E., Albarello L., Mazza E., Staudacher C., Gianoli L., Del Maschio A.**  
Chemotherapy response evaluation with magnetic resonance (MR) and FDG-PET/CT in gastroesophageal tumours (GT): apparent diffusion coefficient (ADC) and standardised uptake volume (SUV) changes compared with tumour regression grade (TRG) at histology (SS 1716), B-0801

**Gil R., Walecki J., Vassilev D., Furmanek M., Michałek A., Odyniec-Nowacka M., Piliszek A.J.**  
Influence of periprocedural myonecrosis assessed by magnetic resonance delayed enhancement in patients with bifurcation lesions angioplasty on prognosis at one-year follow-up (SS 1703), B-0852

**Gilbert F.J., Tardivon A.**  
Should we add ultrasound to mammographic screening of dense breasts?: Discussion (MC 723), A-156

**Gilbert F.J.**  
Clinical challenges in breast MRI: Chairman's introduction (RC 802), A-225

**Gillams A.R.**  
Follow-up of thermal ablation (part II): A. Follow-up imaging of thermal ablative therapies for lung tumours (CC 1519), A-489

# Authors' Index

- Gillard J.H.**  
How I report: A. CTA and MRA of supra-aortic arteries (RC 815), A-241
- Gioppo A., Campari A., Parraga J., Michelozzi C., Rahali L., Sacrini A., Melchiorre F., Cornalba G.**  
Management of post-surgical biliary leakage with retrievable covered stent: preliminary results (SS 1709), B-0770
- Girometti R., Maieron M., Pullini S., Minighin E., Cereser L., Como G., Bazzocchi M., Zuiani C.**  
Does the ADC-map eradicate the T2-shine-through effect affecting DW images of focal liver lesions? A study with exponential ADC-maps (SS 1701b), B-0834
- Girometti R., Maieron M., Minighin E., Pullini S., Cereser L., Como G., Bazzocchi M., Zuiani C.**  
Prevalence of the T2-shine-through effect on DW images of focal liver lesions: a study with exponential ADC-maps at 1.5T (SS 1701b), B-0835
- Glaser C.**  
Cartilage imaging: Diffusion tensor imaging (NH 7), A-152
- Gleeson F.**  
Lung cancer: B. Follow-up (E<sup>3</sup> 220), A-004
- Gleeson F.**  
Palliative interventional techniques in cancer: Pleural drainage, pleurodesis (SF 14a), A-443
- Glowacki M., Ostrowska M., Gradkowski W., Walecki J.**  
T2 mapping for assessment of lumbar disc repair after autologous disc-derived chondrocyte transplantation (ADCT) (SS 610b), B-0489
- Goffette P.P.**  
Update on biliary interventions: B. Interventions after liver transplantation (RC 1109), A-341
- Goh V.J.**  
Staging and restaging of rectal and anal cancer: C. Assessment of anal cancer response (RC 301), A-010
- Goh V.J.**  
Imaging and radiotherapy: all you need to know: Chairman's introduction (SF 7b), A-171
- Golding S.J.**  
Bringing radiology to medical undergraduates: Chairman's introduction: why does it matter? (PC 3), A-022
- Golubnitschaja O.**  
Personalised radiology: Personalised medicine: hope or hype? (PC 11), A-326
- Gómez-Ansón B.**  
Metabolic and neurodegenerative disorders: A. Dementia (E<sup>3</sup> 820b), A-222
- Gonzalez Crespo I., Cano D., Etxano J., Slon P., Arendondo J.**  
Neoadjuvant therapy in locally advanced colon cancer: the role of MDCT (SS 1801a), B-0945
- Gonzalez-Guindalini F.D., Botelho M.P.F., Chalian H., Yaghmai V.**  
Patient-tailored automatic kVp selection with sinogram-affirmed iterative reconstruction (SAFIRE) to reduce dose in patients undergoing emergent CT imaging of abdomen and pelvis: an intra-patient comparison (SS 1317), B-0722
- Gooßen A., Lundqvist M., Erhard K., Fredenberg E.**  
Volumetric breast-density measurement using spectral mammography (SS 1713), B-0843
- Gorbunov N., Laptev V.**  
Digital x-ray optical densitometry in assessment of respiratory function in patients with COPD exacerbation (SS 1704), B-0764
- Gore R.M., Silvers R.**  
Essentials in oncologic imaging: what radiologists need to know (part 1): C. Colon cancer (MC 428), A-090
- Gourtsoyanni S.**  
Staging and restaging of rectal and anal cancer: A. Local staging of anal and rectal cancer and impact on initial therapeutic strategy (RC 301), A-008
- Gourtsoyanni S.**  
Diffusion-weighted imaging (DWI) of the abdomen: DWI of abdominal lymph nodes: PET competitive or just pseudo? (SA 4), A-071
- Gourtsoyanni S., Ljungqvist G., Khan A., Glynne-Jones R., Ganeshan B., Miles K., Goh V.**  
Reproducibility of MRI texture analysis in primary rectal cancer (SS 1801a), B-0943
- Grabherr S.**  
Advances in forensic radiology: Advances in post-mortem CT angiography (SF 14c), A-473
- Granata C., Palorini F., Origgi D., Matranga D., Salerno S.**  
Multi-detector CT studies in children: a comparison of radiation doses between paediatric and non-paediatric radiology units. Results from the first 2011 Italian SIRM survey (SS 1312), B-0730
- Graser A., Hassan C.**  
CT colonography: when the 'new' becomes 'ordinary': C. Interaction with gastroenterologists: friends or enemies? (RC 1501), A-481
- Graser A., Melzer A., Lindner E., Stieber P., Reiser M.F., Göke B., Kolligs F.T.**  
MR colonography to screen for colorectal neoplasia in asymptomatic adults (SS 1701a), B-0795
- Grass M.**  
Cone-beam imaging: B. Medical applications of CB imaging (RC 1113), A-337
- Grasso D., Borreggine C., Bristogiannis C., Stopino L.P., Melchionda D., Macarini L.**  
Role of 3D MRI with ProSet technique in the evaluation of lumbar radiculopathy (SS 1811b), B-0904
- Greiner M., Lemasse P., Bisdorff-Bresson A.**  
Lower extremity venous insufficiency: B. Rare venous diseases of the lower extremities (RC 1915), A-624
- Grischenko V.**  
GE Healthcare innovative solutions for modern healthcare (SY 20)
- Gritzmann N.**  
Advances in diagnostic ultrasound: better results through cooperation: Introducing the EFSUMB: the world's largest ultrasound society (Joint Session of the ESR and EFSUMB), A-579
- Groen J.M., Kofoed K.F., Zacho M., Vliegenthart R., Willems T.P., Greuter M.J.W.**  
Calcium score of small coronary calcifications on multi detector computed tomography: a phantom study (SS 1803), B-0918
- Grothoff M., Sommer P., Piorkowski C., Hoffmann J., Hindricks G., Gutberlet M.**  
Ablation of atrial flutter guided by magnetic resonance imaging (SS 1803), B-0909
- Gruber-Rouh T., Naguib N.N.N., Beeres M., Bodelle B., Zangos S., Nour Eldin N., Hammerstingl R., Vogl T.J.**  
Repeated transarterial chemoembolization in the treatment of liver metastases of colorectal cancer: local tumour control and survival data (SS 109), B-0031
- Gruber-Rouh T., Weisser P., Naguib N.N.N., Eichler K., Harth M., Zangos S., Nour-Eldin N.-E.A., Vogl T.J.**  
Repetitive transarterial chemoembolization as a palliative treatment option for liver metastases from cutaneous malignant melanoma: indications, outcomes and role in patient's management (SS 109), B-0033
- Gruber-Rouh T., Naguib N.N.N., Lehnert T., Thalhammer A., Zangos S., Schulz B., Jacobi V., Vogl T.J.**  
Effectiveness of therapeutic lymphography on lymphatic leakage (SS 1709), B-0774
- Grueneisen J.S., Maderwald S., Heusner T., Kuemmel S., Hauth E.A., Forsting M., Lauenstein T.C., Umutlu L.**  
CAD-based assessment of therapy monitoring in neoadjuvant chemotherapy of breast cancer (SS 602), B-0456
- Gschmeidler S., Gewessler M.**  
Scientific Paper Test Abstract (T1)
- Guenoun J., Ruggiero A., Doeswijk G., Janssens R., Koning G.A., Kotek G., Krestin G.P., Bernsen M.R.**  
Assessment of in vivo cell viability of Gd or SPIO cells using MRI and BLI (SS 1706), B-0887
- Guggenberger R., Pfirrmann C.W., Koch P., Buck F.**  
A new way to measure lower limb length and alignment using 3D models based on biplanar linear radiography: a comparison with measurements on supine CT scans and upright full-length radiographs (SS 210), B-0187
- Guggenberger R., Winklhofer S., Redel T., Korporaal J., Meier A., von Spiczak J., Andreisek G., Alkadhi H.**  
High-resolution flat-panel CT arthrography for cartilage defect detection: comparison to multi-detector CT (SS 610b), B-0482
- Guglielmi G.**  
Advances in forensic radiology: Chairman's introduction (SF 14c), A-471
- Guibal A., Lefort T., Cohen-Bacrie C., Renosi G., Scoazec J., Dumortier J., Valette P.**  
Evaluation of shear wave elastography for liver fibrosis quantification (SS 101b), B-0094
- Gullien R., Andersen J.G., Haakull A.E.**  
Radiographers quality assurance work: resistance and cooperation (SS 114), B-0139

# Authors' Index

## Gullien R., Andersen J.G., Haakull A.E.

Progression of quality improvement works in radiography by radiographers (SS 514), B-0388

## Gullien R., Rostad E., Haakull A.E., Hammond R.L., Hauge M., Taylor K., Andersen J.G.

Inter-observer agreement among PGMI radiographer in Cambridge/UK and Oslo/NO in assessing each other's and their own mammography screening exams (SS 1714), B-0870

## Gupta A.

Abdominal MRI: standard and advanced protocols in clinical settings: A. Fistula in ano (RC 1601b), A-552

## Gupta A., Hansmann A., Lung P.F.C.,

## Tandon R., Ilangovan R., Marshall M.

Pilot study to assess the diagnostic performance of MRI in the identification of adhesions between the abdominal wall and small bowel loops, using a time-efficient protocol (SS 201a), B-0199

## Gupta H., Bhat V., Edward S., Hensor E., Robinson P.

Evaluation of features and role of ultrasound and MR imaging in large lipomas and well-differentiated liposarcomas (SS 610a), B-0431

## Gutberlet M.

Non-ischaemic heart disease: A. Congenital heart disease (MC 422), A-091

## Gutberlet M.

Adults with congenital heart disease (GUCH): Chairman's introduction: Why should a radiologist gather information on GUCH patients? (SF 11), A-321

## Guzinski M., Kurcz J., Garcarek J., Sasiadek M.

Multislice CT angiography with direct intra-arterial ultra-low-dose-contrast injection for the evaluation of renal graft failure: initial study (SS 1306), B-0744

## H

## Habets J., Tanis W., van Herwerden L.A., Mali W.P.T.M., van den Brink R.B.A., de Mol B.A.J.M., Chamuleau S.A.J., Budde R.P.J.

Cardiac computed tomography angiography results in diagnostic and therapeutic change in prosthetic heart valve endocarditis (SS 103), B-0008

## Hadaschik B.A.

MR imaging for prostate cancer management: the essential guide for radiologists: A. Clinical challenges: how to treat prostate cancer (RC 416), A-059

## Haedicke K., Gräfe S., Lehmann F., Kaiser W.A., Hilger I.

Imaging of the therapeutic efficiency of photodynamic therapy with a new designed fluorescence optical annexin probe (SS 1706), B-0885

## Hagelstein C., Weidner M., Debus A., Walleyo A., Schönberg S.O., Schäuble T., Kehl S., Büsing K.A., Neff K.W.

Repetitive MR measurements of lung volume in foetuses with congenital diaphragmatic hernia to investigate the individual development of pulmonary hypoplasia during pregnancy (SS 1712), B-0866

## Hahn G.

Oncologic imaging: how to image, follow up and report: C. Oncologic imaging in the paediatric brain (RC 1212), A-397

## Hahnemann M.L., Schmeling A., Schlammann M., Forsting M., Pfeiffer H., Wittschieber D.

Traumatic subdural hygromas in children between 0 and 2 years: a retrospective CT and MRI study (SS 1812), B-1011

## Haimerl M., Verloch N., Fellner C., Nießen C., Stroszczynski C., Wigermann P.

Estimation of liver function using T1 mapping on Gd-EOB-DTPA-enhanced MR imaging (SS 1801b), B-0985

## Hakky M., Amirifeli S., Wald C., Molgaard C., Ahari H.

Transcatheter arterial chemoembolisation of hepatocellular carcinoma in transplant patients: smaller bead diameter and hypervascularity lead to higher tumour necrosis (SS 109), B-0037

## Hamilton M.

Cardiac CT and MRI in difficult patients: what to do?: Chairman's introduction (RC 1503), A-512

## Hamm B.

MR/PET: a marriage made in heaven or hell?: Chairman's introduction (NH 8), A-207

## Hamm B.

Cholangiocarcinoma: Chairman's introduction (MS 11), A-316

## Hampshire T.E., Roth H.R., Helbren E.,

## Plumb A., Boone D., Slabaugh G., Halligan S., Hawkes D.J.

CT colonography: accurate registration of prone and supine endoluminal surfaces of the colon (SS 1701a), B-0789

## Handler M., Rienmüller T., Ourednicek P.,

## Makarenko V., Bockeria L., Zhorzholian I.,

## Krestinich I., Rienmüller R., Baumgartner C.

Assessment of HU-value stability in dynamic CT-scans for quantitative estimation of myocardial perfusion (SS 1803), B-0916

## Haneder S., Juras V., Michaely H.J.,

## Schönberg S.O., Trattnig S., Zbýň Š.

In vivo sodium (23Na) imaging of the human kidneys at 7.0T: preliminary results (SS 507), B-0345

## Hanning U., Noelte I., Homann G.,

## Niederstadt T., Hesselmann V., Heindel W., Kemmling A.

Software for the radiological view: fully automated CT-based quantification of microangiopathic density reduction in white matter in comparison to gold standard MRI (SS 1811a), B-0898

## Hansen C., Ovesen C., Christensen H.,

## Havsteen I., Nielsen J., Christensen A.

Does clinical severity in acute stroke reliably predict large vessel occlusion? Results from a prospective cohort study of CT angiography (CTA) in hyper-acute stroke (SS 511), B-0351

## Hansmann J., Lemke A., Wambsgaass J.,

## Schönberg S.O., Attenberger U.

Feasibility of abdominal diffusion Kurtosis imaging compared to standard diffusion weighted imaging at 1.5 and 3 Tesla (SS 1701b), B-0829

## Hany T.F.

Imaging after systemic therapies: the standards: B. PERCIST: evolving considerations for PET response criteria in solid tumours (CC 719), A-158

## Hardy M., Snaith B.

Is a radiographer-led immediate reporting service for emergency department referrals a cost-effective initiative? (SS 514), B-0383

## Hari S., Naga S., Dhar A., Jana M.

Quantitative ShearWave ultrasound elastography: initial experience in palpable breast masses (SS 502), B-0331

## Hartmann A.

Breast imaging from a pathologist's perspective (SY 4)

## Hasdemir D.B., Meyer B.C., Schweitzer N.,

## Vogel A., von Falck C., Rosenthal H., Wacker F., Rodt T.

Initial RECIST tumour reduction as a predictive parameter for transarterial chemoembolisation treatment success in patients with hepatocellular carcinoma (SS 109), B-0038

## Hashemi H., Ghanaati H., Behzadi S.,

## Harirchian M., Yaghoobi M., Shakiba M.,

## Jalali A., Firouznia K.

Evaluation of plaque detection and optimum time of enhancement in acute attack multiple sclerosis after contrast injection (SS 211), B-0220

## Hashemi Amroabadi S., Mehrez H.,

## Cobbold R.S., Paul N.S.

AIDR improves characterisation of sub-centimetre pulmonary GGO on low dose HRCT (SS 504), B-0292

## Haubenreisser H., Fink C., Apfalter P., Schmidt B., Sedlmair M., Schönberg S.O., Henzler T.

Improved image quality for higher diagnostic accuracy of cranial computed tomography using iterative image reconstruction (SS 1811a), B-0889

## Hausegger K.A.

Palliative interventional techniques in cancer: Chairman's introduction (SF 14a), A-441

## Hauser T., Essig M., Laun F.B., Münter M.,

## Jensen A., Fritzsche K.H., Stieljes B.

Prediction of treatment response in head and neck carcinomas using IVIM-DWI: evaluation of lymph node metastasis (SS 208), B-0151

## Haumann D., Dinter D., Kienle P., Doyan F.,

## Schönberg S.O., Attenberger U.I.

Advanced characterisation of rectal cancer prior surgery: preliminary results on the evaluation of multimodality functional MRI techniques in correlation to histopathology (SS 1316), B-0628

## Hausmann R.

Sharing GE MR vision and future (SY 8)

## Haustermans K.

Imaging and radiotherapy: all you need to know: Response evaluation and treatment adaptation (SF 7b), A-174

## Hayakawa K., Yoshida S., Tatekawa H.,

## Yamori Y., Kanda T., Yoshida N., Hirota H.,

## Iwami M., Nakamura K.

Functional correlation of the spastic hemiplegic patients with MR findings (SS 1812), B-1017

# Authors' Index

**Hayashi D., Xu L., Gusenburg J., Roemer F.W., Hunter D.J., Li L., Guermazi A.**

Reliability of tomosynthesis for semiquantitative assessment of knee osteoarthritis features by radiologists with different levels of expertise (SS 1310), B-0656

**Hedges W.P., Khan S.H.**

Workloads of reporting radiographers and sonographers: cost-effectiveness compared with consultant radiologist (SS 514), B-0385

**Hegenscheid K., Seipel R., Laqua R., Schmidt C.O., Völzke H., Hosten N., Mensel B.**

Variation of apparent diffusion coefficients (ADC) measured in the normal breast using diffusion-weighted MR mammography: effects of menopausal status, anthropometric measures and hormone intake (SS 1302), B-0681

**Heijnen L., Maas M., Martens M.H., Lambregts D.M.J., Leijtens J.W.A., Beets-Tan R.G.H., Beets G.L.**

MRI-based selection of clinical complete and good responders after chemoradiation for rectal cancer allows for successful minimal invasive treatment (SS 1801a), B-0940

**Heijnen L.A., Maas M., Martens M.H., Lambregts D.M.J., Leijtens J.W.A., Deserno W., Beets G.L., Beets-Tan R.G.H.**

Features on MRI after transanal endoscopic microsurgery in patients with rectal cancer (SS 1316), B-0625

**Heikkilä P., Henner A., Tenkanen-Rautakoski P., Pirinen M., Ahonen S.**

Use of radiation in operating theatres in Finland (SS 114), B-0135

**Heilmeier U.R., Beringer P., Nardo L., Liebl H., Lee S., Joseph G., McCulloch C.E., Nevitt M.C., Link T.M.**

Longitudinal increase of T2 relaxation time in normal subjects indicating physiological aging of the collagen network and cartilage matrix: data from the osteoarthritis initiative (OAI) (SS 610b), B-0484

**Heinz-Peer G.**

Renal and adrenal tumours: A. Adrenal masses, a practical approach (RC 307), A-030

**Heinz-Peer G.**

Stones: diagnosis and intervention: A. Imaging patients with renal colic (CC 1121), A-302

**Helal M.H., Fouad R.M.K., Aly M.A., Wessam R., Gouda I., AbdelShafii N., Nada O.M., Mansour S., Elbadawy M.**

The impact of contrast-enhanced digital mammography on the characterization of breast lesions (SS 1802a), B-0949

**Helbich T.H.**

The future of breast tomosynthesis (SY 5)

**Helbich T.H., de Koning H.J.**

Overdiagnosis from screening mammography: should we care about it?: Discussion (MC 423), A-064

**Helbich T.H.**

Clinical challenges in breast MRI: C. Monitoring response to neo-adjuvant chemotherapy (RC 802), A-228

**Heck A., Buchholz M., Rominger A., Yuan C., Reiser M.F., Nikolaou K., Dichgans M., Karpinska A., Saam T.**

Effect of expansive arterial remodelling on clinical presentation and plaque composition: an in vivo MRI study of the carotid arteries (SS 115), B-0117

**Heck A., Hummel N., Meinel F., Thieme S.F., Reiser M.F., Graser A., Johnson T.R.C.**

Improved image quality of virtual non-contrast dual-energy CT images using a new iodine subtraction algorithm (SS 205), B-0288

**Hélonen O.**

Renal and adrenal tumours: C. How to deal with small indeterminate renal masses (RC 307), A-032

**Henes F., Bannas P., Regier M., Buhk J., Müllerleile K., Adam G., Groth M.**

Precision of pulmonary vein diameter measurements assessed by CE-MRA and steady-state-free precession imaging (SS 515), B-0367

**Henninger M., Fingerle A.A., Markus C., Zahel T., Noël P.B., Rummeny E.J., Dobritz M.**

Evaluation of an iterative reconstruction algorithm

(iDose) to reduce image noise and improve image

quality in submillisievert CT scans of the thorax

(SS 904), B-0525

**Henriksson L., Persson A., Sandborg M.**

Evaluation of the quality of abdominal computed

tomography images reconstructed with iterative

reconstruction technique (SS 205), B-0287

**Herbrik M.C., Buchbender C., Treffert J., Geiger B., Hartung-Knemeyer V., Kühl H., Antoch G., Forsting M., Heusner T.A.**

Diagnostic accuracy of virtual 18F-FDG PET/CT bronchoscopy for the detection of lymph node metastases in non-small cell lung cancer patients (SS 104), B-0028

**Herh S., Kim E., Moon H., Kwak J.**

Does heterogeneous echogenicity of the thyroid parenchyma influence the detection of multifocality and bilaterality for papillary thyroid carcinoma on preoperative ultrasound staging? (SS 1308), B-0715

**Hermanns J.**

Liver and pancreatic perfusion using Aquilion ONE vision (SY 18)

**Hermanns R.**

Pitfalls in head and neck imaging: B. Pitfalls in maxillofacial and skull base imaging (E<sup>3</sup> 520b), A-118

**Herold C.J.**

Essentials in oncologic imaging: what radiologists need to know (part 1): B. Lung cancers (primary, metastases) (MC 428), A-089

**Hetterich H., Fill S., Willner M., Bamberg F., Herzen J., Hipp A., Reiser M.F., Pfeiffer F., Saam T.**

Evaluation of carotid atherosclerotic plaque with lab-based x-ray phase-contrast imaging (SS 115), B-0112

**Hetterich H., Willner M., Fill S., Bamberg F., Herzen J., Stockmar M., Pfeiffer F., Reiser M.F., Saam T.**

X-ray phase-contrast imaging of arterial vessel wall: translation from synchrotron radiation to a conventional lab-based x-ray source (SS 1815), B-1006

**Heusch P., Buchbender C., Sproll C., Terjung J., Scherer A., Antoch G., Handschel J., Heusner T.A.**

Diagnostic accuracy of 18F-FDG-PET/CT and fused 18F-FDG-PET-MR images for T and N staging of primary oral malignancies (SS 208), B-0159

**Heusch P., Buchbender C., Geiger B., Treffert J., Lauenstein T., Forsting M., Antoch G., Heusner T.A.**

Virtual 3D 18F-FDG PET/CT panendoscopy for assessing the upper airways of head and neck cancer patients: initial results (SS 516), B-0320

**Heusner T.A., Heusch P., Hartung-Knemeyer V., Beiderwellen K., Lauenstein T., Forsting M., Antoch G., Buchbender C.**

Diffusion-weighted imaging as part of hybrid FDG-PET/MRI protocols for whole body cancer staging: does it benefit lesion detection? (SS 606), B-0501

**Heusner T.A., Riegger C., Kuemmel S., Forsting M., Hartung-Knemeyer V., Antoch G., Buchbender C.**

FDG-PET/CT for the early prediction of histopathological complete response to neoadjuvant chemotherapy in breast cancer patients (SS 606), B-0506

**Heussel C.-P.**

Pulmonary infections: the old and the new: B. Infectious disease in immuno-compromised patients (RC 1104), A-334

**Heuvelmans M.A., Oudkerk M., De Bock G.H., Xie X., Van Ooijen P.M.A., Greuter M.J.W., De Jong P.A., Groen H.J.M., Vliegenthart R.**

Improved accuracy of lung cancer diagnosis for fast-growing lung nodules in CT lung cancer screening by optimisation of volume-doubling time cut-off (SS 504), B-0291

**Heye T., Merkle E.M., Leyendecker J.R., Boll D.T., Gupta R.T.**

Portrayal of radiology in major medical television series: does it influence the perception of radiology in the general population? (SS 1317), B-0728

**Heywang-Köbrunner S.H., Mertelmeier T., Sedlacek S., Wulz-Horber S.**

Value of tomosynthesis for the assessment of screen-detected abnormalities (SY 5)

**Hietschold V., Riebisch M., Abramuk A., Laniado M., Abolmaali N.**

MR tumour perfusion measurements: dual echo versus multi-echo approach (SS 113), B-0101

**Hillengass J.**

Evaluation of response in haematological malignancy: Evaluation of response in multiple myeloma (SA 11), A-300

**Hirschmann A., Sutter R., Schweizer A., Pfirrmann C.W.A.**

Normal anatomy and variants of the trapeziometacarpal joint at MR imaging in asymptomatic volunteers (SS 110), B-0048

**Hirschmann A., Pfirrmann C.W.A., Espinosa N., Klammer G., Buck F.M.**

Do sagittal and coronal alignment of the hindfoot change in upright weight-bearing position? Comparison of upright weight-bearing and supine non-weight-bearing computed tomography (SS 210), B-0181

# Authors' Index

- Hiwatashi A., Yoshiura T., Togao O., Yamashita K., Kikuchi K., Yoshimoto K., Mizoguchi M., Suzuki S.O., Honda H.**  
Preoperative evaluation of consistency of meningiomas: diagnostic efficacy of MRI (SS 1311), B-0673
- Hiwatashi A., Yoshiura T., Togao O., Yamashita K., Kikuchi K., Honda H., Obara M.**  
Evaluation of diffusivity in pituitary adenoma in the Sella Turcica with 3D turbo field echo with diffusion-sensitized driven-equilibrium preparation: initial experience (SS 1311), B-0678
- Hoare T.**  
Clinical and cost effectiveness of CEUS for liver imaging: the NICE diagnostics guidance (SY 24)
- Hoffmann C.**  
The paediatric brain: not just a small brain: C. Paediatric brain tumours (RC 411), A-087
- Hofmann B.**  
Imaging ethics (SS 1714), B-0878
- Hogg P.**  
Hybrid imaging technologies: C. Trends in radiography education (RC 1514), A-524
- Hohmann J., de Villiers P., Urigo C., Sarpi D., Newerla C., Brookes J.**  
Quality assessment of out sourced after-hours computed tomography teleradiology reports in a central London University Hospital (SS 117), B-0130
- Hohmann J., Müller A., Skrok J., Wolf K., Martegani A., Dietrich C.F., Albrecht T.**  
Detection of HCC and liver metastases with BR14: final results of a multicentre phase IIA study (SS 201b), B-0232
- Höink A.J., Persigehl T., Ring J., Mesters R.M., Berdel W.E., Heindel W.L., Bremer C., Schwöpke C.**  
Real-time imaging of the therapeutic response of tumours to anti-vascular treatment in mice by gadofosveset-enhanced MRI (SS 1716), B-0805
- Holli K.K., Suoranta S., Niskanen E., Dastidar P., Eskola H., Vanninen R.**  
MRI texture analysis in Unverricht-Lundborg disease reveals more complex and heterogeneous textural appearance in thalamus, putamen and amygdala than in controls (SS 111), B-0017
- Homann G., Toschke C.M., Gaßmann P., Hanning U., Heindel W., Vieth V.**  
Accuracy of the AAST organ injury scale as a CT imaging checklist for traumatic liver and spleen injuries (SS 117), B-0125
- Hoppe H.**  
The fast and the furious: vascular trauma resulting from traffic accidents: A. Clinical considerations (CC 1618), A-538
- Horner K.**  
Cone-beam imaging: C. 3D dentomaxillofacial imaging (RC 1113), A-338
- Horvath E.**  
Topics of ongoing radiological research from the Andes: TI-RADS: a US classification of thyroid nodules related to cancer risk (EM 4), A-404
- Hribar D., Djuric N., Sterzaj S., Holc T., Kovacic M., Janezic A.**  
Comparison of image quality between left and right arm injection of contrast agent in computed tomography of carotid arteries (SS 214), B-0273
- Hricak H.**  
MR imaging for prostate cancer management: the essential guide for radiologists: C. The radiologist's influence on management. Staging prostate cancer: how it impacts on treatment selection (RC 416), A-061
- Hricak H.**  
Essentials in oncologic imaging: what radiologists need to know (part 2): C. Ovarian cancer (MC 528), A-124
- Hsieh K.W., Kellner-Weldon F., Zubler C., Verma R., Mono M., Reinert M., Gralla J., Schroth G., El-Koussy M.**  
In-vivo validation of velocity measurements by quantitative phase contrast MR angiography of the brain supplying arteries: a comparison with Doppler sonography (SS 1711), B-0752
- Huang D.Y., Eckersly R.J., Sellars M.E., Sidhu P.S.**  
Differentiation between benign Leydig cell and malignant germ cell testicular tumours with qualitative and quantitative contrast-enhanced ultrasound assessments (SS 1807), B-0973
- Huber A.M., Leber V., Gramer B., Vembar M., Leber A., Hoffmann E., Rummey E.J.**  
Dynamic CT perfusion imaging of the myocardium using a wide detector CT scanner: stress/rest or stress only (SS 903), B-0586
- Hübner M., Hitendu D., Schweiger M., Greutmann M.**  
Adults with congenital heart disease (GUCH): A list of typical surgical procedures: the top ten in GUCH (SF 11), A-322
- Huete A.**  
Topics of ongoing radiological research from the Andes: MDCT patterns in mesenteric ischaemia: usefulness in predicting clinical outcome (EM 4), A-408
- Huwart L., Hauger O., Marcy P.-Y., Foti P., Amoretti M.-E., Brunner P., Amoretti N.**  
Vertebral split fractures: the role of percutaneous vertebroplasty (SS 509), B-0307
- Huwart L., Marcy P.-Y., Foti P., Amoretti M.-E., Hauger O., Brunner P., Amoretti N.**  
Percutaneous vertebroplasty in vertebra plana: does the presence of intravertebral cleft impact the efficiency of the procedure? (SS 509), B-0308
- I**
- Ibrahim M.I.M.A.**  
Safety and efficacy of sonographically guided percutaneous radiofrequency ablation of left lobe hepatocellular carcinoma (SS 609a), B-0425
- Ichikawa T., Koizumi J., Kawada S., Imai Y.**  
Vena cava anomalies associated with horseshoe kidney on MDCT (SS 1807), B-0977
- Iezzi R.**  
Chest pain: vascular non-cardiac causes: A. Clinical considerations (CC 1218), A-355
- Iezzi R., Wang J., Yan F., Liu J., Li D., Wang X., Li Y., De Cobelli F., Pirovano G.**  
Multicentre, intra-individual comparison of single dose gadobenate dimeglumine and double dose gadopentetate dimeglumine for MR angiography of the peripheral arteries (SS 515), B-0369
- Ilma M., Reynaud O., Tsurugizawa T., Ciobanu L., Li J., Geffroy F., Djemai B., Le Bihan D.**  
Tumour vascularization imaging without contrast agents: the potential of IVIM-MRI (SS 216), B-0201
- Illoeme G., Spinicci G., Arru M., Marrosu M.**  
Muscle elastography in patients affected by multiple sclerosis (SS 510), B-0313
- Im T., Choi J., Lee G., Oh J., Hong S., Kang H.**  
Superior labral dimension of the glenoid labrum on direct MR arthrography (MRA): relationship with presence of SLAP (SS 110), B-0046
- Imura M., Todoroki T.**  
CT numbers of CBCT regarding position dependence on different size of field-of-view (SS 608), B-0470
- İnci M.F., Şalk I., Solak O., Vurdem Ü., İnci R.**  
N-acetylcysteine for the prevention of contrast-induced nephropathy in rats (SS 1806), B-1034
- İnci M., Özkan F., Bozkurt S., Yüksel M., Peker O.**  
The effectiveness of multidetector computed tomography in patients that underwent immediate intestinal resection due to acute abdominal pain (SS 101a), B-0055
- Invernizzi I., Vaiani M., Colombo P., Zucconi F., Sironi S., Ticca C.**  
Efficacy of MRI-guided focused ultrasound (MRgFUS) treatment of uterine fibroids: evaluation of non-perfused volume (NPV), fibroid shrinkage and clinical improvement at 6-month follow-up (SS 609b), B-0492
- Iotti V., Pecchi A., Nocetti L., Fiocchi F., Alboni C., Torricelli P.**  
Feasibility of 3T MR diffusion tensor imaging (DTI) for reconstructing anatomic connectivity of sacral plexus (SS 507), B-0349
- Ippolito D., Trattenero C., Bonaffini P., Capraro C., Corso R., Sironi S.**  
Diagnostic efficacy of combined dynamic perfusion MRI with ADC mapping in the assessment of therapeutic effects of HCC-treated lesions: preliminary results (SS 201b), B-0236
- Ippolito D., Cadonici A., Trattenero C., Monguzzi L., Capraro C., Sironi S.**  
Predictive value of combined quantitative parameters obtained with ADC map and 18-FDG/PET study in assessment of treatment response of patients with advanced rectal cancer: histopathologic correlation (SS 1316), B-0620
- Isberg B., Jorulf H., Svahn U., Richter S., Leitz W.**  
Swedish national study on modality choice and justification of CT, MRI and US examinations in children (SS 113), B-0109
- Islim F., Salik A.E., Bayramoglu S., Guven K., Alis H., Turhan A.N.**  
Evaluation of diffusion-weighted MR imaging for detection of infection in acute pancreatic collections and/or necrosis: preliminary results (SS 1701b), B-0838
- Ivanac G.**  
Benefits of UltraFast™ Doppler in the clinical workflow (SY 2)

## **J**

**Jackson M.R., Lurette M., Leonard P.**

Clavicle radiographs in children: a waste of time and radiation? (SS 912), B-0594

**Jackson S.A.**

GI imaging: technological advances and clinical applications: Chairman's introduction (SF 8b), A-229

**Jacobs C., van Rikxoort E.M., Kuhnigk J., Scholten E.T., de Jong P.A., Schaefer-Prokop C., Prokop M., van Ginneken B.**

Non-solid, part-solid or solid? Classification of pulmonary nodules in thoracic CT by radiologists and a computer-aided diagnosis system (SS 504), B-0297

**Jacobs C., van Rikxoort E.M., Kuhnigk J., Scholten E.T., de Jong P.A., Schaefer-Prokop C., Prokop M., van Ginneken B.**

Automated characterization of pulmonary nodules in thoracic CT images using a segmentation-based classification system (SS 905), B-0610

**Jacquier A., Kallifatidis A., Maurel B., Flavian A., Gaubert J., Bartoli J., Moulin G.**

Potential value of fibrosis quantification in dilated cardiomyopathy (SS 603b), B-0460

**Jacquier A., Kallifatidis A., Maurel B., Flavian A., Gaubert J., Bartoli J., Moulin G.**

Potential value of fibrosis quantification in hypertrophic cardiomyopathy (SS 603b), B-0461

**Jafarov H., Fink C., Haubenreisser H., Meyer M., Apfaltner P., Schönberg S.O., Henzler T.**

How does iterative image reconstruction effect emphysema quantification with chest CT? (SS 204), B-0160

**Jäger H.R.**

Vascular imaging in ischaemic stroke: C. Dissection and vasculitis of intracranial and extracranial arteries (RC 315), A-046

**Jairam P.M., de Jong P.A., Mali W.P.T.M., van der Graaf Y.**

Validation of a computed-tomography-based risk model for the prediction of cardiovascular disease in a lung cancer screening setting (SS 104), B-0027

**Janse van Rensburg P., Hewlett R.**

Imaging HIV and TB: New concepts in the pathogenesis of cerebral TB (EM 3), A-259

**Janu A.K., Jankharia B., Pilania K., Thakrar P.**

Radiofrequency ablation of osteoid osteoma: technique with special tricks for difficult anatomical locations and atypical nidus (SS 1309), B-0641

**Jargiello T.**

Vascular imaging in ischaemic stroke: A. Intracranial atherosclerotic disease of carotid arteries (RC 315), A-044

**Jarraya M., Hayashi D., Guermazi A., Kwoh C.K., Hannon M.J., Moore C.E., Jakicic J.M., Green S.M., Roemer F.W.**

Susceptibility artifacts on knee MRI: their frequency, change over time, and their relation with radiography-detected calcifications and joint space narrowing, and MR-detected meniscal tears (SS 1810), B-0932

**Jaspers K., Van Osch J.A.C., Groen J.M., Greuter M.J.W.**

Influence of iterative reconstruction on coronary calcium score in cardiac computed tomography (SS 1303), B-0666

**Jeong C., Lee H., Han J., Jeong J., Lee K., Park K., Ahn M., Kim B.**

Radiogenomic approach to identify anaplastic lymphoma kinase-positive lung adenocarcinoma (SS 104), B-0025

**Jeromel M., Jevtić V., Tomšić M., Pisanec I., Markota J., Serša, I., Ambrožič A.**

Quantification of synovitis in the cranio-cervical region in early rheumatoid arthritis using dynamic contrast-enhanced (DCEI) and diffusion-weighted (DWI) magnetic resonance imaging (MRI) (SS 1310), B-0652

**Johnson A., Latifoltojar A., Hamy V., Fitzke H., Shmueli K., Punwani S.**

Assessing the contribution of hypoxia to R<sup>2</sup>\* differences between cancerous and normal prostate tissue (SS 216), B-0207

**Johnson K.J.**

Paediatric MSK radiology: what is important?: B. Benign bone tumours and pseudotumours in children: the pitfalls (RC 1512), A-526

**Johnson T.R.C.**

Chest pain: vascular non-cardiac causes: C. Interactive case discussion: what is really important? (CC 1218), A-357

**Joo I., Lee J., Han J., Choi B.**

Intravoxel incoherent motion (IVIM) diffusion-weighted MRI for monitoring the therapeutic efficacy of a vascular disrupting agent (CKD-516) in rabbit VX2 liver tumours (SS 216), B-0202

**Jost G., Pietsch H.**

The impact of MR contrast agent concentration on bolus geometry (SS 1306), B-0747

**Jung C.S.L., Ittrich H., Kaul M.G., Ducic T., Bruns O., Freund B., Hererer J., Adam G.**

Multimodal imaging of atherosclerotic plaques using SPIO and quantum dot labelled high density lipoproteins in ApoE-/ mice (SS 1815), B-1000

**Jung E.M.**

CEUS in interventional radiology: clinical outcomes and impact on patient management (SY 24)

**Jung S.C., Choi S., Kim S., Shin H., Yeom J., Ryoo I.**

Glioma grading using pharmacokinetic parameters in T1-weighted dynamic contrast-enhanced perfusion MR (SS 911), B-0516

**Jungmann P.M., Ganter C., Pohlig F., Schaeffeler C., Bauer J.S., Nittka M., Rummeny E.J., Rechl H., Woertler K.**

View-angle tilting (VAT) and slice-encoding metal artifact correction (SEMAC) for MR imaging of orthopaedic tumor prostheses (SS 610a), B-0435

**Jungmann P.M., Tham S., Liebl H., Nevitt M., McCulloch C.E., Lynch J., Link T.M.**

Association of trochlear dysplasia with degenerative abnormalities in the knee: data from the osteoarthritis initiative (SS 1310), B-0655

**Jurencak T., Kietselaer B., Mihl C., Van Ommen V., van Garsse L., Wildberger J., Das M.**

Temporal dynamics of the aortic root and the aortic valve: implications for transcatheter aortic valve implantation (SS 203), B-0261

**Jurencak T., Kietselaer B., Mihl C., Nelemans P., Van Ommen V., van Garsse L., Wildberger J., Das M.**

Dimensions of the aortic root and the aortic valve for transcatheter aortic valve implantation: non-ECG-triggered multi-detector CT high-pitch scans compared with retrospectively ECG-gated low-pitch cardiac scans (SS 203), B-0264

## **K**

**Kabala J.E.**

Laryngeal cancer and radiology: Chairman's introduction (RC 1408), A-460

**Kachelrieß M.**

Cone-beam imaging: A. Fundamentals of cone-beam imaging (RC 1113), A-336

**Kaiser C.G., Reich C., Wasser K., Schönberg S.O., Kaiser W.A.**

Dense breasts as a new standard indication for MR mammography: prospective analysis of 1488 consecutive patients (SS 1302), B-0683

**Kaiser W.A.**

MR breast in clinical routine (SY 4)

**Kaiser W.A.**

Preoperative MRI in newly diagnosed breast cancer: to do or not to do?: A. Why we should do preoperative MRI (MC 623), A-128

**Kalender W.A.**

Justifying CT in paediatric radiology: How should CT be optimised? (SF 4b), A-106

**Kammerer S., Knauer A., Buerke B., Schuelke C., Heindel W.L., Wessling J.**

Abdominal and pelvic CT: is positive enteric contrast still necessary? Preliminary results of a clinical investigation (SS 201a), B-0190

**Kang B., Jung G.**

A new trial with a newly designed Y-shaped covered stent for the palliative treatment of hilar malignant obstruction of liver: mid-term result (SS 1709), B-0776

**Kang D., Yoon K., Lee Y., Kang E., Lee C.**

Phase contrast imaging using grating interferometer: preliminary results (SS 1713), B-0845

**Kang J., Choi S., Ko S., Choe Y., Choi B., Lee W., Lim T.**

Relationship between myocardial scar and coronary artery plaque in diabetes patients: from preliminary results of assessment with cardiac computed tomography angiography and magnetic resonance imaging in patients with type 2 diabetes for detection of unrecognised myocardial scar in subclinical coronary atherosclerosis (ACCREDIT) study (SS 603a), B-0418

**Kang K., Suh S., Kim K., Son K., Lee Y., Seo H., Lee N., Seol H.**

Nasal-type NK/T-cell lymphoma of the nasal cavity and PNS: CT and MR imaging findings (SS 608), B-0475

# Authors' Index

- Kang S.J., Kim H.S., Kim S.J., Choi C.G.**  
Early vs late recurrent glioblastomas: added value of T1-weighted perfusion MR imaging compared with T2-weighted perfusion MR imaging (SS 116), B-0067
- Kannivelu A., Srinivasan S., Teh H.S., Koay H.T., Tan C.H.A., Choy T.W., Yeow K.K., Lim S.K.J.**  
Can dual-energy index help to differentiate malignant and benign lesions of lung? (SS 504), B-0294
- Karani J.B.**  
Paediatric emergencies: C. The role of the interventional radiologist in paediatric trauma (RC 1412), A-470
- Karantanas A.H.**  
Intra-articular imaging: Chairman's introduction (RC 1910), A-597
- Kassarjian A.**  
Trauma: Trauma (MC 25A), A-002
- Kassem H.M.H., Radwan S., Elmahdy M.H.I., Wafae A.A.S.W., Farghaly H.R.S.**  
Leukodystrophy with brainstem and spinal cord involvement and lactate elevation (LBSL): assessment of the involved white matter tracts by MRI (SS 1811b), B-0906
- Kau T., Taschwer M., Schönfelder M., Weber J.R., Hausegger K.A.**  
The "central vein sign": is there a place for susceptibility-weighted imaging in possible multiple sclerosis? (SS 211), B-0224
- Kauczor H.-U.**  
"MRI of the lung: to go?": Chairman's introduction: „Apéritif (SF 4a), A-080
- Kauczor H.-U.**  
Essentials in oncologic imaging: what radiologists need to know (part 4): C. Chemo- and radiation therapy-induced toxicity (MC 728), A-181
- Kaufmann P.A.**  
Cardiac imaging: the cutting edge: C. Cardiac hybrid imaging: „One-Stop-Shop“ (RC 303), A-013
- Kaye T.L., Jayne D.G., West N.P., Tolan D.J.M.**  
CT assessment of post-resection arterial stumps for right-sided colorectal cancer: a potential marker of quality of resection? (SS 201a), B-0196
- Kazmierczak P.M., Hirner H., Havla L., Schneider M., Dietrich O., Bruns C., Reiser M.F., Nikolaou K., Cyran C.C.**  
Regorafenib monotherapy effects on experimental human colon carcinoma xenografts monitored by DCE-CT with immunohistochemical validation (SS 1806), B-1036
- Keeling A.**  
Gynaecological and obstetrical haemorrhagic emergencies: A. Etiology and treatment of gynaecological benign and malignant causes of massive bleeding (RC 1209), A-389
- Kelekis A.D.**  
Percutaneous treatment of chronic back pain and sciatica: Chairman's introduction (RC 309), A-040
- Kelekis N.L.**  
Technical and anatomical fundamentals for imaging the heart: C. Examination protocols for imaging the heart: MRI (MC 322), A-038
- Kemp M.**  
Security scanners at airports: are they safe?: Security scanners using non-ionising radiation: current status and trends for development (ESR Radiation Protection Session), A-053
- Kerl J.M., Schoepf U.J., Bauer R.W., Costello P., Vogl T.J., Herzog C.**  
Influence of observer experience and training on proficiency in cardiac CT interpretation (SS 203), B-0266
- Keyzer C.**  
How I report: C. PET/CT (RC 304), A-035
- Khalil A., Haddad S., Tassart M., Parrot A., Carette M.**  
Endovascular treatment of haemoptysis of pulmonary artery origin: a single-centre experience (SS 909), B-0538
- Khan S.M.**  
Project retake: quality assurance of radiation hygiene by maintaining image quality (SS 914), B-0601
- Kiessling F.M.A.**  
Molecular imaging in oncology: C. Emerging molecular imaging techniques (RC 306), A-016
- Kiessling F.M.A.**  
Personalised radiology: Molecular imaging: a solution for personalised diagnosis and treatment? (PC 11), A-328
- Kilborn T.**  
Imaging HIV and TB: Spinal tuberculosis in children (EM 3), A-261
- Kim D., Lee H., Wi J., Lee S., Park C., Goo J.**  
Mucinous vs nonmucinous adenocarcinoma in situ (AIS): imaging features, EGFR mutation and EGFR gene copy number status, and prognosis (SS 104), B-0026
- Kim Y., Sung Y., Kim E., Kim H., Choi J.**  
Reduced radiation exposure of the female breast during low-dose chest CT using an organ-based tube-current modulation and bismuth shield: comparison of image quality and radiation dose (SS 904), B-0521
- Kinkel K.**  
The female pelvis: A. Imaging congenital anomalies of the female genital system (CC 1321), A-409
- Kinkel K.**  
Pitfalls in pelvic imaging: B. Pitfalls in pelvic ultrasound (E<sup>3</sup> 1720a), A-587
- Kinner S., Kloeters C., Umutlu L., Sippel N., Lauenstein T.C.**  
Dynamic enhancement pattern of Gd-EOB-DTPA compared to gadobutrol in patients with HCC (SS 1806), B-1030
- Kirchhoff S., Reiser M.F., Peschel O., Graw M., Kanz K.**  
Post mortem computed tomography (PMCT) quality management in critical care? (SS 1317), B-0727
- Kiritsi O., Malliaropoulos N., Tsitas K., Omar K.**  
Meniscal pathology demonstrated by MRI and low level laser therapy: a double-blinded placebo controlled trial (SS 1810), B-0933
- Kitrou P.M., Katsanos K., Spiliopoulos S., Cristea N., Kuriakopoulou M., Karnabatidis D., Siablis D.**  
Paclitaxel-coated balloons for the failing dialysis access: a prospective randomized controlled trial (SS 1809), B-0919
- Kloeckner R., Pinto dos Santos D., Düber C., Pitton M.**  
Radiation exposure in CT-guided interventions (SS 609a), B-0420
- Kloth J.K., Winterstein M., Akbar M., Meyer E., Paul D., Kauczor H.-U., Weber M.-A.**  
Comparison of 3D turbo spin-echo space sequences with conventional 2D MRI sequences to assess the shoulder joint (SS 110), B-0044
- Klotz E., Haberland U., Schmidt B.**  
Performance evaluation of a new CT detector with minimal electronic noise for low dose abdominal perfusion imaging (SS 213), B-0240
- Knogler T., Pinker-Domenig K., Perry N., Milner S., Mokbel K., Mayerhofer M.E.**  
Texture analysis of malignant breast tumours: is a differentiation of ductal carcinoma *in situ*, invasive ductal and invasive lobular breast cancer possible? (SS 1302), B-0680
- Knogler T., Karanikas G., Weber M., El-Rabadi K., Mayerhofer M.E.**  
Treatment response assessment in Hodgkin lymphoma: in search for morphological correlates of metabolic activity (SS 1716), B-0802
- Knogler T., Leithner R., Hörrig M., Semturs F., Waitzbauer M., Langs G., Homolka P., Pinker-Domenig K., Helbich T.H.**  
Clinical feasibility of contrast-enhanced dual-energy mammography (CEDEM) with a tungsten (W)/titanium (Ti) anode/filter combination: a prototype report (SS 1802a), B-0950
- Knogler T., Leithner R., Hörrig M., Waitzbauer M., Semturs F., Langs G., Homolka P., Pinker-Domenig K., Helbich T.H.**  
Comparison of contrast-enhanced dual-energy mammography (CEDEM) with contrast-enhanced magnetic resonance imaging (CE-MRI) in breast lesions: a prototype report (SS 1802a), B-0951
- Kobayashi S., Matsui O., Gabata T., Koda W., Minami T., Kozaka K., Kitao A.**  
Hepatic parenchymal and vascular contrast improvement in super-delayed phase images of Gd-EOB-DTPA-enhanced MRI (SS 1801b), B-0984
- Kohan A., Rubbert C., Vercher Conejero J.L., Partovi S., Jones R., Herrmann K., Faulhaber P.**  
PET/MR vs PET/CT in lung cancer N staging: initial experience with a three-segment model attenuation correction (SS 516), B-0326
- Köhilitz T., Scheffler S., Jung T., Wiener E., Vollnberg B., Diederichs G.**  
Anatomical risk factors in patients after patellar dislocation: a case-control study using MRI (SS 1810), B-0936
- Koizumi J., Myojin K., Itou C., Mori N., Sekiguchi T., Hara T., Ichikawa T., Imai Y., Janne d'Othée B.**  
The comparison of balloon-occluded retrograde transvenous obliteration for gastric varices using liquid and foam sclerosants (SS 1709), B-0777

# Authors' Index

**Kokhanovsky N., Zeina A., Reindorp N., Levit-Kantor A., Glick Y., Nachtigal A.**  
Accuracy of ultrasonographic diagnosis of acute appendicitis in pregnant women (SS 117), B-0129

**Kolokythas O., Bhattacharya R., Liou I.W., Kang A., Bhargava P., Mitsumori L.M., Cuevas C., Bruce M.F.**  
Evaluation of shear wave elastography to monitor development of fibrosis after liver transplantation (SS 101b), B-0095

**Kolokythas O., Zaidi S., Osman S., Tornow A.P., Pham T.T., Bastawrous S., Phillips G.S., Bhargava P., Coy D.L.**  
The liver imaging atlas: an interactive multimodality web-based reference and educational resource of liver imaging (SS 105), B-0145

**Komljenovic D., Semmler W., Bäuerle T.**  
DCE-MRI for assessment of vessel remodelling associated with bone defect healing in experimental lytic bone metastases (SS 610a), B-0434

**Kondrachuk O., Yalynska T., Tammo R., Iershova I., Rokytska N.**  
Asymmetric lung perfusion in congenital heart disease: impact of differential pulmonary arterial anatomy and pulmonary vascular resistance (SS 1312), B-0735

**Kondratyev E., Karmazanovsky G.**  
Low dose runoff CTA: what protocol is preferred without special reconstruction algorithms? (SS 215), B-0250

**Kooi M.E., Gaens M.E., van Hoof R.H.M., Sluimer J.C., Heeneman S., Daemen M.J.A.P., Wildberger J.E., Kwee R.M., Backes W.H.**  
Assessment of microvasculature in atherosclerotic plaque with dynamic contrast-enhanced-MRI: model comparison, reproducibility and validation with histology (SS 115), B-0116

**Kool D.R.**  
ER: basic principles: B. Advanced trauma life support: basic knowledge for radiologists (RC 417), A-066

**Körner M.**  
ER: basic principles: A. Logistics and organisation of an emergency radiology department (RC 417), A-065

**Koziolek E.J., Apostolova I., Tarkowska A., Schumacher U., Brenner W., Adam G., Kaul M.G.**  
Improving current preclinical therapy monitoring methods by multiparametric MR using a hNIS-expressing tumour xenograft mouse model (SS 1706), B-0879

**Kraśnicki T., Guziński M., Podgórski P., Bladowska J., Czarnecka A., Tupikowski K., Sasiadek M.**  
In vivo urinary stones chemical compound identification using dual-energy CT (SS 1713), B-0847

**Krainik A., Attye A., Villien M., Boubagra K., Garambois K., Bouvier J., Warnking J., Tahon F., Detante O.**  
BOLD fMRI of cerebrovascular reserve in patients with severe stenosis of the middle cerebral artery: preliminary results (SS 511), B-0355

**Krainik A., Attye A., Tropres I., Lamalle L., Le Bas J.**  
Normal laterality index of cerebrovascular reserve of the middle cerebral artery: a 100 volunteers' BOLD fMRI study (SS 1711), B-0751

**Kramer J.**  
Intra-articular imaging: C. MR arthrography (RC 1910), A-600

**Krammer J., Kaiser C.G., Schnitzer A., Schönberg S.O., Wasser K.**  
Imaging of axillary lymph nodes in breast cancer patients: How do enhancement kinetics of contrast-enhanced lymph nodes apparent on dynamic MR-mammography correlate with standardised uptake value of 18F-FDG PET/CT? (SS 202), B-0214

**Krestin G.P.**  
Personalised radiology: Chairman's introduction (PC 11), A-325

**Krings T.**  
Traumatic brain injury: Cerebrovascular trauma: diagnosis and therapy (SF 15a), A-504

**Krissak R., Elgert M., Kusch B., Hünerbein R.**  
Gold as a potential contrast agent for dual-energy CT (SS 1306), B-0740

**Krokidis M., Hatzidakis A.A.**  
Update on biliary interventions: Chairman's introduction (RC 1109), A-339

**Krokidis M., Hatzidakis A.A.**  
Palliative interventional techniques in cancer: Biliary procedures (SF 14a), A-445

**Krokidis M.**  
Diagnosis and staging of esophageal cancer: A. Diagnosis (RC 1601a), A-545

**Kröpil P., Schimmöller L., Dietrich S., Heusch P., Aissa J., Antoch G., Lanzman R.S.**  
Evaluation of automated attenuation-based tube potential selection in combination with organ-specific dose reduction for clinical chest CT (SS 904), B-0522

**Kröpil P., Heusch P., Schimmöller L., Miese F., Dietrich S., Antoch G., Lanzman R.S.**  
Automated attenuation-based tube potential selection for abdominal CT examinations: impact on image quality and dose reduction (SS 1301), B-0703

**Krumm P., Zuern C.S., Wurster T.H., Bretschneider C., Mangold S., Klumpp B., May A., Claussen C.D., Kramer U.**  
Pre- and postinterventional evaluation of cardiac function in patients suffering from mitral regurgitation using cardiac MRI (SS 103), B-0003

**Krumm P., Zuern C.S., Wurster T.H., Seeger A., Mangold S., Klumpp B., Claussen C.D., May A., Kramer U.**  
Pre- and post-interventional analysis of myocardial strain in patients undergoing mitral valve clipping using cardiac MRI (SS 103), B-0004

**Krupinski M., Kuniewicz M., Lelakowski J., Irzyk M., Laskowicz B., Urbanczyk M.**  
Anatomical variance of coronary venous system in dual source computed tomography (SS 103), B-0009

**Kuhl C.K.**  
Overtreatment due to breast MRI - a threat, a myth, or both? (SY 3)

**Kuhl C.K.**  
Clinical challenges in breast MRI: B. Non-mass like enhancement (NMLE): when to biopsy? (RC 802), A-227

**Kuhn F.P., Hüllner M., Kollias S.S., Von Schulthess G.K., Veit-Haibach P.**  
Comparison of contrast-enhanced PET/CT and PET/MRI with only T2-weighted images in patients with head and neck cancer - how much MR information is needed in PET/MRI? (SS 208), B-0156

**Kuhn F.P., Hüllner M., Kollias S.S., Von Schulthess G.K., Veit-Haibach P.**  
Comparison of contrast-enhanced PET/MRI and contrast-enhanced PET/CT in patients with head and neck cancers (SS 208), B-0157

**Kühn J.P., Hernando D., Völzke H., Reeder S.B., Hosten N., Mensel B., Hegenscheid K., Evert M., Baumeister S.**  
Quantification of steatosis hepatitis and liver iron overload in a population-based study using magnetic resonance imaging (SS 601), B-0445

**Kulkarni C.B., Moorthy S., Pullara S.K., Kannan R.R., Ramchandran P.V., Srinivasan S.**  
In the evaluation of patients with obscure gastrointestinal bleed, does MDCT angiography have a role? (SS 101a), B-0056

**Kwee T.C.**  
Evaluation of response in haematological malignancy: Opportunities and limitations of PET, CT and MRI answering the haematologist's questions (SA 11), A-299

**Kwee T.C., Vermoolen M.A., Akkerman E.A., Kersten M., Fijnheer R., Beek F.J., van Leeuwen M.S., Bierings M.B., Nielstein R.A.J.**  
Whole body magnetic resonance imaging, including diffusion-weighted imaging, for staging malignant lymphoma: comparison to computed tomography in 135 patients (SS 916), B-0550

**Kyriakou Y., Koehler C., de Buck S., Nuyens D., Heidbuchel H.**  
Feasibility study for an image-based enhancement of low-dose intra-procedural 4D C-arm cardiac flat-detector CT (4D-FD-CT) (SS 1803), B-0915

## L

**La Marra A., Mariani S., Costantini E., Conchiglia A., Barile A., Masciocchi C.**  
Stable or unstable tear of the medial meniscus of the knee: can weight-bearing MRI solve the problem? (SS 210), B-0183

**Lacan-Melki A., Espinoza-Boireau S., Khettab I., Halimi P.**  
Maxillary sinus pyocele: a new radiological entity (SS 608), B-0473

**Ladefoged C.N., Andersen F., Keller S., Löfgren J., Hansen A.E., Holm S., Hojgaard L., Beyer T.**  
PET/MR imaging of the pelvis in the presence of endoprostheses: reducing image artefacts and increasing accuracy through inpainting (SS 113), B-0102

**Laghi A.**  
CT colonography: when the 'new' becomes 'ordinary': Chairman's introduction (RC 1501), A-478

# Authors' Index

- Lai P., Ko C., Hsu S., Fu J., Wang P., Pan H.**  
Single- and multi-voxel proton spectroscopy in patients with pyogenic brain abscess (SS 211), B-0225
- Lalam R.**  
How I report: B. MR of vertebral body collapse (RC 1410), A-435
- Lalji U.C., Wildberger J.E., Bendek M., Das M.**  
Percutaneous transthoracic CT-guided biopsy using large core needles: initial experience (SS 104), B-0029
- Lam C.H., Chow H.L., Chiu S.H., Cho H.Y., Lau S.**  
Reliable and reproducible sampling of adrenal veins in the management of hyperaldosteronism, a technically demanding yet feasible procedure: an institutional experience (SS 1309), B-0649
- Lamb H.J.**  
How old are you in reality? Vascular age and clinical events: B. Imaging techniques and typical findings (CC 818), A-213
- Langs G., Donner R., Holzer M., Markonis D., Mueller H., Birngruber E.**  
Fast search for radiology cases in hospital systems via content-based image retrieval (SS 105), B-0147
- Laniado M.**  
Complications of cancer treatment and the detection of recurrences: Chairman's introduction (RC 1616), A-548
- Lanza E., Pozzi G., Garcia Parra C., Bisogno R., Zerbi A.**  
Gluteus tendinopathy in femoroacetabular impingement (FAI): findings with MR-arthrography of the hip (SS 1710), B-0785
- Lanzman R.S., Heusch P., Aissa J., Schmitt P., Klasen J., Blondin D., Antoch G., Kröpil P.**  
Nonenhanced quiescent-interval single-shot (QISS) MRA in assessment of peripheral artery disease: comparison with digital subtraction angiography (DSA) (SS 215), B-0252
- Lanzman R.S., Blondin D., Heusch P., Bilk P., Kröpil P., Miese F., Antoch G., Wittsack H.**  
Functional evaluation of transplanted kidneys using arterial spin labelling (ASL) MRI at 1.5T and 3T: results in 105 patients (SS 507), B-0340
- Lanzman R.S., Schimmöller L., Heusch P., Dietrich S., Miese F., Aissa J., Heusner T.A., Antoch G., Kröpil P.**  
Impact of organ-specific dose reduction on image quality of head and neck CT-angiography (SS 515), B-0366
- Lanzman R.S., Buchbender C., Heusch P., Hartung-Knemeyer V., Lauenstein T., Forsting M., Antoch G., Heusner T.**  
Does positron emission tomography data acquisition impact simultaneous diffusion-weighted imaging in a whole body PET/MRI system? (SS 916), B-0552
- Lau K.C.H., Tee L.M.F.**  
Prospective study of using balloon duodenography catheters in CT enteroclysis for small bowel diseases (SS 201a), B-0192
- Laufs A., Livingstone R., Kahl S., Nowotny B., Klueppelholz B., Giani G., Bunke J., Hwang J., Roden M.**  
Absolute quantification of phosphorus compounds in the liver on a clinical 3T scanner (SS 101b), B-0100
- Law M.**  
Brain tumours: advanced imaging techniques in daily practice - do we really need them?: A. Diffusion-weighted imaging (DWI) and diffusion tensor imaging (DTI) (RC 1111), A-330
- Lawler L.P.**  
When every step counts: imaging and management of peripheral arterial occlusive disease (PAOD): C. Interactive case discussion: how to deal with the results? Typical cases, pitfalls, and what is next? (CC 1518), A-488
- Lazik A., Kraff O., Claßen T., Landgraeber S., Grabellus F., Lauenstein T.C., Theysohn J.M.**  
Advanced core decompression for patients with avascular necrosis of the hip: therapeutic success monitored by MRI (SS 1710), B-0782
- Le O., Wood C., Tamboli P., Vikram R.**  
MDCT in differentiating pT1-2 from pT3 tumours in clear cell RCC (SS 1707), B-0824
- Leander P.**  
How I optimise contrast media administration: A. CT (RC 1906), A-594
- Leão M., Ribeiro L.P.V., Abrantes A.F.C.L., Pinheiro J., Almeida R.P.P., Azevedo K.B., Rodrigues S.I.**  
Implementation of a quality control program in a radiology department (SS 914), B-0602
- Lee C., Yoon K., Lee Y., Kang E., Kang D.**  
Monochromatic dual-energy x-rays for precise measurement of bone mineral density: preliminary results (SS 1713), B-0844
- Lee E., Choi J., Lee G., Kang H.**  
Alpha angles and herniation pits: revisited on MRI in 80 asymptomatic hip joints (SS 1710), B-0784
- Lee H., Jeon G.**  
Usefulness of pelvic artery embolisation: a comparison between caesarean section and vaginal delivery in 176 patients (SS 609b), B-0495
- Lee J.M.**  
Primovist® enhanced MRI in the preoperative assessment of liver function (SY 6)
- Lee J., Lee H., Kim J., Ahn M., Kang H., Lee K.**  
Which response criteria best help predict survival of patients with EGFR-mutant lung adenocarcinoma following EGFR tyrosine kinase inhibitor? (SS 104), B-0024
- Lee J., Yoon Y., Ji S.**  
Comparison of three-dimensional indirect isotropic MR arthrography and conventional MR arthrography for the diagnosis of rotator cuff tears (SS 110), B-0050
- Lee K.R., Griffith J.F., Ng W.A., Tong M., Nimish S.**  
MR imaging of glenoid bone loss (SS 110), B-0042
- Lee M.**  
Selective coverage of the left subclavian artery without recanalization in patients with patent vertebro-vertebral arterial communications during TEVAR: a single centre study (SS 1809), B-0926
- Lee S., Nardo L., Lucas R., Karampinos D., Carballido-Gamio J., Lai A., Ma C.B., Link T., Krug R.**  
Rotator cuff tendon tear size and retraction and quantification of muscle fatty infiltration using chemical shift-based water-fat MR imaging (SS 110), B-0043
- Lee S., Montaser A., Nardo L., Heilmeier U.R., Aronson B.A.**  
CT-guided lung biopsy: core needle coaxial technique with autologous blood needle tract embolisation compared with fine needle aspiration in diagnostic yield and post-biopsy pneumothorax rate (SS 909), B-0529
- Lee S., Nardo L., Lai A., Kumar D., Wyatt C.R., Souza R.B., Lane N.E., Majumdar S., Link T.M.**  
Scoring hip abnormalities using MR images (SHAMRI): a novel hip whole joint osteoarthritis evaluation system (SS 1310), B-0657
- Leferé P.**  
CT colonography: when the 'new' becomes 'ordinary': B. How to set up a service (RC 1501), A-480
- Legrand L., Duchatelle V., Molinié V., Boulay-Coletta I., Sibleau E., Zins M.**  
MRI of pancreatic adenocarcinoma including diffusion-weighted imaging: assessment of tumour conspicuity and pathologic correlation (SS 1701b), B-0837
- Leiner T.**  
How I report: C. CTA and MRA of peripheral arteries (RC 815), A-243
- Leiner T.**  
When every step counts: imaging and management of peripheral arterial occlusive disease (PAOD): B. Imaging techniques and typical findings (CC 1518), A-487
- Leiner T., Habets J., Versluis B., Geerts L., Hendrikse J., Vonken E., Eggers H.**  
Single contrast medium dose peripheral MR angiography is feasible without subtraction using two-point Dixon fat saturation (SS 1815), B-1007
- Leitner S.**  
Image registration and fusion of CT and micro-CT of a sheep's cochlea (SS 1814), B-1027
- Lell M., Layritz C., Pflederer T., Wuest W., Achenbach S., Uder M.**  
Accuracy of prospectively ECG-triggered ultra low-dose coronary dual-source CT angiography using iterative reconstruction (SS 1303), B-0665
- Lell M.**  
Optimal gadolinium concentration with high diagnostic accuracy (SY 14)
- Lemke H.U.**  
New PACS architecture: decoupling image management from image navigation: Chairman's introduction (RC 305), A-047
- Lemmerling M.M.**  
Performing and reporting head and neck examinations: how should I do it?: B. Temporal bone: CT and MRI (RC 1508), A-520
- Leong L.C.H., Gombos E.**  
Volumetric assessment of MRI enhancement kinetics of invasive breast cancers with a post-processing software with correlation of hormonal receptor subtypes (SS 102), B-0080

# Authors' Index

- Leporq B., Pilleul F., Beuf O.**  
Liver fat volume fraction quantification in patients with chronic liver diseases with separated estimation of fat and water relaxation times at 1.5 and 3.0T (SS 601), B-0443
- Leporq B., Pilleul F., Dumortier J., Guillaud O., Lefort T., Beuf O.**  
Combination of liver intravoxel incoherent motion imaging with MR fat quantification at 3.0T to distinguish between pure steatosis and NASH (SS 601), B-0444
- Lesaru M.**  
Multi-modality breast imaging: Chairman's introduction (RC 1202), A-373
- Leung K., Van der Lijn F., Vrooman H.A., Niessen W.J., Sturkenboom M.C.J.M.**  
IT infrastructure to support secondary use of routinely acquired clinical imaging data for research (SS 105), B-0142
- Lévai A.**  
The role of MRI and FDG PET/CT imaging in the detection of unknown primary tumours with cervical metastases (SS 208), B-0154
- Lewis E., Hardy M.**  
The influence of clinical placement setting on academic achievement within an undergraduate diagnostic radiography programme (SS 114), B-0134
- Lewis M., Goh V.J.**  
Assessment of the variation in the contrast-to-noise ratio across a range of CT scanners in a multicentre perfusion CT study of colorectal cancer (PROSpeCT): a phantom study (SS 1801a), B-0946
- Li L., Mugikura S., Murata T., Kumabe T., Jingu K., Fujii T., Mori E., Takahashi S.**  
Radiation-induced telangiectasia in the long-term survivors of intracranial germ cell tumours: whole-brain vs whole-brain radiation (SS 1311), B-0674
- Lidén M., Andersson T., Geijer H.**  
Reader variability in urinary stone size estimation: training does not help (SS 1707), B-0825
- Liguori C., Di Giampietro I., Pitocco F., Cianciulli P., Beomonte Zobel B.**  
 $\beta$ -thalassaemia as a new potential risk factor for left ventricular noncompaction (LVNC): a cardiac MRI evaluation (SS 603b), B-0469
- Liguori C., Pitocco F., Di Giampietro I., Cianciulli P., Beomonte Zobel B.**  
Pancreatic atrophy in  $\beta$ -thalassaemia population: morphological MR evaluation and correlation with pancreatic functional parameters (SS 901), B-0579
- Lin C., Hung S., Guo W., Wu T.**  
Imaging quality of reduced radiation dose lumbar spine CT with iterative reconstruction (SS 910), B-0543
- Lin Y., Juan Y., Cheung Y., Yeh W., Chiu C., Tan C., Kuo C.**  
Dynamic contrast-enhanced imaging for detection of complications after double-bundle reconstruction of the anterior cruciate ligament (SS 1810), B-0931
- Lindeboom L., Brouwers B.M.W., van de Weijer T., Nabuurs C.I.H.C., Kooi M.E., Hesselink M.K.C., Schrauwen P., Wildberger J.E., Schrauwen-Hinderling V.B.**  
Post-exercise intramyocellular acetylcarnitine levels in endurance trained and sedentary subjects measured with 1H-MRS (SS 510), B-0317
- Lindner T.**  
Hybrid imaging technologies: B. Clinical applications (RC 1514), A-523
- Link T.M.**  
Degenerative disorders: Degenerative disorders (MC 25B), A-125
- Linsenmaier U., Geyer L.L.**  
Polytrauma: redefining imaging issues for management priorities: C. Extremities (RC 817), A-221
- Linsenmaier U., Geyer L.L., Wirth S.**  
Highlighted Lectures: Emergency radiology management in patients with polytrauma (TF 1), A-413
- Linsenmaier U.**  
Imaging in intensive care patients: Imaging in polytrauma (SF 7c), A-197
- Lippa N., Italiano A., Sargos P., Kind M., Stoeckle E., N'Guyen Bui B., Cornelis F.**  
Percutaneous image-guided cryotherapy: a new therapeutic possibility for local recurrence of soft tissue sarcomas? (SS 609a), B-0421
- Llopis E.**  
Musculoskeletal emergencies: A. Axial skeleton (E<sup>3</sup> 1720b), A-584
- Lobbes M., Prevost R., Smidt M., Tjan-Heijnen V., van Goethem M., Beets-Tan R.G.H., Wildberger J.**  
Early response monitoring of neoadjuvant chemotherapy in breast cancer patients using magnetic resonance imaging: a systematic review (SS 602), B-0450
- Lockhat Z.**  
Imaging HIV and TB: Interlude: Radiology training in South Africa (EM 3), A-258
- Lockhat Z.**  
Imaging HIV and TB: Interlude: South Africa: the country, its people, its diversity and its attractions (EM 3), A-260
- Loewe C.**  
Ischaemic heart disease: B. The ischaemic myocardium: what to do? (MC 722), A-183
- Loewe C.**  
Cardiac CT and MRI in difficult patients: what to do?: A. Coronary CTA in patients with severe arrhythmias and high heart rate (RC 1503), A-513
- Loewe C., Arnaiz J., Krause D., Marti Bonmati L., Aschauer M., Tartaro A., Lombardi M., Burrel M., Izzillo R.**  
Value of contrast-enhanced MRA of the peripheral arteries at 3T: results of a large European multicentre trial comparing meglumine gadoterate to gadobutrol-MRA with DSA (SS 215), B-0251
- Loewe C.**  
Tailoring CT exams: when and how? (SY 11)
- Loft A.**  
Imaging and radiotherapy: all you need to know: PET/CT for radiotherapy planning: how does it assist IMRT? (SF 7b), A-173
- Logager V.**  
The usual, the unusual and the dangerous: A. Imaging of renal trauma (CC 1621), A-534
- Long N.M., Drumm O.M., O' Gorman P., Eustace S.J.**  
Imaging patterns in multiple myeloma: observations at whole body MRI (SS 610a), B-0437
- Lönnfors-Weitzel T.M.L., Weitzel T., Slotboom J., Kiefer C., Kaelin-Lang A., Pollo C., Wiest R.**  
Subthalamic nuclei 3 Tesla T2-relaxometry correlated to UPDRS scores in pre-deep brain stimulation (DBS) patients with Parkinson disease with consideration to the laterality of the disease (SS 611), B-0405
- Lopater J., Scherrer A., Delmas V., Gey S., Neuzillet Y., Lebret T.**  
Micturition MRI: voiding assessment in continent ileal urinary reservoir (SS 1307), B-0694
- Lopci E., Jereczek-Fossa B.A., Rodari M., Pepe G., Fodor C., Zerini D., De Cobelli O., Orecchia R., Chiti A.**  
PET/CT guided therapy planning in prostate cancer patients eligible for radiotherapy: results from a bicentric clinical study (SS 606), B-0503
- Lopci E., Torzilli G., Palmisano A., Scordetti M., Chiti A.**  
Diagnostic accuracy of 11C-choline PET (CHO-PET) in patient affected by hepatocellular carcinoma (HCC): comparison with CT/MRI (SS 606), B-0507
- Lorentzen T.**  
Advances in diagnostic ultrasound: better results through cooperation: Image fusion and intervention (Joint Session of the ESR and EFSUMB), A-581
- Lotan E., Aharoni D., Raskin S., Boursi B., Berger R., Konen E.**  
Automated computerized software for diameter and volume measurements of pulmonary metastatic disease: preliminary evaluation (SS 905), B-0612
- Lourenço C., Sousa P., Rodrigues S.I., Abrantes A.F.C.L., Ribeiro L.P.V., Azevedo K.B., Almeida R.P.P.**  
Radiation dose levels assessment in mammography (SS 1714), B-0871
- Löve A., Siemund R., Höglund P., van Westen D., Stenberg L., Petersen C., Björkman-Burtscher I.M.**  
iDose hybrid iterative reconstruction algorithm improves image quality in brain CT and partly compensates for radiation dose reduction (SS 1811a), B-0892
- Lucarini S., Mazzoni L.N., Chiti S., Busoni S., Gori C., Menchi I.**  
Analysis of the dependence on b-values of DWI signal model outcomes in peripheral healthy and cancerous prostate tissues (SS 107), B-0086
- Lucarini S., Mazzoni L.N., Chiti S., Busoni S., Gori C., Menchi I.**  
Comparison of diffusional kurtosis imaging and mono-exponential DWI model in distinguishing healthy from cancerous peripheral prostate tissues (SS 107), B-0087

# Authors' Index

**Lucidarme O., Wagner M., Pellet Barakat C., Frouin F.**  
Imaging after systemic therapies: advanced techniques: B. MRI biomarkers: from acquisition to post-processing (CC 819), A-216

**Lukianchenko A.**  
Russian radiology best practice - clinical experience sharing (SY 20)

**Luo X., Wu J., Sun J., Chen M.**  
Iodine load reduction in CT aorta angiography with gemstone spectral imaging: comparison with standard CT aorta angiography (SS 215), B-0259

## M

**Ma C., Pan C., Zhang H., Wang H., Wang J., Chen S., Lu J.**  
Diffusion-weighted magnetic resonance imaging of healthy pancreas: a study to investigate the effect of age on apparent diffusion coefficient values (SS 901), B-0571

**Ma C., Li Y., Wang H., Chen S., Lu J.**  
High-resolution diffusion-weighted imaging of pancreatic ductal adenocarcinoma using 2D reduced field of view single-shot echo planar imaging at 3.0 Tesla (SS 901), B-0575

**Maas M.**  
Imaging the paediatric spine: C. Imaging spinal trauma in childhood (RC 812), A-253

**Maas M.**  
The visibility of the radiologist: Start early with radiological visibility (PC 4), A-102

**Maas M.**  
Imaging impingement syndromes: Ankle (SA 15), A-498

**Maccagni D.**  
Estimating organs cancer incidence related to patient radiation exposure following PCI for acute and chronic coronary total occlusion (SS 914), B-0600

**Maccioni F.**  
GI imaging: technological advances and clinical applications: CEUS of the bowel wall: when and how (SF 8b), A-230

**Macho J.**  
Imaging: essential tool from diagnosis to treatment: Ischaemic stroke (EM 1), A-112

**Mack M.G.**  
The infrathyroid neck and lymph nodes: The infrathyroid neck and lymph nodes (MC 24B), A-126

**Madureira A.J.B.S.**  
Technical and anatomical fundamentals for imaging the heart: A. Anatomy: too many details in cardiac imaging? (MC 322), A-036

**Maduskar P., Hogeweg L., van Ginneken B., Ayles H.**  
Performance evaluation of automatic chest radiograph reading for detection of tuberculosis (TB): a comparative study with clinical officers and certified readers on TB suspects in sub-Saharan Africa (SS 1704), B-0761

**Magnusson A.**  
Stones: diagnosis and intervention: C. Intervention in ureteral obstruction and ureteral trauma (CC 1121), A-304

**Magometschnigg H., Bickel H., Wengert G.J., Karanikas G., Brader P., Pinker-Domenig K.**  
Assessment of 18 Fluorodesoxyglucose positron emission tomography (18FDG PET-CT) vs contrast-enhanced magnetic resonance imaging at 3 Tesla (3T CE-MRI) for lymph node staging in breast cancer patients (SS 202), B-0213

**Magometschnigg H.F., Helbich T.H., Bickel H., Wengert G., Brück B., Pinker-Domenig K.**  
Metabolic imaging of breast tumours with dedicated breast 18F-FDG PET-CT: comparison with contrast-enhanced MRI at 3T (3T CE-MRI) (SS 1802a), B-0952

**Mahnken A.H.**  
Protocol optimisation in cutting edge CT (SY 10)

**Mahnken A.H., Jost G., Pietsch H.**  
Feasibility of krypton ventilation for CT imaging of lung ventilation: preliminary animal data (SS 204), B-0167

**Mahnken A.H., Bruners P., Kartje K., Schmidt B.**  
Dual-energy CT with non-linear image blending improves visualization of delayed myocardial contrast enhancement in acute myocardial infarction (SS 903), B-0589

**Mahnken A.H., Roeth A., Alizai P.H., Kuhl C., van Dam R.M., Neumann U., Schmeding M.**  
The LiMAX test as adjunct to CT for assessing liver function after portal vein embolization (SS 1801b), B-0981

**Mahon B.**  
Diagnosis and staging of esophageal cancer: C. Treatment response (RC 1601a), A-547

**Major D., Hladuvka J., Schulze F., Böhler K.**  
Automated labelling framework applied on full and partial spine CT scans (SS 905), B-0618

**Majós C.**  
Imaging after systemic therapies: the standards: C. Evaluation of brain tumours (CC 719), A-159

**Mäkelä T., Sairanen V., Peltonen J.I., Kortesniemi M.**  
3D spatial resolution evaluation of clinical CT using a spherical phantom (SS 213), B-0249

**Malago R., Tezza M., Barbiani C., Pezzato A., Sala G., Taioli G., Pozzi Mucelli R.**  
Cost effectiveness and rule-out strategy of MDCT-CA in patients with undifferentiated chest pain in emergency department (SS 603a), B-0416

**Malago R., Tezza M., Sala G., Pezzato A., Barbiani C., Pozzi Mucelli R.**  
MDCT coronary angiography evolution of phasic critical stenosis in myocardial bridges (SS 1303), B-0662

**Malikova M.A., Tkacz J.N., Slanetz P.J., Aakil A., Guo C., Jara H.**  
Evaluation of T1/T2 ratios in a pilot study as a potential biomarker of biopsy: proven benign and malignant breast lesions in correlation with histopathological disease stage (SS 1802a), B-0954

**Maly Sundgren P.C.**  
The orbit, the petrous bone and the sella: A. Imaging of the orbit: the globe and conal lesions (E<sup>3</sup> 420), A-072

**Maly Sundgren P.C.**  
Imaging in intensive care patients: Value of MRI for intensive care coma patients with unclear brain pathology (SF 7c), A-194

**Maly Sundgren P.C.**  
Brain tumours: advanced imaging techniques in daily practice - do we really need them?: C. Follow-up after treatment (RC 1111), A-332

**Mandel C., Schultz T., Hannaford N., Grimm J.**  
The radiology events register (RaER): incident reporting in radiology (SS 105), B-0144

**Manenti G., Simonetti G.**  
Multi-modality breast imaging: C. Image guided therapy in breast lesions: indications and techniques (RC 1202), A-376

**Manenti G., Nezzo M., Altobelli S., Antonicoli M., Capuani S., Simonetti G.**  
3T multi-parametric ultrahigh b values (b 2000) MR imaging for detection and localisation of peripheral and transition zone prostate cancer (SS 107), B-0085

**Manfredi R.**  
Pitfalls in abdominal imaging: B. Pancreas and bile ducts (E<sup>3</sup> 520a), A-110

**Mang T.**  
CT colonography: when the 'new' becomes 'ordinary': A. State-of-the-art techniques in 2013 (RC 1501), A-479

**Mangold S., Randrianarisoa E., Krumm P., Bretschneider C., Seeger A., Rittig K., Balletshofer B., Claussen C.D., Kramer U.**  
Correlation of cardiovascular risk factors and occult atherosclerotic findings using whole body magnetic resonance imaging of the vascular system in an asymptomatic patient collective: initial results (SS 1815), B-1008

**Mann R.M.**  
How I report: C. Breast MRI (RC 1402), A-448

**Mantini C., Cotronico A.R., Tartaro A., Di Gianfrancesco E., Canosa C., Foschi M., Marinelli D., Di Giamarco G.**  
Flow pattern evaluation of apico-aortic conduit (CORREX) in high-risk patients with severe aortic stenosis: a cardiac magnetic resonance (MR) investigation (SS 103), B-0002

**Marano R.**  
Comprehensive CT cardiothoracic imaging: a new challenge for radiologists: Coronary artery imaging from a chest CT examination: when and how (SF 14b), A-451

**Marcon M., Bertani V., Claußer P., Di Gaetano E., Londero V., Linda A., Girometti R., Zuiani C., Bazzocchi M.**  
DCIS at image-guided needle biopsy: can breast MRI pre-operative predict invasivity? (SS 902), B-0567

**Marcus R., Bamberg F., Neumaier K., Reiser M.F., Johnson T.R.C.**  
Adjusting and measuring CT dose in severely obese patients (SS 1813), B-0995

**Marigliano C., Donati O.F., Akin O., Goldman D., Eastham J.**  
MRI findings of radiation-induced changes in the urethra and periurethral tissues in patients with prostate cancer (SS 1307), B-0697

# Authors' Index

**Maroldi R., Nicolai P.**

Head and neck cancer battle: the power of imaging studies: Locoregional treatment failure in head and neck cancer: causes and clinical implications (SF 16b), A-571

**Maroldi R.**

Laryngeal cancer and radiology: A. Staging of laryngeal cancer: pearls and pitfalls (RC 1408), A-461

**Marra P., Esposito A., Sitia G., Palmisano A., Canu T., De Cobelli F., Guidotti L.G., Del Maschio A.**

Could antiplatelet therapy prevent hepatocellular carcinoma? 7 Tesla liver magnetic resonance imaging study in a mouse model of hbv-related chronic hepatitis (SS 201b), B-0239

**Marten-Engelke K.**

Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: B. Inflammatory and infectious GGO (RC 804), A-239

**Martens M.H., Kluza E., Subhani S., Maas M., Jeukens C., Beets G.L., Beets-Tan R.G.H.**

Intrinsic gradient of the vascular function in rectal tumours (SS 1316), B-0621

**Martens M.H., Kluza E., Kleijnen J.J.E., Maas M., Jeukens C.R.L.P., Backes W.H., Beets G.L., Beets-Tan R.G.H.**

Enhanced vascular structure and function in the tumour-surrounding mesorectum: potential risk factors for patients with rectal cancer (SS 1316), B-0622

**Marti de Gracia M., Artigas Martín J.M., Soto J.A., Borobia A., Vicente A., Garzón G.**

Can the presence of active or recent bleeding in CT angio of acute lower intestinal bleeding be predicted? (SS 117), B-0124

**Marti-Bonmatí L.**

Imaging: essential tool from diagnosis to treatment: Interlude: Radiologists and Spanish wines (EM 1), A-115

**Marti-Bonmatí L.**

Santiago Ramón y Cajal Honorary Lecture: Research and science: from individuals to societies - the Ramón y Cajal background (HL 3), A-416

**Martin D.C., Erbay S.H., Hakky M., Erbay K.D., Erbay N., Marrero D.**

Importance of scout imaging in neuroradiologic studies (SS 1814), B-1023

**Martin D.F.**

Update on biliary interventions: C. In tandem with endoscopy (RC 1109), A-342

**Martin-Rodriguez J., Arreola J., Gonzalez-Calvin J.**

Biomarkers of nonalcoholic fatty liver disease diagnosed by 1H SRM 3T (SS 101b), B-0099

**Martínez P., Echano J., Sainz M., Simon I., Viteri G., Garcia Lallana A., Minguijón C., Pina L.**

The role of additional tomosynthesis combined with digital mammography (SS 1702), B-0809

**Martinez de Vega V.**

Role of MR DWI in breast cancer: correlation with histopathology (SY 13)

**Martínez Rodrigo J.J.**

Imaging: essential tool from diagnosis to treatment: Aortic aneurisms (EM 1), A-114

**Martini C., Lacelli F., Fabbro E., Ferrero G., Serafini G.**

US-guided viscosupplementation of the hip: therapeutic efficacy in patients affected by femoro-acetabular impingement (SS 210), B-0186

**Martinoli C., Tagliafico A.**

Peripheral nerve imaging: MRI and US: C. Lower limb nerve entrapment (RC 710), A-163

**Martucci M., Gaudino S., Gangemi E., Colantonio R., Di Lella G., Colosimo C.**

Perfusion parameters of pilocytic astrocytomas: additional oddities of these tumours (SS 1812), B-1015

**Maruzzelli L., Mamone G., Miraglia R., Indovina L., Luca A.**

Patient doses in liver-transplanted children with biliary strictures treated with interventional radiology procedures: a single centre survey (SS 1709), B-0772

**Masetto A., Ippolito D., Bonaffini P.A., Longoni L., Sala A., Rovelli A., Sironi S.**

Value of lower-limb MRI in the staging and re-staging of post-treatment osteonecrosis in paediatric patients with lymphoproliferative disease (SS 912), B-0596

**Masetto A., Ippolito D., Bonaffini P.A., Fior D., Casiraghi A.S., Sironi S.**

Lower-limb MRI examination as a predictive factor of articular collapse in haematological young patients with femoral head osteonecrosis: lesion surface versus lesion volume (SS 1710), B-0783

**Masui T., Katayama M., Sato K., Terauchi K., Tsukamoto K., Mizuki K., Iwadate Y., Sakahara H., Kabasawa H.**

Dynamic contrast MR imaging of the pancreas under free breathing in combination with navigator technique (SS 901), B-0570

**Masui T., Katayama M., Sato K., Terauchi K., Takei N., Tsukamoto K., Mizuki K., Miyoshi M., Sakahara H.**

Non-contrast-enhanced MR angiography combined with peripheral cardiac gating at 3T: comparison of respiratory triggered and breath held technique (SS 1815), B-1004

**Mathers S., Tscholakoff D.**

Towards advancing and developing the role of radiographers: Chairmen's introduction (RC 1414), A-464

**Mathys C., Martens D., Reichelt D.C., Aissa J., Rybacki K., Klein K., Antoch G., Turowski B.**

Prognostic impact of perfusion CT data in the early period after subarachnoid haemorrhage (SS 1711), B-0749

**Mathys C., Aissa J., Meyer zu Hörsle G., Reichelt D.C., Antoch G., Turowski B., Hartung H., Sheikh K.A., Lehmann H.C.**

Assessing severity of peripheral neuropathy with DTI (SS 1811b), B-0905

**Matos C.**

Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: Chairman's introduction (RC 1916), A-601

**Matos C.**

Abdominal MRI: standard and advanced protocols in clinical settings: C. Suspected biliary tumour (RC 1601b), A-554

**Matsushige T., Shinagawa K., Akiyama Y., Okazaki T., Sakamoto S., Kiura Y., Sugiyama K., Kurisu K.**

Effect of antiplatelet therapy on radiographic outcome of positivity on diffusion-weighted imaging in elective endovascular coiling of unruptured cerebral aneurysm (SS 509), B-0305

**Mattiu C.A., Sconfienza L.M., Cimmino M., Garlaschi G., Di Leo G., Sardanelli F.**

Role of dynamic MRI in predicting outcome of patients affected with early stage arthritis (SS 1310), B-0654

**Maurer M.H., deBucourt M., Hartwig T., Hamm B., Streitparth F.**

Cervical nerve root infiltration under CT and MRI guidance: a cost comparison (SS 910), B-0539

**Mauri G., Tondolo T., Cova L., Ierace T., Goldberg N.S., Solbiati L.**

Percutaneous laser ablation of metastatic lymph nodes in the neck from papillary thyroid carcinoma: 1-year results (SS 1309), B-0646

**Mauri G., Michelozzi C., Pedicini V., Poretti D., Tramari M., Melchiorre F., Cornalba G., Brambilla G.**

Bioabsorbable biliary stent in the percutaneous treatment of benign biliary stricture: preliminary experience (SS 1709), B-0771

**Mazonakis M., Pagonidis K., Varveris C., Damilakis J.**

Semiautomatic estimation of right ventricular parameters from MR images: a new stereological approach (SS 905), B-0611

**Mazza G., Natilla T., Morone M., Frittoli B., Baiocchi G., Grazioli L.**

Flat lesions: CTC with and without CAD (SS 1701a), B-0794

**Mazzei M.A., Imbriaco G., Guerrini S., Cioffi Squitieri N., Foderà E., Berritto D., Mercuri P., Mazzei F.G., Volterrani L.**

Non-occlusive mesenteric ischaemia (NOMI) with and without reperfusion: CT features useful for diagnosis and their prognostic value (SS 101a), B-0058

**Mazzei M.A., Guerrini S., Salvini N., Mercuri P., Parrinello A., Cioffi Squitieri N., Marrelli D., Mazzei F.G., Volterrani L.**

Accuracy of MDCT in preoperative definition of maximum tumour diameter in patients with gastric cancer (SS 201a), B-0194

**McHugo J.**

The female pelvis: C. Imaging the infertile couple (CC 1321), A-411

**McLaren C.**

Towards advancing and developing the role of radiographers: A. The current status: a clinical perspective (RC 1414), A-465

**McNulty J.**

Hot topics in magnetic resonance imaging: B. MR spectroscopy: the role of radiographers in data optimisation (RC 1114), A-344

**Meinel F.G., Graef A., Thieme S.F., Bamberg F., Neurohr C., Reiser M.F., Johnson T.R.C.**

Assessing pulmonary perfusion in emphysema: automated quantification of perfused blood volume in dual-energy CTPA (SS 204), B-0161

# Authors' Index

**Meinel F.G., Graef A., Bamberg F., Thieme S.F., Neurohr C., Kupatt C., Reiser M.F., Johnson T.R.C.**

Automated quantification of pulmonary perfused blood volume in acute pulmonary embolism using dual-energy CTPA (SS 1304), B-0634

**Meinel F.G., Graef A., Armbruster M., Neurohr C., Reiser M.F., Johnson T.R.C.**

Automated quantification of pulmonary perfused blood volume by dual-energy CTPA in chronic thromboembolic pulmonary hypertension (SS 1304), B-0638

**Mekiš N., Žontar D., Škrk D.**

Breast shielding significantly reduces breast dose during lumbar spine radiography (SS 914), B-0609

**Mendes C.M., Abrantes A.F.C.L., Almeida R.P.P., Ribeiro L.P.V., Rodrigues S.I.**

Radiographer's expectations for role development: a national survey in view of radiography students in final year of graduation (SS 514), B-0386

**Mendes Pereira V., Lovblad K.-O.**

Stroke: is the prognosis getting any better?: B. Stroke: is there really any therapy? (RC 1211), A-366

**Mensel B., Bülow R., Weber F., Kühn J., Hosten N., Hegenscheid K.**

Bridging septa in T2-weighted MRI of healthy volunteers: is there an association with the peri- and pararenal fat thickness? (SS 507), B-0348

**Menu Y.**

Diffusion-weighted imaging (DWI) of the abdomen: Chairman's introduction (SA 4), A-068

**Menu Y.**

Essentials in oncologic imaging: what radiologists need to know (part 3): A. Oncologic imaging: terminology, definitions and buzzwords (MC 628), A-134

**Menu Y.**

Imaging after systemic therapies: the standards: A. RECIST criteria (CC 719), A-157

**Merckel L.G., Verkooijen H.M., Peters N.H.G.M., Mann R.M., Veldhuis W.B., Duvivier K.M., van Dalen T., Peeters P.H.M., van den Bosch M.A.A.J.**

The additional value of expert reading of 3 Tesla breast MRI in patients with microcalcifications on mammography (SS 102), B-0072

**Merckel L.G., Verkooijen H.M., Peters N.H.G.M., Mann R.M., Veldhuis W.B., van Dalen T., Mali W.P.T.M., Peeters P.H.M., van den Bosch M.A.A.J.**

The diagnostic value of 3 Tesla breast MRI in the diagnosis of *in situ* and invasive breast cancer (SS 902), B-0565

**Merhemic Z.**

Highlighted Lectures: Imaging of non-traumatic intracranial haemorrhage (TF 1), A-414

**Merran S.**

Retroperitoneal anatomy, variants and diseases: B. Anatomical variants and benign diseases (CC 1221), A-352

**Mershina E.**

Cardiac CT and MRI in difficult patients: what to do?: C. Cardiac MRI: possible problems and how to avoid them (RC 1503), A-515

**Mershina E.A.**

MRI safety - actual issues (SY 20)

**Meyer M., Bailly P., Daouk J.**

Lung imaging: multidisciplinary scenario: Lung imaging: developments in role of PET (EF 2), A-268

**Miccò M., Valentini A.L., Gui B., De Gaetano A.M., Iacobucci M., Bonomo L.**

Apparent diffusion coefficient for evaluating early tumour response to neoadjuvant chemoradiotherapy in locally advanced cervical cancer: correlation with histopathology. Preliminary results (SS 516), B-0323

**Miccò M., Valentini A.L., Gui B., Ninivaggi V., Marino M., Bonomo L.**

How to improve magnetic resonance accuracy in detection of deep infiltrating colorectal endometriosis: correlation with laparoscopy and histopathology (SS 607), B-0395

**Michaely H.J.**

How I report: B. CTA and MRA of thoracic and abdominal aorta (RC 815), A-242

**Michaely H.J., Reichert M., Henninger B., Haneder S., Schönberg S.O.**

Value of diffusion-weighted-MR-imaging for the detection of nephritis (SS 507), B-0343

**Michaely H.J.**

Novel imaging techniques in abdominal imaging (SY 12)

**Mihl C., Kalafut J.F., Yanniello M., Muehlenbruch G., Behrendt F.F., Wildberger J.E., Das M.**

CT coronary angiography with low concentration (240 mg Iodine/ml) contrast material (SS 1306), B-0746

**Mildenberger P.**

Improving workflow efficiency and quality: A. Improving quality and efficiency of computerised order entry through decision support (RC 1605), A-576

**Minar E.**

How old are you in reality? Vascular age and clinical events: A. Clinical considerations (CC 818), A-212

**Minutolo O., Ippolito D., Cadonici A.C., Bonaffini P.A., Talei Franzesi C.R.G.L., Sironi S.**

First-pass perfusion CT on 256-detector row CT in the quantitative assessment of perfusion map for solid malignant neoplastic liver lesions: preliminary results (SS 116), B-0064

**Minutolo O., Ippolito D., Cadonici A.C., Bonaffini P.A., Capraro C., Sironi S.**

Diagnostic value of quantitative measurement of microvascular changes achieved using perfusion MR imaging in the assessment of tumour grading in endometrial carcinoma (SS 607), B-0391

**Mishah N.M., Hamed W.**

Psychological effect of chronic exposure to high magnetic field on MRI technologists (SS 1814), B-1025

**Miyamoto Y., Ito T., Takada E., Hirai T., Omoto K., Sekiguchi R., Okuno T., Kanazawa S., Moriyasu F.**

SONAZOID® (perflubutane) microbubble-enhanced ultrasound for differential diagnosis of breast lesions: pooled analysis of phase 2 and 3 clinical studies (SS 502), B-0336

**Mizandari M., Habib N.**

Endoluminal RFA with subsequent ductoplasty for biliary and pancreatic duct malignant block recanalisation (SS 1709), B-0773

**Mngomezulu V.**

Imaging HIV and TB: HIV-related cerebrovascular disease: the South African experience (EM 3), A-257

**Molinari F., Hutt A., Rémy-Jardin M., Faivre J., Simeone A., Algeri E., Rémy J.**

Coronary artery calcium scoring from dual-source chest CT: potentials for ungated, high-pitch scan technique in routine clinical practice (SS 503), B-0376

**Mollet N.R., Cademartiri F.**

Practical approach to cardiovascular risk stratification with CT and MRI: B. Coronary CTA: from detection of stenosis to prognosis (RC 803), A-249

**Monteiro M., Carvalho A., Matias J., Santos J.**

Optimisation of local diagnostic reference levels in head computed tomography (SS 214), B-0278

**Montet X.**

How I optimise contrast media administration: C. PET/CT (RC 1906), A-596

**Moon J., Jung K., Koh S., Jung J.**

Quantitative shear wave elastography: evaluating an additional use with conventional ultrasound in diagnosis of breast lesions (SS 502), B-0330

**Moos S.I., Stoker J., Bipat S.**

Contrast-induced nephropathy in patients undergoing intravenous contrast-enhanced computed tomography and the relationship with risk factors: a meta-analysis (SS 1806), B-1037

**Morana G.**

Malignant pancreatic tumours: B. Cystic tumours (E<sup>3</sup> 320), A-006

**Morcos S.K.**

The usual, the unusual and the dangerous: D. Interactive case discussion (CC 1621), A-537

**Morgan R.**

What should every radiologist know about the endovascular treatment of abdominal aortic aneurysms?: C. Imaging follow-up and treatment of complications (RC 809), A-247

**Morgan R.**

The fast and the furious: vascular trauma resulting from traffic accidents: C. Interactive case discussion (CC 1618), A-540

**Mori T., Iwata T., Miyazaki Y., Nakazaki M., Takahashi Y.**

Simple and easy way using time-intensity curve of perfusion-weighted images to find penumbra in stroke patients within 4.5 hours of onset due to the carotid artery occlusion (SS 1317), B-0720

**Morone M., Mazza G., Natilla T., Baiocchi G., Ghedi M., Dettori E., Frittoli B., Grazioli L.**

The possible role of contrast material-enhanced computed tomographic colonography (CTC) in the surveillance after surgery for colorectal cancer (SS 1701a), B-0791

**Morsbach F., Bickelhaupt S., Raetzer S., Schmidt B., Alkadhi H.**

Integrated circuit detector technology in abdominal computed tomography: value in obese patients (SS 213), B-0242

# Authors' Index

**Morsbach F., Desbiolles L., Plass A., Leschka S., Schmidt B., Falk V., Alkadhi H., Stolzmann P.**  
Stenosis quantification in coronary CT angiography: impact of an integrated circuit detector with iterative reconstruction (SS 1303), B-0660

**Morsbach F., Bickelhaupt S., Wanner G., Krauss A., Schmidt B., Alkadhi H.**  
Metal artefact reduction in hip prosthesis with iterative reconstructions (SS 1710), B-0788

**Morton S.L., Chan O., Morrissey D., King J., Crisp T., Maffulli N.**  
High volume image-guided injections in patellar tendinopathy (SS 510), B-0311

**Moschetta M., Scardapane A., Telegrafo M., Angelelli G., Stabile Ianora A.A.**  
3D analysis CT software in volumetric and densitometric analysis of urinary stones (SS 205), B-0283

**Moschouris H.**  
Lower extremity venous insufficiency: A. Venous anatomy and ultrasound (RC 1915), A-623

**Motosugi U., Takamura T., Ichikawa T., Sano K., Morisaka H., Ichikawa S., Araki T.**  
MR elastography for predicting progression of cirrhosis (SS 101b), B-0093

**Moussa S.**  
Stones: diagnosis and intervention:  
B. Percutaneous treatment of renal stones (CC 1121), A-303

**Mowinkel-Nilsen M.**  
Requesting x-rays at the right time to utilise the capacity of the radiology department: an everyday challenge (SS 514), B-0381

**Mück F.G., Geyer L., Grimm J., Deak Z., Reiser M.F., Wirth S.**  
Performance of filtered back-projection (FBP), statistical (ASIR) and model-based (VEO) iterative reconstruction of neck CT staging examinations (SS 608), B-0472

**Mueller-Lisse U.G.**  
Diagnosis and management of GU tract trauma:  
B. Imaging the bladder and urethra (RC 707), A-177

**Mueller-Lisse U.G.**  
Retroperitoneal anatomy, variants and diseases:  
D. Interactive case discussion (CC 1221), A-354

**Mueller-Lisse U.G., Ashoori N., Strube H.A., Schmitz M., Fischer R., Huber R.M., Reiser M.F., Coppenrath E.M.**  
Cystic fibrosis in juveniles and adults: association of fatty involution of the pancreas at MDCT with CFTR genetic mutation and insulin-dependent diabetes mellitus (SS 901), B-0578

**Müller-Bierl B.M., Tanaka K., Buls N., Fierens Y., van Cauteren T., Willekens I., Luypaert R., De Mey J.**  
Dual bolus dynamic contrast-enhanced cardiac perfusion imaging: comparison of eight reported analysis methods (SS 903), B-0580

**Mundinger A.**  
New frontiers of advanced breast ultrasound (SY 13)

**Muto M.**  
Traumatic brain injury: Acute brain trauma: CT vs MRI (SF 15a), A-501

**Muto M.**  
Spine: update on postoperative imaging and minimally invasive procedures: C. Percutaneous treatment of spinal diseases (RC 1611), A-558

## N

**Nadrljanski M.M., Milosevic Z.C.**  
Invasive ductal carcinoma with marked necrosis on neoadjuvant chemotherapy: RECIST or mRECIST in MRI assessment of tumour response? (SS 602), B-0455

**Nadrljanski M.M., Radulovic O.S., Milosevic Z.C.**  
Positive enhancement integral values in diagnostic magnetic resonance imaging of breast carcinoma: ductal carcinoma in situ (DCIS) vs invasive ductal carcinoma (IDC) (SS 902), B-0566

**Naguib N.N.N., Nour-Eldin N.-E.A., Lehnert T., Schulz B., Zangos S., Vogl T.J.**  
Origin of the uterine artery in females using three-dimensional reconstructed contrast-enhanced MR angiography before uterine artery embolisation: where to look for it (SS 607), B-0393

**Naguib N.N.N., Nour-Eldin N.-E.A., Lehnert T., Lehnert T., Harth M., Vogl T.J., Hey C.**  
Three dimensional and multiplanar reconstruction of the internal auditory canal using high-resolution MR imaging before cochlear implantation: does the size of the cochlear nerve affect the results of speech recognition outcome after implantation? (SS 1308), B-0711

**Nair A., Gartland N., Barton B., Ifeakor E., Hodgkinson J., Vliegenthart R., de Jong P.A., Prokop M., Devaraj A.**  
Feasibility of training radiographers to detect nodules in CT lung cancer screening (SS 504), B-0299

**Nakano S., Fujii K., Yoshida M., Kousaka J., Mori Y., Ando T., Tetsuka R., Fukutomi T., Ishiguchi T.**  
Useful of real-time virtual sonography (RVS) on the evaluation of MRI-detected lesions of the breast in second-look sonography (SS 502), B-0338

**Nakano S., Fujii K., Yoshida M., Kousaka J., Mori Y., Ando T., Tetsuka R., Fukutomi T., Ishiguchi T.**  
Targeting accuracy of real-time virtual sonography (RVS) in sonographic identification of enhancing lesions in breast MRI (SS 502), B-0339

**Nakano Y., Maeda K., Kitahara S., Toyama T., Kuwabara M.**  
Evaluation of pulmonary nodules by serial radiographs obtained by a flat-panel detector (SS 1704), B-0759

**Napoli A., Panebianco V., Anzidei M., Boni F., Noce V., Bertaccini L., Cartocci G., Ciolina F., Catalano C.**  
Non-invasive focal therapy of organ confined prostate cancer: phase I study using magnetic resonance guided focused ultrasound technology and excision pathology for efficacy assessment (SS 209), B-0174

**Napoli A., Noce V., Anzidei M., Boni F., Brachetti G., Cartocci G., Bertaccini L., Catalano C., Ciolina F.**  
MR-guided focused ultrasound ablation on bone metastases: role of dynamic contrast-enhanced MRI in the evaluation of treatment response (SS 1309), B-0644

**Napoli A., Brachetti G., De Oliveira D.S., Cartocci G., Boni F., Noce V., Marsecano C., Tombolini V., Catalano C.**  
Palliative treatment of bone metastases: analysis of biological effects of MR-guided focused ultrasound (MRgFUS) versus external beam radiation therapy (EBRT). A randomised comparative trial using functional diffusion maps as molecular activity indicator (SS 1309), B-0645

**Nardo L., Sandman D., Virayavanich W., Lee S., Lai A., Zhang L., Souza R., Guindani M., Link T.**  
MRI findings of the bone marrow related to unloading with longitudinal follow-up (SS 510), B-0319

**Nascimento J.H.R.N., Soder R.B.S., Epifanio M.E., Baldissarroto M.B.**  
Accuracy of ultrasound using a computerised technique to evaluate nonalcoholic fatty liver disease in obese and eutrophic adolescents as compared with MRI (SS 912), B-0590

**Natale L.**  
Quantitative imaging biomarkers in cardiac radiology: Imaging biomarkers of myocardial ischaemia (SF 12), A-372

**Navarro U., Ravanello M., Farina D., Botturi E., Maroldi R.**  
High resolution 3D MR imaging of the temporomandibular joint: feasibility and comparison with 2D sequences (SS 608), B-0478

**Navarro Vilar L., Domingo Montañana M.L., Peris Sanchez R., Fernandez Fabrelas E., Ramirez Fuentes C., Vilar Samper J.**  
Quantification of idiopathic pulmonary fibrosis by semiquantitative HRCT score: correlation between radiologists and pulmonary function tests (SS 204), B-0168

**Neri E.**  
Tablet-computers in radiology: friend or foe?: Chairman's introduction (SF 19), A-605

**Nestle U.**  
A radiologist with a ruler in his hand is a dangerous person: seeking standardisation in multicenter imaging trials: Presentation of LUNG study: from the beginning until today (EIBIR/EORTC Joint Workshop), A-099

**Neuhaus P.**  
Cholangiocarcinoma: Surgery of hilar and extrahepatic cholangiocarcinoma (MS 11), A-317

**Neumann C., Khalifa O., Tscholakoff D., Mostbeck G.**  
Internet-based surveys among referring in-hospital clinicians and radiologists: a useful tool to evaluate report quality and interdisciplinary cooperation (SS 105), B-0148

**Neumann C., Prosch H., Osinger K., Vedrilla D., Weber M., Mostbeck G.**  
CT-pulmonary angiography follow-up in acute pulmonary embolism: resolution of emboli and change of CT signs of right heart dilatation and pulmonary hypertension (SS 1304), B-0636

# Authors' Index

**Nguyen V.L., Leiner T., Wishaupt M.C.J.,**

**Hellenthal F.A.M.V., van der Geest R.J.,**

**Kooi E.M., Schurink G.W.H.**

Magnetic resonance thrombus characterisation can identify patients with rapid abdominal aortic aneurysm expansion (SS 215), B-0253

**Niemann T., Henry S., Pontana F., Yasunaga K., Faivre J., Rémy J., Rémy-Jardin M.**

Clinical evaluation of an automatic tube voltage selection in chest CT angiography (SS 904), B-0519

**Niemann T., Henry S., Colas L., Faivre J., Santangelo T., Rémy J., Rémy-Jardin M.**

Is paediatric chest CT achievable at 70 kV? A feasibility study in 130 children (SS 1312), B-0731

**Niggemann P., Kuchta J., Urbach H.,**

**Schild H.H.**

Typification of posterior instability in patients with spondylolisthesis or isthmic spondylolisthesis (SS 910), B-0546

**Nikitin V., Lossev I., Filatov A., Bagotskaya N.**

Improvement in both sensitivity and specificity of readers with next generation of mammography CAD (SS 216), B-0206

**Nikolaou K.**

Cardiac imaging: the cutting edge: B. Cardiac CT: technique in 2020; where to next? (RC 303), A-012

**Nilsson A., Måansson C., Krause J., Brahmstaedt R., Nygren P., Karlson B.**

Percutaneous, ultrasound-guided IRE ablations of unresectable pancreatic cancer (SS 609a), B-0426

**Nilsson A.**

Image fusion: is this something we need? (SY 9)

**Notohamiprodjo M., Kalnins A., Kolb M., Wagner A., Reiser M.F., Nikolaou K., Andrassy J.**

Assessment of novel chemokine-directed therapy of renal allograft rejection in a murine animal model with multiparametric functional MRI (SS 507), B-0341

**Notohamiprodjo M., Helck A.D., Winter S., Staehler M., Braunagel M., Ingrisch M., Reiser M.F., Nikolaou K.**

DCE-MRI assessment of kidney function and renal masses: single slice versus whole organ/tumour (SS 507), B-0344

**Nour-Eldin N.-E.A., Naguib N.N.N., Gruber-**

**Rouh T., Lehnert T., Sadegi M., Vogl T.J.**

MRI chest parameters used in the assessment of tumour response post microwave ablation of pulmonary metastases (SS 909), B-0536

**Nusman C.M., Hemke R., Schonenberg D., van den Berg J.M., Dolman K.M., Kuijpers T.W., van Rossum M.A.J., Maas M.**

Early-stage disease activity of the wrist in juvenile idiopathic arthritis: assessment with MRI in a pilot study (SS 912), B-0593

## O

**O'Connor P.J.**

Overuse injuries in sport: a multimodality approach: C. Upper limb overuse injuries in golfers (RC 1210), A-363

**O'Connor S.**

Clinical audit: from EURATOM to the clinical environment: C. A perspective on the impact and benefits of clinical audit (RC 714), A-192

**O'Sullivan G., Lohan D.G.**

Lower extremity venous insufficiency: C. CT venography and MR venography (RC 1915), A-625

**Oberhofer N., Ferrari P.**

Possible hazardous effect of "MR safe" metallic implants for workers (SS 113), B-0108

**Oei M., van den Boom R., Oostveen L.J., Laue H.O.A., van Ginneken B., Manniesing R., Prokop M.**

Influence of temporal sampling rate of CTP acquisitions on cerebral perfusion maps using a digital phantom (SS 1711), B-0758

**Offiah A.C.**

Paediatric MSK radiology: what is important?: C. Congenital bone dysplasias (RC 1512), A-527

**Ofner J., Mueller-Mang C., Burner A., Markonis D., Depeursinge A., Mueller H., Langs G.**

Computational texture analysis in interstitial lung disease: comparison of descriptors and classification accuracy (SS 205), B-0281

**Ohno Y., Seki S., Nishio M., Koyama H., Yoshikawa T., Matsumoto S., Fujisawa Y.**

Comparison of capabilities for differentiating malignant SPNs from benign SPNs among dynamic first-pass perfusion area-detector CT, dynamic first-pass MRI and FDG-PET/CT (SS 504), B-0293

**Ohno Y., Seki S., Nishio M., Koyama H., Yoshikawa T., Matsumoto S., Satou S., Sugimura K.**

Comparison of the utility of whole body MRI with and without contrast-enhanced quick 3D and double RF fat suppression techniques, conventional whole body MRI, PET/CT and conventional examination for assessment of recurrence in NSCLC patients (SS 516), B-0329

**Ohno Y., Seki S., Nishio M., Koyama H., Yoshikawa T., Matsumoto S., Satou S., Sugimura K.**

Comparison of assessment of preoperative pulmonary vasculature in non-small cell lung cancer patients by non-contrast-enhanced and 4D contrast-enhanced MR angiography at 3T and by contrast-enhanced thin-section MDCT using a 64-detector row system (SS 1704), B-0767

**Oikonomou A.**

Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: Chairman's introduction (RC 804), A-237

**Oikonomou A., Astrinakis E., Zezos P., Courcoutsakis N., Mpampali A., Karatzoglou I., Kouklakis G., Prassopoulos P.**

Is carotid intima-media (IMT) and extra media thickness (EMT) a surrogate marker of early atherosclerosis in patients with inflammatory bowel disease? (SS 115), B-0115

**Okada T.**

Advanced neuroimaging at 3T with a 32ch head coil (SY 19)

**Oleaga Zufiría L.**

Complications of cancer treatment and the detection of recurrences: A. Head and neck cancer (RC 1616), A-549

**Omoumi P., Verdun F.R., Ben Salah Y., Vandenberg B.C., Lecouvet F.E., Meuli R., Beccé F.**

Multidetector computed tomography of the cervical spine: optimisation of iterative reconstruction strength levels (SS 910), B-0544

**Ong M., Hausotter K., Schönberg S.O., Michalely H.J.**

Hybrid-MRA steady state VIBE imaging - a delayed closer look at the vessels: evaluation of the additional diagnostic benefit in patients who undergo a peripheral magnetic resonance angiographic protocol (SS 1815), B-0999

**Op de Beeck B.J., Snoeckx A., Spinthoven M., Salgado R., Parizel P.M.**

Pitfalls in interpretation of pancreatic imaging: A. Pancreatic cancer or pancreatitis? (RC 401), A-055

**Orsi F.**

Expanding the role of interventional radiology in hepatocellular carcinoma: B. Intra-arterial procedures (RC 709), A-188

**Orsi F.**

Palliative interventional techniques in cancer: Percutaneous nephrostomy (PCN) and ureteral stenting (SF 14a), A-444

**Ota H., Takase K., Satani N., Kimura T., Seiji K., Ono Y., Morimoto R., Sato F., Takahashi S.**

Non-contrast-enhanced MR adrenal venography for adrenal venous sampling (SS 1707), B-0828

**Otto P., Kist K., Dornbluth N.C., Stavros T., Herzog D., Clingman B., Zalev J., Lavin P., Oraevsky A.**

Improved differentiation of breast tumours using novel imaging system based on co-registered opto-acoustic tomography and ultrasound (SS 1802a), B-0955

**Ottonezzo C., D'Ambrosio I., Giuliani P., Ronconi P.**

MRI in plantar plate disease evaluation: diagnostic value of 'stress test' (SS 210), B-0182

**Ottonezzo C., Giardino A., Papini G.D.E., Sharipova A., Di Leo G., Sardanelli F.**

Relationship among facet joint fluid (FJF) at MRI, age, and disk degeneration in patients affected with low back pain (SS 910), B-0545

**Ovesen C., Christensen H., Abild A., Hansen C., Havsteen I., Nielsen J., Christensen A.**

Intracranial artery calcification on CT predicts poor outcome after stroke: results from a prospective cohort study (SS 511), B-0356

**Ovesen C., Christensen H., Abild A., Hansen C., Havsteen I., Nielsen J., Christensen A.**

Intracranial artery stenosis on CT angiography (CTA) predicts poor outcome after stroke: results from a prospective cohort study (SS 511), B-0357

**Owens C.**

Justifying CT in paediatric radiology: Chairman's introduction (SF 4b), A-105

**Owens C.**

Justifying CT in paediatric radiology: When, how, and why I perform CT (SF 4b), A-107

# Authors' Index

## Owens C.

Lung imaging: multidisciplinary scenario: Optimisation in lung imaging of children (EF 2), A-267

## Oyen R.H., Claus F., Hompes D., De Wever L.

Retroperitoneal anatomy, variants and diseases: C. Malignant tumours (CC 1221), A-353

## Ozdoba C.

Neurological emergencies: A. Non-traumatic (E<sup>3</sup> 720a), A-142

## Ozgen Mocan B.

Imaging the paediatric spine: A. Craniocervical junction abnormalities (RC 812), A-251

## Ozkan F., Sahin M., Gul K., Inci M.F., Yuksel M.

Semiquantitative strain elastography for the evaluation of chronic thyroiditis (SS 1308), B-0718

## Özsunar Y.

Brain tumours: advanced imaging techniques in daily practice - do we really need them?: B. Perfusion imaging (RC 1111), A-331

## Öztürk F.U., Dönmez F.Y., Kural F., Çetiner S., Ağıldıre M.

Diffusion-weighted MR imaging in characterization of head and neck lesions (SS 208), B-0155

## P

### Pałys A., Serafin Z., Lasek W.

Embolisation of cerebral aneurysms with hydrogel-coated coils: systematic review and meta-analysis (SS 509), B-0304

### Pace I., Zarb F.

Comparison of radiation dose and image quality between sequential and spiral brain CT (SS 214), B-0279

### Paci E., Puliti D.

Overdiagnosis from screening mammography: should we care about it?: A. The risk of overdiagnosis from screening mammography (MC 423), A-062

### Padhani A.R.

MR imaging for prostate cancer management: the essential guide for radiologists: B. The radiologist's contribution: how to detect and characterise a tumour (RC 416), A-060

### Padhani A.R.

Personalised radiology: Role of imaging in personalised therapy monitoring (PC 11), A-329

### Padovani R., Bonutti F., Trianni A., Bernardi G.

Active personal dosimeters to support optimisation of radiation protection in interventional radiology (SS 1813), B-0998

### Padrón M.

Getting closer to metallic implants (SY 8)

### Pahn G., Veloza L.-S., Schlemmer H.-P.

### Kauczor H.-U., Stiller W.

Performance of a next-generation solid-state detector with fully integrated readout electronics for MDCT: quantitative analysis of image quality and radiation exposure reduction potential in comparison with its predecessor (SS 213), B-0241

### Painho L., Fernandes T., Reis C.I.S.

Impacts of digital mammography in radiographers practice (SS 1714), B-0877

### Pajor P., Dudás I., Zsirka Klein A., Kupcsulik P., Tamás J., Hahn O.

Comparison of percutaneous portal vein embolization, portal vein ligation and portal vein occlusion combined with ipsilateral hepatic artery cannula implantation prior to major liver resection (SS 1801b), B-0983

### Pak A., Suh S., Son G., Lee Y., Seo H., Kim K., Eun B., Lee N., Seol H.

Respiratory syncytial virus-related encephalitis: brain MR study with diffusion imaging (SS 211), B-0221

### Palkó A.

Imaging in intensive care patients: Chairman's introduction (SF 7c), A-193

### Palkó A.

Angina, non-occlusive mesenteric ischaemia (NOMI) and friends: vascular causes of acute abdomen: C. Interactive case discussion: how to proceed? (CC 1418), A-430

### Palmissano A., Esposito A., Ironi G., Maffi P., De Cobelli F., Canu T., Secchi A., Del Maschio A.

Dynamic contrast enhanced-MRI (DCE-MRI) functional assessment of vascular events occurring during the intra-hepatic engraftment of pancreatic islets may predict long-term outcome of islets transplantation (SS 601), B-0449

### Palumbo M., Carbone S., Maltese L.S., D'Elia D., Luceri A., Ricci V., Volterrani L.

Influence of pathophysiological parameters with kinematic MRI in evaluation of female pelvic floor (SS 607), B-0392

### Pameijer F.A.

Pitfalls in head and neck imaging: A. Pitfalls in neck imaging (E<sup>3</sup> 520b), A-117

### Pameijer F.A.

Head and neck cancer battle: the power of imaging studies: Building blocks for locoregional staging of head and neck tumours (SF 16b), A-569

### Panara V., Tortora D., Mattei P., Salice S., Briganti C., Cotroneo A., Tartaro A., Caulo M.

Data-driven grading of brain gliomas: a multiparametric MRI study (SS 911), B-0509

### Panicek D.M.

Essentials in oncologic imaging: what radiologists need to know (part 1): A. Principles of oncologic imaging and reporting (MC 428), A-088

### Panizza P., Del Maschio A.

Experiences of MicroDose in tailored breast cancer screening program including women between 40-49 years (SY 16)

### Papadaki E., Simos P., Panou T., Mastorodemos V., Amanakis E., Maris T., Karantanas A., Plaitakis A.

Regional MRI perfusion measures predict motor-executive function in patients with clinically isolated syndrome (SS 211), B-0223

### Papadaki E., Simos P., Panou T., Mastorodemos V., Amanakis E., Maris T., Karantanas A., Plaitakis A.

Cognitive deficits in clinically isolated syndrome correlate with perfusion changes indicative of inflammation (SS 211), B-0228

### Paparo F., Revelli M., Puppo C., Garello I., Bacigalupo L., Rollandi L., Piccazzo R., Garlaschi A., Rollandi G.A.

Evaluation of Crohn's disease recurrence in patients with ileocolic anastomosis: value of computed tomography enterography with water enema (SS 201a), B-0197

### Papathanasiou M.A.

Tumours and phacomatosis: C. Phacomatosis (E<sup>3</sup> 920b), A-265

### Papavasiliopoulos M., Raissaki M., Voulgaris C., Karantanas A.

The importance of inspection of true FISP sequences during MRI of the lumbar spine (SS 910), B-0541

### Pappot T.W.F., Pijl M.E.J.

Dose reduction in computer tomography, the effects of technologist training on the number of extra anatomic images (SS 114), B-0137

### Pardo F.

Hepatocellular carcinoma: Surgery (MS 4), A-078

### Parizel P.M., Cras P., Menovsky T., Van der Zijden T., Voormolen M.

Stroke: A. Clinical considerations (CC 1118), A-306

### Parizel P.M., Venstermans C., De Belder F., Van der Zijden T., van den Hauwe L., Voormolen M., Van Goethem J.

Trauma and vascularity: A. CNS trauma (E<sup>3</sup> 620), A-131

### Parizel P.M., Van der Zijden T., De Belder F., Venstermans C., van den Hauwe L.,

Salgado R., Van Goethem J., Voormolen M. Stroke: is the prognosis getting any better?: A. Initial imaging work-up: CT or MR? (RC 1211), A-365

### Park H., Lee M., Kim M., Lee M., Hwang J., Kang T., Lim S., Lim H., Lim H.

Fusion imaging-guided percutaneous biopsy of focal hepatic lesions with poor conspicuity on conventional ultrasonography (SS 609a), B-0428

### Park Y., Lee C., Kim I., Kiefer B., Kim K., Choi J., Lee J., Park C.

Effect of Gd-EOB-DTPA on hepatic fat quantification using high-speed T2-corrected multiecho acquisition (HISTO) at 1H MR spectroscopy (SS 601), B-0446

### Partington K.J., Robinson P., Gupta H.

Retrospective analysis of CT as secondary imaging in the diagnosis of occult femoral neck fracture (SS 1710), B-0779

### Paul J., Mbaliiske E., Vogl T.J.

Dual-source 128-slice MDCT neck: radiation dose and image quality estimation of a clinically relevant dual-energy, high-pitch, standard single-energy protocol (SS 608), B-0471

### Paulo G., Ruiz Blanco C.

Knowledge development as a tool for radiographers' professional improvement: Introduction (EM 5), A-284

### Paulo G.

Towards advancing and developing the role of radiographers: C. The view from the European level (RC 1414), A-467

### Pediconi F.

The role of contrast in breast MRI (SY 6)

# Authors' Index

## Peeters R.R.

Risk assessment and risk communication: B. Risk in MRI (RC 1213), A-386

## Pekarovic D., Vilgrain V.

Radiographers and ultrasonography in Europe: Chairmen's introduction (SF 7a), A-167

## Pelage J.-P.

Gynaecological and obstetrical haemorrhagic emergencies: B. Can we prevent post-partum haemorrhage in high-risk patients? (RC 1209), A-390

## Pelc N.

Novel developments in CT and their impact on dose: B. New frontiers in CT: functional and spectral imaging (RC 1513), A-517

## Peña Fernández M.P.

Knowledge development as a tool for radiographers' professional improvement: The radiographer's specialisation in ultrasound: two decades of experience in a public hospital (EM 5), A-286

## Perisinakis K., Seimenis I., Tzedakis A.,

## Papadakis A.E., Damilakis J.

The effects of head size/shape, head positioning, and bow-tie filter selection on peak tissue doses from brain perfusion 256-slice CT (SS 1813), B-0996

## Perkins A.

Legal matters related to multimodality techniques: International, regional, national and local framework requirements (PC 12), A-402

## Petersen J., Wille M.M.W., Thomsen L.H., Feragen A., Dirksen A., de Bruijne M.

The effect of inspiration on airway dimensions measured in CT images from the Danish Lung Cancer Screening Trial (SS 204), B-0163

## Peynircioglu B.

Diagnosis and management of GU tract trauma: C. Interventional radiology for GU trauma (RC 707), A-178

## Pfirrmann C.W.A.

Imaging impingement syndromes: Chairman's introduction (SA 15), A-496

## Pfirrmann C.W.A.

Intra-articular imaging: B. CT arthrography (RC 1910), A-599

## Pienn M., Kovacs G., Tscherner M.,

## Johnson T.R.C., Kullnig P., Stollberger R.,

## Olschewski A., Olschewski H., Bálint Z.

Non-invasive diagnosis of pulmonary hypertension with dynamic contrast-enhanced computed tomography (SS 1304), B-0639

## Pierot L.

Trauma and vascularity: B. Cerebral ischaemia and infarction (E<sup>3</sup> 620), A-132

## Pietrabissa A., Pugliese L., Peri A., Tinozzi F.P., Ferrari V.

New PACS architecture: decoupling image management from image navigation: B. Intraoperative imaging for surgeons (RC 305), A-049

## Pinker-Domenig K., Bickel H., Helbich T.H.,

## Gruber S., Trattnig S., Bogner W.

BI-RADS®-adapted combined contrast-enhanced magnetic resonance and diffusion-weighted imaging reading for multiparametric imaging of breast lesions at 3T improves diagnostic accuracy (SS 102), B-0071

## Pinker-Domenig K., Gruber S., Bogner W.,

## Brück B., Bickel H., Baltzer P.A.T., Helbich T.

Combined contrast-enhanced MRI (CE-MRI) and 3D multivoxel proton magnetic resonance spectroscopy (3D-1H-MRSI) at 3 Tesla enables an improved characterization of breast tumours (SS 102), B-0076

## Pinker-Domenig K., Baltzer P.A.T., Helbich T.,

## Gruber S., Bogner W., Zaric O., Minarikova L.,

## Moosbauer H., Trattnig S.

High spatial and temporal resolution breast imaging at 7 Tesla goes clinical (SS 1802a), B-0953

## Pinker-Domenig K.J., Wengert G.J., Bickel H.,

## Magomatschnigg H.F., Curda M., Helbich T.H.

Fully automated quantitative MRI breast density (BD) measurement confirms higher breast density in breast cancer patients (SS 902), B-0563

## Piscaglia F., Marinelli S., Terzi E.

Advances in diagnostic ultrasound: better results through cooperation: The EFSUMB non-liver CEUS guidelines (Joint Session of the ESR and EFSUMB), A-582

## Pitcher R., Lombard C., Cotton M.,

## Beningfield S., Zar H.

Imaging HIV and TB: Chronic chest radiographic changes in a cohort of HIV-infected South African children (EM 3), A-262

## Pitocco F., Curcio G., Scrascia F., Errante Y.,

## Giona A., Mallio C., Vernieri F., Beomonte

## Zobel B., Quattrochi C., Scarciolla L.

Relationship among fractional anisotropy (FA) values, EEG activity and cognitive status in mild cognitive impairment (MCI) and Alzheimer's disease (AD) patients (SS 111), B-0020

## Pitocco F., Di Biase L., Giona A., Scarciolla L.,

## Mallio C., Errante Y., Melgari J., Beomonte

## Zobel B., Quattrochi C.

Olfactory tract evaluation in patients with Parkinson disease (PD) and hyposmia: a diffusion tensor imaging (DTI) study (SS 611), B-0407

## Pitocco F., Di Giampietro I., De Vivo A.,

## Cianciulli P., Liguori C., Beomonte Zobel B.

Right heart involvement in thalassaemia major (TM) patients: a cardiac MR (CMR) assessment (SS 603b), B-0468

## Platon A., Varnay G., Becker C.D., Poletti P.-A.

Emergency CT: what is missed at first reading? (SS 117), B-0121

## Plug G.

Radiographers and ultrasonography in Europe: Evolution of radiography education for US in the Netherlands since 1990, and its influence on their role (SF 7a), A-170

## Png M.A., Mohan P.C., Koh J.S.B., Howe T.S.

Multifocal endosteal thickening of the femur in patients on long-term bisphosphonate therapy presenting with atypical femoral fractures (SS 1310), B-0659

## Pokieser P.

Highlighted Lectures: Case-based learning in radiology (TF 1), A-415

## Polanec S., Helbich T., Pinker-Domenig K.,

## Leitner S., Brader P.

Magnetic resonance-guided biopsy (MRGB) in combination with multiparametric MRI (mpMRI) after negative transrectal guided ultrasound (TRUS) biopsy of the prostate (SS 209), B-0171

## Polanec S., Helbich T., Pinker-Domenig K.,

## Leitner S., Füger B., Karanikas G.,

## Margreiter M., Kommata S., Brader P.

Molecular imaging of the prostate using multiparametric functional [11C]-acetate PET/MRI: proof of concept (SS 606), B-0502

## Pomschar A., Kamm K., Ruscheweyh R.,

## Laubender R., Reiser M.F., Straube A., Ertl-Wagner B.

Static magnetic fields in 1.5 and 3 T MR scanners do not influence perception of pain and touch compared with placebo exposition (SS 113), B-0106

## Pontana F., Henry S., Faivre J., Tacelli N.,

## Bendaoud S., Rémy-Jardin M., Rémy J.

Impact of iterative reconstructions on the diagnosis of acute pulmonary embolism (PE) on low-dose CT angiograms: clinical experience in 53 patients (SS 1304), B-0630

## Pontone G., Andreini D., Bertella E.,

## Mushtaq S., Cortinovis S., Annoni A.,

## Formenti A., Ballerini G., Pepi M.

Aortic annulus area assessment by multidetector computed tomography for predicting paravalvular regurgitation in patients undergoing balloon-expandable transcatheter aortic valve implantation - a comparison with transthoracic and transoesophageal echocardiography (SS 203), B-0262

## Portelli J.L., McNulty J., Mohan S., Bezzina P., Rainford L.

A review of diagnostic imaging frequency to aid research exploring the issue of consent for higher dose paediatric examinations (SS 914), B-0604

## Porto A., Petrillo A., Fusco R., Filice S.,

## D'Aiuto M., Trimboli R.M., Sardanelli F.

Surgical impact of preoperative breast MRI in women under 40 (SS 202), B-0217

## Pozzi-Mucelli R.

Renal and adrenal tumours: B. Staging renal cancer (RC 307), A-031

## Prada R., Oca R., Rocha A., Fernández L.,

## Costas M., Tardáguila G.

Ischiofemoral impingement, do you want to believe? (SS 210), B-0185

## Pravata' E., Tavernier J., Parker R., Vavro H., Mintzer J.E., Spampinato M.

The neural correlates of anomia in the conversion from mild cognitive impairment to Alzheimer's disease (SS 611), B-0408

## Precht H.

Dose optimisation in computed tomography: B. Developing patient specific examination protocols (RC 1214), A-393

# Authors' Index

**Prevos R., Smidt M., Tjan-Heijnen V., van Goethem M., Schipper R., Beets-Tan R.G.H., Wildberger J., Lobbes M.**  
The role of magnetic resonance imaging in assessing residual disease and pathologic complete response in breast cancer patients receiving neoadjuvant chemotherapy: a systematic review (SS 602), B-0451

**Prieto J.M.**  
Opening Lecture: Promises and facts of liver-directed gene therapy (OL), A-054

**Prokop M.**  
Angina, non-occlusive mesenteric ischaemia (NOMI) and friends: vascular causes of acute abdomen: B. Imaging techniques and typical findings (CC 1418), A-429

**Pronin I.N.**  
Epilepsy: a lack of knowledge can be dangerous: B. Temporal lobe epilepsy (RC 1511), A-510

**Provenzale J.**  
Optimising MRI in CNS for better treatment planning (SY 6)

**Pruvo J.-P.**  
Stroke: is the prognosis getting any better?: Chairman's introduction (RC 1211), A-364

**Prvulovic N., Djilas D., Prvulovic M., Bogdanovic D., Koprivsek K.**  
Digital mammography in comparison with digital breast tomosynthesis in detection of multicentric breast cancer (SS 1702), B-0812

**Puchner S., Ferencik M., Károlyi M., Do S., Maurovich-Horvat P., Hoffmann U., Schlett C.**  
Impact of iterative image reconstruction algorithms on the feasibility of automated plaque assessment in coronary computed tomographic angiography (SS 1803), B-0917

**Puderbach M.U.**  
"MRI of the lung: to go?": Bon appétit! Starters": cystic fibrosis, pneumonia and pulmonary embolism (SF 4a), A-083

**Puderbach M.U.**  
Phenotypes in obstructive airway disease: how should I image, analyse and report?: C. Cystic fibrosis and other bronchiectatic diseases (RC 1904), A-618

**Pueyo J.C., Etxano J., Slon P., Zalazar R., Ros J., García del Barrio L., Bastarrika G., Villanueva A.**  
Interactive methods improve radiology long-term learning (SS 105), B-0143

**Pugliese F., Rossi A.**  
Cardiac CT and MRI in difficult patients: what to do?: B. Severe coronary calcinosis and stents: tips and tricks in image acquisition and interpretation (RC 1503), A-514

**Pujol S., Pieper S., Kikinis R.**  
The 3DSlicer open-source platform for segmentation, registration, quantitative imaging and 3D visualization of biomedical image data (SS 205), B-0284

**Puppala S., Shah A., Dadnam C.**  
Zonal variations in the size of the atherosclerotic aortic arch during cardiac cycle and their implications on endovascular stenting (SS 215), B-0256

**Puri S., Jones L., Strang J.**  
FDG-avid duodenal lesions: a retrospective analysis of their significance in oncology practice (SS 916), B-0557

**Pusceddu C., Melis L., Meloni G.**  
Feasibility and safety of CT-guided percutaneous radiofrequency, microwave or cryoablation of the pulmonary and mediastinal unresectable tumours adjacent to the heart and large vessels (SS 909), B-0533

**Pusceddu C., Melis L., Meloni G.**  
Percutaneous microwave ablation of lung tumours (SS 909), B-0535

**Pusceddu C., Pilleri S., Amucano G., Melis L., Meloni G.**  
Cryoablation as local therapy for patients with breast cancer bone metastases (BCBM) (SS 1802a), B-0958

## Q

**Qiu L., Lui S., Huang X., Zhang J., Yang X., Yue Q., Zou L., Gong Q.**  
Structural MRI-assisted diagnosis of major depressive disorder using surface-based volumetric parameter classification approach (SS 111), B-0018

**Quaia E., Baratella E., Grisi G., Cuttin R., Poilliucci G., Kus S., Cova M.**  
Diagnostic imaging costs before and after digital tomosynthesis implementation in patient management after suspected thoracic lesions on chest radiography (SS 1704), B-0762

**Quaia E., De Paoli L., Gennari A., Cabibbo B., Cova M.**  
Predictors of mesorectal fascia infiltration on spectral pre-saturation inversion-recovery (SPIR) MR imaging sequence after gadolinium injection in patients with rectal carcinoma after neoadjuvant chemo- and radiation therapy (SS 1801a), B-0944

**Quan Q., Huang X., Xie J., Yan Y., Gao H., Zhang G., Chen X.**  
The design of a dual-functional imaging contrast agent for targeting to tumour endothelial marker (TEM8) (SS 1706), B-0883

**Quentin M., Schimmoeller L., Arsov C., Rabenalt R., Lanzman R., Antoch G., Albers P., Blondin D.**  
Reliability of the PI-RADS scoring system for functional prostate MRI (SS 107), B-0081

## R

**Ragab Y., Hamza H., Awadalla H.**  
Comparison between dedicated coronary CT angiogram and triple rule out using 320 multislice CT in cases of acute chest pain (SS 117), B-0123

**Rajandran Nair S., Tan L.K., Ramli N., Lim S.Y., Rahmat K., Mohd Nor H.**  
Differentiating multiple system atrophy and Parkinson's disease on 3T MRI: a novel use of decision tree (SS 611), B-0404

**Rampoldi A., Fratto P., Solcia M., Vercelli R., Migliorisi C., Barbosa F., Foresti D., Nichelatti M., Cornalba G.**  
Endoleak complications of thoracic endovascular aortic repair (TEVAR): long-term outcomes and survival (SS 1809), B-0925

**Ranschaert E.R.**  
Tablet-computers in radiology: friend or foe?: Mobile teleradiology with tablet-computers: a critical appraisal (SF 19), A-609

**Rasper M., Settles M., Gramer B., Souvatzoglou M., Rummey E.J., Huber A.**  
T2-weighted dark blood cardiac imaging using a dual-source parallel radiofrequency transmission with RF shimming at 3 T compared with standard MR imaging at 3 T (SS 1803), B-0912

**Ratib O.**  
MR/PET: a marriage made in heaven or hell?: MR/PET in oncologic imaging: nuclear medicine (NH 8), A-210

**Ratib O.**  
Tablet-computers in radiology: friend or foe?: Reading DICOM images on the tablet (SF 19), A-608

**Raupach J., Renc O., Hoffmann P., Zizka J.**  
What should every radiologist know about the endovascular treatment of abdominal aortic aneurysms?: A. Pre-therapeutic radiological evaluation (RC 809), A-245

**Rauscher I., Ganter C., Martirosian P., Rummey E.J., Holzapfel K.**  
Evaluation of T1rho as a potential MR biomarker for liver cirrhosis: comparison of healthy control subjects and patients with liver cirrhosis (SS 101b), B-0098

**Ravanelli M., Ferraroni F., Farina D., Morassi M., Tessitore P., Rossini P., Maroldi R.**  
Texture analysis on contrast-enhanced computed tomography combined with FDG-PET in predicting the response to chemotherapy of advanced non-small cell lung cancer (SS 216), B-0203

**Ravanelli M., Morassi M., Farina D., Roca E., Maroldi R.**  
Texture analysis of advanced non-small cell lung cancer on contrast-enhanced computed tomography: prediction of the response to the first-line chemotherapy (SS 216), B-0204

**Reddy S.N., Taori S., Poxton I.R., Ewing F., Brown D., Murchison J.T.**  
The potential benefit of abdominal CT to help differentiate between strains of clostridium difficile (SS 101a), B-0060

**Reekers J.A.**  
The visibility of the radiologist: Chairman's introduction (PC 4), A-100

**Reekers J.A.**  
The visibility of the radiologist: How to optimise the visibility of the radiology department (PC 4), A-101

**Regier M., Schwarz D., Laqmani A., Henes F.O.G., Adam G.**  
Diffusion-weighted echo-planar MRI with multiple b-values in primary lung cancer: a new approach to the non-invasive differentiation of histological subtypes? (SS 1704), B-0765

**Regier M., Spiro A., Henes F.O.G., Adam G.**  
Articular depression assessed by MDCT as a predictor of soft-tissue injuries in tibial plateau fractures: intraindividual correlation to findings at magnetic resonance imaging (SS 1810), B-0935

**Rehani M.M., Vock P.**  
Risk assessment and risk communication: Chairmen's introduction (RC 1213), A-384

# Authors' Index

- Rehnitz C., Kupfer J., Streich N., Burkholder I., Schmitt B., Lauer L., Kauczor H.-U., Weber M.-A.**  
Biochemical imaging of the knee's cartilage: comparison of three techniques at 3 Tesla (SS 610b), B-0481
- Reimer P.**  
Contrast media safety: update: Chairman's introduction (RC 1407), A-453
- Reiner C.S., Morsbach F., Sah B., Schäfer N., Pfammatter T., Alkadhi H.**  
CT perfusion for evaluation of early treatment response of liver metastases after 90Y-radioembolisation (SS 116), B-0063
- Reiser M.F.**  
Essentials in oncologic imaging: what radiologists need to know (part 4): B. Musculoskeletal neoplasms (MC 728), A-180
- Reiter G., Reiter U., Kovacs G., Stalder A., Gulsun M.A., Greiser A., Olschewski H., Fuchsäger M.H.**  
Noninvasive diagnosis of pulmonary hypertension via magnetic resonance vortex flow detection: definition of cut-off criteria (SS 1803), B-0914
- Reiter U., Reiter G., Kovacs G., Stalder A., Gulsun M.A., Greiser A., Olschewski H., Fuchsäger M.H.**  
Magnetic resonance velocity mapping-based evaluation of elevated mean pulmonary arterial pressure: the impact of visualisation techniques (SS 1303), B-0667
- Reiter U., Reiter G., Dorr K., Greiser A., Maderthaner R., Fuchsäger M.H.**  
Diastolic versus systolic acquisition of T1 maps of normal human myocardium at 1.5T magnetic resonance imaging (SS 1703), B-0858
- Rémy-Jardin M.**  
Pulmonary embolism: guidelines and best practice throughout Europe: Chairman's introduction (RC 1604), A-559
- Rengo M., Caruso D., Vecchietti F., Maceroni M.M., Silecchia G., Laghi A.**  
Role of preoperative imaging with multidetector computed tomography (MDCT) in the management of patients with gastroesophageal reflux disease (GERD) symptoms, candidate to sleeve surgical revision (SS 201a), B-0193
- Rengo M., Dharampal A.S., Caruso D., Nieman K., Laghi A., Krestin G.P.**  
CT coronary angiography: effect of iodine CONcentration on vascular attenuation. The CT-CON multicentric study preliminary results (SS 1303), B-0661
- Rengo M., Bellini D., Maceroni M.M., Vecchietti F., Caruso D., Lucchesi P., Laghi A.**  
CT colonography bowel preparation: influence of a laxative agent on a fluid tagging preparation (SS 1701a), B-0793
- Renoux J.**  
Peripheral nerve imaging: MRI and US: Chairman's introduction (RC 710), A-160
- Rep S.**  
Hybrid imaging technologies: A. Recent developments (RC 1514), A-522
- Reponen J.**  
New PACS architecture: decoupling image management from image navigation: A. Image navigation and new PACS architecture (RC 305), A-048
- Retico A.**  
Lung imaging: multidisciplinary scenario: Pulmonary nodule detection using CAD (EF 2), A-266
- Revel M.-P.**  
Pulmonary embolism: guidelines and best practice throughout Europe: C. PE during pregnancy and puerperium (RC 1604), A-562
- Revelli M., Paparo F., Bacigalupo L., Garlaschi A., Cevasco L., Biscaldi E., Rollandi G.**  
Computed tomography of the bowel: a prospective comparison study between four techniques (SS 1801a), B-0948
- Ribeiro R.T.**  
Radiographers and ultrasonography in Europe: The role and impact of the radiographer conducted US in Portugal (SF 7a), A-169
- Riccabona M.**  
Paediatrics: A. Imaging strategies for children: urinary tract infection and vesico-ureteral reflux (CC 1521), A-482
- Richli Meystre N., Lehmann P., Mamboury N.**  
Job satisfaction among radiographers in Switzerland: a national survey (SS 514), B-0387
- Richli Meystre N., Flaktion L., Le Coultr R.**  
Online portfolio for radiographers attending the breast cancer screening mammography certificate in Switzerland (SS 1714), B-0869
- Ricke J.**  
Making homogeneous the reading in HCC: How to evaluate tumour response to therapies (SF 16c), A-566
- Ridereau-Zins C., Sibleau E., Pavageau A., Vanel D., Lermite E., Metivier-Cesbron E., Aube C.**  
Accuracy of water enema-MDCT in colon cancer staging: a prospective study (SS 1701a), B-0797
- Rienmüller R.**  
Brain - heart - axis (SY 20)
- Riess H.**  
Cholangiocarcinoma: Medical treatment of cholangiocarcinomas (MS 11), A-319
- Riffel P., Kannengiesser S., Paul D., Schönberg S.O., Michaely H.J.**  
Fast inner volume imaging of the lumbar spine with a zoomed SPACE sequence using parallel transmit (SS 910), B-0540
- Rimola J.**  
Cross-sectional imaging of colitis: C. The role of cross-sectional imaging in colonic inflammatory bowel disease (RC 1901), A-593
- Ringe K.I., Meyer S., Wacker F., Raatschen H.**  
Value of oral effervescent powder administration for multidetector CT evaluation of the oesophagus (SS 201a), B-0191
- Ringl H., Stiassny F., Schima W., Toepker M., Czerny C., Schueller G., Asenbaum U., Furtner J., Herold C.J.**  
Advanced visualisation of intracranial hematomas of cranial computed tomography (SS 1317), B-0719
- Rio Tinto H.A.M.R., Bilhim T., Fernandes L., Pereira J., Pisco J.M.**  
Technical challenges, pitfalls and obstacles on performing prostatic artery embolisation for benign prostatic hyperplasia (SS 209), B-0175
- Ritter C.O., Baier U., Sommer S.P., Leyh R., Köstler H., Hahn D., Beer M.J.**  
Multiparametric functional MRI for postoperative follow-up in patients with the ROSS-procedure: comparison of the aortic root replacement versus the subcoronary implantation technique (SS 103), B-0001
- Rizzato G., Weismann C.F.**  
Breast ultrasound: B. Complicated cysts and complex-cystic lesions: differentiation and management (RC 1902), A-611
- Rizzi P.B., Cerci R.J., Lemos P., Rochitte C.E., Gottlieb I., George R.T., Texter J., Lardo A.C., Lima J.A.C.**  
Opacification ratios to detect changes in coronary flow by computed tomography angiography - comparison between pre- and post-stented lesions (SS 103), B-0006
- Robben S.G.F.**  
My most beautiful mistakes in paediatric radiology: Abdomen (SF 16a), A-531
- Robben S.G.F.**  
Normal variants in paediatric imaging: not to be confused with disease: B. Chest and abdomen (RC 1912), A-627
- Robinson P.**  
Imaging impingement syndromes: Shoulder (SA 15), A-497
- Rockall A.G.**  
How I report: A. Female pelvis MRI (RC 1207), A-377
- Roditi G.**  
Ischaemic heart disease: A. Imaging of the coronary arteries: the Holy Grail (MC 722), A-182
- Rodrigues J.C.L., Negus I., Manghat N.E., Hamilton M.C.K.**  
The lateral scan projection radiograph (topogram) in CT pulmonary angiography: the effect on scan length and radiation dose (SS 904), B-0527
- Rodrigues J.C.L., Minhas K., Pieles G., Buccarelli-Ducci C., Tulloh R., Manghat N.E., Ocleshaw C.J., Hamilton M.C.K.**  
The effect of partial volume averaging on peak velocity measurements in phase contrast magnetic resonance angiography (PCMRA) (SS 1703), B-0856
- Rodt T., von Falck C., Luepke M., Hueper K., Halter R., Dettmer S., Boehm C., Borlak J., Wacker F.**  
In vivo micro-CT and 18F-FDG micro-PET imaging of SPC-raf and SPC-myc transgenic mouse models of lung adenocarcinoma (SS 1704), B-0768
- Roebuck D.**  
Oncologic imaging: how to image, follow up and report: Chairman's introduction (RC 1212), A-394
- Roebuck D.**  
Oncologic imaging: how to image, follow up and report: B. Paediatric liver malignancies (RC 1212), A-396

# Authors' Index

**Rogalla P.**

GI imaging: technological advances and clinical applications: Dual-energy (spectral) CT: GI applications (SF 8b), A-231

**Rogalla P.**

Angina, non-occlusive mesenteric ischaemia (NOMI) and friends: vascular causes of acute abdomen: A. Clinical considerations (CC 1418), A-428

**Romano S.**

How I report: B. MDCT in a patient with small bowel ischaemia (RC 1201), A-349

**Rosen B.R.**

MR/PET: a marriage made in heaven or hell?: MR/PET in neuroimaging: radiology (NH 8), A-209

**Rosendahl K.**

My most beautiful mistakes in paediatric radiology: Musculoskeletal (SF 16a), A-533

**Rossi A., Dharampal A., Petersen S.E., Klotz E., Krestin G.P., Gruszczynska K., Capuano E., de Feyter P.J., Pugliese F.**

Dynamic stress computed tomography perfusion imaging for the detection of functionally significant coronary lesions (SS 603a), B-0413

**Rossi A., Papadopoulou S., Pugliese F., Russo B., Dharampal A., Kitslaar P.H., Petersen S.E., de Feyter P., Krestin G.P.**

Quantitative CT coronary angiography: does it predict functionally significant coronary stenoses? (SS 1303), B-0663

**Rossi A.**

The paediatric brain: not just a small brain: B. Patterns of white matter disease in children (RC 411), A-086

**Rossi A.**

Paediatric: B. Spine and spinal cord malformations (E<sup>3</sup> 520c), A-120

**Rossi A.**

Normal variants in paediatric imaging: not to be confused with disease: A. Brain (RC 1912), A-626

**Rossi G., Rimondi E., Mavrogenis A.F., Andreone A., Spinnato P., Garzillo G., Ruggieri P., Vanel D., Bazzocchi A.**

Selective arterial embolisation for bone tumours (SS 1309), B-0640

**Rossi M., Varano G.M., Laurino F., Orgera G., Zolovkins A., Maltzeff N., Citone M., David V.**

Directional atherectomy of chronic total femoropopliteal occlusions: middle-term outcomes (SS 1809), B-0921

**Rossi Espagnet M., Boellis A., Coppola V., Romano A., Pugliese S., Tavanti F., Calabria L., Fantozzi L., Bozzao A.**

Dynamic sequences in Intraoperative MRI during transsphenoidal resection of pituitary adenomas: quantitative analysis (SS 1311), B-0675

**Rousseau H., Auriol J., Lions C., Mokrane F.**

What should every radiologist know about the endovascular treatment of abdominal aortic aneurysms?: Chairman's introduction (RC 809), A-244

**Rovira-Cañellas A.**

Traumatic brain injury: Chairman's introduction (SF 15a), A-500

**Rovira-Cañellas A.**

Multiple sclerosis: 2013 update: A. Differential diagnosis of multiple T2-HI white matter lesions (RC 1911), A-613

**Rozhkova Z.Z., Omelchenko O.M.**

Resting-state networks, and peculiarities of the brain metabolism in patients with Parkinson's disease (PD) and different level of cognitive impairment (CI): fMRI and 1H MRS study (SS 111), B-0019

**Rubens M.B.**

How I report: A. Chest x-ray in cardiac disease (RC 1603), A-572

**Ruder T.D.**

Advances in forensic radiology: Forensic MR imaging (SF 14c), A-475

**Rüfenacht D.A., Wanke I.**

Trauma and vascularity: C. Vascular malformations of the spinal cord (E<sup>3</sup> 620), A-133

**Ruiz Blanco C.**

Knowledge development as a tool for radiographers' professional improvement: Interlude: Radiology and Spanish art (EM 5), A-287

**Rutten M.J.C.M.**

3D automated breast ultrasound: accuracy and diagnostic potentials (SY 4)

**S****Saa J., Löfgren J., Sersar R., Aznar M., Laedefoged C., Andersen F., Larsen R., Beyer T.**

Combined PET/MR imaging: the effect of ignoring bone during MR-based attenuation correction in oncology imaging (SS 113), B-0103

**Saam T., Hetterich H., Hoffmann V., Yuan C., Treitl M., Dichgans M., Poppert H., Reiser M.F., Bamberg F.**

Meta-analysis and systematic review of the predictive value of carotid plaque haemorrhage by magnetic resonance imaging on cerebrovascular events (SS 115), B-0113

**Saam T., Pfefferkorn T., Habs M., Opherk C., Straube A., Dichgans M., Reiser M.F., Nikolaou K., Linn J.**

Black blood MRI in patients with and without suspected primary angiitis of the central nervous system (SS 511), B-0353

**Saba L., Acharia U., Anzidei M., Piga M., Suri J.S.**

Automated system for CT carotid plaque characterisation into symptomatic and asymptomatic classes (SS 905), B-0617

**Saba L., Di Martino M., Catalano C., Piga M.**

ROC curve analysis of diagnostic confidence of CT and MR in focal liver pathology (SS 1801b), B-0979

**Sablayrolles J.-L., Feignoux J., Ayestaran P., Sagniez A.**

Evaluation of a novel algorithm for coronary motion compensation in prospective and retrospective coronary CT angiography (CCTA) (SS 503), B-0370

**Sabri O.**

MR/PET: a marriage made in heaven or hell?: MR/PET in neuroimaging: nuclear medicine (NH 8), A-208

**Sacco P., Faggioni L.**

Tablet-computers in radiology: friend or foe?: Radiological features of the tablet-computer (SF 19), A-607

**Saez F.**

Normal variants in paediatric imaging: not to be confused with disease: C. Musculoskeletal (RC 1912), A-628

**Saito K., Ledsam J.R., Sourbron S.P., Hashimoto T., Araki Y., Akata S., Tokuyue K.**

Measuring hepatic functional reserve using low temporal resolution Gd-EOB-DTPA dynamic contrast-enhanced MRI: a comparison study with galactosyl-human serum albumin scintigraphy and indocyanine green retention (SS 1806), B-1029

**Saiz-Mendiguren R., Marginet-Mangas C., Garcia-Lallana A., Martinez E., Ibarburen C., Pina Insausti L.**

Does breast tomosynthesis combined with 2D digital mammography increase the detection rate of breast cancer? (SS 1702), B-0810

**Sala E.**

The female pelvis: D. Interactive case discussion (CC 1321), A-412

**Sala E.**

Pitfalls in pelvic imaging: A. Pitfalls in MRI of the pelvis (E<sup>3</sup> 1720a), A-586

**Salamon J., Peldschus K., Wicklein D., Lange C., Ittrich H., Schumacher U., Adam G.**

Interaction of magnetically labelled multipotent mesenchymal stromal cells and E-/P-selectins monitored by magnetic resonance imaging in mice (SS 1706), B-0888

**Salazar J.P., Auger C., Pareto D., Mitjana R., Tintore M., Corral J.**

Cortical-juxtacortical lesions in clinically isolated syndromes: distribution and diagnostic value (SS 211), B-0222

**Salem R.**

Assessing HCC response: B. Endovascular therapies (CC 1219), A-359

**Salerno S., Granata C., Matranga D., Palorini F., Oraggi D.**

Radiation dose from multidetector CT examinations in adults in Italy: result of the first Italian survey (SS 1813), B-0990

**Saltybaeva N., Smal Y., Kolditz D., Kalender W.**

Patient-specific whole body voxel model for accurate Monte Carlo CT dose estimation (SS 1813), B-0991

**Saltybaeva N., Kolditz D., Schmidt B., Kalender W.**

Monte Carlo tool for 3D-dose simulation in computed tomography taking into account tube current modulation (SS 1813), B-0993

**Salvador R.**

Breast ultrasound: C. The use of ultrasound in the evaluation of the nipple-areolar complex (RC 1902), A-612

**Salvador R., Salvador X., Miranda I., Dominguez O., Romero L.**

Improving diagnostic yield in axillary lymphadenopathy sampling: core biopsy and vacuum-assisted core biopsy (SS 202), B-0211

# Authors' Index

**Salvagnini E., Cockmartin L., Michielsen K., Jacobs J., Marshall N.W., Struelens L., Bosmans H.**  
Can a colour representation of grey-scale images improve object detectability in mammography? (SS 1713), B-0842

**Salvatori L., Tessa C., Del Meglio I., Diciotti S., Vignal C., Casolo G.**  
Evaluation of Brugada syndrome by cardiac magnetic resonance (SS 603b), B-0465

**Sancho L., Abrantes A.F.C.L., Ribeiro L.P.V., Almeida R.P.P., Rodrigues S.I., Silva C.A.**  
Information-seeking behaviour of radiographers (SS 114), B-0136

**Sangro B.**  
Hepatocellular carcinoma: Chairman's introduction (MS 4), A-075

**Sangro B.**  
Hepatocellular carcinoma: Hepatology/oncology (MS 4), A-079

**Santangelo T., Colas L., Niemann T., Simeone A., Rémy-Jardin M., Rémy J.**  
Radiation dose levels in paediatric chest CT: experience in 506 children evaluated with dual-source CT (SS 1312), B-0729

**Santos A., Capitolina L., Silva I., Saraiva A.**  
Radiographers' knowledge about adverse reactions to iodinated contrast media (SS 114), B-0140

**Santos C.S.L., Rocha D.P., Ribeiro M.M.C.P.**  
Occupational exposition to electromagnetic fields in MR: understanding the discussion around the directive 2004/40/EC (SS 1814), B-1019

**Santos J., Foley S., Paulo G., McEntee M.F., Rainford L.**  
Conducting a national diagnostic reference level survey for computed tomography examinations: the Portuguese experience (SS 214), B-0272

**Sardanelli F.**  
MIPA study: study design, goals and rollout (SY 3)

**Sardanelli F., Houssami N.**  
Preoperative MRI in newly diagnosed breast cancer: to do or not to do?: Discussion (MC 623), A-130

**Sassen S., de Booij M., Sosef M.N., Lammering G., Bakker C.M.M., Clarijs R., Berendsen R.C.M., Wals J., Vliegen R.F.A.**  
Additional value of diffusion-weighted (DWI) MRI for predicting complete tumour response (TONO) in rectal cancer treated with neo-adjacent chemotherapy (CRT) (SS 1316), B-0627

**Savchenkov Y., Bagnenko S., Trufanov G., Fokin V.**  
Quantitative data analysis of the diffusion-weighted MR-images in the differential diagnosis of metastatic liver disease of colorectal and pancreatic aetiology (SS 1701b), B-0833

**Scaglione M.**  
Polytrauma: redefining imaging issues for management priorities: B. Chest and abdomen (RC 817), A-220

**Scandiffio R., Vagli P., Bemi P., Mantarro A., Faggioni L., Balestri R., Buccianti P., Neri E., Bartolozzi C.**  
Value of 3D FSE Cube sequence at 3T MRI in preoperative local staging of rectal cancer (SS 1316), B-0623

**Schaefer-Prokop C.M.**  
Imaging in intensive care patients: Computed tomography of pathologic lung conditions complicating intensive care treatment (SF 7c), A-195

**Schaefer-Prokop C.M.**  
Thoracic emergencies: B. Pulmonary (E<sup>3</sup> 1520), A-477

**Schäfer F.K.W.**  
Advances in breast imaging with ShearWave<sup>TM</sup> elastography (SY 2)

**Schillinger M.**  
When every step counts: imaging and management of peripheral arterial occlusive disease (PAOD): A. Clinical considerations (CC 1518), A-486

**Schima W.**  
Malignant pancreatic tumours: A. Solid tumours (E<sup>3</sup> 320), A-005

**Schima W.**  
The essentials of lymph node imaging of solid tumours: what the radiologist needs to know: A. The current criteria for nodal involvement on CT/MRI (RC 1416), A-438

**Schindera S.T., Odedra D., Arsalan Raza S., Kim T.K., Jang H., Szucs-Farkas Z., Rogalla P.**  
Hybrid iterative reconstruction for abdominal CT: can the radiation dose be decreased while preserving the low-contrast detectability? (SS 1301), B-0699

**Schindera S.T., Odedra D., Mercer D., Thippavong S., Chou P., Szucs-Farkas Z., Rogalla P.**  
Impact of modified abdominal CT protocols for obese patients with filtered back projection and hybrid iterative reconstruction technique on image quality, radiation dose and low-contrast detectability: a phantom study (SS 1301), B-0702

**Schipper R., Lobbes M.B.I., van Roozenendaal L.M., Castro C.J.G., de Vries B., Heuts E.M., Keymeulen K.B.M.I., Smidt M.L., Beets-Tan R.G.H.**  
Gadofosveset-enhanced axillary MRI for nodal staging in breast cancer (SS 202), B-0212

**Schleder S., Luerken L., Dendl L., Wiggemann P., Stroszczynski C., Schreyer A.**  
The diagnostic yield of MSCT in the detection of obscure infection foci (SS 1317), B-0725

**Schleich C., Blondin D., Kröpil P., Vonend O., Heusch P., Wittsack H., Antoch G., Lanzman R.S.**  
Arterial spin labelling (ASL) MRI for monitoring kidney perfusion before and after renal denervation: initial results (SS 1309), B-0648

**Schleich C., Ostendorf B., Buchbender C., Nowak C., Sewerin P., Schneider M., Antoch G., Scherer A., Miese F.**  
Monitoring of initial methotrexate therapy effect on cartilage composition in early rheumatoid arthritis with biochemical MRI of finger cartilage (SS 1310), B-0651

**Schlemmer H.-P.**  
MR imaging for prostate cancer management: the essential guide for radiologists: Chairman's introduction (RC 416), A-058

**Schlemmer H.-P.**  
MR/PET: a marriage made in heaven or hell?: MR/PET in oncologic imaging: radiology (NH 8), A-211

**Schlosser T., Nassenstein K., Hunold P., Joeckel K., Barkhausen J., Erbel R., Sievers B.**  
Myocardial perfusion defects and late gadolinium enhancement in asymptomatic subjects with subclinical atherosclerosis and mild coronary calcifications - results of the Heinz Nixdorf recall MRI substudy (SS 903), B-0584

**Schmidt S.**  
Cross-sectional imaging of colitis: A. What protocol to use? (RC 1901), A-591

**Schmitt B.**  
Cartilage imaging: CEST (chemical exchange saturation transfer) (NH 7), A-153

**Schnabel J.A.**  
Lung and chest imaging: new approaches: Respiratory motion correction in lung imaging (EF 1), A-235

**Schneider D., Apfaltrer P., Haubenreisser H., Meyer M., Sudarski S., Fink C., Schönberg S.O., Henzler T.**  
Value of monoenergetic low KV dual-energy CT datasets for improved image quality of cervical and cerebral CT-angiography (SS 511), B-0352

**Schneider J.F.**  
Metabolic and neurodegenerative disorders: C. Metabolic disorders (E<sup>3</sup> 820b), A-224

**Schneider K., Teusch V., Seidenbusch M.C.**  
Radiation exposure during scanograms (scoutviews) in paediatric computed tomography (CT) (SS 1312), B-0733

**Schoder H.**  
Essentials in oncologic imaging: what radiologists need to know (part 4): A. Lymphoma (MC 728), A-179

**Schoepf U.J.**  
Comprehensive CT cardiothoracic imaging: a new challenge for radiologists: How to optimise integrated cardiothoracic imaging with CT (SF 14b), A-450

**Schönberg S.O.**  
Introduction (SY 14)

**Schönnagel B.P., Much C., Yamamura J., Adam G., Ueberle F., Tavares de Sousa M., Kooijman H., Wedegärtner U.**  
Antenatal blood flow quantification by phase-contrast MRI using a new triggering method: comparison with Doppler ultrasound in a sheep model (SS 1712), B-0859

**Schramm N., Rominger A., Schmidt C., Schmid-Tannwald C., Meinel F.G., Reiser M.F., Rist C.**  
Detection of underlying malignancy in patients with paraneoplastic neurological syndromes: comparison of 18F-FDG-PET/CT and contrast-enhanced CT (SS 916), B-0556

**Schreutelkamp I.L., Kwee R.M., de Booij M., Adriaensen van Roij M.E.A.P.**  
Avoidable surgical consultations in women with a positive screening mammogram: experience from a southern region of the Dutch breast screening programme (SS 1802b), B-0965

# Authors' Index

**Schueller G.**

Polytrauma: redefining imaging issues for management priorities: A. Vascular trauma (RC 817), A-219

**Schukro C., Lee M.**

Safety and efficiency of low-field magnetic resonance imaging in patients with cardiac rhythm management devices (SS 113), B-0107

**Schulz B., Bodelle B., Lehnert T., Al-Butmeh F., Sedlmair M., Banckwitz R., Klement D., Vogl T.J., Kerl M.J.**

70kV computed tomography of the thorax: valence for computer-assisted nodule evaluation and radiation dose - first clinical results (SS 504), B-0290

**Schulz B., Bodelle B., Siebenhandl P., Beeres M., Al-Butmeh F., Frelesen C., Vogl T.J.**  
Image quality on liver CT based on sinogram-affirmed iterative reconstruction algorithm (SS 1301), B-0700**Schulz-Menger J.**

Cardiovascular MR - assessment of viability today and tomorrow (SY 6)

**Schwenger N.F., Schraml C., Gatidis S., Brendle C., Schmidt H., Pfannenberg C., Claussen C.D.**

Detection of lung nodules in an integrated whole body MR/PET scanner: comparison to PET/CT (SS 606), B-0504

**Sconfienza L.M., Aliprandi A., Cannà P., Sdao S., Bandirali M., Sardanelli F.**

Potential use of intra-articular diluted high-relaxivity gadolinium-based contrast agent for magnetic resonance arthrography (MRA): an in-vitro study (SS 1306), B-0741

**Sechopoulos I., Mejia-Bustamante V.,****Feng S.S.J., Nagy J.**

Spectral reconstruction algorithm for digital breast tomosynthesis (SS 1713), B-0840

**Seidenbusch M.C., Schneider K.**

Anthropometry of children and mathematical phantoms applied to dose reconstruction in paediatric radiology (SS 1312), B-0732

**Seki S., Koyama H., Ohno Y., Nishio M., Yoshikawa T., Matsumoto S., Sugihara N., Inokawa H., Sugimura K.**

Phantom study for adaptive iterative dose reduction 3D (AIDR 3D) for low-dose chest CT examination: utility for identification of pulmonary ground glass opacity and nodule on 320-detector row CT using different scanning methods (SS 904), B-0526

**Selwaness M., van den Bouwhuijsen Q., Mattace-Raso F.U.S., Verwoert G., Hofman A., Franco O.H., Wentzel J.J., Witteman J., van der Lugt A.**

Arterial stiffness is associated with carotid intraplaque haemorrhage in the general population: the Rotterdam study (SS 115), B-0111

**Sergi M., Vinci V., Bernardo S., Sollazzo P., Saldari M., Manganaro L.**

Fibre tracking evaluation of sacral nervous pathways 3D architecture in women affected by endometriosis (SS 607), B-0394

**Shaaban M.A.**

Breast tomosynthesis versus digital mammography: evaluation of diagnostic potential in women with abnormal screening mammograms (SS 1702), B-0816

**Shi H., Yang F., Ma X., Guo W., Dong S., Qiao M.**

The application of CT angiography with whole brain perfusion imaging in the evaluation of patients with transient ischaemic attack (SS 515), B-0368

**Shi J., Fink C., Schmid-Bindert G., Pilz L.R., Apfaltrer P., Haubenreisser H., Haberland U., Schönberg S.O., Henzler T.**

Dynamic volume perfusion CT in patients with lung cancer: baseline perfusion characteristics of different histological subtypes (SS 104), B-0022

**Shin J., Yoon H., Ko G., Gwon D.**

Efficacy of bilateral uterine artery embolization as a first-line therapeutic option for acquired uterine arteriovenous malformations (SS 609b), B-0499

**Shrimpton P.C.**

Novel developments in CT and their impact on dose: A. Patient dose assessment in CT (RC 1513), A-516

**Shweel M., ElShafaey A., Nasar M., MohyElDien R.**

Evaluation of lacrimal drainage system obstruction using combined multidetector CT and instillation dacryocystography (SS 1308), B-0713

**Sidek S., A. Rahman F., Rahmat K., Mohd Ramli N., Mohd Ramli N.**

Retrograde degeneration of optic nerve and visual pathway in open angle glaucoma: a morphologic evaluation using 3T MRI (SS 111), B-0015

**Sidhu P.S.**

The male genital system: B. Scrotal tumours (CC 1421), A-425

**Siemens S., Brekenfeld C., Klink T., Fiehler J., Bley T.**

3T MRI reveals extra- and intracranial involvement in giant cell arteritis (GCA) (SS 511), B-0354

**Siemund R.**

Is diagnostic catheter angiography still useful in neuroimaging?: What can we expect from vascular diagnostic procedures? (SF 8a), A-204

**Sijbers J.**

Novel developments in CT and their impact on dose: C. New image reconstruction techniques (RC 1513), A-518

**Sileo C., Corvol H., Boelle P., Blondiaux E., Clement A., Ducou Le Pointe H.**

Cystic fibrosis lung disease in children: correlation between MRI and HRCT scores (SS 1312), B-0738

**Sim J., Kim H., Yeon J., Suh B., Kim K., Ha Y., Paik S.**

Added value of ultrasound re-evaluation for patients with equivocal CT findings of acute appendicitis: a preliminary study (SS 101a), B-0052

**Sim L., Leong L.**

Ultrasound elastography in the diagnostic assessment of axillary lymph nodes in women presenting to a breast imaging centre (SS 202), B-0215

**Simanovsky N., Lioubashevsky N.,****Rozovsky K., Hiller N.**

Can ultrasonography reliably differentiate between ileo-colic and small bowel intussusception? (SS 912), B-0591

**Simon M., Guo J., Bonsanto M., Petersen D., Sack I., Würfel J.**

MR elastography (MRE) for non-invasive differentiation of intracranial tumours: results of a histology correlated study (SS 1811a), B-0896

**Singh A.K., Cai W., Imanzadeh A., Saini S., Harris G.**

Fractional 3D quantification of early contrast-enhancing tumour fractions on dynamic MRI acquisitions in soft tissue sarcoma: prospective comparison with partial tissue-stained pathological tumour viability estimates (SS 116), B-0069

**Sinitsyn V.E.**

Low-dose and low-iodine CT coronary angiography (SY 20)

**Sinitsyn V.E.**

Non-ischaemic heart disease: Interactive case discussion (MC 422), A-094

**Sipola P.**

Non-ischaemic heart disease: C. Cardiomyopathies (MC 422), A-093

**Sirlin C.B.**

Imaging after systemic therapies: advanced techniques: C. Assessing the precision and accuracy of biomarker imaging: is it reproducible? (CC 819), A-217

**Skaane P., Gullien R., Krager M., Haakenaasen U., Izadi M., Jebsen I.N., Ekseth U., Eben E.B.**

Analysis of discordant screening-detected cancers at FFDM (2D) versus 2D plus tomosynthesis (combo mode) in a population-based screening program: results from the Oslo tomosynthesis screening trial (SS 1702), B-0817

**Skaane P.**

The Oslo clinical synthesis screening experience (SY 17)

**Skehan S.**

Pancreatic cystic neoplasms 2013: Radiological diagnosis (EM 2), A-146

**Sklair-Levy M.**

Follow-up of local treatments of breast cancer: A. MRI-guided HIFU therapies in the breast (CC 1619), A-541

**Slapa R.Z., Migda B., Jakubowski W.S., Bierca J., Slowinska-Szednicka J.**

The new approach to thyroid elastosonography - time-strain curves - may aid the differentiation of nodules (SS 1308), B-0717

**Slon P., Etxano J., Simon-Yarza I., Viteri G., Elizalde A., Pina Insausti L.J.**

The role of additional ultrasound and tomosynthesis after normal digital mammography: comparison between both techniques (SS 1302), B-0685

**Slon P., Etxano J., Viteri G., Simón-Yarza I.,**

Páramo M., García P., Pueyo J.C., Larrache J. Intravertebral gas in the cervical spine (SS 1811b), B-0900

# Authors' Index

## **Smal Y., Saltybaeva N., Kalender W.**

A simple algorithm for dose estimation in CT imaging considering patient size (SS 1813), B-0992

## **Smeets D., Van Hecke W., Loeckx D.**

Consistent automatic adipose tissue quantification in MR abdomen images (SS 205), B-0280

## **Smets A.M.J.B.**

Oncologic imaging: how to image, follow up and report: A. Renal and adrenal tumours in children (RC 1212), A-395

## **Smith A.**

A review of the evolution of breast tomosynthesis (SY 17)

## **Smits M.L.J., Nijsen J.F.W., van den Bosch M.A.A.J., Lam M.G.E.H., Vente M.A.D., Mali W.P.T.M., van het Schip A.D., Zonnenberg B.A., Prince J.F.**

Holmium-166 radioembolisation: results of a phase 1, dose escalation study in patients with unresectable, chemorefractory liver metastases - the HEPAR trial (SS 109), B-0032

## **Smits M.**

A radiologist with a ruler in his hand is a dangerous person: seeking standardisation in multicenter imaging trials: Advanced MR neuroimaging in multicentre trials: experience from the EORTC Brain Tumour Group (EIBIR/EORTC Joint Workshop), A-098

## **Snaith B.**

Radiography authorship: a European and international review (SS 114), B-0133

## **Snaith B., Hardy M., Lewis E.**

Radiographer contribution to the interpretation of trauma radiographs: a survey of UK practice (SS 514), B-0389

## **Sneddon K., Rehman H., Davis Z., Perks F., White T.O., Clement R.G.E.**

MRI or CT for occult hip fracture: Do either miss clinically relevant fractures? (SS 1710), B-0780

## **So M.C., Chin W.L., Wong C.M., Tai C.W., Leung M.W.**

Diagnostic accuracy of free-breathing coronary CTA using dual-source CT high-pitch acquisition: comparison of single and double scans with conventional angiography (SS 503), B-0377

## **Soares J., Dores R., Sousa P., Rodrigues S.I., Ribeiro L.P.V., Abrantes A.F.C.L., Almeida R.P.P.**

Attenuation of anode heel effect with an aluminum filter and their influence on patient dose in lumbar spine radiography (SS 914), B-0607

## **Soffia P. Pinochet M.A.**

Topics of ongoing radiological research from the Andes: Introduction: Radiology in Chile: reality and challenges (EM 4), A-403

## **Sogaro F., Tessitore P., Scrimieri A., Pittiani F., Borghesi A., Maroldi R.**

Role of elastography in the characterisation of thyroid nodules (SS 1308), B-0716

## **Sollazzo P., Bernardo S., Sergi M., Vinci V., Saldari M., Manganaro L.**

Preliminary functional study with MR defecography in patients suffering from deep endometriosis (SS 607), B-0396

## **Sollazzo P., Sergi M., Vinci V., Bernardo S., Saldari M., Manganaro L.**

The "tail sign" in the differential diagnosis of verrian pathologies in foetuses under 24 weeks: role of foetal MRI (SS 1712), B-0863

## **Sommer C.M., Wachter M.F., Fritz S., Vollherbst D., Stampfli U., Bellemann N., Gockner T., Mokry T.**

Irreversible electroporation (IRE) of the pig kidney with involvement of the renal pelvis - technical aspects, clinical outcome and 3d lesion analysis (SS 209), B-0178

## **Sommer G., Bauman G., Draenckow C., Heussel C.-P., Kauczor H.-U., Schlemmer H.-P., Puderbach M.**

Non-contrast-enhanced perfusion MRI for preoperative assessment of lung function in patients with non-small-cell lung cancer (NSCLC) (SS 1704), B-0766

## **Sommer W.H., Ceelen F., Paprottka P., Reiser M.F., Theisen D.**

Predictive values of MRI parameters for the progression-free survival after radioembolisation in patients with metastases of neuroendocrine tumours (SS 1716), B-0803

## **Sommer W.H., Zech C., Sourbron S., Armbruster M., Reiser M.F.**

Diagnostic accuracy of dynamic gadoxetic-acid-enhanced MRI and PET-CT in patients with liver metastases from neuroendocrine neoplasms (SS 1801b), B-0980

## **Son J., Lee H., Kim J., Han J., Lee K., Kwon O., Kim B., Kim H., Shim Y.**

Stratification of pure ground-glass opacity (GGO) nodular lung adenocarcinoma using quantitative analysis of CT imaging metrics to select patients for limited-resection more precisely (SS 504), B-0296

## **Song S., Seo B., Hwang K., Cho K., Woo O.**

Which threshold level is appropriate for analysis of the computer-aided detection system of breast MRI? Effect of pathologic tumour characteristics and biological markers (SS 102), B-0073

## **Sonoyama Y., Tajima T., Shiga T., Hagiwara N., Sakai S.**

Liver dysfunction induced by amiodarone therapy: evaluation by sequential CT studies (SS 1801b), B-0986

## **Soria Jerez J.A.**

Knowledge development as a tool for radiographers' professional improvement: The radiographer as the interface between patient and technology in promoting safety in radiation protection (EM 5), A-288

## **Soto García M.R.**

Knowledge development as a tool for radiographers' professional improvement: Educational status of radiographers in Spain: comparison with the EU (EM 5), A-289

## **Soto Giordani G.**

Topics of ongoing radiological research from the Andes: Interlude: Chile, land of geographical and cultural contrasts (EM 4), A-405

## **Soto Giordani G.**

Topics of ongoing radiological research from the Andes: Interlude: Chile, land of wine and poets (EM 4), A-407

## **Sottocornola L., Salmi A., Rossini A., Maroldi R., Cabassa P.**

Radiofrequency ablation of hepatocellular carcinoma associated with chronic liver disease without cirrhosis: long-term experience (SS 609a), B-0424

## **Sottocornola L., Dal Corso M., Ravanelli M., Pianta L., Maroldi R.**

Radiological anatomy of the ethmoidal arteries: a cone beam CT study (SS 608), B-0479

## **Sousa A., Serém S., Santos J., Paulo G.**

An approach for Portuguese diagnostic reference levels for bedside chest radiography (SS 914), B-0605

## **Spampinato M., Pravata' E., Langdon B., Patrick K., Parker R.**

Gender differences in grey matter atrophy patterns in the mild cognitive and early Alzheimer's disease (SS 611), B-0409

## **Sperryn C.**

Imaging HIV and TB: Introduction (EM 3), A-256

## **Spoerl M.C., Hosten N.**

Evaluation of telerradiology and telemedicine regarding financial and personnel benefit for regions with low population density (SS 105), B-0146

## **Stacul F.**

Contrast media safety: update: C. Contrast medium-induced nephropathy and new guidelines (RC 1407), A-456

## **Stadler A.**

Practical approach to cardiovascular risk stratification with CT and MRI: A. Modern views on value of coronary calcium scoring for risk assessment (RC 803), A-248

## **Stahlhut L., Buncic A., Tan Y., Steen M., Guo X., Maintz D., Schwartz L., Zhao B., Persigehl T.**

Reproducibility of therapy response evaluation between experienced and less experienced readers of pleural mesothelioma by mRECIST, RECIST 1.0, RECIST 1.1, and WHO (SS 1716), B-0806

## **Stajgis M.**

Neurological emergencies: B. Traumatic (E7 720a), A-143

## **Stanicki T., Studniarek M., Zegarski W., Srutek E., Malkowski B.**

18F-FLT- PET in the diagnosis of gastric cancer (SS 516), B-0321

## **Stankovic Z., Russe M.F., Jung B., Euringer W., Csatari Z., Stehlin L., Langer M., Markl M.**

Assessment of blood flow haemodynamics of liver cirrhosis patients after treatment with a TIPS stent-graft using a flowsensitive 4D MRI imaging at 3 Tesla (SS 515), B-0361

## **Stanton M.T.**

Radiographers and ultrasonography in Europe: Levels of training and competencies across Europe (SF 7a), A-168

## **Steiner J., Wimmer T., Bohlsken D., Quehenberger F., Schöllnast H.**

Hepatocellular carcinoma (HCC) treated with transarterial chemoembolization (TACE): volume CT perfusion (VCTP) imaging in the detection of early changes - preliminary results (SS 201b), B-0234

# Authors' Index

**Stekete R.M.E., Mutsaerts H.M.M., Houston G.C., Majoi C.B.L.M., Nederveen A.J., Smits M.**  
Inter-session reproducibility of cerebral blood flow (CBF) in the primary motor cortex as assessed in the VESPA (vendor-specific features of ASL-MRI) study (SS 1811a), B-0894

**Sterzik A., Staehler M., Casuscelli J., Karpitschka M., Schwarz F., Reiser M.F., Graser A.**

Imaging of antivascular effects of multikinase inhibitors (MKI) in patients with metastatic renal cell cancer (mRCC) using dynamic contrast-enhanced CT (DCE-CT, perfusion CT): a pilot study (SS 116), B-0066

**Sterzik A., Paprottka P., Zengel P., Roßpunkt S., Baloch E., Moser M., Reiser M.F., Nikolaou K., Cyran C.**

Monitoring the antivascular effects of a novel multimodal therapy with dynamic contrast-enhanced MRI (DCE-MRI) in an experimental human squamous cell carcinoma model (SS 116), B-0068

**Siefsohn E., Scherer S., Prosch H., Neumann C., Osinger K., Weber M., Mostbeck G.**

Dual-source CT perfusion maps: do they increase the diagnostic confidence in the diagnosis of pulmonary embolism by CT? (SS 1304), B-0635

**Stiller W., Pahn G., Mayer J.L., Dadrich M., Hirsch J., Böhme S., Markstaller K., Szabó G., Kauczor H.-U.**

Thoracic imaging with low-dose MDCT at low tube voltages using iterative image reconstruction: where is the limit of diagnostic confidence compared to the clinical standard? (SS 904), B-0523

**Stojanov D.A.**

Apparent diffusion coefficient in determination of histological subtype of meningioma (SS 1311), B-0677

**Stork A.**

Case clarification with digital breast tomosynthesis versus mammography special views (SY 13)

**Streitparth F., De Bucourt M., Hartwig T., Walter T., Maurer M., Renz D., Gebauer B., Hamm B., Teichgräber U.**

MR-guided lumbosacral nerve root injection therapy using an open 1.0 Tesla MRI system: a clinical investigation (SS 509), B-0306

**Strobl F.F., Schmehl J., Brechtel K., Zeller T., Claussen C.D., Tepe G.**

12 months results of a randomised trial comparing mono- or dual-antiplatelet therapy in interventional treated patients with peripheral arterial disease (SS 1809), B-0923

**Studniarek M.**

Legal matters related to multimodality techniques: Radiological legal matters in eastern Europe (PC 12), A-399

**Stumpf P., Kubissa K., Purz S., Gawlitza M., Kühn A., Steinhoff K.G., Boehm A., Kluge R., Kahn T.**

Initial clinical results of simultaneous PET/MRI in comparison with PET/CT in patients with head and neck cancer (SS 208), B-0158

**Sudarski S., Schneider D., Apfaltrer P., Schönberg S.O., Henzler T.**  
Image quality of monoenergetic low-keV datasets for lower extremity dual-energy CT angiography (SS 205), B-0289

**Sudarski S., Schneider D., Apfaltrer P., Schönberg S.O., Henzler T.**  
Value of monoenergetic low-keV dual-energy CT datasets for improved image quality of abdominal CT angiography (SS 1713), B-0848

**Suh C., Kim S., Kim K.**  
Estimation of reference values for liver elasticity in biopsy-proven normal liver using Supersonic Shear Wave imaging: measurement reliability and effect of steatosis (SS 101b), B-0091

**Sunaert S.**  
Imaging of the mind: Chairman's introduction: New insights into the state of consciousness through neuroimaging (NH 14), A-420

**Sunaert S.**  
Traumatic brain injury: New imaging techniques in the detection and quantification of brain damage (SF 15a), A-502

**Sunwoo L., Choi S., Kim T., Lee S., Park C., Kim J., Sohn C., Park S., Kim I.**  
Paradoxical imaging features of high-grade gliomas with oligodendroglial component: quantitative analysis on diffusion and DSC perfusion MR imaging (SS 911), B-0513

**Suoranta S., Niskanen E., Äikiä M., Koskenkorva P., Könönen M., Kälviäinen R., Vanninen R.**

Regional cortical thickness is associated with neurocognitive profile in progressive myoclonus epilepsy type 1 (EPM1, Unverricht-Lundborg disease) (SS 111), B-0011

**Šurlan Popović K., Lamot U., Vrabec M., Klavžar R.**

Temporomandibular joint internal derangement: correlation of MRI findings with clinical symptoms (SS 608), B-0476

**Suryanarayanan S.**

Latest development in mammography: non-invasive single-shot spectral imaging (SY 16)

**Sutter R., Hodek R., Fucentese S.F., Pfirrmann C.W.A.**

Total knee arthroplasty MR imaging with the WARP-technique, featuring slice-encoding metal artefact correction (SEMAC) and view-angle tilting (VAT): reduction of metal artefacts for STIR and intermediate-weighted sequences (SS 1810), B-0938

**Sverzellati N.**

Phenotypes in obstructive airway disease: how should I image, analyse and report?: B. Chronic obstructive pulmonary disease (COPD) (RC 1904), A-617

**Syrgiamiotis V.**

Hot topics in magnetic resonance imaging: C. Challenges and opportunities in paediatric MR (RC 1114), A-345

**Szabó E., Morvay Z., Nagy E., Mátéka I.**

Bringing radiology to medical undergraduates: How to ensure teachers are suitably trained (PC 3), A-026

**Szczerbo-Trojanowska M.**

Gynaecological and obstetrical haemorrhagic emergencies: C. Treatment of post-partum haemorrhage (RC 1209), A-391

**Szczygielski O., Boczar M., Sawicka E., Bekiesinska-Figatowska M., Madzik J., Romanuk-Doroszewska A., Uliasz M., Klepacka T., Michalak E.**

Neurocutaneous melanosis in children with giant congenital melanocytic nevi (SS 1311), B-0671

**Szewczyk-Bieda M., Evans A., Vinnicombe S., Whelehan P., Thomson K.**

Can the ring sign improve the performance of shearwave elastography in benign/malignant differentiation of screen detected solid breast masses? (SS 502), B-0332

## T

**Taşkin F.**

Clinical experiences with digital breast tomosynthesis in follow up diagnostics (SY 5)

**Tacher V., Lin M., Desgranges P., Grünhagen T., Luciani A., Becquemin J., Deux J., Rahmouni A.**

Comparing 2D angiography, 3D rotational angiography, and pre-procedural CT image fusion with 2D fluoroscopy for endovascular repair of thoraco-abdominal aortic aneurysm (SS 1809), B-0924

**Tacher V., Lin M., Chao M., Gjesteby L., Bhagat N.**

Semi-automatic volumetric tumour segmentation for hepatocellular carcinoma: comparison between C-arm cone-beam computed tomography and MRI (SS 109), B-0036

**Tack D., Howarth N.**

Common and uncommon errors in plain film and CT imaging of the chest: how to improve your performance (E<sup>o</sup> 1420), A-419

**Tagliafico A., Airaldi S., Cavagnetto F., Bingotti B., Tosto S., Astengo D., Calabrese M.**

One-to-one comparison between digital mammography and digital breast tomosynthesis using a fully automated software: breast density underestimation on digital breast tomosynthesis varies in different BI-RADS classes (SS 1302), B-0688

**Takahashi S., Aoyama N., Kimura T., Kitajima K., Ueno Y., Sato S., Sugimura K.**

Arterial spin labelling for the prostate: initial experience at 3T MRI (SS 507), B-0346

**Talakic E., Stocker D., Täubl P., Maderthaner R., Quehenberger F., Schoellnast H., Tillich M.**

The influence of the contrast media protocol and the scan mode on arterial enhancement in cardiac CT (SS 1306), B-0743

**Talakic E., Schoellnast H., Wimmer T., Steiner J., Quehenberger F., Reiter U.**

Gadoteric acid-enhanced MRI of the liver: correlation between Gadoteric acid uptake and serum hepatic enzymes levels (SS 1806), B-1032

**Talei Franzesi C.R.G.L., Ippolito D., Bonaffini P., Cadonici A.C., Masetto A., Sironi S.**

CT angiography of abdominal aorta with low kV CT protocol and low contrast medium volume: a feasibility study (SS 215), B-0254

# Authors' Index

**Talei Franzesi C.R.G.L., Ippolito D., Bonaffini P.A., Bartolo V., Trattnero C., Sironi S.**

Feasibility in low kV CT angiography of the abdominal aorta: assessment of image quality, radiation exposure and contrast material volume (SS 1306), B-0745

**Talei Franzesi C.R.G.L., Ippolito D., Bonaffini P.A., Capraro C., Besostri V., Sironi S.**  
Functional MRI with diffusion-weighted imaging and ADC map in characterization of undetermined adrenal lesions: comparison with chemical shift imaging (SS 1707), B-0827

**Talei Franzesi C.R.G.L., Ippolito D., Bonaffini P.A., Fior D., Minutolo O., Sironi S.**  
Low kV settings CT-angiography with ultra low contrast medium volume for the assessment of thoracic and abdominal aorta disease: a feasibility study (SS 1815), B-1005

**Tali E.T.**  
Infection and inflammation: A. Infection (E<sup>3</sup> 720b), A-164

**Tandon A., Dewan S., Bhatt S., Jain A.K.**  
Diagnosing adhesive capsulitis of shoulder on sonography alone: is it possible? (SS 110), B-0041

**Tanghe H.**  
Skull base lesions: imaging studies and differential diagnosis: C. Posterior cranial fossa pathologies (RC 1108), A-311

**Taourel P.**  
How I report: C. MDCT in a patient with small bowel obstruction (RC 1201), A-350

**Tarján Z.**  
Diagnosis and staging of esophageal cancer: Chairman's introduction (RC 1601a), A-544

**Tawfik A.M., Batouty N.M., Razek A.A., Eteiba S., Shaheed M.A., Vogl T.J.**  
CT perfusion of head and neck lymph nodes: differentiation between untreated and treated lymphoma (SS 208), B-0150

**Taylor A.M.**  
Adults with congenital heart disease (GUCH): 'Adults are not just big children': differences between children and adults (SF 11), A-323

**Taylor S., Tack D., De Maertelaer V., Gevenois P.**  
Organ-based tube-current modulation: impact of breast position in clinical practice (SS 904), B-0520

**Taylor S.A.**  
GI imaging: technological advances and clinical applications: MR imaging of GI tract motility (SF 8b), A-232

**Taylor S.A.**  
Cross-sectional imaging of colitis: Chairman's introduction (RC 1901), A-590

**Teixidor Viñas M., Belli A.-M., Chandrarahan E.**  
Placenta percreta: role of bilateral occlusion balloons insertion in to internal iliac arteries to prevent haemorrhage and hysterectomy (SS 609b), B-0498

**Thali M.**  
Advances in forensic radiology: Imaging in forensic medicine (SF 14c), A-472

**Thierfelder K.M., von Baumgarten L., Meinel F.G., Baumann A.B., Nikolaou K., Reiser M.F., Sommer W.H.**

Eligibility of 3-dimensional CT perfusion blood flow-volume mismatch to predict time from symptom onset in acute ischemic stroke (SS 1711), B-0754

**Thierfelder K.M., von Baumgarten L., Klotz E., Baumann A.B., Nikolaou K., Reiser M.F., Sommer W.H.**  
Whole brain CT perfusion: volumetric assessment of perfusion deficits in patients with acute ischemic stroke (SS 1711), B-0755

**Thierfelder K.M., von Baumgarten L., Meinel F.G., Nikolaou K., Strobl F.F., Reiser M.F., Sommer W.H.**  
Reliability of flow-volume mismatch assessment in whole brain coverage CT perfusion in acute stroke patients (SS 1711), B-0757

**Thoeny H.C.**  
Diffusion-weighted imaging (DWI) of the abdomen: DWI of the abdomen: a tutorial for beginners (SA 4), A-069

**Thoeny H.C.**  
The essentials of lymph node imaging of solid tumours: what the radiologist needs to know: B. DWI MR: what does it contribute? (RC 1416), A-439

**Thoeny H.C.**  
The usual, the unusual and the dangerous: B. Postoperative anatomy and complications after GU interventions (CC 1621), A-535

**Thomsen H.S.**  
Contrast media safety: update: B. Nephrogenic systemic fibrosis: from pathophysiology to recommendations (RC 1407), A-455

**Thurnher M.M.**  
Tumours and phacomatosis: A. Brain tumours (E<sup>3</sup> 920b), A-263

**Thurnher M.M.**  
Multiple sclerosis: 2013 update: C. Imaging of MS treatment-related complications (RC 1911), A-615

**Tille M., Gutberlet M., Thiele H., Grothoff M.**  
Right ventricular remodelling after ST-elevation myocardial infarction (SS 1703), B-0851

**Timmers J., Verbeek A.L.M., Pijnappel R.M., in 't Hout J., Broeders M.J.M., den Heeten G.J.**  
Breast cancer prediction modelling based on common mammographic findings in screening (SS 1802b), B-0959

**Timmers J., Verbeek A., Pijnappel R., Broeders M., den Heeten G.**  
First experiences with a self-test for Dutch breast screening radiologists as a quality assurance tool (SS 1802b), B-0962

**Tokgoz N., Ucar M., Erdogan Sendur B., Kilic K., Ozcan C.**  
Diagnosis of lumbosacral transitional vertebrae on lumbar MRI: role of spinal and paraspinal anatomic markers and value of additional whole-spine localizer (SS 1811b), B-0899

**Tolan D.J.M.**  
How I report: A. MDCT in the post-operative abdomen (RC 1201), A-348

**Tolan D.J.M.**  
Acute abdominal inflammatory disorders: A. Colitis and enterocolitis (E<sup>3</sup> 1620), A-528

**Tomà P.**

My most beautiful mistakes in paediatric radiology: Chairman's introduction (SF 16a), A-530

**Tomás C., Gonçalves C., Reis C.I.S.**

Quality control in digital mammography: radiographers practice at 5 hospitals of Lisbon (SS 1714), B-0872

**Tomic N., Sharoubim N., DeBlois F., Seuntjens J.**

CTDI measurements using radiochromic films (SS 213), B-0245

**Torres-Tabanera M., Perez-Rodrigo S.**

Multi-modality breast imaging: B. Multi-modality assessment of the breast following oncoplastic surgery (RC 1202), A-375

**Tortora D., Panara V., Mattei P.A., Salice S., Tagliamonte M., Briganti C., Cotroneo A.R., Tartaro A., Caulo M.**

Which T1 pulse should be used to study the preterm brain with a 3 Tesla scanner? (SS 1812), B-1013

**Toth D.F., Toepker M., Mayerhoefer M.E., Furthner J., Asenbaum U., Karanikas G., Weber M., Czerny C., Ringl H.**

Bone metastasis at a glance: a new advanced visualization algorithm for fast and easy detection in thoracoabdominal CT (SS 516), B-0328

**Trattenero C., Ippolito D., Colombo M., Bonaffini P.A., Corso R., Sironi S.**

Role of dynamic contrast-enhanced perfusion MR imaging in monitoring of patients with HCC lesions treated by radiofrequency ablation or transarterial chemoembolization (SS 201b), B-0235

**Trattning S.**

Cartilage imaging: Sodium imaging (NH 7), A-150

**Trecate G., Agresti R., Viganò S., Suman L., Vergnaghi D., Ferranti C., Marchesini M., Scaperotta G., Panizza P.**

MRI of hereditary breast cancer: can hyper T2 signal intensity be considered as a new semiotic parameter of higher aggressiveness? (SS 902), B-0561

**Treitl M., Sadeghi M., Eberhardt K., Maxien D., Reiser M.F.**

Completely CT-guided treatment of lumbar artery fed type 2 endoleaks after stent graft repair of abdominal aortic aneurysms with direct sac puncture and embolization with the liquid embolic agent ethylene vinyl alcohol copolymer (Onyx) (SS 1809), B-0927

**Treitl M., Sadeghi M., Eberhardt K., Maxien D., Reiser M.F.**

Endovascular treatment of type 1 endoleaks after stent graft repair of aortic aneurysms: effectiveness and safety of the ethylene vinyl alcohol copolymer Onyx as liquid embolic agent (SS 1809), B-0928

**Triantopoulou C.**

Pitfalls in interpretation of pancreatic imaging: C. How to manage incidental findings (RC 401), A-057

**Trimboli R.M., Podo F., Santoro F., Sardanelli F.**

Triple negative breast cancers (TNBCs) versus non-triple negative breast cancers (non-TNBCs) diagnosed during a high-risk screening program: sensitivity of imaging modalities and patient outcome (SS 902), B-0569

# Authors' Index

**Trofimova A., Trofimova T., Kataeva G., Medvedev S., Belyakov N., Rassokhin V., Korotkov A., Malakhova E.**  
3T MRS alterations in brain metabolism in HAART-naïve HIV infection (SS 211), B-0229

**Trojanowska A.**  
The suprathyroid neck: anatomy and diagnostic algorithm of the neck mass: The suprathyroid neck: anatomy and diagnostic algorithm of the neck mass (MC 24D), A-418

**Trojanowska A.**  
Temporal bone: imaging the most common symptoms and signs: A. Conductive hearing loss: what's behind it? (RC 1908), A-619

**Truijman M.T.B., Kwee R.M., van Hoof R.H.M., van Oostenbrugge R.J., Mess W.H., Wildberger J.E., Backes W.H., Bucerius J.A., Kooi M.E.**  
Determining the vulnerable plaque: correlation between 18F-FDG PET and dynamic contrast-enhanced MRI in atherosclerotic plaques of symptomatic patients (SS 115), B-0120

**Trumm C.G., Hoffmann R., Lang R.A., Winter H., Weidenhagen R., Jauch K., Reiser M.F., Spelsberg F.W.**

Percutaneous endoscopic gastrostomy (PEG) and jejunostomy (PEJ) placement guided by CT fluoroscopy with or without simultaneous endoscopy in otherwise untreatable patients (SS 201a), B-0195

**Trumm C.G., Stahl R., Clevert D., Herzog P., Mindjuk I., Kornprobst S., Hoffmann R., Reiser M.F., Matzko M.**

MRI-guided focused ultrasound treatment of symptomatic uterine fibroids: impact of technology advancement on ablation volumes in 115 patients (SS 609b), B-0491

**Tse D.M.L., Chung D.Y.F., Scott S., Boardman P., Gleeson F.V., Anderson E.M.**

Image-guided percutaneous thermal ablation of hepatic and renal tumours using high-frequency jet ventilation to minimise respiratory motion (SS 609a), B-0423

**Tshehmaister Abitbol V., Rundstein A., Shalmon A., Konen E., Sklair-Levy M.**

Evaluation of residual breast tissue post-mastectomy using breast MRI (SS 602), B-0458

**Tsoumakidou G., Garnon J., Enescu I., Buy X., Gangi A.**

Percutaneous ablation of spinal osteoid osteoma: report of 37 patients (SS 509), B-0309

**Tudisca C., Meloni A., Giuffrida G., Grassedonio E., Chiodi E., Pietrapertosa A., Lombardi M., Midiri M., Pepe A.**

Are the preferential patterns of myocardial iron overload preserved at the CMR follow-up? (SS 1703), B-0855

**Tudisca C., Meloni A., Ascioti C., Renne S., Santamaria V.**

Cardiac magnetic resonance vs echocardiography for the assessment of cardiac volumes and function in thalassemia intermedia patients (SS 603b), B-0467

**Tudisca C., Ricchi P., Meloni A., Grassedonio E., Santodirocco M.**  
Cardiac and hepatic iron and heart function by MR in thalassaemia major patients treated with combined deferiprone and desferrioxamine regimen versus monotherapies: a multi-centre, observational and prospective study (SS 1703), B-0854

**Turini F.M., Bargellini I., Piaggesi A., Cicorelli A., Cervelli R., Iacopi E., Cioni R., Bartolozzi C.**  
Predictive value of angiographic scores for the integrated management of the ischaemic diabetic foot (SS 1809), B-0922

**Turmel-Rodrigues L.**  
Dialysis fistula: A. Preoperative mapping (RC 715), A-198

**Turmezei T.D., Treese G.M., Gee A.H., Tonkin C.J., Poole K.E.S.**  
Cortical thickness mapping reveals effects of age, weight and osteophytes in the proximal femur (SS 1310), B-0658

**Tyrell A.P., Rainford L.**  
An investigation into the ability of Irish radiographers: in the identification of wrist and scaphoid fractures (SS 514), B-0384

**Tzarouchi L.C., Drougia A., Zikou A., Charisiadi A., Kosta P., Astrakas L., Andronikou S., Argyropoulou M.I.**  
Relationship between body growth and regional brain volume changes in extremely premature small for gestational age babies (SS 1712), B-0860

**Tzarouchi L.C., Drougia A., Zikou A., Kosta P., Astrakas L., Andronikou S., Argyropoulou M.I.**  
Microstructural changes of white matter tracts in small for gestational age very preterm infants evaluated at term equivalent age (SS 1712), B-0862

**Uberoi R.**  
Dialysis fistula: C. Evaluation of malfunction (RC 715), A-200

## U

**Uhlenbrock D.**  
High image quality with lower dose mammography (SY 4)

**Ulus S., Karaarslan E.**  
Incidental findings in the general adult population using whole body MRI as a screening method (SS 516), B-0327

**Umutlu L., Kraff O., Fischer A., Kinner S., Maderwald S., Forsting M., Ladd M.E., Lauenstein T.C.**  
A new look at the female pelvis: ultra-high-field (7T) MR imaging (SS 507), B-0347

**Umutlu L., Fischer A., Forsting M., Ladd M.E., Maderwald S., Kraff O., Lauenstein T.C.**  
Renal MR angiography at 7 Tesla: how much gadolinium do we need? (SS 1806), B-1038

**Umutlu L.**  
Breast MRI for screening breast cancer, why, who and when? (SY 3)

**Ursani A., Mehrez H., Kashani H., Paul N.**  
Influence of AIDR on accuracy of plaque characterisation and lumen assessment during CT coronary angiography (SS 503), B-0379

## V

**Válek V.**

Expanding the role of interventional radiology in hepatocellular carcinoma: Chairman's introduction (RC 709), A-186

**Válek V.**

Diagnosis and staging of esophageal cancer: B. Staging (RC 1601a), A-546

**Valentini V.**

Imaging and radiotherapy: all you need to know: Modern radiotherapy: what are the new technologies? (SF 7b), A-172

**Vallée J.**

Quantitative imaging biomarkers in cardiac radiology: Imaging biomarkers (SF 12), A-369

**Vallejos J., Capunay C., Carrascosa P., Parodi J.C., Sagarduy M.I., Cortines P.**

CT angiography for the evaluation of the thoracic aorta: dynamic changes in the cardiac cycle with implications for thoracic endograft treatment (SS 215), B-0257

**Valvassori L., Piano M.**

Vascular imaging in ischaemic stroke: B. Vertebrobasilar atherosclerotic disease (RC 315), A-045

**van Beek E.J.R.**

"MRI of the lung: to go?" Bon appétit! Main course": pulmonary and mediastinal neoplasms (SF 4a), A-084

**van Beek E.J.R.**

Comprehensive CT cardiothoracic imaging: a new challenge for radiologists: Cardiopulmonary functional imaging from a chest CT examination: when and how (SF 14b), A-452

**Van Beers B.**

A radiologist with a ruler in his hand is a dangerous person: seeking standardisation in multicenter imaging trials: Challenges, problems on key imaging techniques (ELBIR/EORTC Joint Workshop), A-097

**Van Beers B.**

Imaging after systemic therapies: advanced techniques: A. What can we expect from biomarkers (CC 819), A-215

**Van Cauter S., De Keyzer F., Sima D., Veraart J., D'Arco F., Peeters R., Van Gool S., Sunaert S., Himmelreich U.**

Combining diffusion kurtosis imaging, dynamic susceptibility-weighted MR imaging and short echo time chemical shift imaging for grading gliomas (SS 911), B-0510

**Van de Giessen M., Schaafsma B.E., Kroep J.R., Wasser M.N.J.M., Van de Velde C.J.H., Lelieveldt B.P.F., Dijkstra J., Vahrmeijer A.L.**

Scatter amplitude is a good landmark for tumour localisation and treatment assessment in time-domain diffuse optical tomography during neo-adjuvant chemotherapy in breast cancer (SS 216), B-0208

**van den Boom R., Oei M., Oostveen L.J., Laue H., van Ginneken B., Manniesing R., Prokop M.**

Effect of dose reduction on cerebral CT perfusion maps: results from a hybrid digital perfusion phantom (SS 1811a), B-0891

# Authors' Index

- van den Hauwe L., Voormolen M., van der Zijden T., Salgado R., Van Goethem J.W., Parizel P.M.**  
Is diagnostic catheter angiography still useful in neuroimaging?: Can non-invasive techniques as CTA and MRA replace catheter angiography for diagnostic work-up? (SF 8a), A-205
- van den Hauwe L., Pugliese S., Van Goethem J.W., Vensternmans C., De Belder F., van der Zijden T., Voormolen M., Parizel P.M.**  
Pitfalls in brain imaging: A. CT (E<sup>3</sup> 1220), A-346
- van den Hauwe L., Van Goethem J.W., Vensternmans C., De Belder F., Parizel P.M.**  
Spine: update on postoperative imaging and minimally invasive procedures: A. Postoperative spine (RC 1611), A-556
- van den Hauwe L., Gidding C., van Lindert E., Wesseling P., Goraj B.**  
Surveillance neuroimaging in patients with medulloblastoma should include diffusion-weighted imaging (SS 1311), B-0672
- van der Lugt A.**  
Quantitative imaging biomarkers in cardiac radiology: Chairman's introduction (SF 12), A-368
- van der Lugt A.**  
How old are you in reality? Vascular age and clinical events: C. Interactive case discussion: how to deal with the results? (CC 818), A-214
- Van Dyck P., Kenis C., Lambrecht V., Wouters K., Vanhoenacker F.M.H.M., Gielen J.L., Parizel P.M.**  
Direct comparison of MR imaging at 1.5- and 3.0-T for evaluating the articular cartilage of the knee (SS 610b), B-0480
- Van Dyck P.**  
The knee: A. Patterns of injury (RC 1110), A-313
- van Ewijk P.A., Paglialunga S., Slenter J., Wildberger J.E., Glatz J., Hesselink M.K.C., Schrauwen P., Schrauwen-Hinderling V.B., Kooi M.E.**  
Exposure to a high fat diet during early development increases the susceptibility to cardiac lipid accumulation (SS 1703), B-0853
- Van Goethem J., Vensternmans C., De Belder F., van den Hauwe L., Parizel P.**  
Tumours and phacomatosis: B. Tumours of the spinal cord (E<sup>3</sup> 920b), A-264
- Van Goethem J.**  
Spine: update on postoperative imaging and minimally invasive procedures: Chairman's introduction (RC 1611), A-555
- van Hoof R.H.M., Truijman M.T.B., Hermeling E., van Oostenbrugge R.J., van der Geest R.J., Daemen M.J.A.P., Wildberger J.E., Backes W.H., Kooi M.E.**  
Determination of the vascular input function using magnitude or phase-based MRI: influence on dynamic contrast-enhanced MRI model parameters in carotid plaques (SS 115), B-0118
- Van Ongeval C., Van Steen A., Postema S., Soens J.**  
Place of digital breast tomosynthesis in diagnostic investigation of breast lesions: old and new paradigms (SY 1)
- van Osch J.A.C., Mouden M., van Dalen J.A., Timmer J.R., Reiffers S., Greuter M.J.W., Ottervanger J.P., Knollema S., Jager P.L.**  
Impact of iterative CT image reconstruction on calcium score measurements (SS 1303), B-0664
- van Rijswijk C.**  
How I report: A. Soft tissue mass: US/MR (RC 1410), A-434
- van Tiel J., Reijman M., Bos K., Verhaar J., Krestin G.P., Bierma - Zeinstra S., Weinans H., Kotek G., Oei E.**  
3D delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) at 3T used to evaluate the effect of hyaluronic acid on cartilage quality in knee osteoarthritis patients (SS 610b), B-0485
- van Zelst J.C.M., Mus R.D.M., Tan T., Karssemeijer N., Mann R.M.**  
Feasibility of automated 3D breast ultrasound scanning in screening of women with high risk (SS 1802b), B-0968
- Vandecaveye V., Michielsen K., De Keyzer F., Laleman W., Komuta M., Nevens F., Roskams T., Verslype C., Maleux G.**  
One-month apparent diffusion coefficient-determined response at diffusion-weighted MRI is an independent predictor of response to transarterial chemoembolization for hepatocellular carcinoma (SS 1716), B-0804
- Vandecaveye V.**  
Head and neck cancer battle: the power of imaging studies: Chairman's introduction (SF 16b), A-568
- Vandulek C., Kaczur D., Vinczen E., Repa I.**  
Comparison of a 12-channel- with a 32-channel head coil using SNR measurements (SS 1814), B-1024
- Vanhoenacker F.M.H.M.**  
The knee: Chairman's introduction (RC 1110), A-312
- Vanhoenacker F.M.H.M.**  
Neoplastic/non-neoplastic lesions: Neoplastic/non-neoplastic lesions (MC 25D), A-417
- Vaño E.**  
Risk assessment and risk communication: A. Radiation risks for patients and staff (RC 1213), A-385
- Vaño E.**  
Improving workflow efficiency and quality: C. Improving quality and efficiency of dose management through exchange between modalities and registries (RC 1605), A-578
- Vardhanabuthi V., Roobottom C.**  
Feasibility study of low-dose CT colonography using model-based iterative reconstruction: preliminary findings in 20 patients (SS 1701a), B-0798
- Vardhanabuthi V., Roobottom C., Ilyas S.**  
Use of novel iterative reconstruction in CT KUB: approach on improving image quality (SS 1707), B-0821
- Vasilevska Nikodinovska V., Samargiski M., Janevska V., Kunovska S.**  
Magnetic resonance imaging parameters predictive for malignancy: a prospective study of 100 consecutive soft-tissue musculoskeletal masses (SS 610a), B-0430
- Vasselli F., Pediconi F., Telesca M., Luciani M., Casali V., Miglio E., Castrignanò A., Catalano C.**  
Breast MRI at 3T: a pilot study estimating the role of unenhanced MRI (DWI combined with T2 IDEAL sequence) vs CE-MRI in the assessment of response to neo-adjuvant chemotherapy (SS 602), B-0453
- Vasudevan R., Kang M., Gupta R., Bhasin D., Rana S., Khandelwal N.**  
Role of perfusion CT in the evaluation of pancreatic masses (SS 901), B-0573
- Vázquez E.**  
Paediatric emergencies: A. The acute non-traumatic neurological patient: CT or MRI? (RC 1412), A-468
- Vecchietti F., Rengo M., Caruso D., De Cecco C.N., Bellini D., Laghi A.**  
CT colonography: comparative study of experienced vs non-experienced radiologists using 3D flythrough approach with and without CAD software (SS 1701a), B-0792
- Veillon F.**  
The orbit, the petrous bone and the sella: B. The petrous bone (E<sup>3</sup> 420), A-073
- Velonakis G., Filippiadis D., Mazioti A., Argentos S.I., Malagari K., Kelekis A., Kelekis N.**  
Computed tomography-guided lung biopsy with the patient in lateral position and the biopsy side down: effect on pneumothorax rate and clinical significance (SS 909), B-0530
- Veloso Gomes F., Palas J., Matos A., Mascarenhas V., Herédia V., Duarte S., Ramalho M.**  
Renal cell carcinoma subtype differentiation on single-phase contrast-enhanced CT (SS 1707), B-0822
- Veloso Gomes F., Matos A., Palas J., Herédia V., Mascarenhas V., Ramalho M.**  
Renal cell carcinoma subtype differentiation: CT vs MRI (SS 1807), B-0971
- Velroyen A., Bech M., Tapfer A., Ingrisch M., Cyran C.C., Auweter S., Nikolaou K., Reiser M.F., Pfeiffer F.**  
First in-vitro results of microbubbles as a scattering contrast agent for x-ray dark-field imaging measured at a first pre-clinical x-ray phase-contrast and dark-field CT scanner (SS 1713), B-0846
- Veltman J.**  
Clinical challenges in breast MRI: A. High risk patients: establishing clinical protocols (RC 802), A-226
- Ventura E.S., Costa Y., Gomes F.V.**  
Impact and appropriateness of emergency department ultrasonography requests: a prospective study (SS 1317), B-0726
- Venugopal V., Puri S.K., Afshan I., Prabhu A.D.**  
Relative contributory role of Interictal/Ictal SPECT, interictal PET, MR spectroscopy and T2 relaxometry in localisation of seizure focus in temporal lobe epilepsies: a metaanalysis and systematic review (SS 111), B-0013
- Verbeke C.**  
Pancreatic cystic neoplasms 2013: Classification/pathology (EM 2), A-145

# Authors' Index

## Verbist B.

Laryngeal cancer and radiology: C. Cancer recurrence: how to address clinical dilemmas (RC 1408), A-463

**Verhaaren B.F.J., de Groot M., de Boer R., Klein S., Hofman A., van der Lugt A., Ikram M.A., Niessen W.J., Vernooy M.W.**  
Subtle changes in normal appearing white matter precede development of white matter lesions (SS 111), B-0014

**Verhaaren B.F.J., Vernooy M.W., de Boer R., Hofman A., Niessen W.J., van der Lugt A., Ikram M.A.**  
High blood pressure and cerebral white matter lesion progression in the general population (SS 111), B-0016

**Verhaaren B.F.J., Vernooy M.W., Dehghan A., Vrooman H., de Boer R., Niessen W.J., van der Lugt A., Ikram M.A.**  
The relation of uric acid with brain atrophy and cognition: the Rotterdam scan study (SS 611), B-0402

**Vernooy M.**  
Personalised radiology: Imaging for disease prediction (PC 11), A-327

**Verstraete K.L.A.**  
Bringing radiology to medical undergraduates: Involving the undergraduate with the radiology department (PC 3), A-025

**Vigano' S., Scaperrotta G.P., Ferranti C., Suman L., Marchesini M., Capalbo E., Panizza P.**  
Breast lesion excision system (BLES) - innovative breast biopsy technology: experience under stereotactic guidance in small microcalcification clusters (SS 1802a), B-0956

**Vilanova J.C.**  
The knee: C. Soft tissue tumours/tumour-like lesions (RC 1110), A-315

**Vilar J.**  
Tips and tricks in chest imaging: B. CT (E<sup>3</sup> 920a), A-255

**Vilela P.**  
Stroke: is the prognosis getting any better?: C. Stenting: does it prevent stroke? (RC 1211), A-367

**Vilgrain V.**  
Colorectal liver metastases: Role of imaging in the pretreatment assessment (MS 3), A-018

**Vilgrain V., Vullierme M., Ruszniewski P., Sauvanet A.**  
Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: C. Anatomical imaging: transabdominal US, endoscopic US, MDCT and MRI. What is the most appropriate imaging approach? (RC 1916), A-604

**Vilgrain V.**  
Experiences with the Aixplorer and ShearWaveTM elastography for the staging of liver fibroses (SY 2)

**Vilgrain V.**  
Colorectal liver metastases: Chairman's introduction (MS 3), A-017

**Vilgrain V., Ronot M., Kerbaol A., Bruno O.**  
Pitfalls in abdominal imaging: A. Liver (E<sup>3</sup> 520a), A-109

**Vilgrain V., Ronot M., Zappa M., Faivre S., Raymond E.**  
Assessing HCC response: A. Systemic therapies (CC 1219), A-358

**Villeirs G.M., Schatteiman J., De Visschere P.J., De Meerleer G.O., Lumen N., Oosterlinck W.**  
MRI+MRSI reliably detects and excludes high-grade prostate cancer in patients with elevated PSA (SS 107), B-0088

**Vining D.J., Salem U., Popovici C., Jiang L., Duran C., Pitici A., Aghenitei I., Jurca M., Rosu R.**  
Development of the ViSion ontology (SS 105), B-0141

**Vining D.J., Pitici A., Aghenitei I., Popovici C., Jurca M., Rosu R., Tsimberidou A.**  
Use of multimedia structured reporting for tumour response assessment (SS 1716), B-0807

**Viry F., Galanaud D., Mitulescu A., Chaibi Y., Reina V., Leclercq D., Dormont D.**  
Correction of CBV perfusion maps from T1 leakage effect allows a better correlation of perfusion DSC MR imaging with histopathologic glioma grading and an estimation of vascular permeability (SS 911), B-0512

**Viteri G., Slon P., Etxano J., Aldave G., García-Eulate R., Zubia J.L., Tejada S., Díez-Valle R., Dominguez P.D.**  
Survival predictive value of perfusion-weighted MRI relative cerebral blood volume (rCBV) in glioblastoma multiforme adjusted by multiple biomarkers including MGMT promoter methylation (SS 911), B-0514

**Viteri G., Etxano J., Slon P., Rotellar F., Herrero J.I., Benito A., Bilbao J.I.**  
Comparison of outcomes of endovascular treatment with stent placement in patients with early and late hepatic venous outflow obstruction (HVOO) (SS 1709), B-0778

**Vivier P-H.**  
Paediatrics: B. Paediatric adrenal tumours (CC 1521), A-483

**Vlcek A., Kanz F., Weninger W., Streicher J., Risser D., Kainberger F.**  
Computerised morphological estimation of sex and age - from subjective investigation to computer-assisted analysis (SS 905), B-0613

**Vock P.**  
Security scanners at airports: are they safe?: Cumulative low-level x-ray radiation exposure: is it harmful? (ESR Radiation Protection Session), A-052

**Voelckel S., Rieger M.**  
ER: basic principles: C. Mechanism of injury and MDCT protocols: choosing the right protocol for the right patient (RC 417), A-067

**Vogl T.J., Qian J., Tran A., Oppermann E., Imlau U., Hamidavi Y., Korkusuz H., Bechstein W.O.**  
Experimental study on transarterial administration of survivin siRNA combined with transarterial chemoembolization in rats with hepatocellular carcinoma (HCC) (SS 109), B-0034

**Vogl T.J., Blösser S., Schäfer P., Mbaliiske E., Zangos S.**  
Intraprocedural parenchymal blood volume measurement using repetitive C-arm CT in patient with hepatocellular carcinoma and breast cancer during TACE: therapy response and evaluation (SS 109), B-0039

**Vogl T.J., Qian J., Imlau U., Hamidavi Y., Korkusuz H., Oppermann E., Bechstein W.O.**  
Study on the effect of chemoembolization combined with microwave ablation for the treatment of hepatocellular carcinoma in rats (SS 109), B-0040

**Vogl T.J., Wurz C., Zangos S., Thalhammer A., Schmitz-Rixen T.**  
Peripheral artery occlusion disease (PAOD): comparison of CE-MRA versus DSA in grading of stenosis and planning therapy (SS 215), B-0258

**Vogl T.J., Worst T.S., Naguib N.N.N., Nour-Eldin N.-E.A.**  
Factors influencing local tumour control in patients with neoplastic pulmonary nodules treated with microwave ablation (MWA): a risk factor analysis (SS 909), B-0534

**Vogl T.J., Müller A., Zangos S., Lehnert T.**  
Transpulmonary chemoembolisation (TPCE) and transpulmonary chemoperfusion (TPCP) as a treatment for unresectable primary and secondary lung tumours: local tumour control and survival (SS 909), B-0537

**Vogl T.J., von Roden M., Mbaliiske E., Zangos S.**  
Transarterial chemoembolization (TACE) in malignant liver metastases: evaluation of a fast C-arm CT acquisition protocol with a robotic multi-axis C-arm system (SS 1306), B-0748

**Vogl T.J.**  
Sustainability in a complex health care environment (SY 12)

**von Falck C., Bratanova V., Rodt T., Meyer B., Waldeck S., Wacker F., Shin H.**  
Influence of sinogram affirmed iterative reconstruction of CT data on image noise characteristics and low-contrast detectability in comparison with filtered back projection: an objective approach (SS 213), B-0244

**von Schneider-Egestorf A., von Falck C., Meyer B., Wacker F., Rosenthal H.**  
Evaluation of concomitant osseous carpal injuries in patients with distal radial fractures in MDCT (SS 110), B-0047

**von Schulthess**  
Legal matters related to multimodality techniques: Legal matters in nuclear medicine (PC 12), A-400

**voormolen M.H.J., van der Zijden T., Menovsky T., Parizel P.N.M.**  
Additional value of mechanical thrombectomy devices in thrombo-embolic complications during endovascular occlusion of intracranial aneurysms (SS 509), B-0301

**voormolen M.H.J., Van der Zijden T., Menovsky T., Parizel P.**  
Stent-assisted endovascular occlusion of intracranial aneurysms (SS 509), B-0302

**Vorwerk D.**  
Dialysis fistula: B. Screening for problems (RC 715), A-199

# Authors' Index

## Vymazal J.

Stroke: B. Imaging techniques and typical findings (CC 1118), A-307

## W

### Walcher T., Ikuye K., Rottbauer W., Woehrle J., Bernhardt P.

Quantitative evaluation of myocardial perfusion reserve at 3 and 1.5 Tesla in comparison to invasive measurement of fractional flow reserve for detection of coronary artery disease (SS 603a), B-0412

### Walcher T., Ikuye K., Rottbauer W., Woehrle J., Bernhardt P.

Adenosine perfusion and late gadolinium enhancement at 3 Tesla in comparison to 1.5 Tesla for the detection of coronary artery stenosis (SS 903), B-0583

### Walecki J., Barcikowska M., Ćwikla J.B., Gabrylewicz T., Bulski T.

MCI to AD conversion and the role of myoinositol (MI) and N-acetylaspartate (NAA) as biomarkers for this process (SS 611), B-0400

### Wallis M.G.

Preoperative MRI in newly diagnosed breast cancer: to do or not to do?: B. Reasons not to do preoperative MRI (MC 623), A-129

### Wallis M.G.

Spectral lesion evaluation: will it be possible to distinguish cysts from solid masses on the screening mammogram? (SY 16)

### Wang Q., Chen Y., He B.

Computed tomography coronary angiography with a consistent dose below 2 mSv using double high-pitch spiral acquisition in patients with atrial fibrillation (SS 503), B-0375

### Wang X., Wang Y., Xu P.

Influence of menopause in women on breast elasticity measured by elasticity parameters with sonoelastography (SS 502), B-0334

### Wang X., Wang Y., Xu P.

US-based automated breast volume scanner (ABVS): improvement of breast lesion detection in 51 patients - initial study (SS 502), B-0337

### Wang Z., Li X., Jin Z.

Transarterial embolization in the treatment of postpartum haemorrhage (SS 609b), B-0496

### Wang Z., Jin Z., Li X.

Uterine artery embolization for management of secondary postpartum haemorrhage associated with placenta accreta (SS 609b), B-0497

### Webb M.J., Ron Y., Zelber-Sagi S., Tiomni E., Halpern Z., Santo E.

Comparison of dynamic transperineal ultrasound with evacuation proctography for the evaluation of patients with posterior compartment pelvic disorders (SS 1807), B-0978

### Weber M.-A., Bloess K., Burkholder I., Bender D., Schmidmaier G., Kauczor H.-U., Schoierer O.

Dynamic contrast-enhanced MRI can assess vascularity within pseudarthrotic clefts and predicts good clinical outcome (SS 210), B-0188

### Weber N., Monnin P., Elandoy C., Ding S.

The effectiveness of lead apron for radiation protection in CT (SS 214), B-0277

### Weidner A.M.

Functional MRI changes in follow-up after external beam radiation therapy of the prostate (SS 116), B-0061

### Weidner M., Hagelstein C., Debus A.,

Walleyo A., Schönberg S.O., Schaible T.,

Büsing K.A., Kehl S., Neff K.W.

Magnetic-resonance-imaging-based ratio of fetal lung volume to foetal body volume as a new prognostic marker in congenital diaphragmatic hernia (SS 1712), B-0865

### Weishaupt D.

Peripheral nerve imaging: MRI and US: B. Upper limb nerve entrapment (RC 710), A-162

### Weiss V.

Development and implementation of a synthetic data evaluation scenario for image fusion algorithms based on discrete wavelet transform and principal component analysis (SS 1814), B-1026

### Welsch G., Trattnig S.

Cartilage imaging: dGEMRIC (delayed gadolinium-enhanced MR imaging of cartilage) (NH 7), A-151

### Welzel J., Hogenauer H., Staffa J., Scherer D.,

Grenacher L., Ulrich C., Kauczor H.-U.

ColoCare: compartmental quantification of obesity on CT as risk factor for colorectal cancer (SS 1316), B-0629

### Wengert G.J., Vogl W., Helbich T.H., Bickel H.,

Bogner W., Pinker-Domenig K.

Fully automated MRI breast density (BD) measurement: comparison to standard mammographic density estimation (SS 902), B-0562

### Wenkel E.

Place of breast MRI in diagnostic investigation of breast lesions (SY 1)

### Werner M.K., Ripkens S., Schmidl M., Stef I.,

Deckert A., Claussen C.D., Würslin C.,

Stefan N., Pfannenberg C.

Brown adipose tissue influences body fat composition and hepatic steatosis (SS 601), B-0447

### West D.J.

Lower extremity venous insufficiency: Chairman's introduction (RC 1915), A-622

### Wetter A., Lipponer C., Nensa F., Olbricht T.,

Rübben H., Bockisch A., Lauenstein T.

Simultaneous [18F] choline PET/MRI of the prostate: initial results (SS 1807), B-0969

### Wichmann J.L., Kerl J.M., Lehnert T., Doss M.,

Vogl T.J., Bauer R.W.

Diagnostic accuracy of delayed phase dual-energy CT for the detection of chronic myocardial infarction compared to 3-T MRI late gadolinium enhancement (SS 1303), B-0669

### Wiedenmann B.

Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: A. Tumour biology, pathogenesis and classification (RC 1916), A-602

### Wielputz M.O., Weinheimer O., Eichinger M.,

Wiebel M., Biederer J., Kauczor H.-U.,

Heussel C.-P., Mall M.A., Puderbach M.

Densitometry on MDCT in cystic fibrosis: radiological evidence for emphysema (SS 204), B-0162

### Wilczek B., Hägemo K., Adalsteisson B.,

Janicijevic M., Thorneman K., Hinzer C.,

Leifland K.

Adding 3D automated breast ultrasound (ABUS) to service screening mammography in dense breasts (SS 1802b), B-0967

### Wild J.M.

"MRI of the lung: to go?": The sequence buffet (SF 4a), A-081

### Wild J.M.

Lung imaging: multidisciplinary scenario: Lung imaging: developments in role of MR (EF 2), A-269

### Wildberger J.E.

How I report: B. CTA and MRA of the pulmonary arteries (RC 304), A-034

### Wildberger J.E.

Optimise your CT results from scan to contrast media application

### Wildgruber M., Ale A., Kosanke K., Braren R.,

Meier R., Rummeny E.J., Ntzachristos V.

In vivo assessment of the anti-apoptotic effect of c-kit+ pluripotent bone marrow cells on ischaemic myocardium in mice with hybrid fluorescence molecular tomography - x-ray computed tomography (SS 1706), B-0880

### Wildgruber M., Settles M., Bielicki I.,

Kosanke K., Huber A.M., Rummeny E.J.,

Botnar R.M.

Magnetic resonance imaging of murine myocardial infarction with an elastin-binding contrast agent (SS 1706), B-0881

### Willemink M.J., Schilham A.M.R., Leiner T.,

Mali W.P.T.M., de Jong P.A., Budde R.P.J.

CT imaging in an emergency setting is not substantially delayed by iterative reconstruction (SS 1317), B-0721

### Williams M., Golay S., Weir N.W., Mirsadraee S.,

Van Beek E.J.R., Reid J., McKillop G., Uren N.,

Newby D.E.

Radiation dose reduction in computed tomography myocardial perfusion imaging using iterative reconstruction and patient-tailored imaging (SS 503), B-0373

### Wilson D.J.

Percutaneous treatment of chronic back pain and sciatica: A. Sacroiliac joint syndrome (RC 309), A-041

### Winklhofer S., Pazahr S., Manka R., Alkadhi H.,

Boss A., Stolzmann P.

Quantitative BOLD response of the left ventricular myocardium to hyperoxic respiratory challenge at 1.5 T and 3.0 T cardiac magnetic resonance imaging (SS 1803), B-0910

### Wintersperger B.J.

Cardiac imaging: the cutting edge: A. Cardiac MRI: do we need more than 1.5T? (RC 303), A-011

### Wintersperger B.J., Pellow A., Bastarrika G.,

Griswold M.A., Seiberlich N., Sussman M.

Undersampled real time cine SSFP with through-time radial GRAPPA: evaluation of RV function in breath-hold and free breathing (SS 1303), B-0668

# Authors' Index

## Wirth S., Reiser M.F.

ER: comprehensive imaging of non-traumatic abdominal emergencies: Chairman's introduction: logistics and management of critical patients with abdominal complaints (RC 1517), A-492

## Wise R., Delakis I., Kulama E., McRobbie D.

Comparative detector evaluation of full field digital mammography (FFDM) systems using the Fourier definition of the Hotelling-observer signal-to-noise ratio (SNR) (SS 1713), B-0839

## Wolf F.

Chest pain: vascular non-cardiac causes: B. Imaging techniques and typical findings (CC 1218), A-356

## Wolf F.

How I report: B. Coronary CTA (RC 1603), A-573

## Wong Y., Wang L., Wu C., Chen H.

Comparison of efficacy and safety between distal embolization and augmented embolization techniques for treating blunt splenic injuries with active haemorrhage (SS 117), B-0126

## Woo S., Lee J., Yoon J., Joo I., Han J., Choi B.

Intravoxel incoherent motion diffusion-weighted MR imaging of hepatocellular carcinoma: correlation with enhancement degree and histological grade (SS 201b), B-0230

## Wood P.

Clinical audit: from EURATOM to the clinical environment: A. Clinical audit: from the EURATOM treaty to EU guidelines: clinical audit RP 159 (RC 714), A-190

## Woods L., Khalil M., Witwit A., Manickam S., Churchill M., Cook V.

A follow-up study of a delayed approach to managing developmental hip dysplasia (DDH) (SS 912), B-0595

## Wörtler K.

Imaging impingement syndromes: Hip (SA 15), A-499

## Wu B., Wu X., Lou X., Ge M., Ma L.

Intra- and inter-scanner test-retest reliability of whole-brain arterial spin labeling perfusion MRI (SS 1811a), B-0897

## Wüstner M.

Implementation of CEUS in the daily practice of the imaging center (SY 24)

## X

## Xie X., Dijkstra A.E., Vonk J.M., Oudkerk M., Groen H.J.M., Vliegenthart R.

Chronic bronchitis in large airway: airway wall measurements on thin-slice low-dose CT (SS 204), B-0164

## Xu L., Burke A., Feigenberg S.

Correlation between grade and histological subtype of pulmonary adenocarcinoma and [18F] fluorodeoxyglucose standardized uptake value after evaluation by PET/CT (SS 104), B-0023

## Ydya A., Klotz E., Haberland U., Schramm R., Knauth M., Schramm P.

Preoperative classification of cerebral tumours by applying whole brain VPCT: which parameter to use in order to achieve the highest prognostic value? (SS 1311), B-0676

## Y

## Yaffe M.J., Mainprize J.G.

Digital breast tomosynthesis: Optimisation of image acquisition and reconstruction in DBT (SF 15b), A-506

## Yaghmai V., Töre H.G., Botelho M.P.F., Gonzalez-Guindalini F.D., Patel S.K., Dill K., Harmath C.B.

Effect of acquisition parameters and reconstruction algorithm on lesion conspicuity in low-dose MDCT of the thorax (SS 904), B-0524

## Yamamura J., Schidt T.M., Fischer R., Wang Z.J., Lorenzen M.

Postmortal 31P magnetic resonance spectroscopy of the skeletal muscle: a-ATP/Pi ratio as a forensic tool? (SS 510), B-0315

## Yamashita K., Yoshiura T., Hiwatashi A., Togao O., Kikuchi K., Yoshimoto K., Honda H.

Additive value of arterial spin labeling in differentiating primary central nervous system lymphoma from glioblastoma multiforme: an observer performance study (SS 911), B-0515

## Yanof J.H., Thompson C., Wiegert J., Yaddanapudi K., Halliburton S.

Estimating effective dose for cardiac CT with patient-specific dose maps in comparison with DLP conversion ("k factor") method (SS 503), B-0371

## Yilmabasar M.G., Hayirlioglu A., Ozdamarlar U., Kuru I.

Evaluation of atherosclerosis and endothelial functions in nonalcoholic hepatosteatosis patients: comparison with ultrasound and biochemical markers (SS 515), B-0362

## Yoo R., Choi S., Cho H., Kim E., Park J., Myeong W.

Magnetic resonance imaging diagnosis of metastatic lymph nodes: efficacy of the novel ultrasmall superparamagnetic iron oxide agent with monodisperse iron oxide core and multiple-interaction ligands (SS 1306), B-0739

## Yoo R., Lee J., Yoon J., Kim J., Han J., Choi B.

Differential diagnosis of benign from malignant distal biliary strictures: value of adding diffusion-weighted imaging to conventional magnetic resonance cholangiopancreatography (SS 1701b), B-0830

## Yoong P., Johnson C.A., Fernando S., Graham J.W.

The emperor's new clothes? An evaluation of the accuracy of transabdominal ultrasound in diagnosing acute appendicitis (SS 101a), B-0051

## Yousry T.A.

Metabolic and neurodegenerative disorders: B. Movement disorders (E<sup>3</sup> 820b), A-223

## Yousry T.A.

Epilepsy: a lack of knowledge can be dangerous: A. Anatomy of the limbic system (RC 1511), A-509

## Z

## Zaccagna F., Napoli A., Cartocci G., Noce V., Boni F., Catalano C.

In vivo quantification of total atherosclerotic burden: prognostic accuracy of whole body CTA in relation to traditional cardiovascular risk index and 5-year follow-up (SS 603a), B-0414

## Zaccagna F., Napoli A., Cartocci G.,

Brachetti G., Di Mare L., Boni F., Noce V., Bertaccini L., Catalano C.

High-intensity focused ultrasound ablation of pancreatic cancer: a totally non-invasive treatment for tumour control of locally advanced lesions (stage III) (SS 609a), B-0427

## Zackrisson S., Lång K., Tingberg A.,

Timberg P., Förnvik D., Dustler M., Andersson I.

Digital breast tomosynthesis: Current role of DBT in diagnostic imaging (SF 15b), A-507

## Zackrisson S.

Experiences with digital breast tomosynthesis in screening (SY 5)

## Zamboni G.A., Ambrosetti M., Pozzi Mucelli R.

Low-voltage CT of the abdomen: correlation between patient diameters and subjective image quality, toward identifying cutoff patient diameters for patient selection. (SS 1301), B-0706

## Zampa V., Pistolesi D., Ortori S., Faggioni L., Marletta M., Bartolozzi C.

MRI anatomic evaluation in patients with persistent urinary incontinence after advance male sling: a work in progress study with a 3T system (SS 1307), B-0698

## Ntoulia A., Zampeli F., Pappas E., Ristanis S., Georgoulis A.

PCL index as an objective MRI tool to evaluate anatomic ACL reconstruction during functional activities (SS 1810), B-0929

## Zanetti M.

How I report: C. MR of the unstable shoulder (RC 1410), A-436

## Zangos S., Eichler K., Schollenberger A., Reitter A., Louwen F., Siebenhandl P., Gruber-Rouh T., Vogl T.J.

Effect of different birthing positions on pelvic bony dimensions in healthy women and pregnant patients in MR pelvimetry (SS 607), B-0398

## Zarb F., McEntee M.F., Foley S., Rainford L.

Evaluation of image quality optimisation using VGC and ordinal regression analysis (SS 1814), B-1028

## Zech C.J.

ER: comprehensive imaging of non-traumatic abdominal emergencies: A. Imaging of the most frequent emergencies of the upper abdomen (RC 1517), A-493

## Zech C.J.

Making homogeneous the reading in HCC: How to interpret and report 'atypical' findings (SF 16c), A-565

## Zhao Y., Dorrius M., Heuvelmans M., van Ooijen P., Oudkerk M., Vliegenthart R.

Features of resolving and non-resolving indeterminate pulmonary nodules on follow-up CT: the NELSON study (SS 504), B-0295

## Zhao Y., Dorrius M., van Ooijen P., Oudkerk M., Vliegenthart R.

Solid pulmonary nodules detected by low-dose CT: effect of semi-automatic software on volumetry in vitro and in vivo (SS 504), B-0298

## Authors' Index

---

**Zheng L., Wang H., Peng C., Shen M., Shi X.,**

**Zhang G.**

Folic acid-modified dendrimer-entrapped gold nanoparticles as nanoprobes for targeted computed tomography imaging of human lung adenocarcinoma (SS 1706), B-0884

**Zilkens C., Miese F.R., Herten M., Kurzidem S.,**

**Jäger M., König D., Antoch G., Krauspe R.,**

**Bittersohl B.**

Validity of gradient-echo three-dimensional delayed gadolinium-enhanced magnetic resonance imaging of hip joint cartilage: a histologically controlled study (SS 610b), B-0487

**Zimny A., Bladowska J., Macioszek A.,**

**Szewczyk P., Trypka E., Wojtynska R.,**

**Leszek J., Sasiadek M.J.**

Evaluation of posterior cingulate region with FDG-PET and MR advanced techniques (MRS, PWI and DTI) in patients with MCI - correlation of the methods (SS 611), B-0401

**Zini C., Fanelli F., Bezzi M., Boatta E.,**

**Corona M., Lucatelli P., Cannavale A., Cirelli C.,**

**Salvatori F.M.**

Tips for TIPS: 12-year experience (SS 1709),  
B-0775

**Zins M., Boulay-Coletta I.**

ER: comprehensive imaging of non-traumatic abdominal emergencies: B. Imaging of the most frequent emergencies of the gastrointestinal tract (RC 1517), A-494

**Zoumpoulis P.S.**

Advantages and limitations of ShearWaveTM elastography for imaging prostate cancer and guiding biopsy (SY 2)

**Zuiani C., Claußer P., Londero V., Molinari C.,**

**Girometti R., Taibi A., Vecchio S., Bazzocchi M.**

Detection rate for suspicious lesions of digital breast tomosynthesis in combination with digital mammography or 2D central projection imaging (SS 1702), B-0811