



**Authors' Index
(E)**

A

Abd Ellah M.M.H., Henninger B., Kremser C., Kannengießer S., Zhong X., Jaschke W.R.

Hepatic lipid assessment: Multi echo Dixon technique versus MR spectroscopy at 3T scanner (SS 201a), B-0002

Abd Ellah M.M.H., Miyamoto H., Martinoli C., Tagliafico A., Feuchtner G., Plank F., Jaschke W.R., Klausner A.

Sonoelastography in carpal tunnel syndrome patients: findings after injection (SS 210), B-0071

Abd Ellah M.M.H., Henninger B., Kremser C., Kannengießer S., Zhong X., Jaschke W.R.
Hepatic lipid measurement: dual ratio Dixon technique vs MR spectroscopy at 3T scanner (SS 313), B-0317

Abd Ellah M.M.H., Siedentopf C.M., Martinoli C., Feuchtner G., Plank F., Jaschke W.R., Klausner A.

Meralgia paresthetica: ultrasound guided injection with 12-month follow-up data (SS 210), B-0076

Abdel Magied A.M., Tohamy Y.M., Taymour T., Adel L.

Can ultrasound replace MRI in assessment of nerve entrapment in osteofibrous tunnels in the upper extremity (SS 1010b), B-0912

Abdel Razek N.M.

Non-surgical complete excision of small suspicious breast lesions using the breast lesion excision biopsy system (BLES) (SS 602), B-0443

Abdelgawad M.S., Reda M.S.R., Abdelmonsef N.A.M.

Use of MR tractography and T2* perfusion for differentiating neoplastic and inflammatory cervical cord lesions (SS 311a), B-0299

Abdolell M., Tsuruda K.M., McDougall E.E., Iles S., Lightfoot C.B., Caines J.

Towards personalised breast screening protocols: validation of mammographic density estimation from full-field digital mammograms (SS 302b), B-0236

Abdolell M., Iles S., Tsuruda K.M., Payne J., Lightfoot C.B., Caines J.

Tabar parenchymal patterns and breast cancer risk: a case-control study adjusting for percent area mammographic density and standard risk factors (SS 302b), B-0237

Abdullah B.J., Yeong C., Dumpuri P., Yamini D., Tirumalai A., Kulkarni A.

Co-registration of inspiratory and expiratory datasets for treatment planning for robotic-assisted liver thermal ablation (SS 1009), B-0855

Abe H., Wenkel E., Malgorzata S., Martin V., Rosenberg M., Newstead G.

Gadobutrol-enhanced breast MRI in the preoperative setting: results on 397 patients from an international multicenter study with United States blinded readers (SS 1902b), B-1177

Abed A., Kok E.M., Robben S.G.F.

Does the use of a checklist help medical students in the detection of abnormalities on a chest radiograph? (SS 1904), B-1257

Abeyakoon O., Rahim R., Morel J., Wasan R., Evans D., Satchithananda K., Goligher J., Peacock C., Michell M.J.

Invasive Breast Carcinomas (IBCs) that do not look suspicious on Digital Breast Tomosynthesis (DBT): important considerations when integrating DBT into clinical practice (SS 1402), B-0925

Aboian I., Usenko E., Rodzyanko M.

Transrectal ultrasonography of prostate gland using elastography in differential diagnostics of hypoechoic foci in patients with borderline PSA values (SS 307), B-0355

Abrahamsson P.

Joint ESR-EAU prostate cancer session: PSA screening: the EAU view (EM 2), A-417

Abrahamsson P., Hamm B.

Joint ESR-EAU prostate cancer session: Introduction (EM 2), A-416

Abramyuk A., Hietschold V., Sitoci-Ficici K., von Kummer R.

Intracranial multi-echo MR perfusion measurements: reproducibility and differential diagnostic value for intra- and extraaxial tumours (SS 611), B-0506

Abrantes A.F.C.L., Braga B., Ribeiro L.P., Sousa P., Almeida R.P.P., Rodrigues S., Rodrigues S., Pinheiro J.P., Pinto N.F.

Development of a software application for the registration and monitoring of diagnostic reference levels (SS 1014), B-0871

Abrantes A.F.C.L., Aleixo J., Ribeiro L.P., Rodrigues S., Sousa P., Pinheiro J.P., Almeida R.P.P., Lesyuk O.

Uniformisation of the anode heel effect and image quality (SS 1414), B-1021

Accardi R., Pellone F.

Advanced age and renal dysfunction in cathlab: what should we do? (SS 209), B-0120

Acosta Ruiz V., Dahlman P., Brekkan E., Magnusson A., Häggman M., Ladjevardi S., Lönnemark M.

Retrospective comparison between renal tumours treated with RFA and laparoscopic partial nephrectomy (SS 709b), B-0721

Adam A.

Percutaneous ablation in liver tumours: Keynote lecture (SS 1009), K-20

Adam E.J.

Looking into the future of radiology: Health technology assessment (HTA) (PC 5a), A-156

Adam E.J.

How can clinical audit enhance patient safety?: Chairman's introduction (EuroSafe 4), A-638

Adam E.J.

Medicolegal aspects in daily practice: Inadequate consent, missed lesions and misinterpretation: legal challenges in radiology (PC 12b), A-426

Adamsbaum C., Husson B., Deiva K., Tardieu M.

Autoimmune disorders in children: C. Multiple sclerosis in children (RC 112), A-064

Agadakos E., Prokop M.

CT from A to Z: Chairmen's introduction (RC 1514), A-603

Agarwal S.

MDCT and MRI evaluation of mandibular invasion by squamous cell carcinoma of the oral cavity (SS 608), B-0580

Aghaghazvini L., Pirouzi P., Sharifian H., Yazdani N., Kooraki S., Ghadiri A.

The role of magnetic resonance spectroscopy as a pre-surgical diagnostic modality in thyroid nodules (SS 1008), B-0875

Agostini A., Nicolini D., Mincarelli C., Svegliati Baroni G., Mandolesi A., Lorenzoni A., Candelari R., Vivarelli M., Giovagnoni A.

Radiological response of hepatocellular carcinoma (HCC) treated with transarterial chemoembolisation (TACE) before liver transplant (LT): correlation with histopathology and recurrence free survival (SS 1801), B-1054

Agrawal S.R.

Differentiate intestinal tuberculosis and Crohn's disease on CT Enterography: an initial experience (SS 301b), B-0257

Agten C.A., Roskopf A.B., Gerber C., Pfirrmann C.W.A.

Quantification of early fatty infiltration of the rotator cuff muscles: comparison of multi-echo Dixon with single-voxel MR spectroscopy (SS 610a), B-0494

Agten C.A., Buck F.M., Pfirrmann C.W.A.

MR imaging after supraspinatus tendon repair with good clinical outcomes: morphology and signal alterations of the supraspinatus tendon (SS 610a), B-0495

Agten C.A., Sutter R., Dora C., Pfirrmann C.W.A.

Muscle and tendon damage after total hip arthroplasty: MRI evaluation of different surgical approaches (SS 710), B-0641

Aguilar Pérez M., Kurre W., Henkes E., Ganslandt O., Bäßner H., Henkes H.

Safety and efficacy of a new device for the treatment of wide neck bifurcation aneurysms (pCONus): initial results and long-term follow-up (SS 211b), B-0197

Aguilar Pérez M., Kurre W., Horvath-Rizea D., Unsöld R., Bäßner H., Henkes H.

Endovascular treatment in idiopathic intracranial hypertension, clinical result and long-term follow-up (SS 311b), B-0412

Aguilar Pérez M., Kurre W., Henkes E., Lindner A., Ganslandt O., Bäßner H., Henkes H.

Endovascular reconstruction of extra- and intracranial vessels after subacute or chronic occlusion: indications, techniques, merits and failures (SS 311b), B-0419

Aguillar V.N., Moura A.C., Ferreira V.S., Dequi C.B.

Whole breast ultrasound after breast tomosynthesis in a screening population (SS 1402), B-0927

Åhlström Riklund K., Pekarovic D.

Looking into PET/CT: Chairmen's introduction (RC 1714), A-714

Ahmed H.U.

Image-guided interventions of the prostate: Image-guided tumour ablations (NH 9), A-330

Ahn H.-S., Park S., Kim S., Seo M., Chung B.

Preoperative ultrasound of papillary thyroid carcinoma (PTC): evaluation of predictive factors for extrathyroidal extension (SS 1008), B-0879

Ahn S., Park J., Moon S., Lee D., Park S., Lim J.

Rectal MRI of fistula-in-ano: diagnostic values of diffusion-weighted imaging (DWI) (SS 1001), B-0840

Aime S.

What's new in biomedical imaging research: an update of EIBIR activities: EIBIR Joint Initiative for Euro-Biolmaging (EIBIR 2), A-385

Aime S.

Chemical exchange saturation transfer (CEST): a new toy for molecular imaging?: B. Probes (E³ 1226d), A-468

Authors' Index

- Airaldi S., Bignotti B., Zaottini F., Tagliafico G., Tagliafico A., Martinoli C.**
Fascicular involvement in common peroneal neuropathy: evaluation with ultrasound (SS 710), B-0643
- Airaldi S., Bignotti B., Zaottini F., Tagliafico G., Tagliafico A., Martinoli C.**
Ultrasound versus magnetic resonance imaging in common peroneal neuropathy (SS 710), B-0644
- Ajian A.M., Bagdadi R.R.**
Impact of implementing cardiac CT in evaluating patients suspected of cardioembolic stroke (SS 1803), B-1059
- Akata D.**
Misses and difficulties in abdominal imaging: A. Mesentery and peritoneum (RC 401), A-070
- Akbari K.**
Potential influence of automated volumetry on treatment response classifications in lung cancer lesions (SS 216), B-0089
- Akbari K.**
Value of FDG PET/CT in the assessment of patients with colon cancer comparing to CT alone (SS 1916), B-1228
- Akhan O.**
Turkey welcomes ECR: Liver hydatid cysts: percutaneous treatment (EM 4), A-728
- Al Ansari N., Maccioni F., Buonocore V., Mazzamuro F., Catalano C.**
Comparison between two different techniques for dynamic magnetic resonance imaging of the pelvic floor, one with gel rectal filling and the other with air balloon rectal distention in the evaluation of pelvic floor disorders (SS 201b), B-0041
- Al Bunni F., Zuliani M., Pomerri F.**
The role of magnetic resonance enterography in the evaluation of activity of paediatric Crohn's disease (SS 1012), B-0891
- Al Umairi R.S.S., Hallinan J., Al-Macki K., Ting E., Loh T., Leehy N., Liang S.**
Evaluation of the feasibility of MRI volumetry in staging of oral carcinoma (SS 608), B-0578
- Al-Amin M., Diakov I.**
Can we investigate the patient with more than 70% dose reduction CT urography without affecting the diagnostic value? (SS 1807), B-1132
- Albano D., Agnello F., Patti C., Mulè A., La Grutta L., Midiri F., Franco G., Midiri M., Galia M.**
Comparison between whole-body MRI and PET/CT in staging newly diagnosed FDG-avid lymphomas: our experience (SS 616), B-0515
- Alberich-Bayarri A.**
Imaging biomarkers in CT: from the idea, through research to clinical innovation (SY 26)
- Alberti N., Buy X., Kind M.**
Routinely performed multiparametric MRI helps to differentiate subtypes of myxoid tumours (SS 1010a), B-0800
- Alberti N., Buy X., Kind M.**
Myxoid soft tissue tumours: are MRI signs reliable? A 95-case retrospective study (SS 1010a), B-0803
- Albrecht M.H., Umutyan L., Hart M., Polkowski C., Wichmann J.L., Lehnert T., Bauer R.W., Ackermann H., Vogl T.J.**
Impact of observer experience on diagnostic performance in reporting CT and MRI examinations of histopathologically proven non-colorectal liver metastases (SS 601a), B-0428
- Albrecht M.H., Scholtz J.-E., Hüasers K., Kaup M., Bucher A.M., Bauer R.W., Lehnert T., Vogl T.J., Wichmann J.L.**
Advanced model-based monoenergetic dual-energy CTA of the abdomen: optimisation of keV settings (SS 1015), B-0770
- Albrecht M.H., Scholtz J.E., Bauer R.W., Kaup M., Burck I., Wagenblast J., Lehnert T., Vogl T.J., Wichmann J.L.**
Assessment of an advanced monoenergetic reconstruction technique in dual-energy computed tomography of head and neck cancer (SS 708), B-0730
- Alexopoulou E.**
Autoimmune disorders in children: B. The digestive tract (RC 112), A-063
- Alison M., Tanase A., Rega A., Cardoen L., Sebag G.**
Advances in paediatric imaging: B. The MSK - infectious inflammatory disorders (E³ 926a), A-359
- Alkadhi H.**
'Special patients' in the emergency room: when and how to image them?: B. Pregnant patients (RC 417), A-123
- Alkadhi H.**
Controversies in comprehensive imaging of coronary artery disease: Computed tomography is all you need (SA 16), A-652
- Allegranza P., Ippolito D., Bonaffini P., Leone F., Fior D., Casiraghi A., Sironi S.**
Frequency and morphological features of incidental pancreatic cystic lesions seen on 256 detector row CT: a large population series (SS 1901a), B-1164
- Allegranza P., Ippolito D., Bonaffini P.A., Leone F., Fior D., Casiraghi A., Sironi S.**
Diagnostic value of 256 MDCT scan in defining imaging features of incidentally detected hypervascular pancreatic lesions: prevalence and characterisation in large cohort of patients (SS 1901a), B-1166
- Almeida D., Carvalho N., Esteves B., Almeida C., Paulo G., Santos J.**
Frequency and dose levels of paediatric image guide fluoroscopy procedures in Portugal (SS 314), B-0362
- Alomaim W., Foley S., Ryan J., Evanoff M., Rainford L.A., O'Leary D.**
Inter-rater variability for breast density classification between American and British radiologists (SS 302a), B-0208
- Althoff C.E., Günther R.W., Hamm B., Rief M.**
Intra-arterial ultra low-iodine volume CT of renal transplant arteries (SS 215), B-0063
- Álvarez-Benito M.**
The Spanish experience (SY 22)
- Álvarez-Linera J.**
Central nervous system changes after treatment: what you need to know: B. Imaging of treated brain tumours (E³ 821), A-235
- Alves J.E.T., Rodrigues T., Sousa A.L., Carneiro Â., Felgueiras R., Xavier J.**
Is Alberta stroke program early CT score (ASPECTS) a useful tool in the assessment of acute stroke patients? (SS 1011), B-0817
- Ambrosi A., De Franco G., Lorusso F., Cascarano M., Scardapane A., Angelelli G.**
Pelvic static MR vs MR-defecography in the study of woman's pelvic floor disorders (SS 201b), B-0043
- Amouyal G., Pellerin O., Thiounn N., Sapoval M.**
Prostatic artery embolisation using the PerFectED technique in the treatment of prostatic benign hyperplasia: results of a single-centre prospective study (SS 1909a), B-1263
- Ananyeva N., Shmeleva L., Ezhova R.**
fMRI resting-state in temporal lobe epilepsy (SS 1811), B-1081
- Andrasina T., Panek J., Hlavsa J., Bernard V., Valek V.**
Endoluminal radiofrequency ablation of malignant biliary stenoses (SS 1809), B-1126
- Andreisek G.**
Sports injuries to the knee: improving my report: A. Reporting meniscal tears: pitfalls and how I avoid them (RC 1210), A-440
- Ann J., Kim E.**
Globe flattening: conventional two-dimensional vs three-dimensional T2-weighted imaging (SS 1811), B-1084
- Annoni A.D., Formenti A., Pontone G., Mushtaq S., Petullà M., Bertella E., Nobili E., Pepi M., Andreini D.**
Overall evaluability of 80-kV multi-detector CTA of the thoracic aorta using a not-tailored injection protocol with low concentration iso-osmolar iodinated contrast medium (SS 715), B-0626
- Annoni A.D., Formenti A., Pontone G., Petullà M., Nobili E., Mushtaq S., Montorsi P., Pepi M., Andreini D.**
Evaluability of low dose CTA for carotid arteries using new model-based iterative reconstruction (SS 1015), B-0777
- Antoch G.**
Imaging protocols for PET/CT and MR/PET: A. Does it make sense to use CT contrast agents in PET/CT (E³ 518), A-178
- Antoch G.**
Wilhelm Conrad Röntgen - Honorary Lecture: Hybrid imaging: let the two worlds of radiology and nuclear medicine come together! (HL 2), A-393
- Aparina O., Stukalova O., Parkhomenko D., Mironova N., Ternovoj S.K., Golitsyn S.P.**
Left atrial fibrosis in healthy volunteers and patients with and without atrial fibrillation according to LGE MRI (SS 203b), B-0181
- Apfaltrer P., Henzler T., Wolke S., Schroefel H., Schoenberg S., Schymik G.**
Location and severity of aortic valve calcium in patients undergoing transcatheter aortic valve implantation (SS 715), B-0631
- Arcuri P., Galati M., Raiola G., Roccia S., Cadioli M., Fodero G.**
Pancreatic volume, iron and fat assessment by MRI-T2* in B-Thalassemia major patients. Predictive value in development of diabetes: a retrospective study (SS 301a), B-0224
- Argirò R., Anzidei M., Porfiri A., Bezzi M., Anile M., Venuta F., Catalano C.**
Clinical application of robotic system for CT-guided biopsy of lung lesions in comparison to the manual technique (SS 709b), B-0713
- Argyropoulou M.I.**
The paediatric brain and spine: not only tumours: B. Paediatric brain neuro emergencies (RC 111), A-046
- Argyropoulou M.I.**
Imaging the head and skull base: B. All about the paediatric pituitary gland (RC 1712), A-686
- Arkar R., Kasi Arunachalam V., Renganathan R., Cherian M.**
'Illusion of blue': role of ultrasound elastography in cervical lymph nodes (SS 208), B-0159

Authors' Index

Armbruster M., Zupanc B., Brun E., Bravin A., Sommer W.H., Reimar R., Thasler W., Reiser M.F., Coan P.

Grading of steatosis and liver-fibrosis using phase contrast imaging (SS 701a), B-0610

Armbruster M., D'Haese J., Reiser M.F., Sommer W.H.

Free text reporting vs structured reporting of MRI of the pelvis in patients with rectal cancer: potential effects for surgical planning (SS 1905), B-1187

Arnoldussen C.W.K.P., Strijkers R., de Graaf R., Wittens C.H.A., Wildberger J.E.

Dynamic assessment of deep vein thrombosis: CE MR venography with a bloodpool agent vs duplex ultrasound and contrast venography (SS 715), B-0635

Arora A., Rajesh S., Sarin S.K.

Obliterative portal venopathy (OPV) vs. liver cirrhosis: appraisal of vascular changes on CT (SS 301a), B-0219

Arrigoni F., Mariani S., La Marra A., Gregori L.M., Zugaro L., Barile A., Masciocchi C.

MR guided focused ultrasound surgery (MRgFUS) in the treatment of epiphyseal benign bone lesions: results after three year of experience (SS 210), B-0066

Arrigoni F., La Marra A., Mariani S., Gregori L.M., Zugaro L., Barile A., Masciocchi C.

Four years of clinical and MRI follow-up after intratendinous US-guided platelet rich plasma (PRP) injection in patients with degenerative tendinopathy of rotator cuff tendons of the shoulder (SS 210), B-0072

Arrigoni F., Mariani S., La Marra A., Gregori L.M., Zugaro L., Barile A., Masciocchi C.

MR guided focused ultrasound surgery (MRgFUS) vs radiofrequency thermoablation (RFA) in the imaging-guided treatment of osteoid osteoma: clinical and imaging results (SS 309), B-0338

Arrigoni F., La Marra A., Mariani S., Gregori L.M., Smaldone F., Zugaro L., Barile A., Masciocchi C.

CT-guided (with wide-volume acquisition) cryoablation in the management of bone and soft tissues lesions with multiple cryoprobes: the advantage of a 3D and real time planning of treatment (SS 309), B-0347

Asadov R., Aribal M.E., Ramazan A., Ugurlu M.U., Kaya H.

Value of 1H spectroscopy 3T MR imaging in breast lesions in addition to BIRADS MR findings and DWI: a preliminary report (SS 1902a), B-1156

Asbach P., Ro S., Hamm B., Erb-Eigner K.
Diagnostic confidence for differentiating benign from malignant orbital masses - added value of multiparametric magnetic resonance imaging (SS 608), B-0583

Ashamallah G.A., El-Adalany M.A.

Comparison between two thyroid ultrasound classification systems for characterisation of thyroid nodules (SS 1008), B-0876

Aslani Menareh Bazari R., Sabouri S., Karimi M., Mahdavi-rad H.

Systemic venous anomalies in patients with pulmonary atresia: a CT angiographic study (SS 615), B-0476

Aslani Menareh Bazari R., Mehrian P., Karimi M., Esfandiari E.

Computed tomography features of pulmonary nocardiosis (SS 1904), B-1252

Attye A., Dumas G., Tropres I., Roustit M., Karkas A., Banciu E., Pietras J., Schmerber S., Krainik A.

Recurrent vertigo: is MRI useful for diagnosis of endolymphatic hydrops in clinical practice? (SS 308), B-0369

Avanesov M., Säring D., Patten M., Radunski U.K., Muellerleile K., Stehning C., Tahir E., Adam G., Lund G.

Extent of myocardial fibrosis by LGE, pre- and post-contrast T1 and ECV in patients with hypertrophic cardiomyopathy referenced to normal appearing myocardium or healthy volunteers (SS 1003b), B-0898

Avogliero F., Clemente A., Liguori T., Monteleone A., Della Latta D., Chiappino D.

Influence of atrial fibrillation on left atrial appendage movement and sizing evaluated with cardiac computed tomography angiography (SS 203b), B-0178

Awai K., Kanematsu M., Tonsok K., Ichikawa T., Yoshioka K., Mochizuki T., Matsunaga N., Yamashita Y.

The optimal body size index for determining the iodine dose for hepatic dynamic CT: a prospective multicenter study using hierarchical multivariate linear regression analysis (SS 1901b), B-1197

Ayuso Colella C.

HCC diagnosis and treatment: Keynote lecture (SS 1801), K-25

Azmat O., Lee N., Groves C.

'The value of DEXA assessment in patients with a possible osteoporotic vertebral fracture' - a retrospective analysis (SS 310), B-0287

Aznaurov V., Kondratyev E.V., Shirokov V., Davydenko P., Karmazanovsky G.G.

Low-dose runoff CTA in overweight and obese patients: effect of hybrid iterative reconstruction technique on image quality (SS 715), B-0630

B

Ba-Ssalamah A.

Oesophageal and gastric cancer: A. Modern imaging: an update (E³ 1622), A-619

Bae J., Kim S., Shin C.-I., Joo I., Yoon J., Baek J., Han J., Choi B.

Efficacy of gastric balloon dilatation and/or retrievable stent insertion for pyloric spasm after pylorus-preserving distal gastrectomy (SS 1809), B-1121

Bae J., Kim C., Park J., Park B., Park S.

Evaluation of chronic kidney disease using blood oxygenation-level dependent magnetic resonance imaging at 3T (SS 1407), B-1006

Balaji R.

Diffusion tensor imaging in diagnosing prostate cancer: an innovative application of a proven technique (SS 1416), B-0965

Balbo-Mussetto A., Fornari A., Lario C., Petracchini M., Saviolo C., Bruna R., Tarella C., Cirillo S.

Whole-body MRI with T1, STIR and DWI: first non-invasive step to rule out bone marrow involvement in aggressive lymphoma - feasibility study (SS 616), B-0510

Balbo-Mussetto A., Fornari A., Lario C., Petracchini M., Saviolo C., Gueli A., De Crescenzo A., Tarella C., Cirillo S.

Surveillance of aggressive lymphoma recurrence after therapy with whole body-MR-DWI: report of a single-centre experience (SS 616), B-0512

Bale R.

Image fusion for image-guided interventions: C. How can we improve targeting in image-guided interventions: stereotaxis, robotics and advanced techniques (RC 109), A-057

Bale R.

The leading role of interventional radiology in a major trauma centre: C. Pelvic trauma: not only arteries (E³ 926b), A-364

Balenovic A.

Communicating the results of radiological studies to patients: from high-tech to human touch imaging: Communicating results of radiological studies to the patient with breast cancer: view of the patient who is also a physician (ESR-PAG 2), A-739

Bali M.A.

Pitfalls in interpretation in pancreatic imaging: B. Cystic tumours vs pseudocysts (RC 101), A-005

Balkman J.D.

Fully automated measurement of background parenchymal enhancement using open source software (SS 302a), B-0214

Balkman J.D., Cooke T.L., Cooke E.S.

Difference in attitudes towards radiology video reporting between inpatient/emergency medicine and subspecialty providers (SS 1905), B-1189

Balleyguier C.S.

Breast ultrasound 2015: B. Elastasonography: true advances or false hope? (RC 102), A-032

Balleyguier C.S.

The clinical benefits of strain imaging in the breast ultrasound (SY 11)

Balleyguier C.S., Canale S., Dromain C.

Basic 1: Breast imaging: Breast US (Basic 1), A-149

Balleyguier C.S., Canale S., Zareski E.

Gynaecology: A. MR imaging techniques and normal anatomy of the female pelvis (E³ 920), A-369

Ballinger J.R.

Scanners and tracers: C. Radiopharmaceuticals for SPECT/CT (E³ 418), A-110

Balodis A., Radzina M., Kupcs K., Miglāne E., Savlovskis J.

Imaging related predictors of favorable outcome in acute ischemic stroke treated by thrombectomy (SS 1011), B-0818

Baltzer P.A.T.

Breast imaging modalities: beyond the conventional: Non-contrast MRI (SF 8c), A-272

Baltzer P.A.T.

Update on BI-RADS: C. MRI (RC 1502), A-599

Bamberg F.

Quantification of myocardial perfusion: which test is the best (PET, MRI, MDCT)? B. Stress perfusion CT imaging for the detection and quantification of relevant coronary stenosis (RC 403), A-115

Bamberg F.

Imaging in population-based studies: The German National Cohort: population based imaging in a nation-wide multi-centre setting (PC 8b), A-252

Bamberg F.

Personalised medicine in radiology: Personalised prevention: population-based imaging and image-based screening (PC 9), A-324

Banerjee A.

The typical and atypical MR imaging appearances of tuberculosis of the central nervous system. An imaging based experience of 100 cases (SS 1911), B-1225

Authors' Index

- Banerjee I., McNulty J., Catania D., Maccagni D., Masterson L., Portelli J.L., Rainford L.A.**
An investigation into cardiologists' opinion/awareness of radiation risk as part of routine patient consent for cardiac interventional procedures (SS 1414), B-1017
- Banerjee J., Klink C., Peters E.D., Niessen W.J., Moelker A., Walsum T.V.**
Real-time respiratory motion compensation of the liver using 4D ultrasound and GPU (SS 1009), B-0856
- Bankier A.A.**
Pulmonary vasculitis and collagen vascular diseases: D. Inflammation and remodelling (RC 104), A-037
- Bankier A.A.**
Fleischner guidelines for nodules: theory and practice: The Fleischner guidelines for solid and subsolid nodules: theory and practice (SA 12), A-450
- Barbashova A.**
Dynamic contrast-enhanced MR imaging for the evaluation of soft tissue tumours of trunk and limbs in the children (SS 312), B-0380
- Barentsz J.O.**
Basic 3: Oncologic imaging: Prostate cancer (Basic 3), A-437
- Bargellini I.**
The treated liver: B. Imaging of treated liver tumours (E³ 621), A-198
- Solopova A., Barinova M., Tupikina N., Ternovoy S.K.**
MR imaging in patients with stress urinary incontinence (SS 1807), B-1138
- Barkhausen J.**
Breast MRI: insights from recent clinical trials (SY 1)
- Barkhof F.**
Central nervous system changes after treatment: what you need to know: A. Drug-related conditions (E³ 821), A-234
- Barkhof F.**
White spots in the brain: C. Is there a need for quantitative reporting of white matter lesions? (RC 1511), A-609
- Baron R.L.**
The many faces of benign liver lesions: C. Hepatocellular (RC 501), A-132
- Barone D., Bevilacqua A., Baiocco S., Gavelli G.**
CT perfusion of lung tumour: do morphological and functional heterogeneity correlate? (SS 216), B-0087
- Barone D., Bevilacqua A., Malavasi S., Gavelli G.**
CT perfusion studies of lung cancer: automatic detection of misleading structures and artefacts (SS 305), B-0246
- Barral M., Auperin A., Hakime A., Delaloue S., Cartier V., Tacher V., Otmeguine Y., de Baere T., Deschamps F.**
Percutaneous thermal ablation of breast cancer metastases in oligometastatic patients: local control and disease-free survival (SS 709b), B-0718
- Barron D.A.**
The forgotten joints: The acromioclavicular joint: patterns of injury (SF 9b), A-343
- Bartenstein P., Jansen N.**
Advanced hybrid imaging of brain: C. Brain tumours (E³ 1518), A-612
- Barter S.**
Breast: A. Fundamentals of mammography (E³ 1623), A-631
- Barter S.**
FA(b)Q frequently asked (burning) questions - with answers: Questions about written examination (EDiR), A-681
- Barth B.K., Donati O.F., Fischer M.A., Ulbrich E.J., Christoph K.A., Reiner C.S.**
Reporting of hepatocellular carcinoma: comparison of interreader agreement between LI-RADS and standard LIKERT-scale in patients at risk for hepatocellular carcinoma (SS 1801), B-1046
- Barth B.K., Cornelius A., Nanz D., Eberli D., Donati O.F.**
Diffusion-weighted imaging of the prostate: comparison of readout-segmented DWI and parallel-transmit-accelerated selective excitation DWI regarding image quality and distortion (SS 607a), B-0559
- Barth B.K., Fischer M.A., Reiner C.S.**
Gd-EOB-DTPA-enhanced liver MRI for prediction of liver growth after portal vein occlusion (SS 201a), B-0004
- Barwick T.**
How about the lymph nodes?: C. Nuclear medicine: PET and other techniques (RC 116), A-030
- Bas A., Samanci C., Gulsen F., Ustabasioglu F., Cantasdemir M., Kabasakal L., Kantarci F., Numan F.**
Liver stiffness evaluation after radioembolisation by real-time Shear-wave elastography (SS 1901b), B-1204
- Basilico R.**
Acute pain: your friend and enemy in emergency radiology: C. Abdomen (RC 917), A-368
- Bastarrika G.**
Cardiac CT: cutting-edge techniques: Estimation of coronary flow reserve by CT: a new arrival (SF 15), A-594
- Battisti S., Greco F., Pallottino A., Beomonte Zobel B.**
Modification in abdominal fat distribution in mCRC patients after Cetuximab (SS 1916), B-1235
- Bauer J.S.**
Metabolic bone diseases: Bone quality beyond BMD: what do we know already and what more does the future hold? (SF 17a), A-713
- Bäuerle T.**
Lessons I learned from mistakes in kidney and adrenal imaging: A. Renal cancer (RC 807), A-280
- Bäuerle T.**
Technology for supporting clinical research in radiology: Using electronic case report forms for clinical imaging trials (SF 17c), A-724
- Baum T., Kopp F., Nasirudin R.A., Grande Garcia E., Burgkart R., Rummeny E.J., Bauer J.S., Noël P.B.**
Trabecular bone microstructure assessed by low-dose MDCT and iterative reconstruction predicts vertebral bone strength (SS 310), B-0285
- Baxa J., Ferda J., Hromadka M., Sedivy J., Matouskova T., Kreuzberg B.**
Regadenoson-stress dynamic myocardial perfusion with computed tomography - diagnostic performance and contribution in patients prior major vascular surgery (SS 703), B-0756
- Baxter B., Evans J., Morris R., Ghafoor U., Nana M.P., Weldon T., Hildebrandt T., Tudor G.**
Neonatal lumbar puncture: are traditional clinical landmarks of lumbar anatomy accurate when compared with ultrasound assessment? (SS 612), B-0529
- Bazzocchi A.**
Metabolic bone diseases: A critical appraisal of vertebral fracture identification (SF 17a), A-711
- Bazzocchi A., Facchini G., Spinnato P., Rimondi E., Battaglia M., Donatiello S., Filonzi G., Albisinni U.**
Palliation of painful bone metastases: the "Rizzoli" experience (SS 1016), B-0831
- Beale T.**
Pitfalls in interpretation of head and neck disease: B. Anatomical variants posing surgical risks (RC 508), A-173
- Beale T.**
Head and neck cancer after treatment: what you need to know: B. Imaging after radiotherapy/chemotherapy (E³ 1021), A-373
- Beaumont H., Egels S., Zaim S., Iannesi A., Lucidarme O.**
Tumour volume as a quantitative imaging biomarker on computed tomography: toward adaptive criteria (SS 1816), B-1096
- Becker C.D.**
Colorectal cancer liver metastases: assessing tumour response: Chairman's introduction (RC 1701), A-671
- Becker M.**
Head and neck emergency: for the general radiologist or the patient?: B. Imaging infection: when, how and why? (RC 108), A-039
- Becker M.**
Evaluation of treatment response in head and neck cancer: Chairman's introduction (SF 9a), A-308
- Becker M.**
Advanced hybrid imaging in oncology: B. In head neck cancer (E³ 1618), A-667
- Bedair R., Patterson A.J., McLean M.A., Manavaki R., Reid S., Graves M., Gilbert F.J.**
Quantitative assessment of primary breast cancer at 3.0T MRI (SS 1902a), B-1154
- Bedington N., Cavanagh P.**
The challenges of providing true patient-centred care: moving forward together: Chairmen's introduction (ESR-PAG 1), A-552
- Bedington N., Brkljacic B.**
Communicating the results of radiological studies to patients: from high-tech to human touch imaging: Chairmen's introduction (ESR-PAG 2), A-737
- Beenen L.F.M., Schaefer-Prokop C.M., Stoker J., Gerrits P., Buller H.R., Middeldorp S.**
Pulmonary infarction in CT pulmonary angiography: correlation with thrombus distribution and signs of right heart strain for risk stratification (SS 1004), B-0844
- Beermann M.C.**
The role of CEUS in the detection and diagnosis of liver metastases (SY 23)
- Beets G.L.**
Management of rectal cancer: a paradigm shift: Organ-saving treatment: what does the surgeon want to know? (MS 9), A-337
- Beets-Tan R.G.H.**
Management of rectal cancer: a paradigm shift: Chairman's introduction (MS 9), A-336

Authors' Index

Beets-Tan R.G.H.

Management of rectal cancer: a paradigm shift: Organ-saving treatment: what is the radiologist's role? (MS 9), A-339

Beets-Tan R.G.H.

Gastrointestinal and abdominal: C. Imaging of the gastrointestinal tract (E³ 1423), A-548

Beets-Tan R.G.H.

Rectal cancer: C. Assessment after neoadjuvant treatment (E³ 1522), A-566

Beiderwellen K., Kinner S., Gomez B., Heusch P., Umutlu L., Bockisch A., Lauenstein T.C.

PET/MR enterography for the assessment of the small bowel: first experience (SS 301b), B-0255

Beiderwellen K., Geraldo L., Ruhlmann V., Heusch P., Gomez B., Nensa F., Umutlu L., Lauenstein T.C.

Accuracy of [18F]-FDG PET/MRI for the detection of liver metastases (SS 1016), B-0827

Beiderwellen K., Kraff O., Laader A., Johst S., Maderwald S., Forsting M., Lauenstein T.C., Umutlu L.

Modified, high resolution pelvic MRI in rectal cancer: a comparison of field strengths - 7T vs. 1.5 T (SS 1916), B-1230

Bekci T., Polat A.V., Aslan K., Ceyhan Bilgici M., Danaci M.

Diagnostic performance of diffusion-weighted MRI in the diagnosis of ovarian torsion: comparison with conventional MRI and surgical findings (SS 607b), B-0591

Belgrano M., Cercato C., Toscano W., Rossi A., Cova M.A., Cazzagon M.

Lower limbs low voltage (80kV) CTA: lower radiation dose delivered and less contrast medium with preservation of image quality (SS 715), B-0629

Belli A.-M.

The leading role of interventional radiology in a major trauma centre: Chairman's introduction: logistics and imaging of trauma: what do we really need? (E³ 926b), A-361

Bellin M.-F., Rocher L.

Retroperitoneum and adrenals: B. Differential diagnoses of retroperitoneal masses (E³ 620), A-206

Bendet A., Shmueli H., Adam S.Z., Ziv-Baran T., Berliner S., Topilsky Y., Aviram G.

A nomogram based on CT pulmonary angiography for prediction of pulmonary hypertension in patients without pulmonary embolism (SS 1004), B-0849

Benedek T.

Comprehensive personalised imaging of cardiothoracic diseases: Chairman's introduction: how to prepare for the future? (NH 17), A-698

Benedetti G., Esposito A., Damascelli A., Cava M., Del Maschio A., DeCobelli F.

A preliminary study about the use of diffusion-weighted images (DWI) in the evaluation of ST-segment elevation myocardial infarction (STEMI): our experience (SS 603a), B-0468

Benedetti G., De Cobelli F., Damascelli A., Cava M., Esposito A., Del Maschio A.

Incidence and role of intramyocardial haemorrhage (IMH) in the assessment of STEMI pts through the use of T2 STAR (T2*) and T2 STIR sequences (SS 603a), B-0471

Bengel F.

Imaging of heart failure: C. SPECT as an alternative imaging technique (RC 803), A-292

Bennani S., Bats A., Chamming's F., Bensaid C., Bourillon C., Couvidat C., Lecuru F., Fournier L.

CT performance for the pre-operative quantification of peritoneal carcinomatosis in ovarian cancer (SS 716), B-0666

Bennani-Baiti B., Baltzer P.A.T.

MRI for diagnosis of malignancy in mammographic microcalcifications: a systematic review and meta-analysis (SS 1002), B-0759

Benndorf M., Wu Y., Burnside E.

A history of breast cancer and older age may warrant upgrade into BI-RADS 4 among patients assigned mammographic BI-RADS 3 in the diagnostic setting (SS 302b), B-0235

Benndorf M., Kotter E., Langer M., Herda C., Wu Y., Burnside E.

Development of a publicly accessible Bayesian CADx algorithm for mammographic mass lesions based on the breast imaging: reporting and data system (BI-RADS) lexicon (SS 1905), B-1193

Bensch F.V., Kaakinen J.K., Bertram R., Helle L., Lundbom N.

Development of eye movement adaptation during the interpretation of CT studies from resident to specialist radiologists: a potential new tool to measure resident training progress (SS 1905), B-1188

Bercovitz R., Yaniv G.,

Tchekmeister Abitbol V., Hoffmann C., Furer A., Katorza E., Bergman D., Biegon A. Biometric and diffusional changes in apparently normal fetal head MRI scans of fetuses with congenital heart disease (SS 612), B-0521

Bercovitz R., Yaniv G., Katorza E.,

Bergman D., Hoffmann C., Biegon A. Selected regional changes in brain diffusivity in fetal isolated mild ventriculomegaly (SS 612), B-0525

Bérczi V.

Image fusion for image-guided interventions: Chairman's introduction (RC 109), A-054

Berger F.H.

Polytrauma: comprehensive management guidelines for imaging: B. Spine and pelvis (RC 117), A-060

Bernardi D.

Emerging breast imaging technologies: A. Digital breast tomosynthesis (DBT) (RC 1702), A-707

Bernardi D.

The Italian experience (SY 22)

Bernathova M., Nagl G., Pinker-Domenig K., Baltzer P.A.T., Kapetas P., Helbich T.

Comparison of digital breast tomosynthesis vs full field digital mammography for the detection and characterisation of calcifications in the breast (SS 1402), B-0920

Bernathova M.

Tomomammo perspective (SY 4)

Bernegger A.

Real world application of new technologies enhancing teleradiology services in the Waldviertel healthcare region, Austria (SS 1805), B-1043

Bertani V., Clauser P., De Nicolò A.,

Pizzamiglio M., Zuiani C., Bazzocchi M., Cassano E.

Papillary lesions of the breast: is ultrasound-guided VAB useful in their management? (SS 602), B-0442

Bertella E., Andreini D., Petullà M., Russo E., Innocenti E., Baggiano A., Mushtaq S., Beltrama V., Pontone G.

Cardiac CT vs cardiac MRI for characterisation of left atrium anatomy before radiofrequency catheter ablation of atrial fibrillation: impact on radiation exposure and outcome (SS 203b), B-0179

Bertella E., Andreini D., Mushtaq S., Petullà M., Loguerio M., Baggiano A., Beltrama V., Gripari P., Pontone G.

Long-term prognostic value of dipyridamole stress cardiovascular magnetic resonance in patients with known or suspected coronary artery disease (SS 603a), B-0467

Bertheau R.C., Schlett C.L., Bamberg F., Parhofer K., Findeisen H., Kauczor H.-U., Schönberg S.O., Reiser M.F., Weckbach S.

Prediction of recurrent adverse events and organ specific risk in diabetic patients by contrast-enhanced whole body MRI (SS 615), B-0480

Bertolotto M.

Emergencies: A. Male pelvis emergencies (E³ 1020), A-390

Berzovini C., Faletti R., Arese C., Barisone F., Rigbi D., Fonio P., Gandini G.

The role of MR in the diagnosis of non-alcoholic fatty liver disease: correlation with liver biopsy and insulin resistance (SS 701a), B-0608

Besutti G., Nocetti L., Ligabue G., Stentarelli C., Zona S., Scaglioni R., Guaraldi G., Torricelli P.

Magnetic resonance spectroscopy, dual-phase and multi-echo gradient-echo MRI in the quantitative assessment of liver steatosis (SS 313), B-0316

Beyer T.

Scanners and tracers: A. Hybrid imaging: what systems are available and how do they work (E³ 418), A-108

Beyer T.

Artefacts and pitfalls in tomography: B. PET/CT (RC 513), A-142

Bezzi M.

Hepatic primary tumours: 'prime time' for interventional radiologists?: Chairman's introduction (E³ 519), A-144

Bezzi M.

Colorectal liver metastases: the emerging role of interventional radiologists in oncology: B. Intra-arterial drug delivery: the state of art (E³ 919), A-320

Bezzina P., Donoso L.

Enhancing patient safety culture in radiology: Chairman's introduction (RC 914), A-344

Bhatia A., Sodhi K.S., Saxena A.K.,

Singhal M., Rohit M.K., Khandelwal N. CT angiography findings of cardiovascular anomalies in aortopulmonary window: a rare congenital heart disease (SS 212), B-0164

Bialecki M., Bialecka A., Serafin Z.

Diagnostic value of CEUS to detect acute phase of Crohn's disease: systematic review and meta-analysis (SS 601b), B-0457

Bick U.

Update on computer-aided diagnosis (CAD): C. CAD for breast cancer detection (RC 1205), A-476

Bick U.

Update on BI-RADS: A. Mammography (RC 1502), A-597

Biederer J.

Pulmonary arterial hypertension: C. MRI in pulmonary artery hypertension (RC 1504), A-602

Authors' Index

- Bignotti B., Airdi S., Zaottini F., Tagliafico G., Martinoli C., Tagliafico A.**
Usefulness of IDEAL T2 imaging for homogeneous fat suppression and reducing susceptibility artifacts in brachial plexus MRI at 3T (SS 610a), B-0496
- Bignotti B., Signori A., Sormani M., Molfetta L., Airdi S., Zaottini F., Tagliafico G., Martinoli C., Tagliafico A.**
Ultrasound versus magnetic resonance imaging for Morton neuroma: systematic review and meta-analysis (SS 710), B-0642
- Bignotti B., Tagliafico G., Massimo G., Panico N., Zaottini F., Airdi S., Martinoli C., Tagliafico A.**
High-resolution ultrasound of peripheral nerves in systemic sclerosis: a pilot study of computer-aided quantitative assessment of nerve density (SS 1010a), B-0805
- Bilbao J.I.**
Hepatic primary tumours: 'prime time' for interventional radiologists?: C. Intra-arterial therapies 2.0: radioembolisation as a common daily practice (E³ 519), A-147
- Bilbao J.I.**
Current trends in transarterial chemoembolisation (TACE) and radioembolisation for HCC: C. Radioembolisation: critical appraisal of techniques and guidelines for treatment (RC 809), A-296
- Bilbao J.I.**
Medicolegal aspects in daily practice: Chairman's introduction (PC 12b), A-425
- Bilbao J.I.**
Radiology and radiation oncology: new chances for a partnership: Interventional radiology in oncology: achievements and limitations (ESR/ESTRO 2), A-625
- Binder J., Baumbach S.F., Mück F., Synek A., Chevalier Y., Langs G., Fischer L.**
Development of a statistical 3D model of the intact distal radius: preliminary results (SS 1010b), B-0911
- Binder T.**
Imaging of cardiac valves: new trends: A. Echocardiography remains the reference technique (RC 503), A-184
- Biscaldi E.**
From my workstation: difficult cases on review: B. Small bowel (RC 1601), A-617
- Bisdas S.**
Evaluation of treatment response in head and neck cancer: Post treatment imaging: is PET a reliable indicator for tumour viability? (SF 9a), A-311
- Bitencourt A.G.V., Cunha R.R., Conrado J.F.A., Andrade W.P., Lima E.N.P., Chojniak R.**
Detection of distant metastases in patients with primary breast cancer: is 18FDG-PET/CT better than conventional imaging? (SS 1016), B-0830
- Björkman-Burtscher I.M.**
Brain tumour (1): Keynote lecture (SS 611), K-10
- Blobel J., Mews J., Schuijff J.D., Overlaet W.**
Calibration of Agatston calcium score using iterative image reconstruction (AIDR 3D) at 120, 100 and 80 kVp instead of the standard reference protocol (FBP at 120 kVp) (SS 303a), B-0261
- Bloem J.L.**
New insights in bone tumour imaging: B. New insights in staging and restaging musculoskeletal tumours introduction (RC 916), A-334
- Blomqvist L.**
Rectal cancer: D. Interactive case discussion (E³ 1522), A-567
- Blomqvist L.**
Rectal cancer and anorectal imaging: Keynote lecture (SS 1001), K-19
- Blouet M., Belloy F., Benoist G., Pelage J.-P.**
Fetal short femurs: interest of three-dimensional computed tomography in prenatal management (SS 312), B-0384
- Bock M.**
Chemical exchange saturation transfer (CEST): a new toy for molecular imaging?: A. Physical principle (E³ 1226d), A-467
- Boellaard R.**
Integration of imaging biomarker activities on a European level: Experience of the Quantitative Imaging Alliance (QIBA) of the RSNA (PC 8a), A-265
- Boellaard R., Rausch I., Beyer T., Delso G., Ziegler S., Yaquib M., Quick H.H., Sattler B.**
Quality control for quantitative multi-center whole-body PET/MRI studies (SS 313), B-0320
- Boesen L., Chabanova E., Loegager V., Balslev I., Thomsen H.S.**
Apparent diffusion coefficient ratio correlates significantly with prostate cancer Gleason score at final pathology (SS 1416), B-0960
- Boesen L., Chabanova E., Loegager V., Balslev I., Mikines K., Thomsen H.S.**
Prostate cancer staging with extracapsular extension risk scoring using multiparametric MRI: a correlation with histopathology (SS 1416), B-0968
- Bohndorf K.**
The concept of degeneration: the tendons: The concept of degeneration: the tendons (E³ 24B), A-210
- Bomers J.G.R., Cornel E.B., Jenniskens S.F.M., Hulsbergen-van de Kaa C.A., Witjes J.A., Sedelaar J.P.M., Fütterer J.J.**
MR-guided focal laser ablation for prostate cancer followed by radical prostatectomy: validation of MR predicted ablation volume (SS 1807), B-1140
- Bonatesta A., Belli P., Bufi E., Tumino M., Buccheri C., Bonomo L.**
Unenhanced breast magnetic resonance imaging: detection of breast cancer (SS 702), B-0623
- Bonatti M., Ferro F., Pernter P., Senoner M., Bonatti G.**
Renal stone composition in Vivo Determination: comparison between 100/140 kV Dual-energy CT and 120 kV Single-energy CT (SS 1907), B-1274
- Bonello L., Trecate G., Cartia F., Vella A., Viganò S., Scaperotta G., Panizza P.**
Breast cancer in women previously exposed to chest radiation therapy: single centre experience (SS 302b), B-0229
- Bongers M.N., Schabel C., Bamberg F., Fritsche A., Häring H., Nikolaou K., Schick F., Machann J.**
Association between T2, T2* and indicators of hepatic inflammation as an early sign of non-alcoholic fatty liver disease in asymptomatic high-risk subjects (SS 701a), B-0609
- Boninsegna E., Manfredi R., Ventriglia A., Negrelli R., Pedrinolla B., Cybulski A.J., Mehrotra S., Pozzi-Mucelli R.**
Secretin-enhanced MRCP features of Santorinicele before and after minor papilla sphincterotomy (SS 1901a), B-1174
- Bonomo L.**
Striving in radiological education: Introduction (ESOR Session), A-218
- Bonomo L.**
Radiology and radiation oncology: new chances for a partnership: Introduction (ESR/ESTRO 2), A-623
- Booij R.**
CT from A to Z: C. Tips and tricks for CT optimisation (RC 1514), A-606
- Boos J., Meineke A., Lanzman R.S., Schleich C., Bethge O.T., Antoch G., Kröpil P.**
Automatic cloud-based monitoring and analysis of computed tomography (CT) dose exposure using DICOM-structured report (DICOM-SR) (SS 605), B-0449
- Boos J., Aissa J., Lanzman R.S., Heusch P., Schimmöller L., Antoch G., Kröpil P.**
CTA of the aorta using 80kVp in combination with iterative reconstruction: evaluation of image quality and dose reduction (SS 715), B-0627
- Boos J., Schek J., Kröpil P., Heusch P., Heinzler N., Antoch G., Lanzman R.S.**
Contrast-enhanced computed tomography (CT) in intensive care unit patients: impact of hyperattenuating adrenal glands (SS 1407), B-1004
- Boraschi P., Donati F., Pacciardi F., Gerharducci G., Gigoni R., Falaschi F., Bartolozzi C.**
MR evaluation of biliary-enteric anastomoses with Gd-EOB-DTPA-enhanced MR cholangiography: comparison with conventional T2-weighted MR cholangiography (SS 201a), B-0010
- Borelli C., Parapatt G.K., Fubelli R., Buccheri C., Giuliani M., Rinaldi P., Belli P., Bonomo L.**
Sensitivity of dynamic contrast-enhanced and diffusion-weighted MRI in the detection of ductal carcinoma in situ and correlation with nuclear grade (SS 702), B-0618
- Borelli C., Rinaldi P., Fubelli R., Buccheri C., Giuliani M., Belli P., Bonomo L.**
Evaluation of microcalcifications extent on mammograms in patients with ductal carcinoma in situ (DCIS) predicts the value of MRI for DCIS staging (SS 1902b), B-1179
- Borg K., Zarb F.**
Evaluation of beam collimation in paediatric chest radiographs (SS 1414), B-1014
- Borges A.**
Oncologic imaging: CT, MRI and PET: Keynote lecture (SS 608), K-13
- Boric I.**
Arthritis: Keynote lecture (SS 1810), K-26
- Borro M., Chillemi G., Simmaco M.**
Imaging biobanks: from genomic to radiomic in the era of personalised medicine: The biobanks: genomic, molecular and proteomic - Which link to radiomics? (PC 5b), A-164
- Bosmans H., Stratis A., Zhang G.**
Cone-beam CT: C. 3D dentomaxillofacial imaging (RC 113), A-014
- Bosmans J.M.L.**
What are the concrete benefits of structured reporting?: For the referring physician (PC 4b), A-079
- Bouaboula M., Vano Y., Mauge L., Pereira H., Helley D., Mejean A., Cuenod C., Oudard S., Fournier L.**
Prediction of response of primary tumours to neoadjuvant sunitinib using perfusion (DCE) CT in metastatic renal cell carcinoma (mRCC) patients (PREINSUT trial) (SS 716), B-0659

Authors' Index

- Bouda D., Zagdanski A., Sabatier F., Bourrier P., De Margerie C., De Kerviler E., Chirica M., Cattan P.**
The emerging role of contrast-enhanced CT to assess esophageal necrosis after corrosive ingestion (SS 217), B-0187
- Bourgioti C., Chatoupis K., Panourgias E., Tzavara C., Mouloupoulos L.**
A MRI scoring system for predicting endometrial vs cervical origin in patients with bulky uterine masses of indeterminate histology (SS 716), B-0663
- Boussouar S., Bouhelal O., Gilles B., Faure F., Vaniet C., Halimi P., Cuenod C.-A.**
Automatic segmentation of head and neck deep spaces using morphing techniques (SS 308), B-0376
- Boutry N., Amzallag-Bellenger E.**
Trauma to the paediatric skeleton: A. Pelvis/hips (RC 410), A-085
- Bouzad C., Duron S., Bousquet A., Valbousquet L., Weber-Donat G., Baccialone J., Potet J.**
Peripherally inserted central venous catheter-related infections in a large cohort of hospitalised adult patients (SS 209), B-0128
- Bozzetti F., Piccinini S., Crisi G.**
Arterial spin labelling in identifying tissue salvage: is the technique a useful predictor of good recovery after acute ischaemic stroke? (SS 1011), B-0816
- Braber T., Velthuis B.K.**
Measuring athlete's risk of cardiovascular events (MARC) study: the role of coronary CT in the cardiovascular evaluation of middle-aged sportsmen (SS 1803), B-1063
- Brady A.**
Improving quality and safety in radiology: First experiences from a nation-wide peer review in radiology (MIR 2), A-753
- Branatelli G.**
The many faces of benign liver lesions: B. Cystic-Biliary (RC 501), A-131
- Brandão S.**
MRI from the cradle to the future: A. MRI sequences made easy (RC 1614), A-660
- Braunagel M., Birnbacher L., Willner M., Notohamiprodjo M., Notohamiprodjo S., Saam T., Reiser M.F., Pfeiffer F., Herzen J.**
X-ray phase-contrast CT: a novel method for differentiation of renal tumour subtypes ex-vivo (SS 213), B-0101
- Braunagel M., Birnbacher L., Willner M., Herzen J., Notohamiprodjo S., Saam T., Pfeiffer F., Reiser M.F., Notohamiprodjo M.**
X-ray phase-contrast CT: a novel method for differentiation of low-fat angiomyolipomas from renal cell carcinomas (SS 1407), B-1012
- Braunagel M., Helck A., Notohamiprodjo M., Schupp N., Wagner A., Reiser M.F., Habicht A.**
Dynamic contrast-enhanced computed tomography: a new diagnostic tool to assess renal perfusion after ischemia-reperfusion injury in mice (SS 1807), B-1134
- Breen D.J.**
Basic principles of percutaneous tumour ablation: C. Cryoablation: ice can be better than heat (RC 409), A-120
- Bremerich J.**
Comprehensive personalised imaging of cardiothoracic diseases: Patients with acute shortness of breath (NH 17), A-700
- Briani C., Di Pietropaolo M., Federici G.F., Carbonetti F., Marignani M., Begini P., Iannicelli E.**
Hypointense nodules on hepatobiliary phase Gadoxetic acid-enhanced MR images: imaging features, evolution and the role of diffusion-weighted imaging (SS 1801), B-1050
- Briers E.**
Good radiation and bad radiation? How to assess and communicate radiation risk to patients and referring physicians: A. Radiation risk: a patient's perspective (RC 1213), A-429
- Briers E.**
The challenges of providing true patient-centred care: moving forward together: Lost in radiology: is there a doctor in the department? (ESR-PAG 1), A-554
- Brink J.A.**
Josef Lissner - Honorary Lecture: Is the 'Art of Medicine' dead in the era of population health management? (HL 1), A-208
- Brink J.A.**
Clinical Decision Support: making imaging referral guidelines work for patients, doctors and hospital managers: ACR select implementation experience (EuroSafe 1), A-216
- Brlkjacic B.**
Harmonised approach for imaging in Europe: myth or reality?: Imaging equipment: an ESR perspective (PC 12a), A-454
- Brlkjacic B.**
MIR: best of professional issues in radiology: Update on economics (MIR 1), A-752
- Bron E.E., Smits M., Barkhof F., Bastos-Leite A.J., van Swieten J.C., Niessen W.J., Klein S.**
Large-scale objective comparison of 29 novel algorithms for computer-aided diagnosis of dementia based on structural MRI (SS 305), B-0244
- Broncano J., Luna A., Martin Noguero T., Sanchez-Gonzalez J.**
Semi-quantitative assessment of low and high b value DWI for detecting myocardial edema in acute myocarditis (SS 1003b), B-0902
- Brookes J.**
Basic principles of varicose vein diagnosis and endovascular treatment: C. Ultrasound guided sclerotherapy (RC 415), A-113
- Brontzos E.**
Pre- and post-interventional work-up: Keynote lecture (SS 215), K-01
- Browne S., Rainford L.A., Grehan J., Herlihy T.**
Adverse event reporting (SS 1814), B-1151
- Brussaard C.C., Ilsen B., Milles J., Giepmans W., de Mey J.**
Model-based iterative reconstruction in CT thorax: first quantitative clinical results (SS 213), B-0106
- Buccheri C., Bufi E., Bonatesta A., Fubelli R., Tumino M., Padovano F., Patroleo F., Belli P., Bonomo L.**
Role of DWI assessing nodal involvement and response to neoadjuvant chemotherapy in advanced breast cancer (SS 202b), B-0117
- Bucher A.M., Renker M., Meinel F.G., Vogl T.J., Chinnaiyan K.M., Raff G.L., Schoepf U.J.**
CT dose reduction using sequential or fast pitch spiral technique employed in CTA of the aorta: results from the CT dose study (SS 715), B-0628
- Buck A.**
Indications for hybrid imaging in ...: B. Neurology (E³ 918), A-353
- Bücker A.**
EVAR endoleaks: imaging and management: B. CTA and MRA: current concepts (RC 815), A-287
- Buemi F., Stecco A., Quagliozzi M., Perchinunno M., Biacca A., Santagostino A., Lombardi M., Carriero A.**
Whole-body DW-MRI in staging of indolent lymphomas: comparison with FDG-PET/CT (SS 616), B-0511
- Buemi F., Stecco A., Cassarà A., Sacchetti G., Matheoud R., Brambilla M., Arnulfo A., Carriero A.**
Accuracy of retrospective PET and MRI-DWI (PET/MRI-DWI) image fusion in detection of cervical and endometrial cancer lymph node metastases: comparison with PET/CT and MRI-DWI (SS 716), B-0664
- Bufi E., Belli P., Costantini M., Cipriani A., Bonatesta A., Franceschini G., Terribile D., Bonomo L.**
Predictability of complete response through apparent diffusion coefficient measured before neoadjuvant chemotherapy in breast cancer depends on tumour phenotype (SS 202a), B-0012
- Bull R.**
New detector technology in clinical practice (SY 20)
- Buscaglia M., Derchi L.E., Casciaro R., Cresta F., Minicucci L.**
Scrotal ultrasonography in adult patients with cystic fibrosis (SS 1807), B-1131
- Buttigieg E., Borg Grima K., Zarb F.**
Evaluating the use of oral contrast media for abdominopelvic CT for general oncological indications (SS 314), B-0358
- Buzan M.T.A., Eichinger M., Heussel C., Kauczor H.-U., Kreuter M., Oltmanns U., Warth A., Pop C.M., Dinkel J.**
T2 relaxation and proton density characterisation of pathologically proved nonspecific interstitial pneumonia and usual interstitial pneumonia (SS 1404), B-0991

C

- Cabeza B., Paul J.-F., Becker H.-C., Laghi A., Achenbach S., Leschka S.**
Comparison of the diagnostic efficacy of three iodinated contrast media with different iohexol concentrations for coronary CTA: a randomised European multicenter trial (SS 1015), B-0772
- Cáceres J.**
Mediastinal disease revisited: A. The crucial role of chest x-ray: mediastinal lines and stripes (RC 1204), A-458
- Cahalane A.M., Purcell Y., Malone D.E., Heffernan E.J.**
The impact of peer-review introduction on the subsequent publication rate and impact factor of presentations at national radiology meetings (SS 1905), B-1195
- Cai L., Chen Y., Liu X., Chen Y., Xiao Y.**
Correlation of intravoxel incoherent motion diffusion-weighted imaging with immunohistochemical index in breast ductal carcinoma (SS 702), B-0625
- Calandriello L., Larici A., Ciliberto M., del Ciello A., Leccisotti L., Giordano A., Bonomo L.**
Multifunctional assessment of NSCLC using whole-body MRI with DWI and 18F-FDG-PET/CT: correlation between ADC and metabolic volumetric and non-volumetric parameters (SS 704), B-0687

Authors' Index

- Calli C.**
Turkey welcomes ECR: fMRI of the brain: beyond expectations? (EM 4), A-730
- Calvo-Temprano D., Plasencia J., Jiménez-Fonseca P., Solís M., Benegas M., Sanchez M., Hernandez S., Martinez de la Haza D., Carmona-Bayonas A.**
Prognostic value of additional findings in CT scans of patients with cancer-related pulmonary embolism: data from 208 consecutive cases from the EPIPHANY study (SS 216), B-0090
- Camera L., Baglio I., Caumo F., Meliàdo G., Cavedon C., Montemezzi S.**
Is choline concentration measured by MR Spectroscopy at 3.0T correlated to the outcome of breast cancer prognostic indicators? (SS 302a), B-0216
- Camera L., Liccardo I., Romano F., De Fronzo S., Rispo A., Liuzzi R., Imbriaco M., Castiglione F., Salvatore M.**
Diagnostic efficacy of a low-radiation high-contrast dose protocol in single-pass abdominal multi-detector CT (MDCT): a prospective comparison with a standard protocol (SS 201b), B-0038
- Camps Herrero J.**
Positive long-term results after implementing intensive breast MRI use in an area population (SY 1)
- Camps Herrero J.**
The treated breast: what you need to know: A. Imaging after treatment of benign breast conditions (E³ 221), A-065
- Camps Herrero J.**
Radio-pathological correlation: more important than you thought: B. Intra-operative specimen evaluation (RC 402), A-095
- Cannaò P.M., Varga-Szemes A., Muscogiuri G., De Cecco C.N., Renker M., Mangold S., Piccini D., Giri S., Schoepf U.J.**
Non-contrast 3D and QISS magnetic resonance angiography for pre-operative TAVR evaluation (SS 315), B-0272
- Cannaò P.M., Muscogiuri G., De Cecco C.N., Wichmann J., Varga-Szemes A., Canstein C., Schoepf U.J.**
CT evaluation of small-diameter coronary artery stents: impact of an integrated circuit detector with iterative reconstruction using 3rd generation dual-source CT (SS 603a), B-0474
- Cannavale A., Ilyas S., Shaida N., Cousins C., Krokidis M.**
Interventional radiology service provision: can we treat safely peripheral vascular disease in a day unit setting? (SS 209), B-0125
- Cannavale A., Krokidis M.**
Recanalisation of femoro-popliteal chronic total occlusions: no fancy devices, just a crossing catheter (SS 209), B-0127
- Cannavale A., Santoni M., Fanelli F.**
Medicolegal aspects in daily practice: When is a radiologic error simply an error and when is it malpractice? (PC 12b), A-427
- Cantisani V.**
Elastography: improved detection and characterisation (SY 12)
- Cantisani V.**
Surveillance of patients with liver cirrhosis: is there still a role for CEUS? (SY 23)
- Caramella D.**
Technology for supporting clinical research in radiology: Chairman's introduction (SF 17c), A-721
- Caramella D.**
Best practice in MDCT: how to optimise the radiation reduction and iodine use? (SY 16)
- Carbonaro L.A., Di Leo G., Verardi N., Trimboli R., Saguatti G., Zuiani C., Bazzocchi M., Sardanelli F.**
Impact on the recall rate of digital breast tomosynthesis (DBT) as an adjunct to digital mammography (DM) in the screening setting (SS 1402), B-0919
- Carbonetti F., Cremona A., Aloisio P., Maltzef N., Argento G., Capotondi C., David V.**
Accuracy of MDCT angiography of the anterior abdominal wall in the planning of the mammary reconstruction with DIEP-flap in mastectomised patients (SS 215), B-0062
- Carbonetti F., Berardi E., Federici G., Di Pietropaolo M., Fantini C., Caterino S., Iannicelli E., David V.**
Comparison between CT and anatomopathological findings in gastrointestinal tumours (GIST) (SS 1401), B-0978
- Carlton Jones A.C., Soneji N., Cousins J., Ahmed A., Edey A., Wells A., Copley S.**
CT airway morphology related to obesity: evaluation pre- and post bariatric surgery with functional correlation (SS 1804), B-1115
- Carnevale F.C.**
Image-guided interventions of the prostate: Prostate artery embolisation (PAE) for benign hypertrophy (NH 9), A-331
- Caroff J., Strasilla C., Berlis A., Patankar T., Behne D., Jacobsen E., Liebig T., Prothmann S., Spelle L.**
New single-layer WEBs intrasaccular flow disrupters for intracranial aneurysm treatment: preliminary results of a European multicenter study (SS 609), B-0545
- Carrafiello G.**
Interventional radiology in venous thromboembolism and chronic venous disease: Interventional treatment of severe/massive pulmonary embolism (SF 12), A-446
- Caršin A., Oubaya N., Janvier A., Mulé S., Delemer B., Hoeffel C.**
Volumetry of adrenal glands: normative data and influence of various parameters (SS 1407), B-1003
- Cartocci G., Napoli A., Brachetti G., Zaccagna F., Cavallo Marincola B., De Soccio V., Catalano C.**
MR-guided high intensity focused ultrasound for non-invasive treatment of osteoid osteoma (SS 309), B-0337
- Casali V., Telesca M., Luciani M., Liberali S., Pediconi F., Miglio E., Di Miscio R.**
Diagnostic accuracy of breast MRI in the evaluation of patients with suspicious nipple discharge (SS 1002), B-0764
- Caseiro-Alves F.**
Acute gastrointestinal tract emergencies: an update: Chairman's introduction (SF 1a), A-007
- Caseiro-Alves F.**
Basic 3: Oncologic imaging: Pancreatic cancer (Basic 3), A-438
- Casiraghi A., Ippolito D., Bonaffini P., Talei Franzesi C., Fior D., Sironi S.**
Achieving lower radiation dose in follow-up of oncologic patients: comparison of whole-body CT with 4th generation iterative reconstruction algorithm and standard dose examination (SS 616), B-0518
- Cassar-Pullicino V.N.**
Inflammatory/infectious disorders: Inflammatory/infectious disorders (E³ 24C), A-395
- Cassart M.**
Imaging of foetus and infant: B. Foetal body imaging (RC 412), A-126
- Castelman J., De Foer B.**
Cone-beam vs multi-detector CT in head and neck imaging: B. My finest cone-beam CT cases (E³ 1626a), A-644
- Castelli F., Di Paola V., Manfredi R., Pozzi-Mucelli R.**
PIRADS analysis of prostate cancer at multiparametric MR Imaging: correlation with pathological results (SS 307), B-0354
- Castelli F., Lavdas I., Rockall A.G., Sandhu R.S., Papadaki A., Honeyfield L., Waldman A.D., Aboagye E.O.**
ADC of normal abdominal organs and bone marrow from whole body DW-MRI at 1.5T: the effect of sex and age (SS 616), B-0517
- Cava M., Benedetti G., Palumbo D., Fragasso G., Esposito A., Del Maschio A., De Cobelli F.**
Prognostic value of different cardiac magnetic resonance (CMR) patterns in patients with acute myocarditis (SS 1003b), B-0904
- Cavanagh P.**
Improving quality and safety in radiology: How to organise meaningful audits in radiology (MIR 2), A-754
- Cavanagh P.**
The challenges of providing true patient-centred care: moving forward together: An ESR framework for delivering patient-centred care in radiology's services (ESR-PAG 1), A-555
- Cavanagh P.**
How can clinical audit enhance patient safety?: A new approach to clinical audit and safety by the ESR (EuroSafe 4), A-639
- Cavedon C., Baglio I., Camera L., Meliàdo G., Caumo F., Montemezzi S.**
The role of high-field MR spectroscopy in the multiparametric evaluation of breast lesions (SS 1902a), B-1157
- Cavusoglu M., Sözmen Ciliz D., Özsoy A., Duran S., Elverici E., Atalay C., Sakman B.**
Diffusion-weighted MRI of endometrial cavity pathologies: differentiation of benign and malign lesions and preoperative assessment of myometrial invasion (SS 207), B-0138
- Cazzato R., Battistuzzi J., Grasso R., Buy X., Palussiere J.**
Cone-beam CT vs CT in lung ablation procedure: which is faster? (SS 709b), B-0717
- Cederström B.**
Personalised breast care with a spectral breast density measurement (SY 25)
- Centi D., Zantedeschi L., Borsato A., Motton M., Schenal G., Montemezzi S.**
The influence of 3.0T multiparametric prostate magnetic resonance for the identification and localisation of prostatic cancer (SS 1416), B-0961
- Cervera Arazé A., Camps Herrero J., Garcia Oliver E., Ricart Selma V., Forment Navarro M., Martinez Rubio C., Cano Gimeno J., Martínez Gómez I.**
Breast MRI adds high negative predictive value in a large cohort of patients with microcalcifications BI-RADS 3 to 5 (SS 1002), B-0760
- Chalabi N.A.M., Osman N., Abdrahoh N.**
Triple negative breast cancer: MRI features in comparison to other breast cancer subtypes with correlation to prognostic pathologic factors (SS 302a), B-0215

Authors' Index

Chandramohan A., Abraham D., Manipadam M.T., Paul T.V.

Can ARFI elastography be used to differentiate parathyroid from thyroid lesions? (SS 1008), B-0882

Chang M., Kim M., Lee S., Kim G., Won J., Park S., Lee D.

Towards a turning point in gastric varices treatment: modified balloon-occluded retrograde transvenous obliteration (SS 709a), B-0692

Chang W., Lee J., Han J., Choi B.

Performance of magnetic resonance elastography for the staging of liver fibrosis: in terms of comparison between patients with chronic hepatitis B and those with other etiologies (SS 201a), B-0008

Chee C., Lee G., Lee J., Lee E., Kang H.

Technical success and complication of fluoroscopy-guided lumbar drainage of CSF (SS 609), B-0551

Chelaru R.L., Malich A.

Performance of 3 commercially available CAD-systems applied to ML-views of screening- and nonscreening-selected cases for stereotactic biopsy: comparison to histopathology (SS 1802), B-1034

Chen H., Yu J., Zhang X.

Can pericardial fat volume be a marker of metabolic syndrome in adult patients? A preliminary study (SS 1803), B-1066

Chen R., Zhang W.

Application of total choline compound integral in differentiating benign and malignant breast disease (SS 1902a), B-1155

Chen W., Zhang B., Gao F., Zheng J., Wang C.

Assessment of intramyocardial haemorrhage in acute reperfused myocardial infarction using 7.0T CMR T2 mapping (SS 603a), B-0470

Chen Y., Yang S., Yun H., Jin H., Zeng M.

T1 ratios are superior to actual T1 values for assessment of myocardial injury and left ventricular remodelling in coronary chronic total occlusion (SS 203a), B-0048

Choe J., Kang J., Yang D.H., Lim T.-H.

Cardiac dual-energy computed tomography reduces beam-hardening artefacts in a phantom study (SS 1003a), B-0795

Choe J., Kim M.Y., Kim S.

Incidence of the reversed halo sign and the evolution of the radiologic findings in 20 patients with proven pulmonary mucormycosis (SS 1904), B-1251

Choi G., Woo O., Shin H., Hong E., Cho K., Seo B.

Can morphological analysis of phyllodes tumour predict the likelihood of malignancy in breast MRI? (SS 1002), B-0763

Choi K., Lee J., Joo I., Han J., Choi B.

Characterisation and evaluation of longitudinal extent of perihilar biliary strictures: does diffusion-weighted MRI provide additional value? (SS 201a), B-0009

Choi T., Kim S., Shin C., Han J., Choi B.

Clinical and MDCT features of pancreas metastasis from various primary malignancies (SS 1901a), B-1165

Choi T., Lee J., Yu M., Kim J., Han J., Choi B.

Comparison of MDCT and Gadobutrol-enhanced MRI for detection and characterisation of small (< 3cm) pancreatic solid lesions (SS 1901a), B-1169

Choi Y., Chung M., Kim H.

Automated CT densitometry in characterizing solitary pulmonary nodule enhancement (SS 604), B-0536

Choyke P.L.

Urogenital radiology in 2015: beyond morphology?: C. Will genomics change imaging? Renal cancer as a case study (E³ 1226a), A-463

Choyke P.L.

Imaging tumour phenotype: the future is now: C. Will genomics change imaging? Renal cancer as a case study (E³ 1326), A-513

Chu C., Yu S.C.

Robot-assisted navigation system for CT-guided percutaneous lung lesions procedures: our experience in Hong Kong (SS 709b), B-0714

Chung K., Scholten E.T., van Riel S.J., Ciompi F., de Jong P.A., Wille M.M., Prokop M., van Ginneken B., Schaefer-Prokop C.M.

Differentiation of persistent and transient subsolid nodules: does morphology help? (SS 604), B-0537

Chung S., Kim H., Choi C., Kim S.

Tumour permeability pattern: a potential for new prognostic factor in immunocompetent patients with primary CNS lymphoma (SS 611), B-0504

Chuong A., Corno L., Beaussier H., Chatellier G., Zins M.

Assessment of bowel wall enhancement for the diagnosis of intestinal ischemia in patients with small bowel obstruction: value of adding unenhanced CT to enhanced CT (SS 1401), B-0972

Ciatti S., Gennaro G., Mungai V., Nannini G.

Should volumetric breast density be included in breast cancer prediction models? Proposal of an integrated quantitative and reproducible approach (SS 302b), B-0238

Ciescinski J., Zawada E., Augustynska B., Porzyski K., Serafin Z.

Diffusion tensor imaging of cervical spine in subjects presenting successful aging: preliminary report (SS 1811), B-1086

Cifci E., Coban G., Cicek T., Gonulalan U.

Diagnostic value of B-TFE MR Urography and the effect of additional factors on the diagnosis of urinary stones (SS 1907), B-1273

Cioffi Squitieri N., Mazzei M.A., Vindigni C., Sadotti G., Mercuri P., Righi L., Guerrini S., Mazzei F.G., Volterrani L.

Gastrointestinal stromal tumours of the stomach: CT percentage of tumour necrosis and prediction of malignancy (SS 1916), B-1237

Ciolina F., Palla C., Zaccagna F., Sandolo F., Napoli A., Catalano C.

Uterine fibroids treatment selection using MRI: MR-guided high-intensity focused ultrasound (MRgFUS), uterine artery embolisation (UAE) and surgery: a per group analysis of outcomes (SS 607b), B-0586

Ciolina M., De Cecco C., Ganeshan B., Rengo M., Bellini D., Laghi A.

Performance of texture analysis, diffusion-weighted imaging and perfusion imaging in predicting tumoral response to neoadjuvant chemoradiotherapy in rectal cancer patients studied with 3-T MR (SS 1001), B-0833

Claudon M.

Kidney: A. Differential diagnoses of cystic renal masses (E³ 520), A-194

Clauser P., De Nicolò A., Rotili A., Bonanni B., Zuiani C., Bazzocchi M., Cassano E.

Foci on breast magnetic resonance imaging (MRI) in high-risk women: cancer or not? (SS 302b), B-0230

Clauser P., Maieron M., Marcon M., Zuiani C., Bazzocchi M., Baltzer P.A.T.

Is there a systematic bias of apparent diffusion coefficient (ADC) measurements of the breast if measured on different workstations? An inter- and intra-reader agreement study (SS 702), B-0615

Claussen C.D., Schwenger N.

Tradition goes digital: getting ready for the future: MRI-PET: A new modality for clinical imaging (EM 1), A-379

Claussen C.D., Marckmann G.

The challenges of providing true patient-centred care: moving forward together: Ethics in patient-centred radiology (ESR-PAG 1), A-553

Clément O.

Integration of imaging biomarker activities on a European level: Clinical validation of imaging biomarkers and their role in European Medicine Agency (EMA) applications (PC 8a), A-267

Clevert D.

Improved workflow by using CEUS and image fusion in detection, treatment and follow up of liver lesions (SY 11)

Coşkun A.

Turkey welcomes ECR: Introduction (EM 4), A-727

Cockmartin L., Marshall N.W., Zhang G., Shaheen E., Bosmans H.

A structured phantom for comparative detectability evaluation in 2D digital mammography and breast tomosynthesis (SS 1813), B-1100

Coenen A., Lubbers M.M., Kurata A., Kono A., Dedic A., Chelu R.G., Dijkshoorn M.L., van Geuns R., Nieman K.

The effect of coronary calcium deposits and CT acquisition artifacts on coronary CT angiography derived fractional flow reserve, validated by invasive FFR (SS 703), B-0753

Cohen J.G., Reymond E., Lederlin M., Medici M., Lantuejoul S., Laurent F., Arbib F., Jankowski A., Ferretti G.R.

Differentiating pre- and minimally invasive from invasive adenocarcinoma using CT features in persistent pulmonary part-solid nodules (SS 604), B-0538

Colantoni C., Esposito A., Palmisano A., Antunes S., De Cobelli F., Maccabelli G., Della Bella P., Rizzo G., Del Maschio A.

Point-by-point correlation between electroanatomic mapping (EAM) and 3D-model from multidetector-computed tomography (3D-CT-model) in patients affected by ventricular tachycardia (VT) (SS 203b), B-0180

Colombo N.

Epilepsy: C. MRI, electroclinical and neuropathological correlations (E³ 1626c), A-665

Conte G., Ruju F., Moscatelli M., Bonello L., Travaini L.L., Raimondi S., Ansarin M., Preda L.

FDG PET/CT and DWI of head and neck squamous cell carcinoma: prognostic value of standardised uptake value and apparent diffusion coefficient (SS 608), B-0575

Cook G.

Essentials of hybrid imaging: A. Normal variants and pitfalls (E³ 818), A-283

Cook G.

Imaging tumour phenotype: the future is now: C. Molecular imaging: visualising the characteristics of cancer cells (E³ 1326), A-515

Copley S.J.

Occupational lung diseases: the known and the less known: B. Asbestos-related disease (RC 1304), A-520

Authors' Index

Coppola F., Neri E., Regge D.
Telerradiology in Italy: results of an online survey (SS 1805), B-1044

Cornelis F., Hélénon O., Correas J.-M., Lemaitre L., André M., Meuwly J., Sengel C., Derchi L.E., Grenier N.
Tubulocystic renal cell carcinomas: a new radiological entity (SS 1407), B-1011

Cornud F., Escourrou C., Delongchamps N.
Prostate imaging: how I do it: B. Image-guided biopsy and staging (RC 407), A-106

Cornud F., Escourrou C., Delongchamps N.B.
Image-guided interventions of the prostate: MR-US fusion prostate biopsy (NH 9), A-329

Correas J.-M.
Advanced applications in ultrasound: ShearWave elastography, ultrafast Doppler and image fusion (SF 5), A-137

Correia de Verdier M., Wikström J.
Normal ranges and test-retest repeatability of velocity parameters in intracranial arteries measured with phase contrast magnetic resonance imaging (PC-MRI) (SS 311b), B-0418

Cosottini M., Frosini D., Pesaresi I., Donatelli G., Cecchi P., Costagli M., Biagi L., Ceravolo R., Tosetti M.
Comparison of 3T and 7T susceptibility weighted angiography of the substantia nigra in diagnosing Parkinson's disease (SS 211a), B-0082

Costagli M., Symms M.R., Angeli L., Kelley D.A.C., Biagi L., Rua C.H.S., Tiberi G., Tosetti M., Cosottini M.
Application of 'Zero' Time-of-Echo (ZTE) MRI sequence for 'Silent' T1-weighted imaging at 7.0 Tesla (SS 1811), B-1083

Costescu A.
What's new in biomedical imaging research: an update of EIBIR activities: Presentation from the European Commission on Horizon 2020 (EIBIR 2), A-381

Cotten A.
Osteomyelitis vs gout: what are the pearls?: A. X-ray: classical patterns and challenging features (E³ 1726), A-695

Cova M.A.
Upper and lower urinary tract: B. Imaging of kidney and ureter (E³ 820), A-301

Cowan N.C.
Stone disease: new concepts: A. From the Stone Age to the New Age (RC 107), A-042

Cowan N.C.
Upper and lower urinary tract: A. CTU and MRU of the upper urinary tract (E³ 820), A-300

Crosara S., D'Onofrio M., Ruzzenante A., Valcanover S., Pozzi-Mucelli R.
Acoustic radiation force impulse (ARFI) imaging in the pre-operative liver function evaluation in patients candidate to liver resection (SS 1901b), B-1201

Cuocolo A., Nappi C., Zampella E.
Personalised medicine in radiology: Integrated diagnostics: towards one diagnostic department (PC 9), A-325

Cuocolo A., Nappi C., Assante R.
MR/PET - the future of hybrid imaging?: B. MR/PET technology: state of the art (E³ 1218), A-465

Curione D., Inchingolo R., De Gaetano A., Ciresa M., Bonomo L.
Role of DWI, ADC and correlation with hepatobiliary phase (DPI, delayed phase imaging) findings in the differentiation of hepatocellular carcinoma (HCC) from dysplastic nodules (DNs) in liver cirrhosis (SS 1801), B-1052

Curvo-Semedo L.
Imaging the postoperative patient: C. It still hurts: follow-up imaging and long-term complications (E³ 1322), A-491

Curvo-Semedo L.
Rectal cancer: B. Challenges in staging, treatment decisions and surgery for high rectal cancer (E³ 1522), A-565

Czerny C.
Case-Based Diagnosis Training - Part II: Head and neck (CBDT 2)

D

D'Amico M., Miraglia R., Maruzzelli L., Gallo G., Luca A.
Real-time ultrasound-guided pigtail catheter placement in supine position for drainage of symptomatic pleural effusions in paediatric patients who underwent liver transplantation (SS 212), B-0163

D'Amico M., Miraglia R., Maruzzelli L., Tafaro C., Gerasia R., Luca A.
Digital subtraction angiography during TIPS creation or revision: data on radiation exposure and image quality obtained using a standard and a low-dose acquisition protocol in a flat-panel detector-based system (SS 709a), B-0696

D'Onofrio M.
Advanced applications in ultrasound: Contrast-enhanced ultrasound of the pancreas (SF 5), A-134

D'Onofrio M.
Acoustic Radiation Force Impulse (ARFI) ultrasound and its clinical advantages in the liver and pancreas (SY 11)

D'orazio F., Gregori L.M., Giordano A.V., Carducci S., Splendiani A., Gallucci M.
Dynamic CT angiography for the evaluation of shunting vascular malformation of brain and spine (SS 1911), B-1224

Dadali Y., Ozmen O., Calikoglu U., Bursali &., Demirag F.
In CT-guided transthoracic lung biopsy the contribution of FDG PET/CT in biopsy planning and diagnostic accuracy (SS 304), B-0330

Dalmis M.U., Gubern-Mérida A., Vreemann S., Platel B., Mann R.M., Karssemeijer N.
Is late-phase information necessary for dynamic evaluation of breast cancer? (SS 1002), B-0758

Damilakis J.
Multi-energy imaging: from physics to diagnosis II: Chairman's introduction (EF 2), A-386

Damilakis J.
EuroSafe imaging call for action: Role of medical physicists in medical radiation protection in the context of EuroSafe imaging (EuroSafe 2), A-412

Damilakis J.
Dose-tracking leads the way to dose-reduction: PiDRL - European Commission Tender Project on diagnostic reference levels in paediatric imaging (EuroSafe 3), A-584

Danse E.
Misses and difficulties in abdominal imaging: C. Bowel dilatation (RC 401), A-072

Danti M., Forte F., Sbarbati S., Pagliarella G., Nardis P., Della Sala S.
The dynamic MRI compared to conventional cystogram in evaluation of vesico-urethral anastomosis after laparoscopic radical prostatectomy (SS 1907), B-1280

Das C.J., Chakraborty P., Gupta A.K., Bal C.S.
Incremental value of diffusion-weighted whole-body imaging with background body signal suppression coupled with multiparametric MR imaging for the detection of skeletal metastasis in prostate cancer (SS 616), B-0514

Das D., Arya S.
Pseudoprogression or true progression in high-grade gliomas post radiation and chemotherapy: incremental value of functional imaging over conventional MRI (SS 711), B-0651

Das M.
Efficiency improvements: utilisation tracking through dose management tools (SY 5)

Das M.
Lung cancer staging: B. CT phenotypes of adenocarcinoma (E³ 826), A-274

Das M., Jeukens C.R.L.P., Schnerr R.S., Niesen S., Wildberger J.E.
Assessment of high cumulative patient doses of repetitive CT examinations (SS 1013), B-0782

Davey E., England A.E.
AP vs PA positioning in lumbar spine computed radiography: image quality and individual organ doses (SS 1414), B-1019

de Baère T.
Basic principles of percutaneous tumour ablation: Chairman's introduction (RC 409), A-117

de Baère T., Deschamps F., Tselikas L.
Kidney, lung and bone: an update on oncologic therapy: B. Lung tumours: the clinical evidence for percutaneous techniques (E³ 819), A-248

De Bondt T., Salgado R., Geldof M., Deferme F., Parizel P.M.
Reducing the radiation dose of CT scans to exclude pulmonary embolism by using protocols adapted to patient weight (SS 1404), B-0984

de Bruin F., ter Horst S., Bloem J.L., Landewé R., Fagerli K.M., van Oosterhout M., van der Heijde D., Reijnierse M.
Prevalence of a lumbosacral transitional vertebra and concomitant edema in the sacral bone in the SPACE (SPondyloArthritis Caught Early) cohort (SS 1410), B-0941

De Cecco C.N.
Multi-energy imaging: from physics to diagnosis II: Dual-energy CT in oncology (EF 2), A-388

De Cecco C.N., Hardie A.D., Muscogiuri G., Wichmann J.L., Canstein C., Costello P., Schoepf U.J.
Virtual unenhanced images of the abdomen with third-generation dual-source dual-energy CT and advanced modeled iterative reconstruction: image quality, attenuation and radiation dose (SS 1013), B-0779

De Cobelli F.
Valvular disease: Keynote lecture (SS 603b), K-14

De Franco G., Martino G., Campagna C., Favia V., Spinarelli A., Angelelli G.
Role of MDCT for evaluating prosthetic malrotation in patients with painful knee prosthesis (SS 1910), B-1212

Authors' Index

- De Hooge M., Pialat J., Feydy A., Reijnierse M., Claudepierre P., Saraux A., Dougados M., van der Heijde D.**
Prevalence of MRI spinal lesions typical for axial Spondyloarthritis in patients with inflammatory back pain (SS 1810), B-1075
- de Hooge M., Pialat J., Feydy A., Reijnierse M., Dougados M., van der Heijde D.**
Is it worth to include MRI of the spine in the ASAS classification criteria for axial spondyloarthritis: data from the DESIR-cohort (SS 1810), B-1073
- de Hooge M., Pialat J., Reijnierse M., van der Heijde D., Dougados M., Feydy A.**
Scoring of spinal lesions compatible with axial spondyloarthritis on MRI in clinical practice by local radiologist or rheumatologist in DESIR: comparison with central reading (SS 1810), B-1076
- de Jong M.C., van der Meer F., Görnicke S., Brisse H.J., Galluzzi P., Maeder P., Moll A., Castelijn J., de Graaf P.**
Association between retinoblastoma tumour size and tumour extent (SS 612), B-0527
- de Margerie-Mellon C., de Bazelaire C., Lambert J., Montlahuc C., Martineau A., de Kerviler E., Beigelman C.**
Ultra-reduced dose chest CT: comparison between iterative model reconstruction, iDose4 and filtered-back projection (SS 1404), B-0988
- De Wever W., Guvenc C., Yserbyt J., Testelmans D., Zanca F., Dooms C.**
Computed tomography characteristics predictive for radial EBUS-miniprobe guided diagnosis of pulmonary lesions (SS 304), B-0326
- Debray M., Dauriat G., Khalil A., Leygnac S., Grandjean A., Schouman-Claeys E., Ou P.**
Diagnostic accuracy of ultra-low-dose chest CT with model-based iterative reconstruction (MBIR) in the detection of early pulmonary complications within the first six months following lung transplantation (SS 1904), B-1255
- Deepalam S., Joseph S., Mulimani N.**
Flow diverters: a curative endovascular treatment for ruptured intracranial blister-like aneurysms (SS 211b), B-0198
- Deganello A., Konstantatou E., Romanos O., Sellars M., Sidhu P.**
Radiation reduction in the follow-up of abdominal trauma imaging using contrast-enhanced ultrasound (SS 1012), B-0892
- Del Guerra A.**
Optimisation of patient dose in CT: Keynote lecture (SS 1013), K-17
- Delli Pizzi A., Cianci R., Filippone A., Timpani M., Tavoletta A., Esposito G., Pulsone P., Cotroneo A.R.**
Image quality assessment of ultra low-dose CT colonography using sinogram-affirmed iterative reconstruction (SS 701b), B-0742
- den Harder A.M., Willemink M.J., de Ruiter Q.M.B., de Jong P.A., Schilham A.M.R., Leiner T., Budde R.P.J.**
Dose reduction with iterative reconstruction for cardiac computed tomography angiography: a systematic review and meta-analysis (SS 303a), B-0270
- Denjoy N.**
Harmonised approach for imaging in Europe: myth or reality?: Equipment age – COCIR (PC 12a), A-455
- Denton E.**
MIR: best of professional issues in radiology: Update on radiology: a strategy for the future (MIR 1), A-748
- Denton E., Jakobsen J.Å., Senol U., Brink J.A., Kahn C.E., Fatehi M., Valdés Solís P.**
Improving quality and safety in radiology: Round table discussion: Learning from critical situations or errors: examples from around the world (MIR 2), A-756
- Denys A.**
Hepatic primary tumours: 'prime time' for interventional radiologists?: B. Intra-arterial therapies 2.0: the embolising techniques in the era of the micro-beads (E³ 519), A-146
- Derbel H., Haddar S., Maalej A., Chaari A., Chelly H., Ben Mahfoudh K., Bouaziz M.**
Prognostic value of DWI and DTI in severe traumatic brain injury: a prospective cohort of 56 patients (SS 311a), B-0295
- Derchi L.E.**
Communicating the results of radiological studies to patients: from high-tech to human touch imaging: Who is the patient of the radiologist? (ESR-PAG 2), A-738
- Desai S.R.**
Pulmonary vasculitis and collagen vascular diseases: A. Pulmonary manifestations of collagen vascular diseases (RC 104), A-034
- deSouza N.M.**
Integration of imaging biomarker activities on a European level: The role of imaging biomarkers in the EORTC clinical trials (PC 8a), A-268
- deSouza N.M.**
Imaging in multicentre clinical oncological trials: Standardisation and quality assessment of imaging as surrogate endpoints (ESR/EORTC), A-494
- Devaraj A.**
COPD, airways disease and beyond: B. Airways disease: The role of expiratory CT (RC 504), A-170
- Devaraj A.**
Pulmonary nodule: Keynote lecture (SS 604), K-12
- Dewes P., Frellesen C., Al-Butmeh F., Wichmann J.L., Albrecht M., Vogl T.J.**
Pulmonary nodules: a comparative evaluation of enhanced CAIPIRINHA- volumetric interpolated breath-hold examination (VIBE)- 3-TMRI and multislice computed tomography (SS 604), B-0539
- Dewes P., Frellesen C., Scholtz J.-E., Fischer S., Schulz B., Vogl T.J., Bauer R.W.**
Additional spectral shaping by a tin filter (150 kV Sn) improves image quality and reduces dose in low-dose abdominal CT for urolithiasis (SS 1907), B-1270
- Dewey M.**
Controversies in comprehensive imaging of coronary artery disease: Chairman's introduction: what is the evidence? (SA 16), A-651
- Dharmarajah B., McKinnon T., Keravnou C., Averkou M., Davies A., Leen E.**
Thrombus dissolution using contrast enhanced ultrasound in an in-vitro model of acute deep vein thrombosis (SS 715), B-0636
- Di Feo D., Dionisi C., Barbera S.**
Evaluation of the performance and efficiency of technology and radiographer: the Italian model (SS 1814), B-1150
- Di Leo G., Trimboli R.M., Ioan I., Carbonaro L.A., Helbich T.H., Gilbert F.J., Houssami N., Sardanelli F.**
Worldwide practice of breast MRI: insights from the MIPA study applications - the MIPA study group (SS 1002), B-0757
- Di Leo N., Cantisani V., Di Segni M., Ricci P., Catalano C., D'ambrosio F.**
Do US-strain elastography improve diagnostic performance of multiparametric ultrasound in the differentiation of benign and malignant thyroid nodules? (SS 1008), B-0878
- Di Martino M., Pacifico L., Bezzi M., Zaccagna F., Sacconi B., Chiesa C., Catalano C.**
Quantification of liver steatosis in paediatric population: comparison of ¹H MRS and Triple-echo GRE sequence with liver biopsy as reference standard (SS 1012), B-0888
- Di Martino M., Bezzi M., Catalano C.**
Clinical application of LI-RADS: preliminary evaluation with Gd-BOPTA MR Imaging (SS 1801), B-1048
- Di Miscio R., Casali V., Cannata D., Miglio E., Telesca M., Luciani M., Pediconi F.**
Magnetic resonance imaging: evaluation of edema of the breast and the role of T2 STIR sequence in the characterisation of malignant and benign lesions (SS 1002), B-0762
- Di Paola V., Mehrabi S., Manfredi R., Pozzi-Mucelli R.**
MRI features in differential diagnosis between mucinous cystadenomas and mucinous cystoadenocarcinomas of the pancreas (SS 1901a), B-1171
- Di Rocco F., Arnaud E.**
Imaging the head and skull base: A. Faciocraniosynostoses revisited (RC 1712), A-685
- Diehl S.J.**
MITIGATE consortium: state of the art imaging and therapy in GIST: Selective internal radiotherapy in GIST patients (EIBIR 3), A-405
- Diehl V., Franzius C., Lentschig M.**
High-end and hybrid technology in clinical and research work of radiographers in Germany: MRI-PET (EM 5), A-401
- Diekhoff T., Fischer T.**
Superb microvascular imaging (SMI): applying a new contrast-free ultrasound technique for the analysis of the microvascular structure in suspect lymph nodes (SS 1016), B-0825
- Diekhoff T., Kiefer T., Hermann K.A.**
A comparison between x-ray, CT and DECT in detection of tophi in gouty arthritis: first clinical experience with single source DECT in volume scan mode (SS 1810), B-1067
- Diepstraten S.C.E.**
Breast ultrasound 2015: C. Nodal staging of breast cancer: still needed? (RC 102), A-033
- Dieтриch C.F.**
Integration of ShearWave™ elastography to conventional ultrasound imaging in light of the EFSUMB recommendations (SY 6)
- Dietzel F., Quentin M., Schimmöller L., Blondin D., Arsov C., Hiester A., Rabenalt R., Albers P., Antoch G.**
Pain levels in MR-guided in-bore and MRI/ultrasound fusion-guided prostate biopsies (SS 307), B-0357
- Dietzel M., Thanh N., Schmidt M., Kloska S., Essig M., Dörfler A.**
Choice of deconvolution algorithm: impact on the perfusion analysis of human gliomas (SS 305), B-0239
- Dietzel M., Hölter P., Lang S., Struffert T., Essig M., Dörfler A.**
Quantitative comparison of Gadoterate and Gadobutrol for the MR-angiographic (MRA) evaluation of neurovascular disease (SS 311b), B-0422

Authors' Index

Dietzel M., Baltzer A., Baltzer P.A.T.

Traffic light labelling of the apparent diffusion coefficient improves specificity of breast MRI (SS 702), B-0619

Dijkstra H., Dorrius M.D., Wielema M., Oudkerk M., Sijens P.E.

Breast lesion differentiation by 3-parameter IVIM analysis (SS 702), B-0624

Dinu L.E., Vela A., Marin M., Garces E., Garcia A., Artigas J.

Traumatic thoracolumbar fractures: assessment by MDCT using Denis' classification and TLICS scale (SS 317), B-0403

Diogo M.C., Fragata I., Nunes J., Pamplona J., Reis J.

Basilar tip aneurysms and fetal PCAs: do they really coexist? (SS 211b), B-0199

Dionisi C., Fontebasso E., Stefani E., Barbera S., Cavalli F.

Facial traits reconstruction with MDCT (SS 314), B-0364

Dionisi C., Stefani E., Barbera S.

Dose evaluation related image quality on paediatric chest examination with dedicated flat-panel (SS 1414), B-1018

Discalzi A., Faletti R., Guarnaccia C., Dominguez A., Righi D., Fonio P., Gandini G.

1.5 Tesla MRI of the prostate with 32-channel phase array cardiac coil: is it better than endorectal coil? (SS 1416), B-0966

Dixon A.K.

Research for trainees made easy: critical reading of the literature: Errors you should detect when reading scientific papers (Res.WG), A-314

Dmitriev A., Karpenko A., Bogdanova E.

Role of virtual hysterosalpingography in the diagnosis of the causes of infertility (SS 607b), B-0589

Dohan A., Eveno C., Pimpie C., Duchat F., Bonnin P., Pocard M., Soyer P.

In vivo study of microcirculation in a murine model of pseudomyxoma peritonei using the IVIM method for the assessment of antiangiogenic drugs (SS 1813), B-1106

Dong Y., Wang W., Mao F., Huang B.

Value of contrast-enhanced ultrasound guided percutaneous biopsy in peripheral pulmonary lesions (SS 709b), B-0715

Donoso L.

What are the concrete benefits of structured reporting?: Chairman's introduction (PC 4b), A-077

Donoso L.

Clinical Decision Support: making imaging referral guidelines work for patients, doctors and hospital managers: ESR iGuide (EuroSafe 1), A-217

Donoso L.

Harmonised approach for imaging in Europe: myth or reality?: Chairman's introduction (PC 12a), A-452

Dörfler A., Engelhorn T.

Cerebrovascular disease: A. Vascular distribution territories: arterial and venous (RC 511), A-175

dos Santos Silva I.

The complexity of personalised breast care: Breast cancer epidemiology and control - one size does not fit all (EIBIR 1), A-224

Drahanowsky W., Robinson S.

Interlude: Spot the implant - can you identify common and unusual medical devices inside the body?: Interlude: Spot the implant - can you identify common and unusual medical devices inside the body? (CBDT 1)

Dratwa C., Jalaguier-Coudray A., Thomassin-Piana J., Chopier J., Thomassin-Naggara I.

Breast MR biopsy: pathological and radiological correlation (SS 1002), B-0766

Drelich-Zbroja A., Jargiello T., Sojka M., Szczerbo-Trojanowska M.

Value of ultrasound contrast agents in the endoleak diagnosis in patients AAA treated stentgraft implantations (SS 215), B-0057

Drevelgas K., Chourmouzi D., Potsi M., Moutzouoglou A., Drevelgas A.

Brain tumours: contribution of diffusion MRI, perfusion MRI and spectroscopy in grading primary cerebral gliomas and the differentiation of high-grade gliomas from solitary metastasis (SS 711), B-0649

Dreyer K.

MIR: best of professional issues in radiology: Update on decision support for radiology (MIR 1), A-750

Dreyer K.J.

Clinical Decision Support: making imaging referral guidelines work for patients, doctors and hospital managers: CDS impact on guidelines development (EuroSafe 1), A-214

Drobní Z.D., Jermendy A.L., Horvath T., Bartykowszki A., Tarnoki A.D., Voros S., Merkely B., Maurovich-Horvat P., Jermendy G.

Heritability of abdominal adipose tissue compartments and hepatic lipid accumulation: a classical twin study (SS 701a), B-0607

Dromain C., Bidault F., Ammari S., Saghatchian M., Mathieu M., Balleyguier C.S.

Breast imaging modalities: beyond the conventional: Contrast-enhanced mammography (SF 8c), A-270

Dromain C., Arfi-Rouche J., Tardivel A., Garbay J., Delaloge S., Balleyguier C.S.

Multi-energy imaging: from physics to diagnosis II: Clinical application of multi-energy imaging in digital mammography (EF 2), A-389

Dubbeldam A., Coolen J., Verschakelen J., De Wever W.

Restrictive allograft syndrome after lung transplantation: new radiological insights (SS 1904), B-1254

Duffy S.W.

Tailoring breast cancer screening to risk level: A. Calculating, using and improving individual risk estimates (RC 1302), A-516

Dwarkasing R.S., Verschuuren S., van Leenders G., Braun L., Schouten W., Krestin G.

Primary cystic lesions of the retrorectal space: MRI evaluation, histopathology confirmation and clinical assessment (SS 1001), B-0839

Dweck M.R.

Advanced imaging with tracers beyond FDG: C. Coronary atherosclerotic plaque (E³ 1318), A-531

Dziubinska-Basiak M., Konopka M., Basiak M., Wicher M., Machnikowska-Sokolowska M., Walecki J.

MRS in differentiating low-grade from high-grade astrocytoma in children (SS 711), B-0656

E

Ebdon-Jackson S.

How can clinical audit enhance patient safety?: The European Radiation Protection Regulators' perspective on audit (EuroSafe 4), A-642

Eikefjord E., Andersen E., Lundervold A., Hodneland E., Monssen J., Hanson E., Rorvik J.

Reproducibility and agreement in quantification of renal function using 1.5-T DCE-MRI (SS 707), B-0708

Eklöf H., Wiklund E., Linder F., Koskinen S.

Whole body computed tomography for trauma patients in the Nordic countries 2014. Survey shows significant differences and a need for guidelines (SS 317), B-0405

El-Diasty M., Gaballa G., Gad H., Borg M.A., Abou El-Ghar M., Sheir K., El-Diasty T.A.E.

CT perfusion parameters to determine split renal function (SS 1407), B-1013

El-Diasty T.A.

Upper and lower urinary tract: C. Imaging of bladder and urethra (E³ 820), A-302

Elgeti T., Steffen I.G., Hamm B., Braun J., Sack I.

Time dependent analysis of left ventricular shear wave amplitudes in diastolic dysfunction measured by MR elastography (SS 303b), B-0394

Elizalde A., Garcia Barquin P., Millor M., Etxano J., Martinez-Miravete P., Pina L., Páramo M.

Additional US or DBT after digital mammography: which one is the best combination? (SS 1402), B-0926

Elshafey R.A., Elattar A., Melees M., Esheba N.

Role of quantitative diffusion-weighted MRI and 1H MR spectroscopy in distinguishing between benign and malignant thyroid nodules (SS 1008), B-0874

Elshafey R.A., Awny M., Elmashad A., Nassar M.

Abnormal brain development in neonates with congenital heart disease: evaluation with quantitative magnetic resonance spectroscopy (SS 1811), B-1079

Engelken F., Schmachtenberg C., Bick U.

Comparison of two software-based methods for volumetric breast composition analysis (SS 302a), B-0209

Eom H., Lee J., Baek J., Choi Y., Ko M., Cho K., Nam S., Yoon R.

Comparison of fine needle aspiration and core needle biopsy under ultrasonography guidance for detecting malignancy and for the tissue-specific diagnosis of salivary gland tumours (SS 208), B-0156

Ertl-Wagner B.

The paediatric brain and spine: not only tumours: A. Congenital abnormalities of the brain (RC 111), A-045

Ertl-Wagner B.

Radiologist: imager or doctor?: Radiology training for the future (PC 4a), A-092

Ertl-Wagner B.

Striving in radiological education: The role of the European Training Curriculum: present and future (ESOR Session), A-220

Ertl-Wagner B.

Harmonised approach for imaging in Europe: myth or reality?: Training and certification (PC 12a), A-456

Authors' Index

Ertl-Wagner B.

Neuro: Chairman's introduction (E³ 1823), A-733

Ertürk S.M.

Turkey welcomes ECR: Advanced hepatopancreaticobiliary imaging (EM 4), A-732

Evans A.

The complexity of personalised breast care: Stroma and peritumoural stiffness: latest evidence for its importance and novel stroma imaging approaches to predict therapy response (EIBIR 1), A-226

Evans A.

Update on BI-RADS: B. Ultrasound (RC 1502), A-598

Ewertsen C.

Image fusion for image-guided interventions: B. US image fusion (RC 109), A-056

F

Faby S., Kuchenbecker S., Simons D., Schlemmer H.-P., Leil M., Kachelrieß M.

Does dual energy dual source CT with energy-selective photon counting detectors make sense? (SS 713), B-0674

Facchini G., Rossi G., Rimondi E., Spinnato P., Filonzi G., Bartalena T., Errani C., Bazzocchi A.

Selective arterial embolisation for hemangiomas (SS 1909a), B-1266

Faggioni L., Gabelloni M., Galati E., Bianchi M., Marraccini P., Neri E., Bartolozzi C.

CT coronary angiography with iterative image reconstruction and low iodine (270mgI/mL) concentration: comparison of image quality and injection pressure with standard (320mgI/mL) iodine concentration (SS 303a), B-0269

Falkowski A., Camathias C., Jacobson J.A., Magerkurth O.

Oedema of the cartilage in the lateral facet of the patella: does it predict patellar instability? (SS 610b), B-0569

Fallenberg E.M.

Population-based screening: Keynote lecture (SS 1802), K-24

Fandiño E., Méndez J.C., Lourido D., García Poza J., Sanmillán J.

Endovascular treatment of acute ischemic stroke. Evolution among 100 consecutive patients in the last 10 years (SS 1411), B-0955

Fanti S.

Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: B. The current role of nuclear medicine (RC 516), A-161

Fanti S.

Advanced imaging with tracers beyond FDG: A. Neuroendocrine tumours (E³ 1318), A-529

Farina D.

Head and neck emergency: for the general radiologist or the patient?: C. Where medical history and previous images help to rule out tumour (RC 108), A-040

Farina D.

Skull base lesions: A. Imaging of the cavernous sinus and the anterior skull base (E³ 1521), A-559

Farrugia Wismayer E., Zarb F.

Radiography of the knee joint: a comparative study of the partial flexion PA projection and the fully extended AP projection (SS 214), B-0142

Fasching P.A., Schulz-Wendtland R.

Integration of molecular diagnostics in breast imaging (SY 2)

Fasching P.A., Brehm B., Haeberle L., Jud S.M., Hartmann A., Meier-Meitingner M., Uder M., Beckmann M.W., Schulz-Wendtland R.

Mammographic density is the main correlate of tumours detected on ultrasound but not on mammography (SS 302a), B-0206

Forte C., Fausto A., Carboni A., Maccari P., Volterrani L.

Feasibility and diagnostic accuracy of dynamic breast MR in supine compared to prone position (SS 1902b), B-1181

Federici M., Maira A., Marconi M., Iacucci I., Mancini P., Polito M., Simonetti C., Ferreri G.R., Bellelli A.

Preliminary study for analysis of modification of disk volume and disk fragment in patients with lumbar contained disk herniation treated with CT-guided ozone-oxygen injection (SS 309), B-0343

Fedorova A., Salnikova S., Pavlovichev A., Sokolova N., Varlamov G., Zubarev A.

Computer-assistant histoscanning-targeted prostate biopsies in diagnosis of PCa: a pilot study (SS 707), B-0705

Fekir A., Werquin C., Levy R., Sanavi C., Macaigne V., Hue G., Bubenheim M., Safsaf A., Dacher J.

Effective z accuracy to determine stone composition by single-source dual-energy computed tomography: an in vivo study (SS 1907), B-1275

Feng Z.

Comparison of field-of-view (FOV) optimised and constrained undistorted single-shot (FOCUS) with conventional DWI for the evaluation of prostate cancer (SS 607a), B-0557

Fernandez-Bayó J.

Mobile IT in radiology: A. Tablet-computers: a technical overview (RC 105), A-016

Ferrari R., Bertana L., Bellini D., Biondi T., Caruso D., Laghi A.

Impact of virtual colonoscopy in the management of patients referred to a tertiary hospital after an incomplete colonoscopy (SS 701b), B-0738

Ferrari R., Bertana L., Biondi T., Bellini D., Caruso D., Laghi A.

Virtual colonoscopy under 2 mSv with iterative reconstruction - are we ready? (SS 701b), B-0739

Ferreira T.A.

The orbit: you can't see what you haven't learnt: B. Congenital and inflammatory disease (RC 408), A-102

Ferretti G.R.

Thoracic changes after treatment: B. Device-related conditions (E³ 921), A-304

Feuchtner G.

Imaging of cardiac valves: new trends: C. Does CT have a role in diagnosing valvular disease? (RC 503), A-186

Feuchtner G., Plank F.

Cardiac CT: from stenosis assessment to risk stratification: B. Cardiac CT in the emergency room (E³ 1721), A-670

Feydy A., Briot K., Regnard N., Etcheto A., Koita S., Roux C.

Assessing the performances of the trabecular bone score (TBS) on EOS images for the discrimination of osteoporotic fractures (SS 310), B-0284

Filimonova A., Lisachenko I., Znamenskiy I., Uchevatkin A.

Possibilities of magnetic resonance imaging in diagnosis of shoulder joint instability (SS 1010b), B-0913

Filippiadis D.

Percutaneous treatment of chronic back pain and sciatica: C. Intervertebral disc syndrome (RC 509), A-190

Filippone A.

Misses and difficulties in abdominal imaging: B. Occult GI bleeding (RC 401), A-071

Filli L., Piccirelli M., Kenkel D., Boss A., Andreisek G., Runge V.M., Guggenberger R.

Accelerated diffusion tensor imaging of the median nerve using simultaneous multi-slice echo planar imaging with blipped CAIPIRINHA (SS 1010b), B-0909

Finkenstaedt T., Manoliou A., Toniolo M., Frauenfelder T., Andreisek G., Michel B., Guggenberger R., Alkadhi H.

Gouty arthritis: effect of dual-energy CT on diagnostic thinking and therapeutic decision making (SS 1810), B-1074

Fischer M.A., Brehmer K., Leidner B., Svensson A., Aspelin P., Brismar T.B.

Renal versus splenic maximum slope based perfusion CT modeling in patients with liver cirrhosis and portal-hypertension (SS 213), B-0100

Fischer S., Schultheis N., Frellesen C., Kaup M., Kromen W., Dewes P., Scholtz J.-E., Vogl T.J., Brauer R.W.

Dual-energy CT pulmonary perfusion maps improve the detection of small pulmonary embolism: a multi-rater study (SS 1004), B-0847

Fischer T.

Advanced applications in ultrasound: Chairman's introduction (SF 5), A-133

Fischer T.

Advanced ultrasound applications for multidisciplinary use (SY 12)

Fischer T., Stephan C., Maxeiner A.

Added value of multi-parametric ultrasound (mpUS) in magnetic resonance imaging (MRI)/US fusion-guided biopsy of the prostate in patients with suspicion for prostate cancer (SS 707), B-0703

Fitzgerald K., Weir-McCall J., Papagiorcopulo C., Lambert M.A., Sullivan F.M., Gandy S.J., Belch J.J.F., Struthers A.D., Houston J.G.

An investigation into the underlying rate of silent myocardial infarction in a low-intermediate risk asymptomatic cohort (SS 603a), B-0466

Flechsig P., Zabeck H., Heußel C., Kauczor H.-U., Haberkorn U., Giesel F.

Sequential dynamic PET and dynamic MR imaging in N-staging of lung cancer patients (SS 704), B-0688

Floridi C., Nocchi L., Fontana F., Ierardi A., De Marchi G., Fugazzola C., Carrafiello G.

Percutaneous microwave ablation (MWA) of renal tumours: intermediate-term results and usefulness of R.E.N.A.L. scoring for predicting outcomes and complications (SS 709b), B-0720

Flors L.

Occupational lung diseases: the known and the less known: C. Uncommon occupational lung diseases (RC 1304), A-521

Forrai G.

Rethinking ductal carcinoma in situ (DCIS): Chairman's introduction (SA 5), A-151

Authors' Index

Forrai G.

Ductal carcinoma in situ (DCIS): small tumour but big problem: Ductal carcinoma in situ (DCIS): small tumour but big problem (E³ 25D), A-557

Forsting M.

Neuro: B. Neurovascular disorders and trauma of the brain (E³ 1823), A-735

Forstner R.

Gynaecology: B. Staging of cervical cancer (E³ 920), A-370

Forstner R.

Female pelvic imaging: how I do it: C. How to image cystic tumours of the ovary (RC 1307), A-528

Fraioli F.

New frontiers in brain tumour imaging: MR/PET in brain tumour diagnosis: the added value of combining structural and molecular imaging (SF 8b), A-262

Franchi-Abella S.

The benefits of using UltraFast™ ultrasound imaging in paediatric patients (SY 6)

Franchi-Abella S., Pariente D.

Hepatobiliary imaging in children: C. Intervention in the hepatobiliary system (RC 1212), A-483

Francisco J., Lopes N., Ferreira R., Santos J., Paulo G.

Orthopaedic surgery occupational exposure using active dosimeters (SS 214), B-0147

Franck C., Vandevoorde C., Smeets P., Achten R., Verstraete K., Thierens H., Bacher K.

Size-specific dose estimate can be used to calculate patient-specific blood dose from paediatric CT examinations (SS 1013), B-0781

Francone M.

Imaging of cardiac valves: new trends: B. MRI is the best comprehensive approach (RC 503), A-185

Francone M.

Controversies in comprehensive imaging of coronary artery disease: Magnetic resonance will take the lead (SA 16), A-653

Franquet T.

Thoracic changes after treatment: A. Drug-related conditions (E³ 921), A-303

Frauenfelder T.

HRCT - patterns in chest radiology: back to basics and beyond: A. Secondary pulmonary lobule anatomy: essential to tackle with the nodular pattern (RC 404), A-098

Freeman S., Grenier N.

Advances in diagnostic ultrasound: better results through integration: Diagnosis, characterisation and staging of renal tumours (ESR/EFUMB), A-139

Freitag M.T., Radtke J., Hadaschik B., Schlemmer H.-P., Haberkorn U., Roethke M.C., Afshar-Oromieh A.

Diagnostic performance of 68Ga-PSMA-PET/MRI versus 68Ga-PSMA-PET/CT in the evaluation of lymph node metastases of metastatic prostate cancer (SS 316), B-0304

Freitas P., Lopes F., Costa D., Santos J., Paulo G.

Paediatric chest digital radiography optimisation (SS 1414), B-1016

Frellesen C., Dewes P., Schulz B., Scholtz J.-E., Kerl M., Vogl T.J., Bauer R.

High-pitch low-dose paranasal sinus CT in drunken emergency room patients after assault: initial results on image quality and dose with third-generation dual-source CT (SS 217), B-0193

Fretellier N., Salhi M., Schroeder J., Chevalier T., Jestin-Mayer G., Mayer J., Bonnemain B., Idée J., Corot C.

Distribution profile of gadolinium (Gd) in gadolinium chelate-treated renally impaired rats: role of pharmaceutical formulation (SS 707), B-0710

Friedewald S.M.

The American experience (SY 22)

Friedrich K.M.

Case-Based Diagnosis Training - Part II: Spine (CBDT 2)

Friedrich K.M., Juras V., Szomolanyi P., Trattig S.

Imaging biomarkers in degenerative joint disease: Degenerative joint disease: collagen-specific quantitative imaging of menisci and tendons (SF 16), A-650

Fries P., Stroeder J., Müller A., Mahfoud F., Hohl M., Linz D., Massmann A., Schneider G.K., Buecker A.

Characterisation of aortic distensibility in a rat model of atherosclerosis using high-resolution black blood cine sequences at 9.4 T (SS 615), B-0478

Frigerio A.

Breast cancer: to screen or not to screen?: A. Mammographic screening: pros (PS 827), A-240

Frija G., Neri E.

Imaging biobanks: from genomic to radiomic in the era of personalised medicine: Chairmen's introduction (PC 5b), A-163

Frija G.

Clinical Decision Support: making imaging referral guidelines work for patients, doctors and hospital managers: Chairman's introduction (EuroSafe 1), A-213

Frija G.

Integration of imaging biomarker activities on a European level: Chairman's introduction (PC 8a), A-263

Frija G.

EuroSafe imaging call for action: Chairman's introduction (EuroSafe 2), A-408

Frija G.

EuroSafe imaging call for action: EuroSafe imaging call for action (EuroSafe 2), A-409

Frija G.

Harmonised approach for imaging in Europe: myth or reality?: Current heterogeneities in imaging in Europe (PC 12a), A-453

Fu Y., Peng W., Zhang X.

Assessment of fibrotic tissue and microvascular architecture by in-line phase-contrast imaging in mouse model of liver fibrosis (SS 701a), B-0614

Fuchsjaeger M.H.

Case-Based Diagnosis Training - Part I: Breast (CBDT 1)

Fuchsjaeger M.H.

The treated breast: what you need to know: B. Imaging after treatment of breast cancer (E³ 221), A-066

Fuchsjaeger M.H., Paulo G.

Looking into the future of radiology: Chairmen's introduction (PC 5a), A-155

Fujioka T., Kubota K., Torihiro A., Saida Y., Tateishi U.

Feasibility of [F-18]FDG-PET/CT for clinicopathological evaluation in patients with Ductal Carcinoma In-Situ (DCIS) of the breast (SS 1902a), B-1162

Fujita N., Nishie A., Asayama Y., Ishigami K., Ushijima Y., Takayama Y., Okamoto D., Morita K., Honda H.

Significance of gadoxetic acid-enhanced MR imaging signal intensity for predicting the efficacy of hepatic arterial infusion chemotherapy in hepatocellular carcinoma (SS 601a), B-0431

Funovics M.A.

EVAR endoleaks: imaging and management: C. Endovascular management (RC 815), A-288

Fussenegger S., Fischer L., Weber M.-A., Kainberger F., DiFranco M., Langs G., Patsch J.M.

Novel features of metabolic bone diseases in high-resolution imaging: reproducibility and validity of radiologic reading (SS 1010b), B-0917

Fütterer J.J.

How about the lymph nodes?: Chairman's introduction (RC 116), A-027

Fütterer J.J.

Image-guided interventions of the prostate: MR-targeted prostate biopsy (NH 9), A-328

G

Galea N., Altabella L., Borrazzo C., Di Castro E., Francone M., Catalano C., Carbone I.

Automatic software for extracellular volume (ECV) fraction map generation of the myocardium (SS 203a), B-0050

Galea N., Barchetti G., Fiorelli A., Francone M., Rosato E., Catalano C., Carbone I.

Early non-invasive detection of microvascular dysfunction and myocardial damage in systemic sclerosis (SSc): a cardiovascular magnetic resonance (SS 203a), B-0054

Gallucci M.

Reporting spine imaging studies: A. Disc nomenclature and treatment strategy (RC 1311), A-510

Gangemi E., Piludu F., Manciooco V., Guerrisi A., Covello R., Marzi S., Vidiri A.

DWI and T2-W MRI for the evaluation of residual lymph nodes in patients affected by squamous cell carcinoma of the head and neck, treated with chemo-radiotherapy (SS 608), B-0579

Gangi A.

Percutaneous treatment of chronic back pain and sciatica: Chairman's introduction (RC 509), A-187

Gangi A.

Kidney, lung and bone: an update on oncologic therapy: C. Image-guided therapies for bone tumours (E³ 819), A-249

Gao F., Zhao B., Wang G., Ren F., Edden R.A.E.

Decreased auditory GABA+ concentrations in presbycusis demonstrated by edited magnetic resonance spectroscopy (SS 1811), B-1085

Garcia Oliver E., Camps Herrero J., Cervera Araez A., Ricart Selma V., Martínez Rubio C., Cano Gimeno J., Formant Navarro M., Martínez Gómez I.

Mammographic architectural distortions: taking advantage of the NPV due to MRI (SS 1002), B-0765

Gardarsdottir M., Sigurdsson S., Aspelund T., Gardarsdottir V.A., Gudnason V., Arnar D.O.

Phase contrast and arterial spin labelling magnetic resonance imaging shows improved cerebral blood flow after cardioversion of atrial fibrillation (SS 311b), B-0415

Authors' Index

Garel C.

Imaging of foetus and infant: C. Foetal and neonatal urinary tract imaging (RC 412), A-127

Garnon J.

Advancements in ultrasound guided biopsy and treatment (SY 12)

Garske C.

High-end and hybrid technology in clinical and research work of radiographers in Germany: Teaching and learning with VERT (Virtual Environment for Radiation Therapy Training) (EM 5), A-397

Gatti M., Faletti R., Veltri A., Piga A.,

Longo F., Gandini G., Bonamini R.
Isolated left ventricular non-compaction (LVNC) in patients with β -thalassaemia: 41 months follow-up with cardiac magnetic resonance (SS 1003b), B-0900

Ge B.H., Weber C.N., Nadolski G.J.,

Gade T.P., Hunt S.J., Soulen M.C., Itkin M.
MRI-monitored ablation using size adjustable coaxial electrochemical ablation: initial experience with a novel technique (SS 1009), B-0853

Ge B.H., Weber C.N., Watts M.M.

Utility of intra-procedural cone-beam CT in predicting treatment outcome for drug-eluting bead (DEB) transarterial chemoembolisation (TACE) (SS 1409), B-0996

Gebauer B.

Hepatic primary tumours: 'prime time' for interventional radiologists?: A. Percutaneous techniques: the clinical value of minimally invasive options (E³ 519), A-145

Geeroms B., Laleman W., Heye S.,

Verslype C., Nevens F., Maleux G.
Long-term outcome of expandable-polytetraethylene (e-PTFE) covered stents for transjugular intrahepatic portosystemic shunts (TIPS) (SS 709a), B-0695

Geers-van Gemen S.

How can clinical audit enhance patient safety?: Models of external audit in the Netherlands (EuroSafe 4), A-640

Geffray A., Pucheux J., d'Alteroche L.,

Sainz Barriga M., Alison D., Perarnau J.
Benefit and safety of combined partial splenic artery embolisation to transjugular intrahepatic portosystemic shunt for the treatment of portal hypertension: a pilot study (SS 709a), B-0700

Geith T., Margarita B., Notohamiprodjo M.,

Biffar A., Schmidt G., Duerr H., Sourbron S., Reiser M.F., Baur-Melnyk A.
Effect of ROI size and positioning on interobserver variability, sensitivity and specificity in the differentiation of acute benign and malignant vertebral body fractures with quantitative diffusion-weighted MRI (SS 310), B-0286

Gellert M., Andersen M.

Radiography and evidence-based research: the way forward: B. Application of evidence-based research into practice (RC 1314), A-524

Gentiluomo M., Artioli D., Chirico G.,

Mariani A., Ponzini L., Chiara O., Sironi S., Vanzulli A.

Is CT transrectal enema useful in staging acute colonic diverticulitis? (SS 217), B-0191

Georg D.

Essentials of hybrid imaging: C. Indications for hybrid imaging in radiation therapy planning (E³ 818), A-285

Georg P., Andrzejewski P., Wadsak W.,

Sturdza A., Karanikas G., Pötter R., Helbich T.H., Georg D., Pinker-Domenig K.
Treatment response and hypoxia monitoring assessed by molecular imaging of tumour microenvironment using multiparametric 3T-MRI and ¹⁸F-FMISO (SS 1406), B-0935

Geraldo A., Berner L., Haesebaert J., Cho T.,

Chabrol A., Ritzenthaler T., Nighoghossian N., Berthèzene Y.
Can DWI-FLAIR mismatch pattern on MRI be replaced by b1000-b0 mismatch for the prediction of time from symptom onset in acute ischemic stroke? (SS 1011), B-0811

Gerevini S., Caliendo G., Cava M., Capra R.,

De Rossi N., Falini A., Cosottini M.
Natalizumab related PML: atypical neuroradiological findings (SS 311a), B-0300

Germonpré S., Gemmel P., Beeckman D.,

Trybou J.
Knowledge, attitudes and organisational determinants of positioning techniques for radiography (SS 214), B-0144

Ghaye B.

What to look for after treatment of lung cancer: B. Imaging of non-surgical treatment of lung cancer (E³ 521), A-129

Gibaud B.

Imaging biobanks: from genomic to radiomic in the era of personalised medicine: Extraction and analysis of biomarkers from medical images (PC 5b), A-167

Gielen J.L.M.A., Van Dyck P., Veryser J.

The ankle and foot: A. Ankle sprain: patterns of injury (RC 810), A-256

Giesel F., Mehndiratta A., Kratochwil C.

MR/PET - the future of hybrid imaging?: C. Diffusion-weighted MRI vs PET in oncology (E³ 1218), A-466

Giganti F., Orsenigo E., Mazza E.,

Albarelo L., Staudacher C., Del Maschio A., De Cobelli F.

The application of magnetic resonance imaging in the staging of oesophageal cancer: ready for clinical use? (SS 301b), B-0251

Giganti F., Moore C.M., Robertson N.L.,

Freeman A., De Cobelli F., Emberton M., Allen C., Kirkham A.
MRI findings in men on active surveillance for prostate cancer: does dutasteride make MRI visible lesions less conspicuous? Results from a pilot randomised controlled trial (SS 1416), B-0967

Gigli S., Ballesio L., Di Pastena F.,

Petriglia C., Catalano C.
Shrinkage patterns of tumour regression after neoadjuvant chemotherapy on magnetic resonance imaging: correlation with tumour biological subtypes and pathological response after therapy (SS 202a), B-0013

Giglio J., Faletti R., Guarnaccia C.,

Messina M., Fonio P., Gandini G.
Acute pyelonephritis in kidney transplant patients: role of diffusion-weighted MR imaging (SS 1407), B-1005

Gilbert F.J.

Radio-pathological correlation: more important than you thought: Chairman's introduction (RC 402), A-093

Gilbert F.J.

Basic 1: Breast imaging: Mammography (Basic 1), A-148

Gilligan P.

Good radiation and bad radiation? How to assess and communicate radiation risk to patients and referring physicians: B. Radiation risks for patients and staff (RC 1213), A-430

Ginanni B., Scionti A., Calcagni F., Scalise P.,

Bargellini I., Bartolozzi C.
Intermediate-stage HCC treated with TACE: proposal for a new scoring system (SS 601a), B-0430

Gioppo A., Melchiorre F., Azzeroni R.,

Khouri Chalouhi C., Cornalba G.
Dosimetric study of varicocele embolisation in paediatric patients (SS 212), B-0170

Giordano J., Tacelli N., Hossein-Foucher C.,

Duhamel A., Remy J., Remy-Jardin M.
Lung perfusion characteristics in pulmonary arterial hypertension and peripheral forms of chronic thromboembolic pulmonary hypertension: dual-energy CT (SS 1004), B-0852

Girardi V.

Breast ultrasound 2015: A. Evidence for screening in dense breasts (RC 102), A-031

Giuseppetti G.M., Polonara G., Galassi S.,

Frasca G.M., Gentile F.P., Ferrante L., Skrami E., Amoroso S.
Nonionic iodinated contrast medium (CM) and risk of nephrotoxicity: results of a prospective study (SS 707), B-0711

Gleeson F.

Lung cancer screening: why and how to implement a comprehensive preventive programme: CT requirements and nodule workup (ESR/ERS), A-689

Glüer C.

Optical molecular imaging: a new dimension for radiology: Chairman's introduction (NH 15), A-589

Goehler A., Huber S., Nautsch F.,

Nagurney J., Gazelle G., Hoffmann U., Wong H.
Impact of coronary CTA use for acute chest pain patients on overall ED performance: system dynamics model analysis (SS 703), B-0750

Goehler A., Mayrhofer T., Pursani A.,

Lumish H., Nagurney J., Truong Q., Chow B., Gazelle G., Hoffmann U.
ED triage strategies for acute chest pain - longterm clinical and economic outcomes: going beyond the ROMICAT II trial (SS 703), B-0751

Goel I., Anand R., Narula M., Choudhury S.

Re-appraising ultrasonography as the first line diagnostic modality in surgical causes of paediatric acute abdomen (SS 1012), B-0885

Goel S.

Stress MRI for the assessment of lumbar canal stenosis in degenerative disc disease: comparison with routine MRI (SS 311a), B-0302

Goh V.J.

Imaging tumour phenotype: the future is now: B. Imaging tumour heterogeneity and perfusion: predicting tumour behaviour (E³ 1326), A-514

Goh V.J.

Radiology and radiation oncology: new chances for a partnership: Imaging in oncology: achievements and limitations (ESR/ESTRO 2), A-624

Goh Y.P., Lau K.K.-P., Low K.Y., Oh C.W.,

Huynh M., Buchan K., Kuganesan A.
A comparison of image quality between fine focal spot and standard focal spot CT of the abdomen and pelvis (SS 713), B-0677

Authors' Index

- Gök M., Çinar C., Bozkaya H., Oran I.**
Endovascular treatment of ruptured blister-like aneurysms with special reference to the flow-diverting strategies (SS 609), B-0546
- Golatta M.**
Experiences with a breast ultrasound - tomosynthesis hybrid (SY 3)
- Golatta M.**
Strain imaging ultrasound technology (virtual touch IQ) (SY 2)
- Goldberg S.N.**
Personalised medicine in radiology: Interventional radiology: a paradigm for personalised medicine (PC 9), A-326
- Gómez-Ansón B.**
Basic 2: Neuroradiology: Aging and degeneration in the brain (Basic 2), A-199
- Goo J.M.**
CT in lung cancer screening and COPD evaluation: Computer-aided nodule detection and volumetry: role in lung cancer screening (EM 3), A-539
- Gordic S., Desbiolles L., Stolzmann P., Gantner L., Leschka S., Husarik D.B., Alkadhi H.**
Advanced modelled iterative reconstruction for abdominal CT: qualitative and quantitative evaluation (SS 213), B-0107
- Gordic S., Husarik D.B., Wildermuth S., Alkadhi H., Leschka S.**
Optimising radiation dose by using advanced iterative reconstruction in high-pitch coronary CT angiography (SS 303a), B-0268
- Goto H., Maeda T., Hara H., Akisue T., Sugimura K.**
Gadolinium retention in musculoskeletal soft tissue with normal renal function; macrocyclic Gd contrast agent versus linear chelate Gd contrast agent (SS 1010a), B-0810
- Gourtsoyianni S.**
Highlighted Lectures: MRI appearances of incidental focal liver lesions: role of hepatocyte-specific contrast agents and DWI (TF 1), A-543
- Gourtsoyianni S.**
Rectal cancer: A. Imaging protocols (E³ 1522), A-564
- Gourtsoyiannis N.**
Striving in radiological education: ESOR in action 2015 (ESOR Session), A-219
- Grainger A.J.**
Internal derangement of joints: choosing the right test for the problem: Chairman's introduction (SF 1c), A-023
- Gramer B.M., Rasper M., Leber V., Leber A., Rummeny E.J., Huber A.M.**
Impact of iterative reconstruction on objective and subjective image quality parameters in 256-slice MDCT dynamic myocardial perfusion imaging (SS 1003a), B-0798
- Gramer B.M., Baur I., Rasper M., Leber V., Leber A., Vembar M., Rummeny E.J., Huber A.M.**
Dynamic first pass CT perfusion imaging of the myocardium vs. intracoronary transluminal attenuation gradient in coronary CT angiography for the assessment of coronary artery stenosis (SS 703), B-0754
- Grams A.E., Knoflach M., Willeit J., Sojer M., Gizewski E.R., Glodny B.**
Detection of residual clots after endovascular stroke therapy with dual energy CT (SS 609), B-0549
- Graser A.**
Imaging the postoperative patient: D. Interactive case discussion (E³ 1322), A-492
- Graser A.**
Gastrointestinal stromal tumours (GIST): C. Treatment response assessment and disease follow-up (E³ 1722), A-677
- Grass M.**
Cone-beam CT: B. Medical applications of cone-beam CT (RC 113), A-013
- Grasso R.F.**
Kidney, lung and bone: an update on oncologic therapy: A. Renal cell carcinoma: when and how can we compete with surgeons (E³ 819), A-247
- Graziani R., Lo Bue G., Monti L., Bonifacio C., Zerbi A., Balzarini L.**
3.0-T magnetic resonance imaging in predicting subtypes of IPMN and invasive IPMN (SS 1916), B-1236
- Grenier N.**
Research for trainees made easy: critical reading of the literature: Do not be afraid of basic science papers (Res.WG), A-316
- Grenier N.**
Urogenital radiology in 2015: beyond morphology?: A. Where are we in measuring kidney function with imaging? (E³ 1226a), A-461
- Grenier P.A.**
COPD, airways disease and beyond: Chairman's introduction (RC 504), A-168
- Grenier P.A.**
Lung cancer: screening and staging: Keynote lecture (SS 704), K-16
- Griebel J.**
Dose-tracking leads the way to dose-reduction: The legislative environment in Europe: the new EU Directive and the goals of EuroSafe Imaging (EuroSafe 3), A-581
- Grieser C., Steffen I.G., Seehofer D., Kilic I., Schott E., Huppertz A., Hamm B., Denecke T.**
Gd-EOB-enhanced MRI: findings of hepatocellular adenomas and subgroup differentiation (SS 601a), B-0426
- Grimm J.**
Optical molecular imaging: a new dimension for radiology: Cerenkov - faster than the speed of light (NH 15), A-591
- Gritzmann N.**
Head and neck imaging: don't sell your ultrasound yet!: A. Salivary gland imaging with ultrasound (RC 808), A-276
- Grosse Hokamp N., Barczyk-Kahlert K., Becker A., Vogl T.J., Heindel W., Bremer C., Geyer C., Eisenblatter M.**
Optical in vivo imaging of tumour-associated macrophages for evaluation of metastatic capability (SS 1406), B-0931
- Grothoff M., Etz C., Brenneis B., Reinhold F., Preim B., Gutberlet M.**
Phase contrast 4D flow in bicuspid aortic valves in a porcine model (SS 603b), B-0595
- Gruenisen J., Schaarschmidt B.M., Heubner M., Ruhlmann V., Lauenstein T.C., Forsting M., Umutlu L.**
Simultaneous PET/MRI for primary staging of patients with cervical cancer: preliminary results (SS 206), B-0029
- Gruenisen J., Schaarschmidt B.M., Heubner M., Kinner S., Ruhlmann V., Lauenstein T.C., Forsting M., Umutlu L.**
Implementation of a fast-protocol for simultaneous PET/MR imaging for whole-body staging of female patients with recurrent pelvic malignancies: a comparison to the PET/CT (SS 206), B-0031
- Gruenisen J., Nagarajah J., Buchbender C., Hoffmann O., Forsting M., Umutlu L., Kinner S.**
PET/MR mammography for local tumour staging of patients with primary breast cancer: a comparison with PET/CT and MRI alone (SS 1902b), B-1183
- Grünberg K.M., Weber M.-A., Jimenez del Toro O.A., Goksel O., Müller H., Langs G., Krenn M., Winterstein M., Hanbury A.**
VISERAL - visual concept extraction challenge in radiology: segmentation challenge - overview, insights and preliminary results (SS 1805), B-1039
- Gryspeerd E.F.W., Menys A., Atkinson D., Makanyanga J., Bhatnagar G., Tuteinnothenius C., Taylor S.A.**
Multicentre prospective evaluation of software quantified small bowel motility as a biomarker of inflammatory activity in Crohn's disease (SS 601b), B-0460
- Gschwendtner A.**
Solving the crossword puzzle in diffuse interstitial lung disease (DILD): Pathologist's approach and diagnosis (MS 16), A-636
- Gu L.-H., Fang H., Li F., Zhang S., Shen C., Han L.**
Impact of hepatic arterial haemodynamics in predicting early hepatic arterial thrombosis in pediatric recipients after living donor liver transplantation (SS 1012), B-0890
- Guan Y., Xia Y., Fan L., Jiang Y., Liu S.**
Correlation study of emphysema based on each lobe and small airway remodeling by using CT quantitative analysis in patients with chronic obstructive pulmonary disease (SS 1804), B-1112
- Guberina N., Stecker F.F., Suntharalingam S., Schlamann M., Forsting M., Theysohn J.M., Mukherjee B., Lechel U., Ringelstein A.**
Limits and strengths of novel dose monitoring programme eXposure (SS 1913), B-1241
- Gubern-Mérida A., Vreemann S., Marti R., Melendez J., Lardenoije S., Mann R.M., Platel B., Karssemeijer N.**
Automated detection of breast cancer as an aid in the interpretation of screening MRI (SS 302b), B-0232
- Gubskiy I.L., Sergeeva O.N., Panov V., Tyurin I.E., Dolgushin B.**
T1 segmental hyperintensity in liver cholestasis on MRI: in vitro explanation (SS 201a), B-0005
- Guedner C., Weiß R., Draeger S., Diogo I.**
Role of CBCT in visualisation of ear anatomy (SS 308), B-0368
- Guedner C., Voigt J., Leppek R., Werner J.**
Clinical aspects of imaging quality in visualisation of anterior and lateral skull base (SS 708), B-0727
- Guenoun J., Koning G., Kotek G., Krestin G.P., Bernsen M.**
Making use of the intrinsic Gadolinium quenching effect for cellular imaging (SS 1406), B-0930
- Guerini H.**
The hand and wrist: B. Inflammatory disorders (RC 1510), A-587
- Guerrini S., Mazzei M.A., Cirigliano A., Cioffi Squitieri N., Bettini G., Mazzei F.G., Marrelli D., Volterrani L.**
Accuracy of MDCT in preoperative definition of peritoneal carcinomatosis of bowel loops in patients with advanced ovarian cancer who underwent peritonectomy and hyperthermic intraperitoneal chemotherapy (SS 716), B-0667

Authors' Index

Guevara Lopez M., Gonzalez de Posada N., Cardoso Moura D., Cunha P., Ramos I., Pinheiro Loureiro J., C. Moreira I., Ferreira de Araújo B.

A breast cancer digital repository for assessing CADx methods on mammography (SS 1805), B-1042

Guglielmi G.

Metabolic bone diseases: Chairman's introduction (SF 17a), A-710

Guidi E., Faggioni L., Scandiffio R., Balestri R., D'Ippolito G., Neri E., Buccianti P., Bartolozzi C.

Local staging of rectal cancer: performance comparison between 3D transrectal ultrasound and 3-Tesla magnetic resonance imaging (SS 1001), B-0841

Gulino P., Ciccarone A., Cozzi D., Salpietro D., Defilippi C.

Fibrosing liver diseases in paediatric age: MRI investigation by diagnostic maps of slow diffusion and fast diffusion generated from a multiple b values DWI sequence through IVIM model (SS 1012), B-0887

Gunnarsson C., Barnett G., Autiero Walleser S., Hinnenthal J., Safriel Y., Ryan M.

Estimating the need for MRI conditionally safe deep brain stimulation systems in Parkinson's disease patients: a European perspective (SS 211a), B-0084

Günther R.W.

Embolotherapy: Keynote lecture (SS 1909a), K-31

Guo X., Li P., Qiu W., Ye L., Huang L.J.

Application of color-coded DSA technique in intra-procedural assessment of thoracic endovascular aortic repair combined with chimney stenting for left subclavian artery (SS 1909b), B-1283

Gutberlet M.

Heart (SY 5)

Gutberlet M.

Imaging of heart failure: Chairman's introduction (RC 803), A-289

Gutberlet M.

Myocardial infarction and coronary intervention: Keynote lecture (SS 603a), K-09

Gutzzeit A., Reischauer C., Roos J.E., Froehlich J.M.

How does patient breathing influence contrast enhancement in central arteries? (SS 1015), B-0768

Gyssels E., Bohy P., Cornil A., Van Muylen A., Gevenois P., Tack D.

Chest CT radiation dose optimisation: comparison of automatic exposure control strength curves (SS 1404), B-0987

H

Haage P.

Basic 6: Interventional radiology: Varicocele (Basic 6), A-694

Haage P.

Radioembolisation and chemoembolisation in liver tumours: Keynote lecture (SS 1409), K-23

Haas M., Braun J., Guo J., Ipek-Ugay S., Sack I., Hamm B., Asbach P.

Mechanical imaging of the prostate by multifrequency MR-elasticity (SS 307), B-0356

Haase R., Dewey M.

A pragmatic randomised controlled trial of the comparative effectiveness of computed tomography versus invasive coronary angiography for the management of stable chest pain patients: Methods of the multicentre DISCHARGE trial (LBCT)

Haberland U., Klotz E., Schmidt B.

Dose performance of a new CT system optimised for low kV imaging in whole liver dynamic studies (SS 213), B-0098

Hacker M.

Hybrid cardiovascular imaging: where should we go?: B. SPECT/CT: is it just PET/CT's little brother? (RC 103), A-052

Hacker M.

Scanners and tracers: B. Radionuclides for PET/CT and MR/PET (E³ 418), A-109

Hafslund B., Maas M.

MRI from the cradle to the future: Chairmen's introduction (RC 1614), A-659

Hägele K.

High-end and hybrid technology in clinical and research work of radiographers in Germany: PET-CT (EM 5), A-400

Hagelstein C., Reinwald M., Buchheidt D., Neff K.W., Schoenberg S.O., Henzler T.

Prevalence and diagnostic value of the vessel occlusion sign in CT pulmonary angiography of patients with invasive pulmonary aspergillosis: comparison with other characteristic radiomorphological patterns (SS 1904), B-1249

Hahn H.K., Harz M.

The complexity of personalised breast care: VPH-PRISM aiding the therapy decision making process by quantitative evaluation of personal imaging and non-imaging data (EIBIR 1), A-225

Haider L., Simeonidou C., Steinberger G., Hametner S., Grigoriadis N., Lassmann H., Frischer J.

Multiple sclerosis deep grey matter: the relation between demyelination, neurodegeneration, inflammation and iron (SS 1811), B-1087

Haliloglu M.

Congenital heart disease: from infancy to adulthood: Chairman's introduction (SF 17b), A-703

Hall J.

Safer imaging – clearer outcomes (SY 20)

Halligan S.

Perianal fistula disease: all you need to know: B. Perianal fistula disease: the basics (E³ 1222), A-422

Halpenny D., Park B., Alpert J., Latson L., Babb J., Ko J.

Ultra-low dose CT pulmonary angiography for imaging pregnant women: can dose reduction be achieved without affecting image quality? (SS 1404), B-0983

Hangard C., Carlier R.

Neurogenic myositis ossificans of the hip: correlation between enhanced CT and surgical findings (SS 610b), B-0571

Hansen B., Bendix T., Grindsted J., Bliddal H., Hansen P., Christensen R., Riis R., Boesen M.

The effect of low back pain on positional changes in the lumbar lordosis: a cross-sectional comparison with healthy controls (SS 1410), B-0948

Hansen J., Wielpütz M.O., Pahn G., Skornitzke S., Grenacher L., Kauczor H.-U., Stiller W.

Formation of a well-defined arterial input function for contrast-enhanced CT using a pre-determined patient-specific circulatory function for individual contrast-agent bolus-shaping (SS 213), B-0099

Hansen P., Hangaard S., Johannsen F.E., Stallknecht S., Henriksen M., Bouert R., Nybing J.D., Hansen B.B., Boesen M.

Navicular bone position determined by weight bearing MRI: interobserver and between day reliability (SS 610b), B-0572

Hansmann J., Schönberg S.O., Tran A., Henzler T., Haubenreisser H.

Visceral obesity and urolithiasis - impact on disease incidence, stone size and radiation dose (SS 1907), B-1276

Harden S., Castellano I.

How can clinical audit enhance patient safety?: Clinical audit in cardiac CT: the UK experience (EuroSafe 4), A-641

Haroon M., Ahmad I., Ahmad I., Azfar Siddiqui M., Narayanasamy S.

High-frequency ultrasonography in penetrating tendon and nerve injuries of the upper extremity (SS 610a), B-0489

Harsaker V., Berger M., Holberg A., Ween B.

Optimisation of image quality of the Codman Hakim programmable valve, by different phantom positions (SS 314), B-0361

Harsaker V., Schaake W., Visser R., Bloomfield C., Boavida F., Chabloz D., Crausaz E., Huizinga E., Hugstveit H., Knight H., Pereira A., Hoger P.H.

Optimising pelvis images of a paediatric phantom by using additional filtration and different combinations of kVp and mAs (SS 1414), B-1023

Hasdemir D.B., Nordlohne M., Hartrumpf K.J., Schweitzer N., Vogel A., Wacker F., Meyer B.C., Rodt T.

Evaluation of quality of life after initial TACE for treatment of HCC (SS 1409), B-1001

Hashemi Amroabadi S., Homampour S., Paul N.S.

Diagnostic ultra-low dose CT with a novel ultrafast compressed sensing algorithm (SS 1013), B-0780

Haubenreisser H., Sudarski S., Schönberg S.O., Henzler T., Papavassiliu T.

Accuracy of cardiac MRI single- and non-breath-hold compressed sensing data for right ventricular volumetry (SS 303b), B-0390

Haubenreisser H., Meyer M., Schönberg S.O., Henzler T.

CT planning of aortic valve replacement: evaluation of virtually reconstructed ultra low keV monoenergetic reconstructions based on 3rd generation dual-energy CT (SS 603b), B-0598

Hauge I.H.R., Hammond R., Hauge M.

Compression in high volume mammography screening: comparing applied force measurements with image evaluations scores (SS 314), B-0359

Hausmann D., Rathmann N., Sertdemir M., Riffel P., Weidner A., Kannengiesser S., Morelli J.N., Schönberg S.O., Attenberger U.I.

Small field-of-view single-shot EPI-DWI of the prostate: evaluation of spatially-tailored two-dimensional radiofrequency excitation pulses (SS 607a), B-0554

Authors' Index

Hausmann D., Rathmann N., Attenberger U.I., Schönberg S.O., Doyon F., Kienle P., Hofheinz R.D.

Does multiparametric MRI allow for response prediction of neoadjuvant chemoradiation in patients with advanced rectal cancer? (SS 1916), B-1232

Havsteen I., Ovesen C., Damm Nybing J., Marstrand J., Christensen A., Christensen H.

Cortical gray matter localisation of initially diffusion-positive lesions is associated with no MRI-visible 8-week scar in a cohort of transitory cerebral ischemic attack patients (SS 311a), B-0301

He B., Dong Q.

Evaluation of recurrent rotator cuff tendon tears: comparison of MRI, MR arthrography and ultrasound (SS 610a), B-0493

Healy N.A., Hughes P., Stenson M., Harte S.

Modern management of acute breast abscesses: radiological interventions replacing surgical incisions? (SS 602), B-0440

Healy N.A., Holohan K., Cosgrove S., Kwa T., O'Driscoll F., Offiah G., Roden Y., Seboui S., O'Keefe S.A.

Determination of recall rates in women undergoing annual surveillance breast MRI: is a rate of less than 10% achievable? (SS 302b), B-0231

Heerink W.J., de Jonge G., Vliegenthart R., Oudkerk M.

Complications of transthoracic CT-guided lung biopsies: a systematic review and meta-analysis (SS 304), B-0329

Hegenscheid K.

Tradition goes digital: getting ready for the future: Population-based MRI: SHIP (study of health in Pomerania) and the national cohort (EM 1), A-377

Heiberg L., Flatabo S., Aarsnes A., Olerud H., de Lange C.

Image quality criteria for paediatric CT thorax - a useful tool? (SS 212), B-0167

Heilmaier C., Zuber N., Weishaupt D.

Implementation of a dose monitoring software in clinical routine: first experiences (SS 1913), B-1242

Heinz-Peer G.

Retroperitoneum and adrenals: C. Differential diagnoses of adrenal lesions (E³ 620), A-207

Heinz-Peer G.

Lessons I learned from mistakes in kidney and adrenal imaging: Chairman's introduction (RC 807), A-279

Helbich T.H.

Imaging in multicentre clinical oncological trials: Multiparametric MRI in breast and prostate cancer (ESR/EORTC), A-496

Helbich T.H.

Emerging breast imaging technologies: B. Multiparametric high-field MRI and more (RC 1702), A-708

Helbich T.H.

The complexity of personalised breast care: Chairman's introduction (EIBIR 1), A-223

Hellbach K., Yaroshenko A., Eickelberg O., Meinel F.G., Bech M., Conlon T., Reiser M.F., Yildirim A., Pfeiffer F.

In vivo proof of principle: x-ray dark-field radiography for diagnosis of lung fibrosis (SS 1813), B-1101

Helmberger T.K.

Current trends in transarterial chemoembolisation (TACE) and radioembolisation for HCC: Chairman's introduction (RC 809), A-293

Helmberger T.K.

Colorectal liver metastases: the emerging role of interventional radiologists in oncology: C. Intra-arterial radiation delivery - when and how: the clinical evidence (E³ 919), A-321

Helmberger T.K.

Colorectal cancer liver metastases: assessing tumour response: A. Current treatment options (RC 1701), A-672

Henderson I., Hunink M.

Radiography and evidence-based research: the way forward: Chairmen's introduction (RC 1314), A-522

Hendrikse J.

Advanced brain MRI techniques in paediatrics: toys or tools in daily practice?: Arterial spin-labelling: measuring perfusion non-invasively in neonates and children (SF 8a), A-237

Hendy E., Grehan J., Herlihy T., Rainford L.A.

An eye-tracking study investigating radiographers' visual search patterns whilst reviewing x-ray examination request forms (SS 1814), B-1142

Henes F.O., Herzyk A., Adam G., Regier M.,

Derlin T., Laqmani A., Lubner M.,

Pickhardt P., Bannas P.

MDCT angiography for suspected acute mesenteric ischemia: diagnostic yield for ischemic and alternative conditions (SS 1401), B-0974

Henschke C.I., Yip R., Wolf A., Flores R.,

Salvatore M., Yankelevitz D.

CT screening for lung cancer: part-solid nodules in baseline and annual repeat rounds on behalf of the I-ELCAP investigators (SS 604), B-0534

Henzler T.

Advanced CT technology: how to minimise patient dose (SY 8)

Herbrik M.C., Poeppel T.D., Grueneisen J.,

Beiderwollen K., Podieska L., Heusch P.,

Lauenstein T.C., Umutlu L.

Simultaneous [18F]-FDG PET/MRI vs. PET/CT for local staging of soft tissue sarcoma (SS 1010a), B-0806

Hérin E., Chiaradia M., Gardavaud F.,

Baranes L., Richard P., Legou F., Deux J.,

Rahmouni A., Luciani A.

Adaptative statistical iterative reconstruction and model based iterative reconstruction in liver multiphase CT: quality image impact (SS 213), B-0108

Hermann K.G.

Musculoskeletal: C. Degenerative and inflammatory disorders of the musculoskeletal system (E³ 1523), A-579

Hermans R.

Evaluation of treatment response in head and neck cancer: Prognostic factors influencing treatment choice and treatment response (SF 9a), A-309

Hermoye L., Tshibanda L., Di Perri C.,

Katsaros V., Laureys S.

Multimodal imaging of disorders of consciousness (SS 1911), B-1227

Herold C.J.

Lung cancer screening: why and how to implement a comprehensive preventive programme: Should we do lung cancer screening now? The evidence (ESR/ERS), A-688

Herranz M., Dominguez-Prado I.,

Argibay-Vazquez S., Aguiar P., Ruibal A.

Emerging breast imaging technologies: C. High-resolution radionuclide breast imaging (PEM and molecular imaging) (RC 1702), A-709

Herth F.J.F.

Solving the crossword puzzle in diffuse interstitial lung disease (DILD): Pulmologist's approach: the clinical aspects (MS 16), A-635

Herth F.J.F.

Lung cancer screening: why and how to implement a comprehensive preventive programme: Diagnostic and treatment approaches to lesions found in CT screening (ESR/ERS), A-690

Hetterich H., Bayerl C., Peters A.,

Meisinger C., Kramer H., Ertl-Wagner B.,

Reiser M.F., Bamberg F.

Diagnostic accuracy of a three-step magnetic resonance imaging approach for the assessment of hepatic steatosis in a healthy general population (SS 201a), B-0001

Hetterich H., Webber N., Willner M.,

Herzen J., Birnbacher L., Hipp A.,

Bamberg F., Pfeiffer F., Saam T.

Classification of coronary and carotid atherosclerotic plaque by grating-based phase-contrast computed tomography (SS 615), B-0483

Heussel C.P.

What to look for after treatment of lung cancer: A. Imaging of surgically treated lung cancer (E³ 521), A-128

Heussel C.P.

Solving the crossword puzzle in diffuse interstitial lung disease (DILD): Radiologist's approach, patterns and diagnosis (MS 16), A-637

Heußner T., Rank C., Beyer T., Kachelrieß M.

Simultaneous reconstruction of attenuation and activity distributions in PET/MRI from PET emission data using MR prior information (SS 313), B-0319

Heuvelmans M.A., Vliegenthart R.,

Van Ooijen P.M.A., Mali W.P.T.M.,

De Koning H.J., Oudkerk M.

Agreement of pulmonary nodule management based on diameter- and volume measurements in CT lung cancer screening (SS 604), B-0533

Heywang-Köbrunner S.H.

Routine use of digital breast tomosynthesis (DBT) for the assessment of screen-detected cases (SY 3)

Heywang-Köbrunner S.H.

Tailoring breast cancer screening to risk level: B. Intermediate risk: the grey zone (RC 1302), A-517

Hibat Allah S., Wagner M., Raslan S.,

Lucidarme O.

Reproducibility of dynamic contrast-enhanced MRI in oncology: 2D vs 3D approach (SS 316), B-0311

Hietschold V., Schaaf F., Laniado M.

Dual energy CT classification of renal calculi using single energy scanners (SS 1907), B-1272

Higashigaito K., Becker A., Sprengel K.,

Wanner G., Alkadhi H.

CT in trauma patients: automatic dose monitoring for demonstrating the effect of iterative reconstructions (SS 317), B-0409

Higueras V., Llopis E., Aguilera L., Perez R.,

Belloch E.

Comparison of ultrasound guided collagenase clostridium histolyticum injections and blinded injections in treatment of Dupuytren's contracture (SS 210), B-0073

Authors' Index

Hinrichs J., Kaireit T., Lenzen H., Wacker F., Ringe K.I.

Value of gadoxetate disodium enhanced MRI in patients with primary sclerosing cholangitis (PSC) for assessment of hepatic function (SS 301a), B-0222

Ho C.

Recurrence of high-grade glioma and post-treatment effects: differentiation by using perfusion and proton spectroscopic MR imaging (SS 611), B-0509

Hocaoglu E., Aksoy S., Colak C., Kilickesmez O., Inci E.

The role of multi-parametric MRI and the supplemental worth of diffusion-weighted MRI on bladder cancer before surgical operation (SS 1907), B-1277

Hocquet A., Cornelis F., Castaings L., Petitpierre F., Fournier C., Hauger O.

Moiré fringe technique and bi-planar radiography of the spine: accuracy to detect vertebral rotation of mild scoliotic patients (SS 310), B-0291

Hocquet A., Frulio N., Salut C., Cassinotto C., Bouzgarrou M., Trillaud H., Balageas P.

Comparison between radiofrequency ablation and surgical resection by using propensity score matching for hepatocellular carcinoma within Milan criteria (SS 1009), B-0857

Hodler J.

Research for trainees made easy: critical reading of the literature: Introduction (Res.WG), A-312

Hodler J.

Research for trainees made easy: critical reading of the literature: Summary (Res.WG), A-317

Hoe J.

Cardiac CT: cutting-edge techniques: Plaque imaging with cardiac CT: coming of age? (SF 15), A-596

Hoefel C.

Gastrointestinal stromal tumours (GIST): B. Disease staging and treatment planning (E³ 1722), A-676

Hoffmann R., Eibofner F., Kessler E., Rempp H., Weiß J., Nikolaou K., Clasen S.

In vitro artefact assessment of a prototype MR-compatible microwave antenna for MR-guided tumour ablation and comparison with a standard MR-compatible radiofrequency ablation device (SS 1009), B-0854

Hogg P.

Looking into PET/CT: A. Clinical indications of PET/CT (RC 1714), A-715

Hogg P.H., Ma W., Aspin R., Brett D., Millington S., Kelly J.

What is the minimum amount of simulated breast movement required for visual detection of blurring? (SS 1814), B-1148

Holden A.

Non-enhanced ECG-gated quiescent-interval single shot MRA (QISS): image quality and stenosis assessment in an improved 3 Tesla version compared with contrast-enhanced MRA and DSA (SS 315), B-0271

Holzer M., Markonis D., Müller H., Donner R., Langs G.

User centered evaluation of the KHRESMOI image search system for radiologists (SS 1805), B-1037

Homann G., Kloth C., Bongers M.N., Schabel C., Nikolaou K., Notohamiprodjo M.

Improvement of evaluation time in detection of acute rib fractures by generating rotatable "unfolded rib" images (SS 317), B-0402

Homs R., Kukuk G.M., Gieseke J., Schild H.H., Willinek W.A., Hadizadeh D.R.

3-dimensional isotropic high spatial resolution proton-density-weighted fat-suppressed and T1-weighted imaging of the knee at 3.0 Tesla (SS 1910), B-1215

Hong G.

Simultaneous visualisation of the intraparotid facial nerve and parotid duct using a micro-surface coil and 3D-FISP-FS sequence (SS 208), B-0152

Hoppe H.

Basic principles of varicose vein diagnosis and endovascular treatment: A. Diagnostic cross-sectional imaging (RC 415), A-111

Horger M., Nikolaou K., Kaufmann S.

The impact of transarterial chemoembolisation (TACE) on uninvolved liver parenchymal perfusion in patients with hepatocellular carcinoma undergoing TACE (SS 1801), B-1055

Horsch A.D., Dankbaar J.W., Stemerink T.A., Bennink E., Kappelle J.L., Hofmeijer J., De Jong H.W., Van der Graaf Y., Velthuis B.K.

Findings associated with space-occupying cerebral edema in patients with large middle cerebral artery infarcts on follow-up: a CT angiography and CT perfusion study (SS 1011), B-0815

Horsthuis K.

Perianal fistula disease: all you need to know: A. Perianal anatomy and imaging techniques (E³ 1222), A-421

Hosten N., Krueger P.

The orbit: you can't see what you haven't learnt: A. Anatomy and commonly encountered postoperative findings (RC 408), A-101

Hosten N.

Imaging in population-based studies: Chairman's introduction (PC 8b), A-250

Hosten N.

Tradition goes digital: getting ready for the future: Introduction (EM 1), A-374

Hötter A.M., Mazaheri Y., Zheng J., Moskowicz C.S., Zelefsky M.J., Hricak H., Akin O.

Prostate cancer: assessing the effects of androgen-deprivation therapy using quantitative multi-parametric MRI (SS 307), B-0348

Hötter A.M., Mazaheri Y., Aras Ö., Zheng J., Moskowicz C.S., Gondo T., Matsumoto K., Hricak H., Akin O.

Assessment of prostate cancer aggressiveness using the combination of quantitative diffusion-weighted and dynamic contrast-enhanced MRI (SS 607a), B-0555

Hötter A.M., Karlo C.A., Zheng J., Moskowicz C.S., Russo P., Hricak H., Akin O.

Clear cell renal cell carcinoma: associations between CT imaging features and patient survival (SS 1407), B-1009

Hötter A.M., Mazaheri Y., Wibmer A., Karlo C.A., Zheng J., Moskowicz C.S., Russo P., Hricak H., Akin O.

Differentiation of clear cell renal cell carcinoma from other renal cortical tumours using a quantitative multi-parametric MRI Approach (SS 1407), B-1010

Houari F., Lucidarme O., Gabarre J., Charlotte F., Pellot-Barakat C., Lefort M., Chami L.

ShearWave elastography in lymph nodes (SS 208), B-0158

Houssami N.

Breast imaging: improving the information to women: A. Overdiagnosis in breast cancer screening (E³ 1626b), A-656

Howarth N.

Chest: C. Mediastinum, pleura and chest wall (E³ 1323), A-503

Hricak H.

Response assessment: new concepts: Keynote lecture (SS 1816), K-27

Hu L., Hong N.

Application of multi b-values DWI and ASL in acute ischemia stroke: the relationship between fast-ADC and ASL-CBF (SS 1411), B-0952

Huang K., Pua U.

Cone-beam computed tomography guided unipedicular central stentoplasty of the thoracolumbar spine: early experience and results (SS 309), B-0340

Huang M.L., Hess K., Candelaria R.P., Eghtedari M., Adrada B.E., Sneige N., Fornage B.D.

Comparison of the accuracy of US-guided biopsy of breast masses performed with 18-gauge, 16-gauge and 14-gauge automated cutting needle biopsy devices (SS 602), B-0439

Huber A.M., Gramer B.M., Leber V., Rasper M., Münzel D., Leber A., Hoffmann E., Vembar M., Rummeny E.J.

Myocardium: dynamic CT perfusion imaging: a comparison to coronary angiography/FFR and to MR first pass perfusion imaging (SS 1003a), B-0797

Hueper K., Hensen B., Rong S., Gutberlet M., Meier M., Mengel M., Wacker F., Hartung D., Gueler F.

Arterial spin labeling and T1-mapping for assessment of acute renal allograft rejection in mice (SS 1807), B-1135

Huet N., Bricault I., Martino A., Medici M., Chipon E., Sturm N., Zarski J., Moreau-Gaudry A., Leroy V.

Diagnostic accuracy of real-time ShearWave elastography for the noninvasive assessment of liver fibrosis (SS 701a), B-0611

Hughes P., Nestorov N., Healy N.A., Sheehy N., O'Hare N.

Comparing the utility and usability of the Microsoft Kinect and Leap Motion sensor devices in the context of their application for gesture control of biomedical images (SS 1905), B-1192

Hui T.C., Tan G., Pua U.

The use of cone-beam CT in achieving unipedicular spinal cement augmentation (SS 309), B-0341

Huisman T.A.G.M.

Advanced brain MRI techniques in paediatrics: toys or tools in daily practice?: Diffusion tensor imaging: connecting the dots (SF 8a), A-239

Hunink M.G.M.

Clinical Decision Support: making imaging referral guidelines work for patients, doctors and hospital managers: Adapting and updating guidelines (EuroSafe 1), A-215

Hunold P.

Cardiac imaging: A. Patterns of delayed enhancement (E³ 1621), A-613

Hur J.

CT in lung cancer screening and COPD evaluation: Interlude: Republic of Korea (South Korea): Korean people and culture (EM 3), A-538

Hur J.

CT in lung cancer screening and COPD evaluation: Interlude: Introduction of the Korean Society of Thoracic Radiology (KSTR) (EM 3), A-540

Authors' Index

Hutchinson B., Navin P., Marom E., Truong M., Bruzzi J.

Are we overcalling pulmonary embolism and why? Discordance in interpretation of CTPA between general and chest radiologists (SS 1004), B-0842

Hyun S., Kim M., Yoon J., Moon H., Kim E.
Preoperative axillary lymph node evaluation in breast cancer patients by breast magnetic resonance imaging (MRI): can breast MRI exclude advanced nodal disease? (SS 202b), B-0114

I

Iannarelli A., Sacconi B., Argirò R., Cipriani C., Minisola S., Catalano C., Bezzi M., Diacinti D.

MR appearance of parathyroid adenomas at 3T in patients with primary hyperparathyroidism: the value of imaging for pre-operative localisation (SS 1008), B-0883

Iannessi A., Beaumont H., Bastiani C.
Image based body surface area evaluation: quantitative radiology vs anthropomorphic evaluation (SS 616), B-0519

Iezzi R., Nestola M., Coppola G., Contegiacomo A., Snider F., Bonomo L.
Post-EVAR split-bolus CT-angiography using dual-energy CT: all you need in a single scan! (SS 215), B-0059

Ilic D., Kokovic T., Vucaj-Cirilovic V., Till V., Stojanovic S.

Analysis of outcome after PTA in patients with infrainguinal TASC A and TASC B arterial lesions (SS 209), B-0126

Infante A., Contegiacomo A., del Ciello A., Larici A.R., Iezzi R., Bonomo L.
CT perfusion imaging in the evaluation of response to treatment of radiofrequency thermal ablation (RFA), in patients with lung cancer (SS 316), B-0314

Ingold-Heppner B.
Radio-pathological correlation: more important than you thought: C. Radiologist meets pathologist (RC 402), A-096

Iotti V., Nitrosi A., Ravaoli S., Levrini G., Coriani C., Vacondio R., Mori C., Sghedoni R., Pattacini P.

Value of breast tomosynthesis combined with reconstructed synthetic 2D views versus tomosynthesis alone in a diagnostic set-up (SS 1402), B-0922

Ippolito D., Querques G., Talei Franzesi C., Bonaffini P.A., Sironi S.
Diagnostic value of quantitative perfusion map, with CT-perfusion technique in monitoring of tumour response to sorafenib treatment in patients with advanced HCC lesions: preliminary results (SS 316), B-0308

Ippolito D., Fior D., Bonaffini P.A., Talei Franzesi C., Corso R., Sironi S.
Added value of functional dynamic CT-perfusion in assessment of neoangiogenesis tumour-related phenomenon in diagnosis and treatment evaluation of HCC patients (SS 1801), B-1053

Isoda T., Baba S., Maruoka Y., Kitamura Y., Sasaki M., Honda H.
Impact of the patient age on flip-flop phenomenon in lung metastasis from thyroid cancer (SS 1016), B-0826

Ivkovic A., Milosavljevic T.
Usefulness of diffusion-weighted (DWI) magnetic resonance for distinguishing neuroborreliosis from acute disseminated encephalomyelitis (SS 1911), B-1222

Izaaryene J., Jacquier A.

Myocardial extracellular volume fraction quantified by cardiovascular magnetic resonance compared with histological and organic blood markers (SS 203a), B-0049

Izaaryene J., Vincent V.

A promising non-adhesive cyanoacrylate preclinical study on animal model (SS 1909a), B-1260

J

Jackson A.

Imaging biobanks: from genomic to radiomic in the era of personalised medicine: Existing imaging biobanks (PC 5b), A-166

Jackson S.A.

Pancreatic inflammation: C. Paraduodenal and autoimmune pancreatitis (RC 1301), A-488

Jacobs A.H.

Functional and multimodality neuroimaging: C. Clinical applications of PET/CT in neurology (RC 106), A-048

Jacquier A.

Cardiac imaging: B. Cardiomyopathies: from diagnosis to prognosis (E³ 1621), A-614

Jäger H.R.

Cerebrovascular disease: B. Detecting microhaemorrhages: why are they important? What are they? Should we use GRE T2* or SWI or both? (RC 511), A-176

Jäger H.R.

New frontiers in brain tumour imaging: Chairman's introduction (SF 8b), A-259

Jäger H.R.

The ABC and 123 of perfusion MRI: DSC, DCE and ASL explained: Clinical applications of brain perfusion MRI (ESR/ESMRMB), A-403

Jagia P., Sharma S., Gulati G.

Endovenous laser ablation of symptomatic varicose veins: experience of a tertiary health care center in India (SS 209), B-0129

Jakab A., Kasprian G., Schwartz E., Gruber G.M., Prayer D., Langs G., Schöpf V.

Disrupted developmental organisation of brain connectivity in fetuses with corpus callosum agenesis: an in utero study (SS 612), B-0522

Jakobs T.F.

Image fusion for image-guided interventions: A. Cone-beam CT in vascular and non-vascular interventional procedures (RC 109), A-055

James S.L.J.

Musculoskeletal: B. Bone tumours (E³ 1523), A-578

Jans L.B.O.

Trauma to the paediatric skeleton: C. Spine (RC 410), A-087

Jargiello T.

Basic 5: Thoracic emergencies: Vascular (Basic 5), A-549

Jeon E.

Introduction (SY 18)

Jeevanandham B.

To compare post contrast 3D T2 FLAIR, T1-SPACE and MP-RAGE sequences to select the ideal sequence for leptomeningeal abnormalities at 3 T MRI (SS 311b), B-0420

Jegonday M., Fohlen A., Le Pennec V., Bouhier-Leporrier K., Ollivier-Hourmand I., Parienti J., Pelage J.-P.

Tumoural response assessment after chemoembolisation of hypervascular liver lesions (SS 1816), B-1090

Jensen J., Mogensen H.

Endovascular treatment of ruptured abdominal aortic aneurysm (rAAA) (SS 1814), B-1152

Jeon Y.S., Le T.B., Moon M.H., Hong K.C., Cho S.G., Park K.M.

Evaluation of aneurysm neck angle change after endovascular aortic aneurysm repair (SS 1909b), B-1285

Jeong J., Kim H., Cha J., Lim H., Hong S., Hwang J.

The visibility of lesions around hip prosthesis in gemstone spectral imaging dual energy CT: with or without metal artifact reduction software (SS 605), B-0453

Jessop S.A., Hart G., Santiago A.R.,

Guerreiro J., Cottier Y., Markali B., Andersen E.N., Jorge J., England A.E.
Balancing image quality and effective radiation dose in orbital X-ray screening for ferromagnetic IOFBs: a pilot study (SS 214), B-0146

Jha P., Melendres G., Bijan B.

Utilising contrast-enhanced CT for detecting post-traumatic placental abruption: assessing accuracy and comparison with ultrasound (SS 217), B-0192

Ji Q.

Haemodynamic evaluation of normal ovaries and different ovarian tumours: 3.0T DCE-MRI study (SS 207), B-0136

Jin Y., Peng L.Y., Ma Y.B.

The value of multi-parameter strategy of ultrasound in the assessment of neoadjuvant chemotherapy for breast cancer (SS 202a), B-0021

Jobst B., Biederer J., Fellhauer I., Triphan S., Burmester K., Schliebus J., Karch A.,

Heußel C.-P., Kauczor H.-U.

Image-based structural and functional phenotyping of the German COPD cohort (COSYCONET) using MRI and CT (LBCT)

Johnson K.J.

Trauma to the paediatric skeleton: B. Elbow (RC 410), A-086

Joo I., Lee J., Han J., Choi B.

Prediction of tumour response to neoadjuvant concurrent chemoradiotherapy for borderline resectable pancreatic cancer by diffusion-weighted MRI and 18F-FDG PET/CT (SS 1816), B-1092

Joyce E.A., Fagan A.J., McMorrow J.P.,

Byrne D., Kennedy M.J., Meaney J.F., O'Keefe S.A.

Apparent diffusion coefficient and fractional anisotropy values as biomarkers for treatment response in breast cancer (SS 202a), B-0017

Jung C.S.L., Heine M., Kaul M., Adam G.,

Heeren L.

Using 59Fe labelled triglyceride-rich lipoproteins for visualisation and quantification of brown adipose tissue activity at 7T MRI (SS 1406), B-0934

Juvekar S.L., Desai S.M., Gulia A.

Functional MRI (DW-MRI) in the characterisation of Ewing sarcoma: its role in characterising bone marrow and soft tissue involvement and tumour necrosis (SS 1010a), B-0804

K

Kachelrieß M.

Artefacts and pitfalls in tomography: A. CT (RC 513), A-141

Kachelrieß M.

Multi-energy imaging: from physics to diagnosis I: Image-based material decomposition with energy-selective detectors in multi-energy CT: a review (EF 1), A-349

Kachelrieß M.

Cone-beam vs multi-detector CT in head and neck imaging: A. Understanding image quality and radiation dose in MDCT and CBCT (E³ 1626a), A-643

Kahn C.E.

What are the concrete benefits of structured reporting?: For the patient (PC 4b), A-080

Kainberger F.

Case-Based Diagnosis Training - Part I: Musculoskeletal (CBDT 1)

Kaireit T., Lutat C., Peperhove M.J., Wacker F., Ringe K.I.

Comparison of water and mannitol as negative contrast agents in abdominal staging CT (SS 201b), B-0039

Kaireit T., Dettmer S., Solyanik O., Frank W., Shin H.

Lobewise registration of the lungs in computed tomography improves anatomically correct voxel-to-voxel mapping of inspiration and expiration data (SS 605), B-0451

Kajander S.

Quantification of myocardial perfusion: which test is the best (PET, MRI, MDCT)?: A. PET for evaluation of perfusion, absolute myocardial blood flow and coronary flow reserve (RC 403), A-114

Kajander S.

Controversies in comprehensive imaging of coronary artery disease: Hybrid nuclear imaging shows no defeat (SA 16), A-654

Kakollu M., Jones N., Baca L., Pillai S., Kumar S.

Watch and wait or irradiate (SS 317), B-0407

Kala P., BharGavi V., Avantsa R., Narayan G.

Role of DWI in cervical cancer for prediction and monitoring of chemoradiotherapy response (SS 716), B-0665

Kalender W.A.

Breast imaging modalities: beyond the conventional: Breast CT (SF 8c), A-271

Kalender W.A.

Principles of imaging and radiation protection: A. Principles of computed tomography (E³ 1923), A-744

Kallenberg M.G., Petersen K., Lilholm M., Jørgensen D.R., Diao P., Holland K., Karssemeijer N., Igel C., Nielsen M.

Automated texture scoring for assessing breast cancer masking risk in full field digital mammography (SS 302a), B-0212

Kallio-Pulkkinen S., Haapea M., Liukkonen E., Huuomonen S., Tervonen O., Nieminen M.

Comparison of consumer grade, tablet and 6MP-displays: observer performance in detection of anatomical and pathological structures in panoramic radiographs (SS 1905), B-1190

Kamal H.A.

Evaluation of lesions of the internal ligaments of the wrist: conventional magnetic resonance imaging vs MR arthrography (SS 1010b), B-0910

Kammer N.N., Copenrath E., Treitl K.M., Kooijman H., Reiser M.F., Saam T.

Whole brain 3D T1w-VISTA for the diagnosis of small brain metastases at 3.0 Tesla (SS 1016), B-0822

Kamphuis-van Ulzen K., Koopmanschap D.H.J.L., Klein W.M.

When to make a postmortem babygram and when not (SS 312), B-0383

Ghali A., Rogalla P., Kandel S.

CT-fluoroscopy guidance for lung biopsies performed by clinical fellows without prior training: radiation dose and workflow (SS 709b), B-0716

Kang E., Lee K., Lee J., Kwon H., Kim M.

Double acquisition of CCTA with and without intravenous vasodilator injection for the diagnosis of vasospastic angina: pilot study (SS 703), B-0747

Kantarci M.

Congenital heart disease: from infancy to adulthood: Cardiac CT: challenges in congenital heart diseases (SF 17b), A-704

Karani J.B.

The treated liver: A. Imaging of liver transplantation (E³ 621), A-197

Karcaaltincaba M.

The many faces of benign liver lesions: A. Vascular (RC 501), A-130

Karimi M.A., Arjmand Shabestari A., Shahrazi M., Faghihi Langroudi T., Pouraliakbar H., Tehrai M.

Correlation of thoracic aortic distensibility with aortic and coronary atherosclerotic plaques (SS 1803), B-1057

Károlyi M., Szilveszter B., Kolossváry M., Raaijmakers R., Giepmans W., Kitslaar P., Horváth T., Merkely B., Maurovich-Horvat P.

Impact of iterative reconstruction algorithms on calcified plaque quantification with coronary computed tomography angiography (SS 303a), B-0266

Karul M., Avanesov M., Kraus T., Bachmann K., Derlin T., Adam G., Yamamura J.

Patients with acute pancreatitis: is computed tomography always necessary? (SS 217), B-0188

Kassem H.M., Wafaie A., Al Adwani N., Al Khuraish N., Azmat Z., Al Jubran S., Farghaly H., Affifi L., El Mahdy M.

Comparison of 3T MRI, PET and Ictal SPECT in presurgical localization of the seizure-onset zone in pediatric patients with refractory temporal lobe epilepsy (SS 612), B-0530

Katsari K.

Dose-tracking leads the way to dose-reduction: Deploying a dose management strategy across multiple sites (EuroSafe 3), A-585

Katsifarakis D.

Looking into the future of radiology: The influence of health economics systems on radiology (PC 5a), A-157

Katuliska K.

'Special patients' in the emergency room: when and how to image them?: C. Elderly patients (RC 417), A-124

Katuliska K., Wykrętowicz M., Eder P., Stajgis P., Linke K., Stajgis M.

Diffusion-weighted MRI for prediction of long-term outcomes in patients with perianal fistulas in Crohn's disease treated with anti-tumour necrosis factor antibodies (SS 601b), B-0459

Kauczor H.-U.

Imaging biobanks: from genomic to radiomic in the era of personalised medicine: Radiomic: report from the ESR Working Group on Imaging Biobanks (PC 5b), A-165

Kauczor H.-U.

Integration of imaging biomarker activities on a European level: Introduction to the Quantitative Imaging European Task Force (PC 8a), A-266

Kauczor H.-U.

Solving the crossword puzzle in diffuse interstitial lung disease (DILD): Chairman's introduction (MS 16), A-634

Kaup M., Scholtz J.E., Engler A., Bauer R.W., Kerl M., Vogl T.J., Wichmann J.L.

Virtual monoenergetic dual-energy CT: optimisation of keV-settings in lung cancer (SS 216), B-0088

Kawanami S., Kamitani T., Yamanouchi T., Yamasaki Y., Jinnouchi M., Yonezawa M., Nagao M., Yabuuchi H., Honda H.

Quantitative measurements in low-dose chest CT with hybrid iterative reconstruction technique (SS 1404), B-0986

Kazmierczak P.M., Burian E., Eschbach R., Moser M., Havla L., Hirner H., Reiser M.F., Nikolaou K., Cyran C.C.

Apoptosis-targeted optical fluorescence imaging for characterisation of regorafenib effects on experimental colon carcinomas validated by perfusion MRI and multiparametric immunohistochemistry (SS 1406), B-0938

Keil V.C., Vogelgesang A.M., Pinteá B., Gielen G., Gieseke J., Simon M., Schild H.H., Hadizadeh D.R.

The diagnostic benefit of T1-DCE MRI for navigated glioma biopsies (SS 711), B-0648

Kekelidze M., Müller G., Weigel M., Haas T., Pradella M., Bongartz G.

Diffusion parameters (DTI and DWI) are superior to DCE-MRI in differentiation of BPH nodule from prostate cancer: quantitative comparison (SS 607a), B-0562

Kelekis A.D.

Percutaneous treatment of chronic back pain and sciatica: B. Facet joint syndrome (RC 509), A-189

Kelekis A.D.

Kidney, lung and bone: an update on oncologic therapy: Chairman's introduction (E³ 819), A-246

Kelly K.M.

Review of invasive cancers not initially identified by automated whole-breast ultrasound screening: an analysis of the rate of tumour growth (SS 602), B-0435

Kendziorra C., Meyer H., Dewey M.

Implementation of a phase detection algorithm for dynamic cardiac computed tomography analysis based on time dependent contrast agent distribution (SS 305), B-0243

Kendziorra C., Shaban A., Rief M., Bady P.D., Feger S., Dewey M.

Four-dimensional whole-heart computed tomography perfusion of the myocardium with visual analysis using temporal averaging of three-dimensional datasets: feasibility study (SS 1003a), B-0791

Khaledian L., Ebadi J.

Pelvic radiography: patient orientation (SS 214), B-0148

Khalmukhamedova A.E., Gazhonova V.E.

Sonolugography in differentiation of the benign and malignant ovarian tumours (SS 207), B-0134

Authors' Index

- Khandelwal N., Mahajan A., Gupta V., Kumar A., Mathuriya S., Gupta S.**
Evaluation of contrast-enhanced MR angiography and time of flight MR angiography at 3 Tesla in previously coiled intracranial aneurysms (SS 211b), B-0205
- Khanna M., Abusamaan S., Ramanathan S., Hena H., Panwar D., Rao B.**
Acute appendicitis - CT or ultrasound in patients with differing body mass indices: a comparative assessment (SS 217), B-0190
- Khanna M., Ramanathan S., Abualruz A.M., Kumar D., Buddhavarapu S.R., Darweesh A., Khanna J.**
CT in peritoneal tuberculosis revisited: mystery, myth and reality (SS 1401), B-0979
- Kharabish A.E., Belker K., Meierhofer C., Ewert P., Fratz S., Fratz S.**
Intraindividual validation of 4D flow measurement against 2D flow measurements in aortas with bicuspid or tricuspid valves by cardiovascular magnetic resonance (CMR) (SS 603b), B-0596
- Khayrutdinov E., Arablinskiy A., Tsurkan V., Vorontsov I.**
Radial versus femoral artery access in patients undergoing peripheral artery embolisation (SS 1909a), B-1261
- Khodair S.A.Z., Mashaly E., Sameer H.**
Role of CT guided spinal injections in management of chronic low back pain (SS 309), B-0345
- Kiessling F.M.A.**
Advances in liver imaging: A. Molecular imaging: where do we go? (E³ 1526), A-561
- Kijowski R., Markhardt B.K.**
Clinical significance of dark cartilage lesions identified on MRI (SS 1910), B-1216
- Kilburn-Toppin F., Wallis M.**
Well-defined mass lesions in mammographic screening: determining the rate of cysts and solid lesions (SS 1802), B-1029
- Kim C., Jeong B., Kwon G., Park J., Park B., Park S.**
Evaluation of periprostatic nerve fibers using diffusion tensor imaging tractography at 3T: correlation with radical prostatectomy specimens (SS 1807), B-1141
- Kim D., Kim H., Kim K.**
Survival outcomes of patients with pancreas neuroendocrine neoplasms who receive surgical resection: association with dynamic contrast-enhanced CT (SS 1901a), B-1168
- Kim I., Kwon J., Shin N.**
The different pattern of functional and structural changes depending on the rate of cognitive decline in Parkinson's disease with mild cognitive impairment (SS 211a), B-0081
- Kim J., Choi S., Yun T., Kim J., Sohn C.**
Prognosis prediction of measurable enhancing lesion after completion of standard CCRT and adjuvant temozolomide in glioblastoma patients: application of dynamic susceptibility contrast perfusion and DWI (SS 611), B-0501
- Kim J., Kim M.**
Bariatric embolisation using non-spherical Polyvinyl alcohol (PVA) for suppression of the ghrelin in swine models (SS 1909a), B-1265
- Kim J., Ku Y., Lee S.**
The diagnostic accuracy of multidetector CT in the evaluation of ovarian torsion: compared with mis-read cases (SS 607b), B-0590
- Kim J., Lee E.**
Efficacy of computed tomography (CT) guided radiofrequency ablation (RFA) for osteoid osteomas in 31 patients (SS 710), B-0647
- Kim M., Kim E.**
Can biannual ultrasound surveillance detect cancers earlier in patients with breast cancer history? (SS 302b), B-0234
- Kim R., Lee J., Shin C., Lee E., Joo I., Hwang I., Kim S., Han J., Choi B.**
Differentiation of intrahepatic mass-forming cholangiocarcinoma from hepatocellular carcinoma on Gadoteric acid-enhanced liver MR (SS 601a), B-0423
- Kim S.H.**
Kidney: B. Differential diagnoses of solid renal masses (E³ 520), A-195
- Kim S., Lim Y., Byun J., Won H., Lee S., Han S., An J., Lee H., Lee Y.**
A prospective study to compare the diagnostic performance of gadoteric acid-enhanced MRI and US for surveillance of HCC in high risk patients with liver cirrhosis (SS 1801), B-1049
- Kim S., Cha D., Choe Y.**
Usefulness of resting myocardial perfusion imaging of coronary CT angiography in patients with acute symptom in the emergency department: perfusion analysis of color-coded three-dimensional volume rendering (SS 1003a), B-0790
- Kim T., Ko S., Park J., Shin J., Kim J.**
Assessment of the regurgitant orifice area in aortic regurgitation with dual-source CT: comparison with cardiovascular MR (SS 603b), B-0597
- Kim Y., Jee W., Jung J., Son Y., Chung Y.**
Volume k-trans on dynamic contrast-enhanced MR imaging in musculoskeletal tumours: correlation with intravoxel incoherent motion-derived parameters and volume apparent diffusion coefficients at 3.0 T (SS 1010a), B-0802
- Kinkel K.**
Breast cancer staging: why and how: Breast cancer staging: why and how (E³ 25C), A-394
- Kinkel K.**
Gynaecological malignancies: Keynote lecture (SS 207), K-03
- Kinner S., Sirin S., Kathemann S., Lauenstein T.C., Hahnemann M.L.**
MR enterography including diffusion weighted imaging compared to capsule endoscopy in patients with suspected or known inflammatory bowel disease (SS 601b), B-0462
- Kinner S., Nagarajah J., Grüneisen J., Umutlu L., Hoffmann O., Bittner A., Nassenstein K., Pöppel T.**
Value of simultaneous PET MR mammography in patients with breast cancer undergoing neoadjuvant chemotherapy: preliminary results (SS 1902a), B-1159
- Kitagawa K.**
Cardiac MR imaging: B. Quantification of myocardial perfusion by MRI (E³ 1226c), A-471
- Kitagawa K.**
Cardiac CT: cutting-edge techniques: Myocardial perfusion imaging in clinical routine: ready for prime time? (SF 15), A-595
- Kivistö S.H., Henner A., Kuismin U., Jaakkola M., Kotiaho A.**
Air gap in hip joint axiolateral projection (SS 214), B-0145
- Klang E., Heishtok O., Rundstein A., Shalmon A., Servadio Y., Gotlieb M., Sklair-Levy M.**
Correlation between enlarged axillary lymph nodes to breast silicone implants tears seen on MRI (SS 202b), B-0119
- Klang E., Ben Cohen A., Diamant I., Rozendorn N., Konen E., Greenspan H., Amitai M.M.**
Evaluation of a computer algorithm for automated detection and measurement of liver metastases (SS 1805), B-1041
- Klauser A.**
The forgotten joints: Fingers and toes: little joints, big trouble? (SF 9b), A-341
- Klauser A.**
Osteomyelitis vs gout: what are the pearls?: C. Ultrasound and DECT features in gout (E³ 1726), A-697
- Klemenčič T., Mekiš N.**
The effect of patient shielding in intraoral dental imaging (SS 214), B-0150
- Klink C., Cuijpers C.F., Varga E., Banerjee J., Stappers P., Moelker A., van Walsum T., Freudenthal A.**
A real-time three-dimensional ultrasound user interface for TIPS: preliminary results (SS 709a), B-0697
- Kloekner R., Prinz F., Ruckes C., Weinmann A., Dueber C., Pitton M.B.**
Conventional transarterial chemoembolisation versus drug-eluting bead transarterial chemoembolisation for the treatment of hepatocellular carcinoma (SS 1409), B-0997
- Klompenerhouwer E.G., Weber R.J.P., Voogd A.C., Den Heeten G.J., Strobbe L.J.A., Broeders M.J.M., Duijm L.E.M.**
Characteristics of BI-RADS 0 lesions at blinded or non-blinded double reading of screening mammograms and impact of arbitration of discrepant BI-RADS 0 recalls by a third reader (SS 1802), B-1027
- Klompenerhouwer E.G., Weber R.J.P., Voogd A.C., Strobbe L.J.A., Broeders M.J.M., Duijm L.E.M.**
Comparison of the diagnostic workup of women referred at non-blinded or blinded double reading in a population-based screening mammography programme in the south of the Netherlands (SS 1802), B-1030
- Kloth C., Nikolaou K., Horger M.**
Comparison of chest-CT findings of influenza virus-associated pneumonia in immunocompetent vs. immunocompromised patients: patterns of involvement and interchangeability at time (SS 1904), B-1253
- Kloth C., Grosse U., Wirths S., Gatidis S., Bethge W., Nikolaou K., Horger M.**
Non-infectious panbronchiolitis in the setting of allogeneic stem cell transplantation: a potential mimic of lower respiratory tract infection (SS 1904), B-1256
- Knutsson L.**
The ABC and 123 of perfusion MRI: DSC, DCE and ASL explained: Perfusion MRI: DSC, DCE and ASL (ESR/ESMRMB), A-402
- Knyshov G., Batsak B.**
Radiofrequency ablation of prevertebral sympathetic ganglia in patients with essential arterial hypertension for lowering blood pressure (SS 709b), B-0722
- Kocer N.**
Imaging and intervention in acute ischaemic stroke: B. Indications for intervention (RC 515), A-182
- Koelmann M.**
Critical limb ischaemia (CLI): limb salvage or life salvage?: Diagnostic imaging and outcome (MS 8), A-244

Authors' Index

- Koff D.**
Improving quality and safety in radiology: Errors in radiology: how to learn from a systematic approach (MIR 2), A-755
- Koh D.-M.**
Colorectal cancer liver metastases: assessing tumour response: C. Functional biomarkers (RC 1701), A-674
- Koizumi J., Itou C., Hara T., Sekiguchi T., Mori N., Ono S., Ichikawa T., Tanaka C., Imai Y.**
Fast balloon-occluded retrograde transvenous obliteration using n-butyl cyanoacrylate after foam sclerosants for gastric varices (SS 709a), B-0693
- Kok E.M., de Bruin A.B.H., Leppink J., van Merriënboer J.J.G., Robben S.G.F.**
Using comparison films in education (SS 1904), B-1258
- Kok M., Muhl C., Seehofnerova A., Turek J., Jost G., Haberland U., Wildberger J.E., Das M.**
Is automated kV selection for radiation dose reduction independent from contrast media concentration in CT (SS 1015), B-0773
- Kok M., Muhl C., Seehofnerova A., Altintas S., Kietselaer B.L.J.H., Turek J., Wildberger J.E., Das M.**
Contrast media reduction in CTA using low kV settings (SS 1015), B-0775
- Kolossváry M., Drobni Z.D., Závodszy G., Kolossváry I., Kitslaar P., Merkely B., Maurovich-Horvat P.**
Heritability of coronary geometry: initial experience (SS 1803), B-1061
- Komarova M., Sinitsyn V., Merzhina E.A.**
Effect of a novel motion correction algorithm on the image quality of low-dose coronary CTA (SS 203b), B-0183
- Komljenovic D., Wiessler M., Pipkorn R., Waldeck W., Braun K.**
Theranostic application of a cyanine-based linker functionalised with temozolomide using solid phase chemistry (SS 316), B-0313
- Kondratyev E.V., Shirokov V., Davydenko P., Karmazanovsky G.G.**
Low-dose 256-MDCT coronary angiography: effect of hybrid iterative reconstruction technique on image quality and diagnostic accuracy in comparison with DSA (SS 1015), B-0776
- Kool D.R.**
Acute postoperative complications in the abdomen: from diagnosis to therapy: Chairman's introduction: the role of imaging in the early detection of postsurgical complications (E³ 1226b), A-477
- Koopmanschap D.H.J.L., Bayat A.R., Bosboom D., Kamphuis-Van Ulzen K., Prokop W.M., Klein W.M.**
Postmortem interval estimation: value of postmortem cerebral CT (SS 211b), B-0203
- Koprivsek K.**
Epilepsy: A. How to image epilepsy in children and adults (E³ 1626c), A-663
- Kosucu P., Süleyman S., Kavgaci H., Karacin A., Küpeli A.**
Dynamic contrast-enhanced magnetic resonance imaging in benign and malignant sclerotic bone lesions (SS 1016), B-0829
- Kovacs A., Emri M., Vandulek C., Glavak C., Szalai Z., Biro G., Bajzik G., Repa I.**
fMRI signal changes in the central nervous system after 3D based radiotherapy (SS 711), B-0657
- Kozák L.R., Dávid G., Szabó Á., Rudas G., Dávid S.**
Optimising the resting state fMRI processing pipeline using a data-driven approach (SS 211b), B-0200
- Kozma P., Kendziorra C., Richter F., Dewey M.**
Effect of heart rate on image quality using 320-row coronary computed tomography angiography: a pulsating cardiac phantom study (SS 203b), B-0173
- Kramer G.**
Stone disease: new concepts: C. Urolithiasis: changing concepts in medical and surgical approach (RC 107), A-044
- Kramer J.**
Basic 4: Musculoskeletal trauma: Ankle (Basic 4), A-506
- Krammer J., Kaiser C.G., Schnitzer A., Buesing K.A., Schoenberg S.O., Sperk E., Suetterlin M., Wasser K.**
18F-FDG PET/CT for initial staging in breast cancer patients: is there a relevant impact on treatment planning compared to conventional staging modalities? (SS 1902a), B-1161
- Krammer J., Price E.R., Watson E., Jochelson M., Murray M.P., Schoenberg S.O., Morris E.A.**
Breast MR imaging for the assessment of residual disease following initial surgery for breast cancer with positive margins (SS 1902b), B-1180
- Krammer J., Stepniowski K., Kaiser C.G., Schnitzer A., Schoenberg S.O., Wasser K.**
Digital breast tomosynthesis for preoperative local staging of breast cancer in dense breasts (SS 1902b), B-1184
- Krause D., Pottecher P., Genson P., Estivalet L., Favelier S., Loffroy R.**
Safety of cervical transforaminal steroid injections under CT guidance: a five-year experience in 248 cases (SS 309), B-0346
- Krauss B., Schmidt B., Allmendinger T., Flohr T.**
Dual source dual energy CT for kidney stones: impact of patient motion (SS 713), B-0676
- Krawinkel A., Osti M., Benedetto K., Cejna M.**
Quality validation in posterior cruciate ligament reconstruction: fluoroscopy, radiography and computed tomography (SS 710), B-0638
- Krestan C.R.**
New insights in bone tumour imaging: A. New insights in treatment-associated changes in patients with bone tumours (RC 916), A-333
- Krestin G.P.**
Looking into the future of radiology: Quo vadis radiology professions? A pragmatic approach (PC 5a), A-158
- Krestin G.P.**
Imaging in population-based studies: Population imaging for the prediction of neuro-degenerative diseases (PC 8b), A-251
- Krestin G.P.**
What's new in biomedical imaging research: an update of EIBIR activities: Chairman's introduction (EIBIR 2), A-380
- Kristensen J., Glud C., Christensen A.F., Christensen H.**
Benefits and harms of endovascular devices for acute ischaemic stroke in accordance with the cochrane collaboration recommendations (SS 1411), B-0959
- Kroencke T.J.**
Uterine and prostate embolisation: C. Post-partum haemorrhage (PPH) (E³ 926c), A-357
- Kroencke T.J.**
Basic 6: Interventional radiology: Uterine Fibroid Embolization (Basic 6), A-692
- Krokidis M.**
The cutting-edge technologies in image-guided tumour therapy: Chairman's introduction (E³ 1219), A-433
- Krokidis M.**
Basic 6: Interventional radiology: Management of trauma patients (Basic 6), A-693
- Krüger P., Langner I., Stahnke T., Stachs O., Langner S., Hosten N.**
Ultra-high field MR-microscopy of fetal forearm - ex vivo assessment of the ossification patterns (SS 1010b), B-0908
- Kubik-Huch R.A.**
Emergencies: B. Gynaecological emergencies (E³ 1020), A-391
- Kuchcinski G., Delmaire C., Le Rhun E., Duhal R., Lalisie M., López R., Pruvo J.-P., Cortot A., Leclerc X.**
Prognostic value of dynamic contrast-enhanced MRI for therapeutic evaluation of brain metastases from lung cancer (SS 611), B-0503
- Kuhl C.K.**
Breast cancer screening: who, when and how (SY 14)
- Kuhl C.K.**
Radio-pathological correlation: more important than you thought: A. Pre-treatment planning (RC 402), A-094
- Kuhl C.K.**
Rethinking ductal carcinoma in situ (DCIS): Diagnosing DCIS with MRI (SA 5), A-153
- Kuhl C.K.**
MR for operation planning (SY 1)
- Kühn J., Mensel B., Kindermann K., Hadlich S., Otto S., Hosten N.**
Proton-density fat fraction in an ultra-high-field MR scanner: a feasibility study (SS 313), B-0318
- Kulitzscher B.**
High-end and hybrid technology in clinical and research work of radiographers in Germany: Selective Internal Radiation Therapy (SIRT) (EM 5), A-398
- Kulkarni C.B., Moorthy S., Karumathil Pullara S., Prabhu N., Kannan R., P.K.N.**
Management of benign biliary strictures by percutaneous interventional techniques (SS 1809), B-1123
- Kuntz J.**
Cone-beam CT: A. Fundamentals of cone-beam CT (RC 113), A-012
- Kuntz J., Ritschl L., Fleischmann C., Knaup M., Kachelrieß M.**
Reconstructing interventional C-arm CT rawdata from non-conventional scan trajectories (SS 713), B-0670
- Kunz W.G., Havla L., Sommer W.H., Dietrich O., Ertl-Wagner B., Reiser M.F., Thierfelder K.M.**
Detection of small-vessel occlusions using high-resolution wavelet-based CT angiography derived from whole-brain CT perfusion data in acute ischaemic stroke (SS 1011), B-0814
- Kuo W., de Bruijne M., Nasserinejad K., Ozturk H., Chen Y., Perez-Rovira A., Tiddens H.A.W.M.**
Assessment of bronchiectasis in children with cystic fibrosis by comparing airway and artery dimensions to normal controls on inspiratory and expiratory spirometer guided chest computed tomography (SS 212), B-0168

Authors' Index

Kupczyk P.A., Marinova M., Gieseke J., Schild H.H., Kukuk G.M., Hadizadeh D.R.
Fat suppression in MRI of the spine at 3T using a fast T2-weighted two-point mDixon TSE technique: initial clinical experience (SS 1410), B-0943

Kusk M.W.
Incorrectly placed gonad shields: influence on radiation dose in abdominal CT with automatic exposure correction (SS 1014), B-0863

Kusk M.W.
Using BMI-based exposure tables to reduce dose creep and improve image quality in lateral hip radiographs (SS 1414), B-1015

Kuusela L.J., Timonen M., Mäkelä T., Peltonen J., Ihalainen T., Uusi-Simola J., Kaasalainen T., Savolainen S., Sipilä O.
Do we need MRI quality assurance: experience from a multi-unit imaging center with 14 MRI systems (SS 313), B-0321

L

La Marra A., Arrigoni F., Mariani S., Gregori L.M., Mancini A., Zugaro L., Barile A., Masciocchi C.
Symptomatic Osteoarthritis (OA) of the knee: treatment with platelet rich plasma in comparison with hyaluronic acid group control (SS 210), B-0068

La Marra A., Mariani S., Arrigoni F., Gregori L.M., Zugaro L., Barile A., Masciocchi C.
Can PRP US-guided injection accelerate healing and be alternative to surgery for patients with Achilles and patellar tendinopathy? (SS 210), B-0075

La Marra A., Mariani S., Arrigoni F., Gregori L.M., Smaldone F., Barile A., Masciocchi C.
Diagnostic value of the meniscal stability of the knee: weight-bearing MRI vs arthroscopy (SS 1910), B-1209

Labriffe M., Ter Minassian A., Pasco-Papon A., N'Guyen S., Aubé C.
Feasibility and validity of monitoring subarachnoid haemorrhage by a noninvasive MRI imaging perfusion technique: pulsed arterial spin labelling (PASL) (SS 211b), B-0195

Laffranchi F., Farina D., Gavazzi E., Borghesi A., Ravanelli M., Maroldi R.
Coronary CT angiography on 128-slice dual-source CT: comparison of incidence and location of artefacts in high-pitch spiral and prospectively ECG-gated sequential acquisitions (SS 203b), B-0174

Laghi A.
Changes of the gastrointestinal tract after treatment: A. Gastrointestinal tumours (E³ 121), A-001

Lahaye M.J., Lambregts D.M., Nerad E., Beets G.L., Beets-Tan R.G.H.
MR imaging for dedicated staging of colon cancer patients: preliminary results (SS 1916), B-1229

Laissy J., Gaxotte V., BenDriss A., Serfaty J.
Cardiac diffusion-weighted MR imaging in acute myocarditis: initial experience (SS 1003b), B-0903

Lalam R.
The ankle and foot: B. Inflammatory disorders (RC 810), A-257

Lambert L., Danes J., Simakova L., Jahoda J., Ourednicek P.
Does model-based iterative reconstruction technique provide advantage in ultra-low dose submillisievert CT colonography? (SS 701b), B-0740

Lambert M.A., Belch J.J.F., Weir-McCall J., Gandy S.J., Littleford R., Struthers A.D., Sullivan F., Houston G.
Screening for asymptomatic cardiovascular disease with contrast enhanced MRI: association of left ventricular mass with whole body atheroma burden, cardiovascular risk and B type natriuretic peptide (SS 615), B-0481

Lambregts D.M.
From my workstation: difficult cases on review: C. Rectum (RC 1601), A-618

Lammer J.
The leading role of interventional radiology in a major trauma centre: A. Chest trauma (E³ 926b), A-362

Lamot U., Šurlan Popović K., Harej M., Furlan T., Popović P., Strojan P.
Role of perfusion computed tomography in assessing submandibular gland radiochemotherapy-induced injury (SS 208), B-0155

Lang K., Nergården M., Andersson I., Rosso A., Zackrisson S.
False positives (FP) in breast cancer screening with breast tomosynthesis (BT) vs digital mammography (DM) (SS 1402), B-0921

Lange B., Nielsen M., Andersen J., Lilholt H., Vyberg M., Petersen L.
Diagnostic accuracy of imaging methods for the diagnosis of skeletal malignancies: retrospective analysis against pathology-proven reference (SS 1016), B-0828

Langer M.
Update on computer-aided diagnosis (CAD): Chairman's introduction (RC 1205), A-473

Langner S.
Imaging in population-based studies: The Trauma Cohort: a joint project of the German Röntgen Society and the German Society of Trauma Surgery (PC 8b), A-254

Langner S.
Unexpected findings on brain MRI: A. Large ventricles: normal or abnormal? (E³ 1221), A-414

Larici A.R.
Lung cancer staging: A. Limitations and perspectives (E³ 826), A-273

Larici A.R.
Update on computer-aided diagnosis (CAD): B. CAD for lung nodules (RC 1205), A-475

Larici A.R.
Non-surgical approach to early lung cancer: perspectives of imaging and radiation-based disciplines: Imaging follow-up of non-surgical treatments (ESR/ESTRO 1), A-571

Larsen L.B., Fieselmann A., Pfaff H., Mertelmeier T.
Performance of grid-less digital mammography acquisition technique for breast screening: analysis of 22,117 examinations (SS 1802), B-1025

Lassau N.
Advanced applications in ultrasound: Molecular ultrasound and dynamic contrast-enhanced US for antiangiogenic therapy monitoring (SF 5), A-135

Lau K.K.-P., Kuganesan A., Buchan K., Lau T.
Efficacy of knowledge-based iterative reconstruction on CT abdominal angiography (SS 315), B-0280

Lauenstein T.C.
Barcelona-clinic liver cancer guidelines: cTACE positioning within the guidelines (SY 16)

Lauridsen C., Clausen C., Lundsgaard M., Dahl B., Bachman M., Frevert S., Lonn L.
Volumetric dynamic contrast enhanced computed tomography (DCE-CT) for preoperative assessment of the vascularity of spinal metastases (SS 1016), B-0824

Lauritzen P.M., Andersen J., Stokke M., Tennstrand A., Heggelund T., Aamodt R., Hurlen P., Sandbæk G., Gulbrandsen P.
Clinical impact of double reading of abdominal CT scans of surgical patients (SS 201b), B-0037

Lauritzen P.M., Andersen J., Stokke M., Tennstrand A., Bjerke G., Stavem K., Hurlen P., Sandbæk G., Gulbrandsen P.
Clinical impact of double reading of thoracic CT (SS 1904), B-1259

Law E.K.C., Tsang W.S.S., Tong M.C.F., Lin S., Bhatia K.S.S.
CT pre-operative planning of Bonebridge™: a new semi-implantable bone conduction hearing device (SS 308), B-0370

Law M., Wong K., Tso W., Lee V., Luk M.
Personnel dose reduction for Y90 microspheres liver-directed radioembolisation: from angiogram suite to patient ward (SS 1913), B-1248

Lazik A., Theysohn J.M., Orzada S., Quick H.H., Kraff O.
Delayed gadolinium enhanced MRI of cartilage of the hip at 7 Tesla (SS 610b), B-0563

Lazik A., Kraff O., Claßen T., Landgraaber S., Lauenstein T.C., Theysohn J.M.
Analysis of remodeling processes in patients with avascular necrosis of the femoral head after advanced core decompression using 3T MRI (SS 610b), B-0564

Lazik A., Theysohn J.M., Orzada S., Quick H.H., Kraff O.
T2- and T2*-mapping of hip cartilage at 7 Tesla: initial results in healthy volunteers (SS 610b), B-0566

Lebedev S., Sawall S., Knaup M., Kachelrieß M.
Alpha-image reconstruction: a novel iterative image reconstruction algorithm with well-defined image quality metrics applied to clinical CT data (SS 713), B-0678

Lee C., Seo J., Chong S., Kim Y.
Coronary CT angiography: combined use of low kilovoltage and IMR (SS 303a), B-0267

Lee D., Cho E., Jeon I.
Feasibility of 10-min delayed hepatocyte phase imaging with 30° flip angle in Gd-EOB-DTPA-enhanced MR imaging for the detection of liver metastases, compared with 20-min delayed imaging with 10° flip angle (SS 316), B-0310

Lee D., Lee J.
Non-hypervascular hepatobiliary phase hypointense nodules on gadoteric acid-enhanced MRI: risk of HCC recurrence after radiofrequency ablation (SS 1801), B-1051

Lee E., Kim Y., Yang S., Goo D., Hwang J., Hong S., Hwang J., Kim H.-J.
Comparison of hepatic venous pressure gradient and endoscopic grading of oesophageal varix (SS 709a), B-0691

Lee J., Kwak J., Shin H., Kim E.
A study on serum antithyroglobulin antibodies interference in thyroglobulin measurement in fine-needle aspiration diagnosing lymph node metastasis in postoperative patients (SS 208), B-0157

Authors' Index

Lee J., Park C., Park S., Bae J., Lee S., Goo J.
Value of computerised 3D shape analysis in differentiating encapsulated from invasive thymomas (SS 704), B-0690

Lee J., Choi Y., Cheon J., Lee S., Cho H., Shin S., Kim W., Kim I.

Comparison of axial T2-weighted BLADE and respiratory triggering turbo spin-echo sequences in the paediatric abdomen (SS 1012), B-0886

Lee J., Choi J., Kim H.

Can cone-beam CT-assisted chemoembolisation improve survival of patients with single nodular hepatocellular carcinoma? (SS 1409), B-1000

Lee J., Kwon J.

Factors influencing contrast bolus geometry during dynamic CTA: in-vitro evaluation using a pulsatile flow model and in-vivo application (SS 1015), B-0769

Lee K., Kwak H., Chung G., Song J.

Leptomeningeal collateral vessels are a major risk factor for intracranial hemorrhage after carotid stenting in patients with carotid atherosclerotic plaque (SS 311b), B-0413

Lee K., Ryu J.

Elastography and histogram of Kikuchi disease: the comparison with reactive hyperplasia of cervical lymph nodes (SS 208), B-0161

Lee K., Ryu J.

Quantitative analyses of 3-D volumetry and histogram of thyroid gland on CT: can thyroid CT reflect thyroid function in the patients with hypothyroidism? (SS 708), B-0733

Lee K.S.

CT in lung cancer screening and COPD evaluation: Lung cancer screening in Korea (EM 3), A-537

Lee M.J.

Interventional radiology in venous thromboembolism and chronic venous disease: Vena cava filters: an update (SF 12), A-445

Lee M.W.

Clinical implications of S-Fusion (SY 19)

Lee S., Choi S.

DWI and dynamic susceptibility contrast perfusion-weighted imaging of ganglioglioma in adults: comparison study with oligodendroglioma (SS 611), B-0508

Lee S.

Frequency, CT findings, and fate of multiple infarcted regenerative nodules in liver cirrhosis after variceal bleeding or septic shock (SS 601a), B-0427

Lee T., Kim S.

Diagnostic efficiency of split-bolus dual-energy computed tomography for patients with suspected urinary stones (SS 1907), B-1271

Lee W., Jeong W., Cha M., Kim Y., Lim S., Choi S., Choi D.

Comparison of iterative reconstruction techniques for reduced-dose liver computed tomography following transarterial chemoembolisation for hepatocellular carcinoma (SS 1913), B-1243

Lefebvre G., Bergère A., Dodrè E., Pansini V., Demondion X., Cotten A.

Feasibility and reproducibility of T2 mapping of the sacroiliac joints at 3T (SS 1410), B-0947

Leichter I., Lipschuetz T., Vichter T., Romman Z., Sosna J.

Identifying iodine and calcium solutions and estimating their concentration using arterial decomposition images generated by spectral detector dual-layer CT (SS 213), B-0104

Leichter I., Fargun B., Rozengarten O., Safran O., Liebergall M.

A novel approach for estimating fracture risk by computerised processing of routine proximal femur radiographs (SS 305), B-0248

Leidecker C.

Patient and staff dose studies: Keynote lecture (SS 1913), K-30

Leiner T.

Imaging of heart failure: B. Differentiating the causes for heart failure: is MRI the undisputable gold standard? (RC 803), A-291

Leiner T.

Peripherals (SY 5)

Leitgeb N.

Good radiation and bad radiation? How to assess and communicate radiation risk to patients and referring physicians: D. Communicating risks to patients and the public (RC 1213), A-432

Lell M.

Head and neck cancer after treatment: what you need to know: A. Imaging after surgical treatment (E³ 1021), A-372

Lembcke A., Luhur R., Mews J., Hamm B., Blobel J.

Coronary calcium scoring at low radiation dose using iterative reconstruction: intraindividual comparison with standard dose scanning using filtered back projection (SS 303a), B-0262

Lencioni R.

Current trends in transarterial chemoembolisation (TACE) and radioembolisation for HCC: B. TACE and TAE for HCC: new agents, new schedules, new combinations (RC 809), A-295

Lencioni R.

Non-surgical approach to early lung cancer: perspectives of imaging and radiation-based disciplines: The most up-to-date evidence from the interventional oncology perspective (ESR/ESTRO 1), A-569

Leschka S.

Congenital heart disease: from infancy to adulthood: Imaging of congenital heart disease in adults (SF 17b), A-706

Leschka S., Benndorf M., Vicari M., Meckel S., Schumacher M., Weigel M., Taschner C.

Dynamic lumbosacral MRI compared to upright myelography: comparison in the detection of segmental dural compression (SS 311a), B-0303

Levy L.

Breast tomosynthesis experience after 40,000+ examinations (SY 15)

Lewerich B.

High-end and hybrid technology in clinical and research work of radiographers in Germany: Interlude: German Röntgen Museum (EM 5), A-399

Lewerich B.

Tradition goes digital: getting ready for the future: Interlude II: The Röntgenhaus: Wilhelm Conrad Röntgen's birthplace (EM 1), A-378

Li L., Ye H., Wang H., Tang Y., Zheng D.

Assessment of intravoxel incoherent motion MR imaging for the differentiation of renal benign tumour and renal malignant tumour (SS 1407), B-1007

Li T., Zhang Y., Gao J.B., Jiang Y.

Feasibility study of low dose CT with a hybrid iterative reconstruction technique for evaluation of airway stents in patients with malignant tracheal stenosis (SS 1804), B-1118

Lim A.K.P.

Advanced applications in ultrasound: State-of-the-art ultrasound technologies: elastography and microvascular imaging - are they useful? (SF 5), A-136

Lim T.-H.,

CT in lung cancer screening and COPD evaluation: Introduction: Korean Society of Radiology - evolution and new challenges (EM 3), A-536

Linda A.

High-risk lesions: solving the dilemma: High-risk lesions: solving the dilemma (E³ 25E), A-741

Linder F., Eklöf H.

Patients subject to high energy trauma without signs of injury do not benefit from whole-body CT imaging (SS 317), B-0406

Linder N., Schaudinn A., Garnov N., Blüher M., Schütz T., Karlas T., Dietrich A., Kahn T., Busse H.

Fast MRI-based quantification of visceral adipose tissue in morbidly obese (SS 1401), B-0980

Lindner T., Jensen-Kondering U.,

van Osch M.J.P., Helle M., Jansen O.
3D time-resolved vessel-selective angiography based on pseudo-continuous arterial spin labelling (SS 1911), B-1223

Linsenmaier U.

Polytrauma: comprehensive management guidelines for imaging: C. Extremities (RC 117), A-061

Linsenmaier U.

General principles: paediatric and ENT emergencies: A. General principles (MC 828), A-297

Liu S., Zhang J., Shen S., Wang F., Qiu L., Chen M., Zhang C.

Use MRI T1rho monitor the curative effective treatment of epimedium on early osteoarthritis (SS 1810), B-1072

Liu X., Gu L., Du J., Xia J., Li F.

Differential diagnosis of polypoid lesions of the gallbladder using contrast-enhanced ultrasonography (SS 1901b), B-1202

Liu Y.

Imaging in multicentre clinical oncological trials: Imaging in clinical trials: the EORTC perspective (ESR/EORTC), A-493

Llópis E.

The hand and wrist: C. Tumours and tumour-like lesions (RC 1510), A-588

Llobes M.

Breast imaging modalities: beyond the conventional: Chairman's introduction (SF 8c), A-269

Llobes M., Kuijs V., Moosdorff M., Schipper R.J., Beets-Tan R.G.H., Smid M.

The role of magnetic resonance imaging in axillary lymph node staging of breast cancer patients: a systematic review (SS 202b), B-0113

Llobes M.

CESM: from initial research to daily clinical routine (SY 15)

Loberg C., Schmeding M., Kuhl C.K., Bruners P.

Portal vein embolisation with histoacryl via an ipsilateral approach is safe and effective (SS 709a), B-0701

Loewe C.

Comprehensive personalised imaging of cardiothoracic diseases: Patients with acute and chronic chest pain (NH 17), A-699

Authors' Index

Loewe C., Reider L., Wielandner A., Schoepf V., Unterhumer S., Beitzke D., Wolf F.

Influence of iodinated contrast agents on heart rate variation during CT angiography of the coronary arteries after intravenous administration of beta blocker (SS 203b), B-0177

Loewe C.

Cardiac CT with isosmolar contrast media: higher comfort, better image? (SY 24)

Logager V.

Prostate imaging: how I do it: C. Role of imaging in active surveillance and detection of recurrence (RC 407), A-107

Lollert A., Gies C., Laudemann K., Faber J., Jacob-Heutmann D., Düber C., Staatz G.

Ultrasound evaluation of thyroid gland pathologies after radio- and/or chemotherapy during childhood (SS 312), B-0389

Lombardi S., Ippolito D., Casiraghi A., Talei Franzesi C., Bonaffini P., Sironi S.

CT-enterography: diagnostic value of 4th generation iterative reconstruction algorithm in low-dose protocol in comparison with standard dose CT protocol for clinical follow-up of patients with Crohn's disease (SS 601b), B-0464

Lomovtseva K.K., Karelskaya N.A., Karmazanovsky G.G.

Quantitative analysis of diffusion-weighted MRI at 3T: which parameter is more useful in differential diagnosis of focal solid liver lesions? (SS 201a), B-0006

Loney E.

Up-to-date imaging for hearing loss: Pre- and postoperative imaging in middle ear implants (SF 1b), A-021

Longo D.L.

MITIGATE consortium: state of the art imaging and therapy in GIST: Multimodal imaging in GIST (EIBIR 3), A-406

Loose R.W.R.

Tradition goes digital: getting ready for the future: Interlude I: Radiation protection: the concept of 'justifying indication' (EM 1), A-376

Lopci E., Bello L., Olivari L., Riva M., Simonelli M., Raneri F., Chiti A.

Role of ¹¹C-methionine PET as a prognostic factor in patients with primary brain gliomas eligible for surgery (SS 206), B-0027

Lopci E., Poretti D., Palmisano A., Lanza E., Rimassa L., Torzilli G., Chiti A.

Diagnostic accuracy of ¹¹C-Choline PET/CT in hepatocellular carcinoma (HCC) (SS 316), B-0307

Lopes Dias J.

Kidney: C. Acute and chronic renal infection (E³ 520), A-196

Lopez Rendon X., Zhang G., Bosmans H., Oyen R.H., Zanca F.

Estimation of organ dose from tube current modulated CT of the torso: SSDE vs MC simulation (SS 1013), B-0787

Lovblad K.-O.

Imaging and intervention in acute ischaemic stroke: A. Acute stroke imaging (RC 515), A-181

Löwik C.W.G.M., Kaijzel E.L., Mezzanotte L.

Optical molecular imaging: a new dimension for radiology: Reporter gene imaging (NH 15), A-590

Lu M.

The effect of percutaneous ultrasound-guided subacromial bursography using microbubbles in assessment of subacromial impingement syndrome: initial experience (SS 610a), B-0492

Lucas R.N., Lopes Dias J., Cunha T.

Value of DWI sequences in cervical cancer recurrence: can we skip contrast? (SS 207), B-0137

Lucatelli P., Vallati G., Pizzi G., Portieri F., Rosella F., Paradiso F.

Post-SIRT survival in a tertiary referral centre for HCC (SS 1409), B-0993

Lucic M.A.

Imaging findings in treated brain tumours: A. How to perform imaging in the postoperative patient: imaging protocols, normal and abnormal findings after surgery (RC 411), A-082

Lucic M.A.

New frontiers in brain tumour imaging: Multi-parametric MR tumour imaging in brain tumour diagnosis and monitoring (SF 8b), A-261

Lücke C.

Cardiac MR imaging: A. T1 and T2 mapping (E³ 1226c), A-470

Ludvík J., Ferda J., Duras P., Třeska V., Brůha J., Lysák D.

Future liver remnant volume estimation after portal vein embolisation and contralateral application of stem cells (SS 1901b), B-1205

Ludvík M.

Medicolegal aspects in daily practice: The lawyer's point of view (PC 12b), A-428

Luo X., Yan J., Chai W., Zhang H., Yan F.

Noninvasive liver iron content determination by dual-source dual-energy CT: initial results in patients suspected of liver iron-overload (SS 301a), B-0217

Lupo P., Lupo F.A., De Matteis G., Sticchi G.

Adaptive statistical iterative reconstruction technique to reduce radiation dose of brain CT in children (SS 605), B-0454

Lupsor-Platon M., Feier D., Stefanescu H., Tamas A., Botan E., Badea R.

Performance of ultrasonic transient elastography for the noninvasive assessment of liver steatosis (SS 1901b), B-1200

Lurie D.J.

MR: artefacts and devices: A. Image artefacts in MRI and their mitigation (RC 1613), A-627

Lurie D.J., Broche L.M., Davies G.R., Payne N.R., Pine K.J., Ross J., Zampetoulas V.

Fast field-cycling magnetic resonance imaging: a new imaging modality (SS 313), B-0315

M

Maas M.

Striving in radiological education: E-learning portfolios: present and future (ESOR Session), A-222

Maas M.

Highlighted Lectures: Radiology and sports injuries: more than reading the image! (TF 1), A-544

Maas M.

Musculoskeletal: A. Traumatic disorders of the musculoskeletal system (E³ 1523), A-577

Maas M., Martens M., van Berlo C., Deserno W., Leijten J., Beets G.L., Beets-Tan R.G.H.

Follow-up with MRI of rectal cancer treated by TEM: recurrence detection and inter-observer reproducibility (SS 1001), B-0834

Maas M., Beets G.L., Ageitos Casais M., Li X., Rao S., van Heeswijk M.M., Beckers R., Beets-Tan R.G.H.

Reproducibility of evaluation of invasion depth of rectal cancer into the mesorectal fat: can we reliably discern T3ab from T3cd tumours? (SS 1001), B-0836

Maataoui A., Kollias K., Spletstößer A., Vogl T.J., Khan M., Middendorp M.

Does the therapist's attitude affect the clinical outcome of lumbar facet joint intra-articular injections? (SS 609), B-0550

Macchi E., De Marchi G., Ierardi A., Duka E., Lucchina N., Nocchi Cardim L., Fontana F., Carratiello G.

Ultra low profile polymer-filled stent graft for abdominal aortic aneurysm treatment: two-years follow up (SS 1909b), B-1287

Maccioni F.

Perianal fistula disease: all you need to know: C. Perianal fistula disease: advanced (E³ 1222), A-423

Mack M.G.

Head and neck emergency: for the general radiologist or the patient?: A. Findings that can't wait for follow-up (RC 108), A-038

Mack M.G., Mayer F., Aschoff A., Uder M.

Tradition goes digital: getting ready for the future: State-of-the-art teaching in German radiology: Akademie online (EM 1), A-375

MacKay J.W., Murray P., Kasmai B., Donell S., Toms A.P.

Quantitative MRI evaluation of subchondral sclerosis at the tibial plateau (SS 710), B-0637

Macron L., Sablayrolles J.-L., Feignoux J.

Comparison of coronary CT angiography (CCTA) for patients with high heart rates using a 512-slice new-generation MDCT and a 128-slice CT: image quality and radiation dose (SS 203b), B-0175

Macron L.

4D CT imaging: from morphology towards functional assessment (SY 24)

Magée L.V., Ball P.

Is iterative reconstruction for CT worth the investment? A retrospective study of dose reduction and image quality (SS 1014), B-0868

Magne N., Dubourg B., Tollard E., Ozkul Wermester O., Macaigne V., Dacher J.-N., Gerardin E.

Diagnostic improvement from average intensity projection in acute ischemic stroke (SS 1411), B-0953

Magnusson A.

Stone disease: new concepts: Chairman's introduction (RC 107), A-041

Magometschnigg H., Baltzer P.A.T., Fueger B., Helbich T.H., Karanikas G., Dubsy P., Rudas M., Weber M.-A., Pinker-Domenig K.

Diagnostic accuracy of 18F-FDG PET/CT of the breast: comparison to DCE MRI imaging at 3 Tesla (SS 1902a), B-1160

Magyar P., Kaposi P.N., Kozics D., Kovács B., Kiss J., Kalina I., Karlinger K., Szendrői M., Bérczi V.

Morphometric analysis of radiation dose and procedure time during percutaneous radiofrequency ablation of osteoid osteomas (SS 210), B-0070

Mahajan M.D., Kakkar R., Soneji S., Desai S.B.

Application of dual-energy CT in hypervascular neoplastic lesions of liver: subjective and objective analysis in 64 lesions (SS 601a), B-0429

Authors' Index

- Mahajan M.D., Ruprela V., Banerjee B., Chandu P.E., Ananthasivan R., Patil U., Kumar GG S., Shetty N., Reddy P.**
Acute necrotising encephalopathy of childhood: correlation of MRI findings and clinical outcome (SS 1811), B-1078
- Mahajan P.S., Al Moosawi N.M., Al Nahedh Y.S.**
Smaller volume of anterior cruciate ligament increases the risk of anterior cruciate ligament injury: a MRI based case-control study (SS 1910), B-1207
- Mahajan P.S., Chandra P., Ahamad N., Hussein S.A.**
Effects of extremity positioning on femoral tunnel localisation after anatomic single bundle anterior cruciate ligament reconstruction - evaluation by digitally reconstructed radiographs (SS 1910), B-1214
- Maher M.M.**
Imaging the postoperative patient: A. What the surgeon does: surgical procedures and normal postoperative anatomy (E³ 1322), A-489
- Mahesh M.**
Principles of imaging and radiation protection: C. Radiation protection (E³ 1923), A-746
- Mahlke C., Kühn J., Mensel B., Glitsch A., Schreiber A., Hosten N., Grisk O.**
In vitro effectiveness of vasodilators used in intra-arterial infusion therapy of non-occlusive mesenteric ischemia (SS 1809), B-1130
- Mahmoud M., Christensen A.F., Havsteen I., Christensen H.**
Clinical predictors of diffusion-weighted MR-imaging (DWI) abnormalities in transient ischaemic attack (TIA) (SS 1411), B-0958
- Maier A.**
From my workstation: difficult cases on review: Chairman's introduction (RC 1601), A-615
- Maier J., Floyd A.**
Redefining the mesenteric swirl sign (MSS) in the diagnosis of internal herniation (IH) after Roux-Y gastric bypass (RYGBP) (SS 301b), B-0258
- Malamateniou C.**
MRI from the cradle to the future: B. Functional MRI: new clinical applications (RC 1614), A-661
- Malekzadeh S., Christodoulou M., Christoforidis T., Soubeyran V., Constantin C., Kamel M.**
Incidentally detected lymphangiomyomatosis like lesions in male patients on thoracic MDCT (SS 1804), B-1114
- Malich A.**
Role of DWI at prostatic lesions at 3T-MRI in the discrimination of grading: correlation of imaging, quantitative analysis and pathology at 189 MR-guided prostate biopsies (SS 607a), B-0553
- Malich A.**
MR-guided prostatic biopsy at 3T: the role of PI-RADS-score: a histopathologic-radiologic correlation (SS 1416), B-0969
- Malich A.**
Is PI-RADS-score more accurate versus DWI+T2w at 3T MRI of the prostatic gland: analysis according to 189 MR-guided prostate biopsies (SS 1905), B-1194
- Malik A.B., Musch M., Waltering K.U., Hohenhorst J.L., Kröpl D., Koch J.A.**
Multiparametric MRI (mpMRI) significantly predicts anterior prostate carcinoma (APC) in patients with prior negative biopsy (SS 307), B-0349
- Malikova M., Tkacz J.N., Slanetz P.J., Aakil A., Guo C., Jara H.**
Evaluation of T1/T2 ratios in a pilot study as a potential biomarker of biopsy - proven benign and malignant breast lesions in correlation with histopathological disease stage (SS 1002), B-0761
- Malkowski B., Chmielowska E., Srutek E., Szlezak P., Gorycki T., Gwozdziwicz K., Czarnowska-Cubala M., Szymanska-Dubowik A., Studniarek M.**
18F-FLT PET in the assessment of chemotherapy in locally advanced breast cancer: a new approach (SS 316), B-0306
- Maller V.V., Afzal M.O., Shankar S.**
Computed tomography as a diagnostic tool for disseminated histoplasmosis (SS 1401), B-0973
- Maly Sundgren P.C.**
Imaging findings in treated brain tumours: C. Treated brain tumours: progression or pseudoprogression? (RC 411), A-084
- Maly Sundgren P.C.**
Acute pain: your friend and enemy in emergency radiology: A. Head (RC 917), A-366
- Maly Sundgren P.C.**
Imaging the head and skull base: C. Imaging of the orbit: the globe and the lacrimal gland (RC 1712), A-687
- Manabe T., Yoshida H., Yoshida M., Kato T., Ishikawa M., Ikeda S., Arai Y.**
Utility of MRI findings in differentiation of type I and type II endometrial cancer: comparison of MRI and endometrial biopsy (SS 207), B-0139
- Manfredi R.**
Diagnosis and early detection of pancreatic cancer: current and future perspectives (SY 14)
- Manfredi R.**
Pitfalls in interpretation in pancreatic imaging: A. Pancreatic cancer or pancreatitis (RC 101), A-004
- Manfredi R.**
Pancreatic lesions - the solid, the cystic, and the diffuse: benign or malignant?: The solid pancreatic lesion (SF 4), A-074
- Manfredi R.**
Personalised medicine in radiology: Chairman's introduction (PC 9), A-322
- Mangold S., Varga-Szemes A., De Cecco C.N., Muscogiuri G., Cannò P.M., Wichmann J.L., Suranyi P., Rehwald W.G., Schoepf U.J.**
Accuracy and reproducibility of native myocardial T1 mapping using 9, 10, and 11 heartbeat MOLLI acquisition schemes (SS 203a), B-0051
- Mangold S., Renker M., Baumann S., Wang R., Meinel F.G., Wichmann J.L., Bayer R.R., Steinberg D.H., Schoepf U.J.**
Evaluation of diagnostic value of a novel non-invasive coronary computed tomography angiography algorithm versus standard coronary angiography for assessing fractional flow reserve (SS 703), B-0752
- Manka R.**
Quantification of myocardial perfusion: which test is the best (PET, MRI, MDCT)? : C. Analysis of myocardial perfusion using MRI (RC 403), A-116
- Manka R.**
Cardiac MR imaging: C. 4D MR perfusion imaging of the myocardium (E³ 1226c), A-472
- Mann P., Heuber T., de las Heras Gala H., Kachelrieß M., Bachert P.**
An MR-PET-CT phantom for quality assurance, research and development (SS 213), B-0103
- Mann R.M.**
Future trends in breast MRI: TWIST-VIBE for breast cancer staging in 2 min (SY 1)
- Mann R.M.**
The complexity of personalised breast care: Personalised treatment decisions: how to reason using multi-modal, multi-disciplinary data (EIBIR 1), A-227
- Mann R.M.**
Breast: C. Advanced imaging of the female breast (E³ 1623), A-633
- Manoliu A., Spinner G., Wyss M., Erni S., Ettlin D., Nanz D., Ulbrich E.J., Gallo L.M., Andreisek G.**
Comparison of a 32-channel head coil and a 2-channel surface coil for MR imaging of the temporomandibular joint at 3.0 Tesla (SS 308), B-0373
- Manoliu A., Spinner G., Wyss M., Erni S., Ettlin D., Nanz D., Ulbrich E.J., Gallo L.M., Andreisek G.**
MR imaging of the temporomandibular joint at 7.0 Tesla: a feasibility study using novel high-permittivity dielectric pads (SS 308), B-0374
- Manoliu A., Spinner G., Wyss M., Erni S., Ettlin D., Nanz D., Ulbrich E.J., Gallo L.M., Andreisek G.**
Comparison of optimised high-resolution MR imaging of the temporomandibular joint at 1.5T and 3.0T using an optimised high-resolution protocol (SS 1810), B-1070
- Mao Y., Lv F., Wang Z.**
Role of diffusion-weighted imaging and apparent diffusion coefficient in prediction of metastatic regional lymph nodes in gastric cancer: comparison with morphological criteria (SS 301b), B-0254
- Marano R.**
Highlighted Lectures: Ischemic cardiomyopathy - coronary arteries and myocardium: two sides of the same coin? (TF 1), A-542
- Marano R.**
Cardiac CT: from stenosis assessment to risk stratification: A. CT for risk stratification (E³ 1721), A-669
- Marcelin C., Lebras Y., Grenier N., Lasserre A.**
Treatment by embolisation of type 1 endoleak after EVAR (SS 1909b), B-1289
- Marcon M., Bertani V., Clauser P., Linda A., Zuiani C., Bazzocchi M.**
Potential role of Dixon sequences on predicting metastatic axillary lymph nodes in patients with breast cancer: preliminary results (SS 202b), B-0116
- Maresky H.S., Sharfman Z., Gottlieb P., Tal S.**
Volumetric quantification of cervical adiposity: a novel anthropometric tool (SS 308), B-0377
- Mariani S., La Marra A., Arrigoni F., Gregori L.M., Patriarca L., Barile A., Masciocchi C.**
Biceps pulley and rotator interval of the shoulder in athletes: MR-arthrography dynamic evaluation (SS 610a), B-0487
- Mariani S., La Marra A., Arrigoni F., Gregori L.M., Patriarca L., Barile A., Masciocchi C.**
Role of the weight-bearing MRI in the evaluation of traumatic and overload pathologies of the midtalar and subtalar joints (SS 610b), B-0573
- Mariani S., Arrigoni F., La Marra A., Gregori L.M., Barile A., Masciocchi C.**
Lateral patellar tilt: the best measurement to unmask patellar maltracking with weight-bearing MRI (SS 1910), B-1208

Authors' Index

- Mariani S., Arrigoni F., La Marra A., Gregori L.M., Barile A., Masciocchi C.**
Postero-lateral instability of the knee in young patients: association between postero-lateral corner involvement and anterior cruciate ligament injury and the role of the weight-bearing MRI (SS 1910), B-1211
- Mariscotti G., Durando M., Sardo E., Regini E., Campanino P., Donato G., Bogetti C., Fonio P., Gandini G.**
Evaluation with digital breast tomosynthesis of the pathological response to neoadjuvant chemotherapy in locally advanced breast cancer (SS 202a), B-0022
- Markiet K., Mikaszewski B., Smugala A., Stodulski D., Kowalska B., Stankiewicz C., Szrowska E.**
Diffusion-weighted imaging (DWI) and dynamic contrast-enhanced MRI (DCE-MRI) in common parotid gland tumours with reference to histopathologic examination (SS 208), B-0154
- Maroldi R.**
Head and neck imaging: don't sell your ultrasound yet!: C. Lymph nodes: differential diagnosis and fine-needle aspiration (RC 808), A-278
- Maroldi R.**
Cone-beam vs multi-detector CT in head and neck imaging: C. What can be missed on cone-beam CT: pitfalls and challenges (E³ 1626a), A-645
- Marra P., Esposito A., Dugnani E., Canu T., Pasquale V., Liberati D., Piemonti L., De Cobelli F., Del Maschio A.**
Magnetic resonance imaging (MRI) to detect early pancreatic alterations and monitor volume variations of abdominal fat stores in a transgenic mouse model of pancreatic adenocarcinoma, during disease development (SS 1901a), B-1172
- Marshall N., Hofmans M., Smet M., Pauwels H., Bosmans H.**
Improved imaging performance with Cs-halide needle phosphor based detectors over powder phosphor CR detectors: application in neonatal imaging (SS 1813), B-1102
- Marten-Engelke K.**
Occupational lung diseases: the known and the less known: A. Silicosis and coal workers' pneumoconiosis (RC 1304), A-519
- Martens M.H., Lambregts D.M., Papanikolaou N., Alefantinou S., Maas M., Manikis G.C., Marias K., Beets G.L., Beets-Tan R.G.H.**
Magnetisation transfer (MT) Imaging as a tool to quantify post-chemoradiation fibrosis in rectal cancer: does it help in the assessment of tumour response? (SS 1001), B-0832
- Martí-Bonmatí L.**
Case-Based Diagnosis Training - Part I: Liver (CBDT 1)
- Martí-Bonmatí L.**
Dose-tracking leads the way to dose-reduction: Developing a multi-disciplinary team in dose management (CT example) (EuroSafe 3), A-583
- Martí-Bonmatí L.**
Liver steatosis and fibrosis: Keynote lecture (SS 701a), K-15
- Martínez-Miravete P., Millor Muruzábal M., García-Barquín P., Elizalde A., Pina L., Etxano J., Bartolomé P.**
Does the synthesised digital mammography (3D-DM) change the ACR density pattern? (SS 302a), B-0211
- Martínez-Miravete P., García Barquín P., Millor M., Etxano J., Elizalde A., Pina L., Zalazar R.**
Is synthesised Digital Mammography (3D-DM) superior to conventional Digital Mammography (2D-DM)? A retrospective study of 210 patients (SS 1402), B-0923
- Martini K., Higashigaito K., Barth B.K., Baumüller S., Frauenfelder T.**
Ultralow-dose CT with tin-filtration for detection of solid and sub-solid pulmonary nodules: a phantom study (SS 604), B-0531
- Martins N., Nunes R.G., Ferreira H., Figueiredo J.P., Barroso L., Mineiro J.D.**
Impact of patient positioning during MRI of the Lumbar Spine in patients with stenosis: changes in lordosis and canal dimensions (SS 1410), B-0945
- Masarwah A.N.J., Sudah M., Sutela A., Oikari S., Tammi M., Vanninen R., Auvinen P.**
Low mammographic breast density and other mammographic characteristics are linked to Hyaluronan and HAS1-3 staining and survival in patients with early breast cancer (SS 302a), B-0210
- Massmann A., Fries P., Seidel R., Schneider G.K., Buecker A., Schäfers H.**
Re-expansion of thoraco-abdominal and infrarenal true lumen collapse by bare-metal stents in complicated acute aortic dissection type B (SS 1909b), B-1282
- Massmann A., Buecker A., Mosquera N.J.**
Sandwich-technique for hypogastric artery preservation by bilateral transfemoral access (SS 1909b), B-1284
- Mathers S., Paulo G.**
Radiography and evidence-based research: the way forward: A. The fundamentals of evidence-based research (RC 1314), A-523
- Matin T.N.H., Xu X., Doel T., Grau V., Rahman N., Nickol A., Gleeson F.V.**
Quantitative regional analysis of functional lung imaging in chronic obstructive pulmonary disease (COPD) (SS 1804), B-1111
- Matin T.N.H., Xu X., McGowan D.R., Doel T., Rahman N., Grau V., Nickol A., Gleeson F.V.**
Regional image-derived lung function and structure in chronic obstructive pulmonary disease (COPD) and non-small cell lung cancer (NSCLC) (SS 1804), B-1119
- Matos C.**
Pancreatic lesions - the solid, the cystic, and the diffuse: benign or malignant?: Chairman's introduction (SF 4), A-073
- Matos C.**
Pancreatic inflammation: B. Chronic pancreatitis and IPMN (RC 1301), A-487
- Matsubara K., Sakuda K., Kawashima H., Takata T., Ichikawa K., Koshida K., Gabata T.**
Attenuation values in virtual non-contrast dual-energy CT: effect of acquisition protocol, phantom size and contrast agent concentration (SS 213), B-0105
- Mattiuz C., Aliprandi A., Verardi N.**
Evaluation of rotator cuff tears by MR arthrography using the Snyder's arthroscopic classification and arthroscopy as reference standard (SS 610a), B-0488
- Mauri G., Cova L., Ierace T., Baroli A., Solbiati L.**
Laser and radiofrequency ablation in the treatment of benign thyroid nodules (SS 709b), B-0723
- Mauri G., Michelozzi C., Melchiorre F., Poretti D., Pedicini V., Paone G., Salvetti M., Criado E., Fages J., De Gregorio M., Monfardini L., Gimenez M.**
Treatment of benign biliary strictures with bioabsorbable biliary stent: preliminary results of a multicentric study (SS 1809), B-1124
- Maurovich-Horvat P., Drobni Z.D., Horvath T., Jermendy A.L., Karoly M., Kolossvary M., Tarnoki A.D., Voros S., Merkely B.**
Heritability of coronary calcification and plaque burden: a classical twin study (SS 1803), B-1062
- Mayo-Smith W.W.**
Lessons I learned from mistakes in kidney and adrenal imaging: C. Ablation mistakes in tumour percutaneous RFA (RC 807), A-282
- Mazonakis M., Stratakis J., Damilakis J.**
Accurate and reproducible splenic volume estimation in patients with splenomegaly from multidetector-row CT data using a quick stereological method (SS 305), B-0241
- Mc Fadden S.**
Enhancing patient safety culture in radiology: A. Patient safety culture: the importance of EU clinical audit guidelines (RC 914), A-345
- McCall I.**
Plain radiographs: analysis and interpretation: Plain radiographs: analysis and interpretation (E³ 24A), A-068
- McCall I.W.**
Spine: Keynote lecture (SS 1410), K-22
- McGrath C.**
MR: artefacts and devices: B. Imaging around metal implants: artefact reduction in MRI (RC 1613), A-628
- McGurk S., Lindell E., Broomfield D.**
Single radiograph of the pelvis for non traumatic hip pathology: what do we miss? (SS 312), B-0386
- McHugo J.**
Emergencies: C. Imaging of obstetric and puerperal emergencies (E³ 1020), A-392
- McKean D., Yoong P., Duffy S.W., Hujairi N.P., Mansour R., Teh J.**
Targeted ultrasound-guided hydrodilataion via the rotator interval for adhesive capsulitis (SS 210), B-0069
- McKnight L.**
FA(b)Q frequently asked (burning) questions - with answers: Questions about oral examination (EDIR), A-682
- McNulty J.**
Key issues in paediatric imaging: A. Communicating effectively with parents and carers (RC 1512), A-573
- McNulty J.**
Quality issues: Keynote lecture (SS 314), K-07
- McWilliams R.G.**
NSsFe study: determining the incidence of nephrogenic systemic fibrosis after administration of Dotarem in patients with renal impairment (SS 707), B-0712
- Mechl M.**
Knee: Keynote lecture (SS 1910), K-29
- Medvedeva B., Lukyanchenko A.**
Gd-EOB-DTPA-enhanced MRI: diagnostic application of the evaluation of the enhancement kinetic curve obtained with MRI of liver tumours (SS 601a), B-0432
- Meijer F.J.A., Fasen B.A.C.M., van Rumund A., Bloem B.R., Goraj B.**
Susceptibility weighted imaging improves the diagnostic accuracy of brain MRI in the work-up of parkinsonism (SS 211a), B-0085

Authors' Index

- Meinel F.G., Schoepf U.J., Geyer L.L., Khan A.M., Fernandes V.L., O'Brien T.X.**
Diagnostic yield and accuracy of coronary CT angiography after abnormal nuclear myocardial perfusion imaging (SS 703), B-0748
- Mekiš N., Zibert J., Zontar D.**
The effect of lead shielding in pelvis radiography (SS 1414), B-1022
- Melleiro C., Roca P., Chassoux F., Meder J., Oppenheim C.**
"Power button sign": a new typical MR imaging pattern of focal cortical dysplasia in the central region (SS 311a), B-0297
- Melo J.I.F., Chojniak R., Bitencourt A.G.V., Silva D.H.C., Oliveira J.J., Silva D.H.**
Estimates of glomerular filtration rate by cystatin C formula by Larson to assess renal function in outpatients undergoing injection of iodinated contrast for CT (SS 1807), B-1139
- Mendelson D.S., Carr C.D., Erickson B.J., Siegel E., Avrin D., Arenson R.**
The RSNA Image Share and the evolving IHE XDS-I environment (SS 1805), B-1036
- Mendelson R.M.**
Oesophageal and gastric cancer: B. How to provide the perfect staging report (E³ 1622), A-620
- Mensel B., Partecke L.I., Kühn J.-P., Keßler W., Patrzyk M.**
Treatment of perityphlitic abscess: comparison of interventional and surgical management (SS 701b), B-0744
- Menu Y.**
Gastrointestinal and abdominal: A. Hepatobiliary system (E³ 1423), A-546
- Menu Y., Jordan E.**
FA(b)Q frequently asked (burning) questions - with answers: Questions about registration (EDIR), A-679
- Menu Y., Iranzo V.**
FA(b)Q frequently asked (burning) questions - with answers: Questions about the future (EDIR), A-683
- Mercer C.E., Szczepura K., Kelly J., Millington S., Denton E., Borgen R., Hilton B., Hogg P.H.**
A six-year study of mammographic compression force: practitioner variability within and between screening sites (SS 1802), B-1026
- Merli I., Messina C., Petrini M., Secchi F., Sconfienza L.M., Sardanelli F.**
Magnetic resonance imaging versus chest radiography in the study of lung parenchyma: preliminary results (SS 1404), B-0990
- Mershina E.A., Sinitsyn V., Komarova M., Mershin K., Danilov N.**
Comparison of diagnostic performance of pulmonary MRA and CTA in patients with chronic thromboembolic pulmonary hypertension (SS 1004), B-0851
- Mershina E.A., Larina O., Sinitsyn V., Myasnikov R., Kharlap M., Kulikova O., Boytsov S.**
Isolated non-compactation of the left ventricle: correlation between clinical and genetic manifestations of the disease and cardiac MR parameters (SS 1003b), B-0901
- Mershina E.A.**
CT GSI and MRI in assessment of pulmonary perfusion in patients with chronic thromboembolic disease (SY 21)
- Metaxa L., Leong L., Duffy S.W., Suaris T.**
A preliminary retrospective study to determine early mammographic breast density reduction following treatment (SS 302a), B-0207
- Metens T.**
Principles of imaging and radiation protection: B. Principles of magnetic resonance imaging (E³ 1923), A-745
- Michoux N., Bollondi L., Depeursinge A., Geissbühler A., Fella L., Müller H., Leconte I.**
Predicting non-response to NAC in patients with breast cancer using 3D texture analysis (SS 1816), B-1088
- Miele V.**
'Special patients' in the emergency room: when and how to image them?: A. Children (RC 417), A-122
- Mildenberger P.**
What are the concrete benefits of structured reporting?: For the radiologist (PC 4b), A-078
- Mildenberger P.**
Harmonised approach for imaging in Europe: myth or reality?: Issues related to coding terminology and IT access (PC 12a), A-457
- Mildenberger P.**
MIR: best of professional issues in radiology: Overview of MIR activities and the benefits of attending MIR conferences (MIR 1), A-747
- Miller A.B.**
Breast cancer: to screen or not to screen?: B. Mammographic screening: cons (PS 827), A-241
- Millican-Slater R., Horgan K., McMahon M., Dodwell D., Dall B., Sharma N.**
What happens to the DCIS in HER 2 positive cancers treated with NACT and trastuzumab? (SS 202a), B-0014
- Milne H., England A.E.**
Does using a lower kVp offer a greater potential for fracture detection in hip radiography? (SS 214), B-0149
- Milos R., Bernathova M., Baltzer P.A.T., Pinker-Domenig K., Kapetas P., Rudas M., Helbich T.H.**
Can the breast lesion excision system (BLES) under stereotactic guidance be used as a therapeutic tool in the assessment of small areas of microcalcifications of the breast? (SS 602), B-0444
- Milosavljevic T., Ivkovic A.**
Usefulness of diffusion-weighted (DWI) magnetic resonance for distinguishing different types of thoracic wall sarcoma (SS 1404), B-0992
- Minutolo O., Ippolito D., Talei Franzesi C., Mumoli M., Bonaffini P.A., Sironi S.**
Diagnostic value of first-pass CT-perfusion study in the quantitative vascular assessment of primary and metastatic liver lesion: preliminary results (SS 316), B-0309
- Mirvis S.**
Chest emergencies: A. Thoracic injuries (MC 628), A-202
- Mirvis S., Schaefer-Prokop C.M.**
Chest emergencies: C. Interactive case discussion (MC 628), A-204
- Mitchell D.P., Rowan M., Crockett M., Ni Ainle F., Mac Mahon P.**
CTPA bolus timing techniques in pregnancy: an underappreciated contributor to breast radiation dose (SS 1913), B-1245
- Mitter C., Gruber G.M., Nemeč J., Brugger P.C., Kasprian G., Prayer D.**
Correlation of fetal MRI with postmortem imaging and histology in cases of thanatophoric dysplasia (SS 312), B-0379
- Mizandari M., Habib N., Mtvaradze A., Azumelashvili T.**
Percutaneous endoluminal RFA in biliary, Wirsung duct and PV inoperable malignant block recanalisation (SS 1809), B-1128
- Moerup S., Skov-Hansen D., Graumann O.**
Design of an ultra-low dose non-contrast kidney stone CT protocol with a radiation dose ≤ 1 mSv (SS 1014), B-0872
- Mohamed Hoessein F.A.A., Pompe E., Schmidt M., Vliegthart R., Van Rikxoort E.M., De Koning H.J., Lammers J.-W.J., De Jong P.A.**
Predictive value of CT-quantified emphysema and airway wall thickness on all-cause mortality in current and former smokers with and without COPD (SS 1804), B-1109
- Molinari F.**
HRCT - patterns in chest radiology: back to basics and beyond: B. Linear and reticular pattern (RC 404), A-099
- Momoniat H., England A.E.**
An investigation into the accuracy of computed radiography in detecting ferromagnetic intra-ocular foreign bodies (SS 1814), B-1146
- Monnier L., Dohan A., Amara N., Vandromme L., Zagdanski A., Hoeffel C.**
MR features of anoperineal involvement in hidradenitis suppurativa: comparison with Crohn's disease (SS 601b), B-0465
- Montet X.**
Whole-body imaging of systemic tumour spreading: Keynote lecture (SS 616), K-11
- Monti L., Salsano M., Soglia G., Colella Bisogno M., Simonetti A., Torre G., Rossi P., Bonomo L., Tomà P.**
Imaging approach in infantile cholelithiasis evaluation: utility and efficacy of US signs in biliary atresia (SS 1012), B-0889
- Moon S., Cho S., Shin K., Kim H., Kim G., Jang Y., Ryeom H.**
A novel T3 subgroup system based on MRI for stratifying T3 rectal cancer into favorable and unfavorable subgroups (SS 1916), B-1231
- Morales Vargas A.M., Garzón Moll G., Martí de Gracia M.**
Long-term results after EVAR: aorto-moniliac configuration increases the risk of complications and aneurysm-related death (SS 215), B-0061
- Morel J., Wasan R., Iqbal A., Evans D.R., Peacock C., Rahim R., Goligher J., Satchithananda K., Michell M.J.**
Can digital breast tomosynthesis predict the benignity or malignancy of circumscribed masses? (SS 1402), B-0924
- Mori T., Iwata T., Tanno Y., Kasakura S., Aoyagi Y., Yoshioka K.**
Simple CBF grading based on MR perfusion to anticipate long-term clinical outcome in severe stroke patients due to the carotid artery occlusion (SS 217), B-0184
- Morozov S.**
MIR: best of professional issues in radiology: Update on social media in radiology (MIR 1), A-751
- Morsbach F., Gordic S., Niemann M., Alkadhi H., Goetti R., Manka R.**
Late gadolinium enhancement in MRI for cardiomyopathies: a quantitative comparison of 2D and 3D acquisition (SS 1003b), B-0896
- Moschetta M., Telegrafo M., Pignatelli A., Stabile Ianora A., Angelelli G.**
The CT "capsular sign": a specific finding of acute adrenal ischemia (SS 217), B-0189

Authors' Index

- Moschetta M., Telegrafo M., Tricarico E., Rella L., Stabile Ianora A., Angelelli G.**
Role of unenhanced breast MRI for detecting and differentiating breast lesions (SS 702), B-0622
- Mostbeck G.**
Technical advances in liver and pancreatic imaging: A. CEUS and elastography (RC 901), A-305
- Mraity H.A.A.B., England A.E., Dominguez A.D., Hogg P.H.**
Development and validation of a psychometric scale for the visual assessment of AP pelvis image quality (SS 214), B-0141
- Mueller J., Stojkovic M., Rosenberger K.D., Berger A.K., Schlett C.L., Junghans T., Kauczor H.-U., Weber T.F.**
Discrimination of Hepatic Alveolar Echinococcosis from Intrahepatic Cholangiocarcinoma using CT and MR Imaging (SS 601a), B-0424
- Mueller-Lisse U.G., Tufman A., Zimmermann H.A., Reiners C., Borgmeier A., Gamarra F., Reu S., Reiser M.F., Huber R.M.**
CT of the lung: distinct features of NSCLC harbouring the EML4-ALK translocation (SS 216), B-0095
- Mueller-Lisse U.G., Probst F.A., Probst M., Kaltsi E., Otto S., Schiel S., Troeltzsch M., Ehrenfeld M., Cornelius P.C.**
Does MRI help to distinguish between odontogenic cysts and keratocystic odontogenic tumours? (SS 308), B-0378
- Mulimani N.M., Khandelwal N., Ssingh P., Gupta V., Ghoshal S., Mittal B.R.**
Detection of locoregional tumour recurrence in post treatment head and neck malignancies: a comparative evaluation of dynamic perfusion CT with F-18 FDG PET/CT (SS 608), B-0574
- Müller-Forell W.S.**
The orbit: you can't see what you haven't learnt: C. Benign and malignant neoplastic tumours (RC 408), A-103
- Müller-Schimpfle M.**
Breast: B. Breast cancer diagnosis and interventions (E³ 1623), A-632
- Müller-Schimpfle M.**
Advances in imaging metastatic disease: Keynote lecture (SS 1016), K-18
- Müller-Wille R., Borgmann T., Stroszczyński C., Dornia C.**
Dual-energy computed tomography (DECT): hard plaque imaging for endoleak detection (SS 215), B-0060
- Mumoli M., Ippolito D., Talei Franzesi C., Minutolo O., Bonaffini P.A., Sironi S.**
Added value of diffusion-weighted MRI for early detection of tumour response to preoperative chemoradiation therapy, in locally advanced rectal cancer: correlation with histopathologic analysis (SS 1001), B-0835
- Murphy D.**
IT tools for dose tracking and workflow optimisation: C. Optimising technique using patient dose tracking software - tips and tricks (RC 1313), A-499
- Murphy J., James K., Nicholson P., Duddy L., Marshall N., Ryan M.F., Barry J.**
Factors influencing the accuracy of magnetic resonance imaging in the assessment of disease response following neoadjuvant chemotherapy in early and locally advanced breast cancer (SS 202a), B-0020
- Murphy R., Rainford L.A., Herlihy T., Grehan J., Lotter M.**
An investigation into preliminary clinical evaluation in an Irish x-ray departmental setting (SS 1814), B-1149
- Muscogiuri G., De Cecco C.N., McQuiston A., Meinel F.G., Wichmann J.L., Varga-Szemes A., Cannaò P.M., Schoepf U.J.**
Approaches to ultra-low radiation dose coronary artery calcium scoring using 3rd generation dual-source CT: a phantom study (SS 303a), B-0265
- Muto M., Guarnieri G.**
Screening for cerebral aneurysms: A. Who are the patients that I should screen for aneurysms? Why should I screen? What are the medicolegal ramifications? (RC 1711), A-718
- Mytsyk Y., Borys Y., Dutka I., Komnatska I., Datz I., Shatynska-Mytsyk I.**
DWI of the renal cell carcinoma: applicability and limitations of the apparent diffusion coefficient in differential diagnostics of the malignant renal lesions (SS 716), B-0660
-
- N**
-
- Na D., Hong S., Kang C., Kim B., Ahn K., Lee S., Jang Y.**
DECT evaluation of acute bone marrow contusion in the spine with MRI correlation (SS 310), B-0288
- Na D., Hong S., Kang C., Kim B., Ahn K., Lee S.**
Comparison of 3T MR elastography and shear wave US elastography measuring normal skeletal muscle stiffness: a pilot study (SS 610a), B-0497
- Nadriljanski M., Maksimovic R., Plesinac-Karapandzic V., Nikitovic M., Milosevic Z.**
Before the tumour shrinks: apparent diffusion coefficient in early assessment of breast cancer response to neoadjuvant chemotherapy (SS 202a), B-0016
- Nagel S.N., Löschmann Y., Schwartz S., Hamm B., Elgeti T.**
Pulmonary MRI at 3T in immunocompromised patients with invasive fungal infections (SS 1904), B-1250
- Naguib N.N.N., Dana B., Nour-Eldin N.A., Albrecht M., Gruber-Rouh T., Jacobi V., Vogl T.J.**
Intensive care patients with elevated laboratory inflammatory parameters: indications to perform a CT examination of the head, chest and abdomen to search for the focus of infection (SS 217), B-0186
- Nam I., Kim S., Kim S., Lim Y.**
Added value of diffusion-weighted imaging for detecting acute pancreatitis in clinically suspected patients (SS 1901a), B-1173
- Nam J., Choi S., Shim S., Lee J., Bae K., Park J., Kwon W.**
Comparison of model-based iterative reconstruction with iDose⁴ and filtered back projection for the analysis of ground-glass opacity nodule in the chest phantom (SS 604), B-0532
- Nam J., Lee J., Jeong Y., Bang M., Shin S., Choi S.**
Significance of mesenteric volvulus in patients with bowel obstructive symptom and history of gastric surgery on multidetector CT (SS 1401), B-0977
- Napoli A., Brachetti G.**
The cutting-edge technologies in image-guided tumour therapy: B. HIFU: The magnetic resonance guidance (E³ 1219), A-435
- Navas Canete A.**
The hand and wrist: A. Patterns of injury (RC 1510), A-586
- Nawaz A., Elzeftawy H., Salama M., Mamoun I., Junaid I.**
Efficacy of bosentan, an endothelin receptor antagonist, in preventing contrast-induced nephropathy (SS 1807), B-1133
- Nekolla S.G.**
Hybrid cardiovascular imaging: where should we go?: A. PET/CT: present state and future prospects (RC 103), A-051
- Nekolla S.G.**
Indications for hybrid imaging in C. Cardiology (E³ 918), A-354
- Neuning K., Müller A., Prayer D., Langs G., Kasprjan G.**
The functional language connectome in frontal and temporal gliomas (SS 611), B-0502
- Nensa F., Poeppel T.D., Jensen C.J., Heusch P., Schlosser T., Nassenstein K.**
Integrated FDG PET/MRI in the assessment of cardiac tumours (SS 203a), B-0045
- Nerad E., Lahaye M.J., Maas M., Beets G.L., Nelemans P., Beets-Tan R.G.H.**
Diagnostic value of computed tomography for staging colon cancer: a meta-analysis (SS 701b), B-0737
- Neri E.**
Mobile IT in radiology: Chairman's introduction (RC 105), A-015
- Neri E.**
MIR: best of professional issues in radiology: Update on imaging biobanks (MIR 1), A-749
- Neriman D., Ganeshan B., Groves A.**
Multi-parametric PET-CT correlates with hypoxia, angiogenesis and ALK expression in non-small cell lung cancer (SS 216), B-0093
- Nestle U.**
Advanced hybrid imaging in oncology: C. Modern planning of radiation treatment (E³ 1618), A-668
- Nicholson A.**
Fleischner guidelines for nodules: theory and practice: The 2011 classification of adenocarcinomas: rationale and implications for nodule management (SA 12), A-449
- Niehues S.M., Schaafs L., Hamm B.**
Reducing the dose of CT of paranasal sinuses: possibilities using an interactive reconstruction algorithm (SS 708), B-0728
- Niehues S.M., Haas M., Vahldiek J., Erb-Eigner K., Hamm B.**
Reducing the dose in CT-fluoroscopy-guided epidural/perineural injections-how low remains safe? (SS 609), B-0543
- Nielsen K., Løgager V., Rezanavaz-Gheshlagh B., Munkholm P., Thomsen H.S.**
Is plain MRI feasible to evaluate inflammation and bowel damage in IBD? A prospective comparison with conventional MR enterography (SS 601b), B-0461
- Niessen W.J.**
What's new in biomedical imaging research: an update of EIBIR activities: EIBIR Joint Initiative: Biomedical Image Analysis Platform (EIBIR 2), A-383
- Niessen W.J.**
Methods for image interpretation and reporting (SS 1905), KN-28

Authors' Index

Nieselstein R.A.J.

Key issues in paediatric imaging: Chairman's introduction (RC 1512), A-572

Nilsson A.

Basic principles of percutaneous tumour ablation: D. Irreversible electroporation: principles, technique and clinical applications (RC 409), A-121

Nilsson A.

The cutting-edge technologies in image-guided tumour therapy: C. Update on irreversible electroporation (E³ 1219), A-436

Niola R., Giurazza F., Silvestre M., Nasti G., Di Pasquale M., Maglione F.

Pre-delivery uterine arteries embolisation preventing peri-post-partum haemorrhage (PPH) in placenta implant anomalies (SS 1909a), B-1267

Nitrosi A., Bertolini M., Corazza A., Campari C., Pattacini P., Tondelli G., Ginocchi V., Ghidri L., Iori M.

2D mammography dose vs digital breast tomosynthesis: comparison on a large dataset (SS 1402), B-0918

Nitrosi A., Bertolini M., Corazza A., Sghedoni R., Campari C., Pattacini P., Mori C., Notari P., Iori M.

RIS-integrated dose monitoring systems: dose quality ratio optimisation by iterative acquisition settings standardisation. First results for a large breast screening programme (SS 1813), B-1103

Noebauer-Huhmann I.

The ankle and foot: C. Tumours and tumour-like lesions (RC 810), A-258

Notohamidprodjo M.

Lessons I learned from mistakes in kidney and adrenal imaging: B. PET/CT in nephrourology (RC 807), A-281

Ntoulia A., LeCompte L., Adeb M., Khrichenko D., Lambert S., Casale P., Darge K.

The role of functional MR urography (fMRU) in the evaluation of unilateral hydronephrosis in children (SS 1012), B-0894

Ntziachristos V.

Optical molecular imaging: a new dimension for radiology: The kiss of light and sound - optoacoustics (NH 15), A-592

Nunez D.

General principles: paediatric and ENT emergencies: C. Imaging in ENT emergencies (MC 828), A-299

Nusman C.M., Lavini C., Hemke R., Caan M.W.A., Schonenberg D., Dolman K.M., van den Berg J.M., Kuijpers T.W., Maas M.

Dynamic contrast-enhanced MRI of the wrist in patients with juvenile idiopathic arthritis: a feasibility study (SS 312), B-0385

Nyberg L.

Advanced hybrid imaging of brain: A. Memory decline (E³ 1518), A-610

O

O'Hora L.R.

CT dose optimisation software synergy: a clinical perspective (SS 1014), B-0873

Oberhofer N., Ikejima L., Chen Y., Lo J., Samei E.

A new anthropomorphic, physical phantom for DBT performance evaluation (SS 1813), B-1099

Oca Pernas R., Delgado C., Trinidad C., Mera D., Bustos A., Vázquez M.

Quantitative myocardial perfusion with dual-energy CT: iodine concentration differences between normal and ischemic myocardium (SS 1003a), B-0796

Oechtering T.H., Haegle J., Hunold P., Schmidtke C., Sievers H., Barkhausen J., Frydrychowicz A.

Aortic haemodynamics after valve-sparing aortic root replacement with a physiologically shaped sinus prosthesis analysed by 4D Flow MRI (SS 315), B-0276

Oei E.H.G.

Imaging biomarkers in degenerative joint disease: Proteoglycan-specific quantitative imaging in osteoarthritis and cartilage repair - part 1 (SF 16), A-648

Ohno Y., Seki S., Koyama H., Kassai Y., Yui M., Yoshikawa T., Matsumoto S., Sugimura K.

Comparison of diagnostic capability for N-stage in non-small cell lung cancer patients with DWI using EPI sequence at 3T and FDG-PET/CT (SS 704), B-0686

Ohno Y., Seki S., Koyama H., Yoshikawa T., Matsumoto S., Fujisawa Y., Sugihara N., Sugimura K.

Dynamic contrast-enhanced perfusion area-detector CT in non-small cell lung cancer patients with chemoradiotherapy: influence of mathematical model to early prediction of recurrence (SS 704), B-0689

Ohno Y., Yui M., Ouyang C., Miyazaki M., Seki S., Koyama H., Yoshikawa T., Matsumoto S., Sugimura K.

Chemical exchange saturation transfer imaging: preliminary experience for characterisation of thoracic nodule and mass based on MR-based molecular information (SS 1406), B-0937

Ohno Y., Seki S., Koyama H., Lu A., Yui M., Miyazaki M., Yoshikawa T., Matsumoto S., Sugimura K.

Pulmonary thin-section MRI with ultra-short TE: Comparison of capability for lung and mediastinal radiological finding assessments with thin-section MDCT in patients with various pulmonary diseases (SS 1404), B-0982

Okcu Ö.S., Can F., Bilgen I., Oktay A.

The value of BIRADS classification in pediatric population and radiologic management of lesions (SS 602), B-0434

Ong M.M., Buesing K.A., Reiter A., Schoenberg S.O., Haneder S.

Whole-body screening of mastocytosis: intraindividual comparison of whole-body MRI vs bone scintigraphy (SS 1010a), B-0801

Op de Beek B.J.

Technical advances in liver and pancreatic imaging: C. Liver-specific contrast agents (RC 901), A-307

Ording Müller L.-S.

Autoimmune disorders in children: A. The joints in juvenile idiopathic arthritis (RC 112), A-062

Orhan K., Oz U., Misirli M., Aksoy S., Rasmussen F.

Comparison of incidental findings between normal and obstructive sleep apnea patients using cone beam computed tomography scans (SS 708), B-0734

Orsi F.

The cutting-edge technologies in image-guided tumour therapy: A. HIFU: The ultrasound guidance (E³ 1219), A-434

Ortiz-Perez J.T.

Imaging of heart failure: A. Current ESC and AHA guidelines: how to choose imaging techniques in heart failure patients? (RC 803), A-290

Osborn A.G.

Nikola Tesla - Honorary Lecture: Brain tumour update 2015: what's new and why you should care (HL 3), A-556

Ostlere S.J.

Osteomyelitis vs gout: what are the pearls?: B. MRI features and their differential diagnosis (E³ 1726), A-696

Othman A., Brockmann C., Yang Z., Brockmann M.A., Wiesmann M., Kim J.
Impact of image denoising on image quality, quantitative parameters, and sensitivity of ultra-low-dose volume perfusion CT imaging (SS 311b), B-0421

Othman A., Brockmann C., Brockmann M.A., Yang Z., Kim J., Wiesmann M.

Effects of radiation dose reduction in volume perfusion CT imaging of acute ischaemic stroke (SS 1011), B-0819

Otonello C., Giardino A., Giuliani P., Messina C., Di Leo G., Sardanelli F.

Differences between supine and orthostatic positions in facet joint (FJ) fluid and spondylolisthesis at lumbar-spine MRI (SS 1410), B-0946

Oto A.

MRI in prostate cancer management: an evolving role (SY 14)

Oubel E., Beaumont H., Iannesi A.

Volume measurement by using super-resolution MRI: application to prostate volumetry (SS 305), B-0245

Oudelaar B.W., van der Valk S.B.A., Vochteloo A.J.H., Huis in t Veld R., Ooms E.M., Schepers-Bok R.

Prognostic factors in needle aspiration of calcific deposits (NACD) for calcific tendinitis of the rotator cuff (SS 210), B-0074

Owens C.

Chest imaging and dosimetry: Keynote lecture (SS 212), K-04

Oyen R.H.

Acute postoperative complications in the abdomen: from diagnosis to therapy: C. Genitourinary tract (E³ 1226b), A-480

Ozgen Mocan B.

Up-to-date imaging for hearing loss: New devices in the treatment of hearing loss (SF 1b), A-020

Özkul B., Yenihayat F., Yüksel N., Akça A., Arslan A.

Diagnostic performance of diffusion tensor imaging in visual pathways of primary open angle glaucoma patients (SS 1911), B-1218

Özsunar Y.

Imaging findings in treated brain tumours: B. Understanding radiation- and chemotherapy-induced changes after treatment of brain tumours (RC 411), A-083

P

Padhani A.R.

Whole body MRI: changing the management paradigm for metastatic bone disease (SY 2)

Padhani A.R.

Prostate: C. Staging of prostate cancer (E³ 720), A-233

Authors' Index

Padhani A.R.

Image-guided interventions of the prostate: Chairman's introduction: defining the target (NH 9), A-327

Padhani A.R.

The ABC and 123 of perfusion MRI: DSC, DCE and ASL explained: DCE-MRI in oncology - when is quantitative imaging essential? (ESR/ESMRMB), A-404

Padhani A.R.

Joint ESR-EAU prostate cancer session: Role of imaging in active surveillance (EM 2), A-420

Padrón M.

The forgotten joints: Chairman's introduction (SF 9b), A-340

Pagniez J., Legrand L., Faivre J., Khung S., Remy J., Remy-Jardin M.

Metal artifact reduction on chest CT examinations: comparison of the IMAR (iterative metallic artefact reduction) algorithm and monoenergetic approach (SS 304), B-0336

Paik N.

Radiation dose reduction in CT fluoroscopy-guided cervical transforaminal epidural steroid injection by minimizing preliminary planning step (SS 609), B-0542

Palkó A.

Radiologist: imager or doctor?: Is teleradiology a threat to radiology? (PC 4a), A-091

Palkó A.

Abdominal emergencies: A. Abdominal injuries (MC 528), A-191

Palkó A., Zagoria R.J.

Abdominal emergencies: C. Interactive case discussion (MC 528), A-193

Palmisano A., Esposito A., Colantoni C., De Cobelli F., Maccabelli G., Della Bella P., Del Maschio A.

Myocardial substrate of recurrent ventricular tachycardia: relationship between late-enhancement multidetector computed tomography (MDCT-LE) and electroanatomic mapping (SS 203b), B-0182

Palmisano A., Esposito A., Canu T., Lo Russo F., De Cobelli F., Del Maschio A.

Multiparametric MRI at 7 T for the non invasive assessment of acute ischemic and non-ischemic muscle damage (SS 1010a), B-0809

Pameijer F.A.

Pitfalls in interpretation of head and neck disease: A. Anatomical variants without clinical consequence (RC 508), A-172

Pan F., Deng J., Wang Y., Wang H., Cheng J., Wu W.

Gastrointestinal stromal tumour xenografts: therapeutic repose to treatment with imatinib assessed by intravoxel incoherent motion diffusion-weighted MR imaging with histopathological correlation (SS 1916), B-1238

Panagiotelis I.

The vision of GE of MRI in oncology (SY 9)

Pancot M., Girometti R., Signor M., Zuiani C., Fongione S., Massimo B.

Agreement between the Roach III equations (RE) and multiparametric 3.0T MRI in assessing the T stage of prostate cancer before external beam radiotherapy (EBR) (SS 307), B-0350

Pancot M., Girometti R., Zuiani C., Bazzocchi M.

Anatomic variability of the colon: a study with CT-colonography (SS 701b), B-0743

Pancrazi F., Scalise P., Mantarro A., Guidi E., Gambaccini D., Bertini M., Neri E., Bartolozzi C.

Accuracy of ultra-low-dose CTC with iterative reconstructions in the detection of intermediate and diminutive polyps (SS 701b), B-0741

Panebianco V., Vasselli F., Forte V., Manenti G., Simonetti G., Catalano C.

MR-guided biopsy for prostate cancer: the role of DWI at 3 Tesla in the decision making of index lesion (SS 607a), B-0561

Papadaki E., Demetriou S., Kavroulakis E., Papadopoulou S., Simos P., Karantanis A.

Cerebral perfusion disturbances in traumatic brain injury: direct and indirect effects on memory and psychoemotional outcome (SS 311a), B-0293

Papadopoulos D., Coppola F., Valerio D., Balacchi C., Zannoni L., Del Forno S., Seracchioli R., Golfieri R.

Transvaginal sonography vs uro-colon-CT in the diagnosis of deep infiltrating endometriosis of the anterior and posterior compartment (SS 607b), B-0587

Papadopoulou F., Ntoulia A., Darge K.

Contrast-enhanced voiding urosonography with a second-generation ultrasound contrast agent for diagnosis of vesicoureteric reflux in 1350 children: the experience of a single center (SS 1012), B-0895

Parizel P.M., De Belder F., Venstermans C., Van der Zijden T., Huyskens J., Van Goethem J., van den Hauwe L., Voormolen M.

Cerebrovascular disease: C. Cerebral perfusion studies in cerebrovascular disease: techniques, indications and applications (RC 511), A-177

Parizel P.M., De Bondt T., Geldof M., Deferme F.

Dose-tracking leads the way to dose-reduction: Chairman's introduction: dose-tracking leads to dose-reduction: why radiologists MUST get involved (EuroSafe 3), A-580

Park H.J., Han C.H.

Clinical correlation of a new and practical magnetic resonance grading system for cervical foraminal stenosis assessment (SS 310), B-0292

Park H.J.

Differential diagnosis of chronic total occlusive and subtotal occlusive disease of the lower extremity arteries using reverse attenuation gradient sign on CTA (SS 715), B-0634

Park H., Choi H., Gil B., Jang J., Jung S., Ahn K., Kim B.

Comparison of image quality and radiation dose: cerebral CT angiography (CTA) using 120 kVp vs 100 kVp protocols in patients with clipped aneurysm (SS 211b), B-0201

Park H., Lee J., Park S., Lee J., Jeong Y.

Iterative model reconstruction and hybrid iterative reconstruction techniques in liver CT for evaluation of hepatocellular carcinoma: comparison of image quality in the detection of hypervascular hepatocellular carcinoma (SS 713), B-0679

Park S., Kim C., Park J., Bae J., Park B.

Differentiation of primary fallopian tube cancer from epithelial ovarian cancer and salpingitis on 3-T PET/MRI (SS 207), B-0133

Park S., Kim S., Ahn H., Seo M., Yoo J., Choi J.

Comparison of clinical and sonographic characteristics for distinguishing follicular adenoma and carcinoma and the predictive factors of malignancy in thyroid follicular neoplasm (SS 1008), B-0880

Park Y., Lee C., Lee J., Choi J., Kim K., Park C.

Image quality of the hepatic arterial phase in gadoxetic acid-enhanced liver MRI: analysis of respiratory pattern and image quality (SS 201a), B-0007

Parlak S., Ozgen Mocan B., Yazici G., Dolgun Barak A.

The evaluation of residual bone marrow signal changes in nasopharyngeal carcinoma patients treated with radiation therapy (SS 608), B-0581

Parthipun A., Lamki S., Diamantopoulos A., Gupta Y., Katsanos K.

Acute thrombosis of Viabahn stents in the peripheral arteries: is the incidence much higher than initially anticipated? (SS 209), B-0124

Paschetta C., Buttari F., Gned D., Iudicello M., Skanjeti A., Veltri A., Podio V.

Translational imaging in diagnostic workup of neurodegenerative parkinsonian syndrome (SS 206), B-0030

Pasta A., Parisi C., Maggio S., Luca A.

New ECG-gated CTA technique coupled with computational flow analysis in ascending thoracic aortic aneurysm (SS 315), B-0277

Patak M.A.

Inflammatory bowel disease: A. Cross-sectional imaging protocols (E³ 1422), A-532

Patak M.A.

Acute postoperative complications in the abdomen: from diagnosis to therapy: A. Gastrointestinal tract (E³ 1226b), A-478

Patel U.

Stone disease: new concepts: B. The contribution of imaging in planning urinary stone therapy (RC 107), A-043

Pathak S.S.

Median arcuate ligament syndrome: accurate diagnosis by 64 slice MDCT mesenteric angiography (SS 215), B-0056

Patil A.A.

Low-kilovoltage and low-mAs MDCT chest examinations in adults: assessment in terms of feasibility, image quality and radiation dose (SS 1404), B-0985

Patre V., Dutt V., Netam S.B., Gahine R., Singh A., Nagaria T.

Ultrasound guided therapeutic aspiration of simple ovarian cysts with tetracycline sclerotherapy (SS 607b), B-0592

Patriarca L., Bruno F., Mancini A., Smaldone F., Di Cesare E., Masciocchi C.

Cardiac MRI in athletes can be a final step in the eligibility for competitive sport after suspicious ultrasonography or stress ECG? (SS 1803), B-1065

Paulo G.

EuroSafe imaging call for action: Role of radiographers in medical radiation protection in the context of EuroSafe imaging (EuroSafe 2), A-411

Pavel M.E.

Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: A. Tumour biology, pathogenesis and classification (RC 516), A-160

Pavlova O.Y., Serova N.S.

Pre- and postoperative head radiography and MSCT imaging in patients with zygomatico-orbital trauma (SS 708), B-0726

Authors' Index

Pawluś A., Inglot M., Hołownia D., Szymańska K., Kaczorowski K., Szymczak A., Gąsiorowski J., Inglot M., Zaleska-Dorobisz U.

Comparison of spleen stiffness in HCV-positive and healthy/non-HCV patients using Shear wave elastography (SWE): the pilot study (SS 301a), B-0227

Peck D.

IT tools for dose tracking and workflow optimisation: A. Digital Imaging and Communication in Medicine (DICOM) and Integrating the Healthcare Enterprise (IHE) standards (RC 1313), A-497

Pedersen E.M.

Advanced MRI and visualisation in oncology (SY 18)

Pedicelli A., Danieli L., Iacobucci M., Visconti E., D'Argento F., Colosimo C.

Preoperative embolisation of meningiomas: analysis of a single-centre experience (SS 609), B-0544

Pediconi F.

Breast: Chairman's introduction (E³ 1623), A-630

Peerlings J., Troost E.G.C., Nelemaans P.J., Hoffmann A.L., Beets-Tan R.G.H.

High diagnostic performance for MRI-based regional lymph node staging in NSCLC: results from a meta-analysis (SS 216), B-0091

Peeters R.

Good radiation and bad radiation? How to assess and communicate radiation risk to patients and referring physicians: C. Risk in MRI (RC 1213), A-431

Pekarovic D., Zdešar U.

CT from A to Z: A. Exploring and exploiting CT technology: back to the future (RC 1514), A-604

Pelage J.-P.

Uterine and prostate embolisation: A. Symptomatic uterine fibroids (E³ 926c), A-355

Peled N.

Lung cancer screening: why and how to implement a comprehensive preventive programme: Designing a screening programme (ESR/ERS), A-691

Pelgrim G., Das M., Haberland U., Van Tuijl S., Stijnen M., Klotz E., Oudkerk M., Wildberger J.E., Vliegenthart R.

Quantitative analysis of myocardial perfusion using a Langendorff pig heart model: concept and results (SS 1003a), B-0792

Pellegrin A., Gallo G., Caudal A., Foti P., Hauger O., Amoretti N.

Percutaneous vertebroplasty in malignant spinal fractures with posterior vertebral column and/or epidural involvement. Feasibility and results: a review of 63 cases (SS 309), B-0342

Pelliccia L., Carbone S., Mazzoni L., Volterrani L.

Texture analysis of R2 map in the assessment of renal function: is this a promising tool? (SS 313), B-0325

Pelotti P., Facchini G., Spinnato P., Filonzi G., Bazzocchi A., Moio A., Filonzi G., Albisinni U.

Diagnostic performance of real-time elastography in miscellaneous limb soft tissue masses (SS 1010a), B-0807

Peng M.

Two-stage implantation in thoracic endovascular aortic repair (SS 1909b), B-1281

Peperhove M.J., Hartung D., Tewes S., Jang M., Jüttner B., Lichthagen R., Warnecke G., Gueler F., Hueper K.

Arterial spin labeling and T1-mapping allow detection of acute kidney injury in patients after lung transplantation (SS 707), B-0709

Pereira F., Carvalho F., Malva M., Paulo G., Santos J.

The influence of isocenter gantry patient positioning for paediatric head CT examinations in eye lens dose, using in-plane vinyl bismuth and barium shielding (SS 1014), B-0865

Pereira P.L.

Basic principles of percutaneous tumour ablation: B. Microwave ablation: what is the difference? (RC 409), A-119

Pereira P.L.

Colorectal liver metastases: the emerging role of interventional radiologists in oncology: Chairman's introduction (E³ 919), A-318

Pereira R.M.S.C., Neves M.P.M.S., Coelho P.V., Fernandes R.M.P., Faustino M.F.

Iodinated porphyrins in contrast media agents: a new approach, first indicators (SS 314), B-0360

Perez-Fernandez C.M., Schmitzberger F., Amer H., Denecke T., Fallenberg E.M.

Detection of malignant and benign breast lesions in contrast-enhanced spectral mammography (CESM) compared to ultrasound (US): initial results (SS 602), B-0436

Perez-Rovira A., Kuo W., Petersen J., Tiddens H.A.W.M., de Bruijine M.

Automated quantification of bronchiectasis, airway wall thickening and lumen tapering in chest CT (SS 1804), B-1117

Perini A., Grimm J., Egger C., Bruguier C., Silingardi E., Grabherr S.

Evaluation of multi-phase post-mortem CT-angiography for the investigation of pulmonary embolism (SS 1004), B-0848

Perisinakis K., Stratakis J., Solomou G., Damilakis J.

Pregnant employee in the cardiac catheterisation lab: data for estimation of conceptus dose (SS 1913), B-1247

Perlepe V., Omoumi P., Larbi A., Putineanu D., Dubuc J., Schubert T., Vande Berg B.

A radiographic union score to assess healing in surgically treated long bone fractures: a feasibility study (SS 1010b), B-0916

Pershina E., Sinitsyn V., Mershina E.A.

Delayed dual-energy CT (DECT) and conventional cardiac CT angiography (CCTA) in detection of chronic myocardial scar tissue: do we need delayed acquisition? Comparison with MRI (SS 603a), B-0473

Persson A.

Multi-energy imaging: from physics to diagnosis I: New frontiers in CT: functional and multi-energy imaging (EF 1), A-351

Persson M., Bornefalk H., Grönberg F., Huber B., Karlsson S., Liu X., Sjölin M., Danielsson M.

Imaging blood vessel boundaries in photon counting spectral CT with the nonlinear partial volume effect (SS 713), B-0671

Pescada R., Sousa P., Abrantes A.F.C.L., Ribeiro L.P., Almeida R.P.P., Rodrigues S., Azevedo K.B., Pinheiro J.P.

Radioprotection in CT scans: use of bismuth, barium and lead shields (SS 1014), B-0869

Petersen S.

Imaging in population-based studies: Population-based cardiac imaging (PC 8b), A-253

Petrini M., Secchi F., Pluchinotta F.R., Carminati M., Chessa M., Sardanelli F.

Assessment of pulmonary insufficiency by cardiac magnetic resonance using regurgitation fraction or absolute value of reverse volume (SS 603b), B-0603

Pfirrmann C.W.A.

Internal derangement of joints: choosing the right test for the problem: MRI: when is it enough? (SF 1c), A-026

Pfirrmann C.W.A.

The forgotten joints: The symphysis pubis (SF 9b), A-342

Phan C.M.

Metabolic bone diseases: Metabolic bone disorders in patients with malabsorption (SF 17a), A-712

Phongkitkarun S., Tohmad U., Larbcharoensub N., Sumbunnonndha K., Sawangsilpa T., Sirachainan E.

DCE-MRI-derived parameters as predictors of response to neo-adjuvant chemoradiation treatment of rectal carcinoma (SS 1816), B-1093

Phuyal S.

Correlation of radiological findings and immunological parameters in patients with allergic bronchopulmonary aspergillosis (ABPA) based on high-attenuation mucus (HAM) impaction and mean CT density (SS 1804), B-1116

Pianyk O.

DICOM and DICOM security worldwide: adoption maps and country ratings (SS 1805), B-1035

Piccione V., Martincich L., Carabalona S., Eandi M., Osano S., Astegiano F., Regge D.

Are morphologic descriptors of MR BIRADS lexicon applicable to breast DWI? (SS 702), B-0620

Pierot L., Soize S., Benaissa A.

Screening for cerebral aneurysms: C. The interventional neuroradiology perspective on diagnosis, management and follow-up (RC 1711), A-720

Pijnappel R.M.

Rethinking ductal carcinoma in situ (DCIS): Image-guided interventions for DCIS (SA 5), A-154

Pijnappel R.M.

Cracking the mystery of needles and gauges: Cracking the mystery of needles and gauges (E³ 25B), A-209

Pijnappel R.M.

Breast imaging: improving the information to women: B. Breast density, interval cancers, and underdiagnosis (E³ 1626b), A-657

Pina Insausti L.J.

Value of digital breast tomosynthesis for preoperative local staging of breast cancer (SY 2)

Pinker-Domenig K., Andrzejewski P., Wadsak W., Sturdza A., Karanikas G., Poetter R., Helbich T.H., Georg D., Georg P.

Multiparametric 18F-Fluorodeoxyglucose/18F-Fluoromisonidazole PET/MRI of cervix cancer: a feasibility study (SS 207), B-0132

Pinker-Domenig K., Baltzer P.A.T., Bogner W., Leithner D., Trattig S., Zaric O., Dubsy P., Bago-Horvath Z., Helbich T.H.

Implementation of multiparametric MRI with high-resolution DCE and DWI MRI at 7T of breast tumours: a feasibility study (SS 1902a), B-1153

Authors' Index

Pinker-Domenig K., Andrzejewski P., Magometschnigg H., Helbich T.H., Georg D., Karanikas G., Wadsak W., Kapetas P., Baltzer P.A.T.

Intraindividual assessment of tumour neovascularity, microenvironment, glucose metabolism and hypoxia in breast cancer patients by multiparametric ¹⁸F-FDG/¹⁸F-FMISO PET/MRI at 3T: a feasibility study (SS 1902a), B-1158

Pinker-Domenig K.

Breast imaging: improving the information to women: C. Preoperative breast MRI (E³ 1626b), A-658

Pinto N.F., Abrantes A.F.C.L., Ribeiro L.P., Rodrigues S., Almeida R.P.P., Azevedo K.B., Tomás B., Pinheiro J.P.

Comparative study of diagnostic accuracy between CT colonography and optical colonoscopy (SS 1814), B-1145

Pinto dos Santos D., Klos G., Mildenerberger P.
IHE-compliant templates for structured reporting: first implementations (SS 1905), B-1186

Plasencia Martínez J., García Santos J.
Reproducibility of manual measurement of intima-media thickness at distal common carotid artery under a strict measurement protocol by carotid ultrasound in 242 subjects (SS 615), B-0482

Platzek I., Beuthien-Baumann B., Zoepfel K., Brauer T., Maus J., Ordemann R., Laniado M., Kotzerke J., van den Hoff J.

Diffusion-weighted MR at 3T for therapy response assessment in Hodgkin's lymphoma: comparison with FDG PET (SS 616), B-0513

Polanec S., Pinker-Domenig K., Helbich T.H., Brader P., Susani M., Georg D., Baltzer P.A.T.
Diagnostic performance of the ESUR PIRADS scoring system for multiparametric MRI of the prostate: systematic comparison of four parameters vs three parameters for detection and grading of prostate cancer (SS 307), B-0352

Pompe E., van Rikxoort E.M., Gallardo Estrella L., Oudkerk M., de Koning H.J., Lammers J.-W.J., van Ginneken B., de Jong P.A., Mohamed Hoessein F.A.A.

Parametric response mapping in lung cancer screening subjects with and without COPD (SS 704), B-0683

Pomschar A., Weiß J., Neumaier K., Li M., Flatz W., Ertl-Wagner B., Peller M., Reiser M.F., Notohamprodo M.

Direct and indirect organ dose distribution measurements in fluoroscopic swallow examinations with a modern flat detector system and dose reduction techniques -a phantom study (SS 708), B-0732

Poorteman L., Saint-Lèbes B., Heye S., Houthoofd S., Rousseau H., Maleux G.
Type III endoleak after endovascular aortic repair: incidence, etiology and management (SS 215), B-0058

Porelli S., Giannotta M., Leone M.B., Cefarelli M., Martin Suarez S., Galié N., Zompatori M.

Angio-CT in the evaluation of patients with chronic thromboembolic pulmonary hypertension undergoing pulmonary endarterectomy: radiological and hemodynamic assessment (SS 1004), B-0850

Portelli J.

Key issues in paediatric imaging: B. Paediatric imaging: when less is more (RC 1512), A-574

Posa A., Iezzi R., Antonuccio E., Santoro M., Snider F., Bonomo L.

The role of cutting balloon angioplasty for the treatment of short infrapopliteal bifurcation steno-obstructive disease (SS 209), B-0121

Posa A., Iezzi R., Nestola M., Contegiaco A., Citterio F., Bonomo L.

Dual-phase triple-split-pit protocol for pre-operative CT evaluation of laparoscopic donor kidney anatomy: a way for dose reduction (SS 1807), B-1136

Pozzi-Mucelli R.

Pitfalls in interpretation in pancreatic imaging: Chairman's introduction (RC 101), A-003

Prahladan A., Kalidos K., Koshy S., Krishnankutty Nair R.

Multiparametric MRI of prostate: can it serve as a screening tool for cancer detection? A tertiary care cancer hospital experience from South India (SS 1416), B-0962

Prayer D.

Case-Based Diagnosis Training - Part I: Neuro (CBDT 1)

Pricolo P., Alessi S., De Cobelli O., Renne G., Jereczek-Fossa B., Raimondi S., Summers P., Petralia G.

Added value of multiparametric MRI to clinical parameters for characterising prostate cancer: a histology validated study (SS 607a), B-0560

Prokop M.

Evaluation of patients with lung emphysema: A. Pretherapeutic evaluation of lung emphysema (E³ 1821), A-725

Prokop M.

Standardisation of scanning protocols and patient diversity: oil and water? (SY 8)

Prokop M.

Widening the scope of clinical CT applications (SY 20)

Prola Netto J., Hamilton B., Varallyay C., Neuwelt E.

Comparing gadolinium-based DSC perfusion MRI in malignant brain tumors with and without leakage correction (SS 711), B-0650

Pronin I.N.

Arterial Spin Labeling (ASL): new horizons in brain perfusion assessment (SY 21)

Prosch H.

Case-Based Diagnosis Training - Part II: Chest (CBDT 2)

Prosch H.

HRCT - patterns in chest radiology: back to basics and beyond: Chairman's introduction (RC 404), A-097

Prosch H.

Chest: B. Inflammation and tumours of the lung (E³ 1323), A-502

Protin-Catteau L., Thieffn G., Soyer P., Belkebir M., Deguelte S., Hoeffel C.

Mesenteric panniculitis: review of abdominal MDCT examinations with a matched-pair analysis (SS 301b), B-0259

Puech P.A.

Prostate imaging: how I do it: A. Detection and assessment of aggressiveness (RC 407), A-105

Puglielli E., Lattanzi R., Fuschi M., Di Mizio V., Di Egidio V.

Leptomeningeal score (LMs) on computed tomography angiography can predict clinical outcome in patients with acute ischaemic stroke (AIS) (SS 1011), B-0821

Puglielli E., Lattanzi R., Fuschi M., Di Mizio V., Di Egidio V.

Multicenter experience and outcomes of acute ischemic stroke (AIS) treated with the intra-arterial multimodal thrombectomy using CTP/CTA for patient selection (SS 1411), B-0951

Puglielli E., Lattanzi R., Fuschi M., Di Mizio V., Di Egidio V.

False penumbra on CT perfusion studies in acute ischaemic stroke (AIS) (SS 1411), B-0957

Pul C.V., Fonseca L., Lori N., Buijs J., Andriessen P., Vilanova A.

Automatic white matter tract segmentation in the neonatal brain (SS 612), B-0526

Pullens P., Verheyden J., van Hecke W., Maas A., Parizel P.M.

Development of a common MRI protocol for the collaborative European neuro trauma effectiveness research in TBI study (SS 311a), B-0294

Puscaddu C., Fele R., Sotgia B., Ballicu N., Melis L.

Combined microwave ablation and cementoplasty in patients with painful bone metastases at high risk of fracture (SS 309), B-0344

Puzakov K.B., Rubtsova N., Sidorov D., Mainovskaya O., Droshneva I.

The possibility of MR dynamic contrast enhancement to separate groups of potentially good and bad response after preoperative chemoradiotherapy in patients with rectal cancer (SS 1916), B-1234

Pyatigorskaya N., Coppola F., Regge D., Neri E.

French and Italian residents' expectations concerning teleradiology: a comparative study (SS 1805), B-1045

Pyfferoen L., Mulkens T.H., De Bondt T., Casselman J.W., Parizel P.M., Zanca F.

Comparing CT dose performance to regional and national benchmarks: multicenter experience in Belgium (SS 1913), B-1239

Q

Quaia E., Pontello M., Angileri R., Cova M.

The impact of Gadolinium-based contrast agent in the assessment of Crohn's disease activity: Is it contrast agent injection necessary? (SS 601b), B-0456

Quentin M., Schimmöller L., Blondin D., Dietzel F., Ullrich T., Arsov C., Rabenalt R., Albers P., Antoch G.

MR-guided in-bore biopsy: the gold standard of targeted prostate biopsy procedures? (SS 307), B-0351

Querques G., Ippolito D., Bonaffini P.A., Talei Franzesi C., Nasatti A., Sironi S.

Prognostic value of dynamic contrast-enhanced CT with perfusion imaging in assessing the response to anti-angiogenic therapy in patients with advanced hepatocellular carcinoma: preliminary results (SS 1816), B-1091

Quick H.H.

Hybrid cardiovascular imaging: where should we go?: C. MR/PET: do we really need it? (RC 103), A-053

Quick H.H.

Artefacts and pitfalls in tomography: C. MR/PET (RC 513), A-143

Qurashi A.A., Rainford L., Foley S.

Phantom study: the impact of obesity on abdominal CT radiation dose and image quality (SS 1014), B-0866

R

Radbruch A.

Assessment of high-grade glioma with RANO-criteria: can advanced MRI imaging techniques help? (SY 16)

Radgruber I., Mayerhoefer M.E., Aust S., Polterauer S., Weber M.-A., Polterauer S., Knogler T.

Prediction of 5-year survival with texture analysis in patients with ovarian cancer (SS 716), B-0669

Radmard A., Abrishami A., Rahmanian M., Kooraki S., Hashemi Taheri A., Gerami Seresht M., Poustchi H., Malekzadeh R., Merat S.

Semi-automated quantification of abdominal fat in non-alcoholic fatty liver disease: a non-invasive assessment in general population (SS 701a), B-0605

Ragab Y., Emad Y.

CT angiographic features of large and medium size arterial vasculopathy of the upper limbs in systemic sclerosis using 320 multidetector row scanners (SS 615), B-0477

Ragab Y., Edris M.

Clinical utility of pelvic magnetic resonance imaging (MRI) in patients with suspected ectopic pregnancy (SS 607b), B-0594

Ragab Y., Emad Y., Anbar A.

Prevalence of bone marrow oedema and its association with structural damage in patients with femoroacetabular impingement syndrome using MRI (SS 710), B-0640

Raghavan B., Sundaram D.

Role of ARFI in risk stratification of thyroid nodules by TIRADS (SS 1008), B-0877

Raimondi E., Bassi M., Pollastri V., Rizzati R., Giganti M., Benea G.

Comparison between MRI and water soluble contrast enema in evaluating complications after colorectal anastomosis and protective ileostomy in patient with rectal cancer (SS 1001), B-0838

Rainford L.A., Catania D., Pasquato M., Masterson L., McLaren C., Foley S.

A European collaborative research study investigating paediatric cardiac interventional radiation dose levels (SS 1414), B-1024

Raissaki M.

Advances in paediatric imaging: C. The abdomen (E³ 926a), A-360

Rampoldi A.

Basic principles of varicose vein diagnosis and endovascular treatment: B. Saphenous vein ablation (RC 415), A-112

Ranschaert E.R.

Mobile IT in radiology: C. Mobile teleradiology: radiological features of the tablet-computer (RC 105), A-018

Rasper M., Rudolph J., Gramer B.M., Maegerlein C., Reeps C., Lutz B., Eckstein H., Rummeny E.J., Huber A.

Assessment of wall shear stress in patients without aortic disease, with aortic aneurysms and with penetrating aortic ulcers using velocity encoding 4D MRI (SS 315), B-0278

Rathmann E., Langner I., Rebecca K., Langner S., Hosten N.

Diagnostic work-up of scapholunate dissociation: cine-MR imaging as a new approach (SS 1010b), B-0907

Ratib O.

Mobile IT in radiology: B. Reading DICOM images on the tablet (RC 105), A-017

Ratib O.

What are the concrete benefits of structured reporting?: The ESR/RSNA structured reporting initiative (PC 4b), A-081

Ratib O.

Imaging protocols for PET/CT and MR/PET: C. MR/PET imaging protocols (E³ 518), A-180

Raudner M., Stelzener D., Kronnerwetter C., Windhager R., Trattig S.

T2 mapping of the lumbar intervertebral disc at 3.0 Tesla: does the nucleus pulposus T2 relaxation time predict future low back pain? (SS 1410), B-0942

Ravaioli S., Sghedoni R., Nitrosi A., Iotti V., Coriani C., Vacondio R., Mori C., Ginocchi V., Pattacini P.

Contrast-enhanced spectral mammography in treatment monitoring: an initial comparison to breast MRI (SS 602), B-0437

Ravanelli M., Ngo Ikeng D., Rossi A., Berruti A., Maroldi R.

Tumour heterogeneity quantified by texture analysis on contrast-enhanced CT predicts prognosis in patients affected by colorectal cancer liver metastases treated with bevacizumab-containing chemotherapy (SS 1816), B-1089

Rebellato C., Gennaro G., Evangelista L., Bezzani E., Polico I., Pescarini L.

A new parameter to assess response to neoadjuvant chemotherapy by quantitative vascular mapping in patients with locally advanced breast cancer (SS 202a), B-0018

Rebonato A., Mosca S., Fischer M., Maietini D., Bellantonio L., Fusco C., D'Elia C., Crinò G., Scialpi M.

Endovascular management of massive post-partum hemorrhage in abnormal placental implantation deliveries (SS 1909a), B-1268

Reekers J.A.

Radiologist: imager or doctor?: Chairman's introduction (PC 4a), A-088

Reekers J.A.

Radiologist: imager or doctor?: Is subspecialisation the answer? (PC 4a), A-090

Reekers J.A.

Critical limb ischaemia (CLI): limb salvage or life salvage?: Chairman's introduction: critical limb ischaemia in daily practise (MS 8), A-243

Regge D.

Technology for supporting clinical research in radiology: PACS for research (SF 17c), A-723

Regge D., Senore C., Iussich G., Correale L., Hassan C., Montemezzi S., Segnan N.

Proteus trial: comparing neoplasia yield and attendance of sigmoidoscopy and CT colonography in a colorectal cancer screening setting (LBCT)

Regier M., Schmitt C., Seiwerth C., Behzadi C., Henes F.O., Kaul M., Adam G., Budaus L.

Intravoxel incoherent motion (IVIM) MRI for the interpretation of pelvic lymph nodes in prostate cancer: can we discriminate benign from malignant nodes? (SS 607a), B-0558

Regier M., Behzadi C., Henes F.O., Adam G., Catala-Lehnen P.

MRI of muscle strains of the thigh in professional soccer players: correlation of imaging findings with the duration of convalescence and presentation at return to play (SS 610b), B-0565

Regnaud A., Soubeyran V., Lang H., Christodoulou M., Constantin C., Kamel M.

Characterising adrenal 18F-FDG uptake in oncologic patients by dynamic MDCT in combined PET/CT scanner (SS 716), B-0661

Rehman I., Niazi I.K., Murtaza A.

Association of ultrasound features of invasive ductal mammary carcinoma with tumour grade and hormone receptor status (SS 302a), B-0213

Rehn J.

Photon counting technology: early detection and dose reduction for mammography and tomosynthesis (SY 25)

Reis C.S., Ndlovu J., Serrenho C., Akhtar I., de Haan S., Garcia J., de Linde D., Thorskog M., Franco L., Lança C., Hogg P.H.

Optimisation of radiography practice in paediatric computed radiography for full spine curvature measurements: a pilot phantom study (SS 214), B-0143

Reiser M.F.

Basic 3: Oncologic imaging: Musculoskeletal neoplasms (Basic 3), A-439

Reiter G., Reiter U., Kovacs G., Janig C., Olschewski H., Fuchsjaeger M.H.

Magnetic resonance imaging-based diagnosis of pulmonary hypertension: 4D flow versus standard functional indices (SS 303b), B-0399

Reiter U., Reiter G., Kovacs G., Adelsmayr G., Greiser A., Olschewski H., Fuchsjaeger M.H.

Left ventricular myocardial remodeling in pulmonary hypertension: a non-contrast magnetic resonance T1 mapping study (SS 203a), B-0052

Remedios D.

Enhancing patient safety culture in radiology: C. From medical imaging referral to final outcome: a critical analysis of the process (RC 914), A-347

Remp H., Schwenck J., Reischl G., Kemppaou K., La Fougère C., Pfannenbergl C.

68Ga-labelled PSMA- versus 11C-Choline PET/CT in the detection of recurrent prostate cancer (SS 206), B-0024

Rémy-Jardin M.

Comprehensive personalised imaging of cardiothoracic diseases: Early detection for cardiothoracic disease in smokers (NH 17), A-702

Reingier F., Delles M., Eichhorn J., Azad Y., von Tengg-Kobligh H., Unterhinninghofen R., Kauczor H.-U., Dillmann R., Ley S.

Intra- and interobserver agreement of noninvasive pressure difference measurements derived from 4D flow MRI in patients with repaired aortic coarctation and healthy volunteers (SS 303b), B-0398

Rengo M., Ciolina M., de Cecco C.N., Caruso D., Forina C., Marzi S., Laghi A.

Evaluation of rectal cancer response to therapy: role of MR tumour regression grade to predict pathological complete response (SS 1916), B-1233

Rennert J., Niessen C., Stroszczyński C., Jung E.M.

Colour-coded perfusion imaging with CEUS for evaluation of the post-interventional success following trans-arterial chemoembolisation (TACE) and ablative techniques of liver lesions: first results (SS 1901b), B-1203

Reussard J.

EuroSafe imaging call for action: New European approaches to medical low-dose research (EuroSafe 2), A-413

Resta E., Secchi F., Di Leo G., Carminati M., Sardanelli F.

Percutaneous pulmonary valve implantation (PPVI): four years follow-up by cardiac magnetic resonance (SS 603b), B-0604

Authors' Index

- Revel M.-P.**
Pulmonary arterial hypertension: B. CT in pulmonary artery hypertension (RC 1504), A-601
- Reznek R.H.**
Advances in imaging metastatic disease: Keynote lecture (SS 1016), K-18
- Richard S., Sajja S., Wang X., Vogelsang L., Paul N.S.**
Anatomical noise and impact on lung nodule conspicuity: comparing digital radiography, dual-energy x-ray, and digital angular tomosynthesis (SS 1813), B-1108
- Riddell A.M.**
Oesophageal and gastric cancer: C. Assessment after treatment (E³ 1622), A-621
- Ridder K.**
Requirements for digital reading in breast care: a report from the practice (SY 3)
- Ridereau-Zins C., Berthier E., Dube L., Nedelcu C., Aube C.**
Is whole-body CT accurate in management of brain-dead patients before organ harvesting? (SS 317), B-0410
- Riederer S., Weavers P.T.**
Improved receiver coil arrays for real-time contrast-enhanced MRA of the peripheral vasculature (SS 1813), B-1107
- Rimola J.**
Changes of the gastrointestinal tract after treatment: B. Non-tumoural intestinal diseases (E³ 121), A-002
- Rimola J.**
Inflammatory bowel disease: C. Colitis (E³ 1422), A-534
- Rimola J., Rodríguez S., Ordás I., Lopez A., Ricart E., Panes J.**
Comparison of the impact of MRI and colonoscopy on management of Crohn's disease (SS 601b), B-0458
- Rinne J.O.**
Advanced hybrid imaging of brain: B. Minimal cognitive impairment and dementia (E³ 1518), A-611
- Rio J.**
Looking into PET/CT: C. Safety in PET/CT (RC 1714), A-717
- Rio Tinto H.**
Uterine and prostate embolisation: B. Benign hypertrophy of the prostate (E³ 926c), A-356
- Robben S.G.F.**
Hepatobiliary imaging in children: B. Imaging of biliary disorders (RC 1212), A-482
- Robinson S.**
Case-Based Diagnosis Training - Part I: Maxillofacial (CBDT 1)
- Robinson S.**
Head and neck imaging: don't sell your ultrasound yet!: B. Masses of the soft parts of the neck (RC 808), A-277
- Rockall A.G., DeFriend D.**
Advances in diagnostic ultrasound: better results through integration: Diagnosis, characterisation and staging of tumours of the female pelvis (ESR/EFSUMB), A-138
- Rockall A.G.**
Urogenital radiology in 2015: beyond morphology?: B. The added value of DWI in gynaecological malignancies: the ADC and beyond (E³ 1226a), A-462
- Rockall A.G.**
Female pelvic imaging: how I do it: B. PET-CT in the female pelvis: how I do it (RC 1307), A-527
- Rödel S., Blaut S., Dürig E., Burke M., Paulick R., Haroske G., Steinbach F., Kittner T.**
Prostate-MRI: experience of the observer and technical conditions influence the prostate cancer (PCa) detection rate (SS 307), B-0353
- Rodríguez P.**
Research for trainees made easy: critical reading of the literature: Overwhelmed by the available information? How to organise yourself (Res.WG), A-313
- Rodt T., Kaercher D., Hasdemir D.B., Kairait T., Lutat C., Vogel A., Meyer B., Wacker F., Shin H.**
Parametric response mapping of dynamic CT for longitudinal quantitative assessment of regional tumour vascularisation in TACE treatment for hepatocellular carcinoma (SS 1409), B-0999
- Roebuck D.J.**
Hepatobiliary imaging in children: A. Imaging of liver masses (RC 1212), B-481
- Roemer F.W., Jarraya M., Niu J., Duryea J., Lynch J., Guermazi A.**
Knee joint subchondral bone structure is altered in active athletes (SS 710), B-0646
- Roemer F.W., Kwok C., Hannon M., Grago J., Hunter D.J., Eckstein F., Guermazi A.**
Increased risk for incident radiographic osteoarthritis and cartilage loss in knees undergoing meniscal surgery in the previous year (SS 1810), B-1069
- Roemer F.W., Jarraya M., Niu J., Silva Jr. J., Frobell R., Guermazi A.**
Increased risk for radiographic osteoarthritis features in young active athletes: a cross-sectional matched case-control study (SS 1810), B-1071
- Roethke M.C.**
Retroperitoneum and adrenals: A. Anatomy and imaging techniques of the retroperitoneum (E³ 620), A-205
- Roethke M.C.**
Advanced imaging with tracers beyond FDG: B. Prostate cancer (E³ 1318), A-530
- Roller F.C., Schneider C., Krombach G.A.**
Native T1-mapping for visualisation of septal left ventricular fibrosis in chronic thromboembolic pulmonary hypertension (CTEPH) (SS 203a), B-0053
- Romano S.**
Acute gastrointestinal tract emergencies: an update: Evaluation of the ischaemic bowel (SF 1a), A-010
- Romano S.**
Inflammatory bowel disease: Keynote lecture (SS 601b), K-08
- Ronot M.**
Advances in liver imaging: B. Liver perfusion or diffusion? (E³ 1526), A-562
- Ronot M., Rautou P., Kerbaol A., Brancatelli G., Bodossa P., Valla D., Vilgrain V.**
Acute extrahepatic infectious or inflammatory diseases are a cause of transient sinusoidal dilatation (SS 301a), B-0220
- Ronot M., Pottier E., Gaujoux S., Abdel-Rehim M., Lagadec M., Sibert A., Sauvagnet A., Vilgrain V.**
Endovascular management of postpancreatectomy hemorrhage (SS 1909a), B-1262
- Ros P.R.**
Advances in liver imaging: C. MR/PET: blessing or curse? (E³ 1526), A-563
- Ros P.R.**
Advanced hybrid imaging in oncology: A. In female pelvis (E³ 1618), A-666
- Ros P.R.**
Striving in radiological education: Spoon-feeding: present and future (ESOR Session), A-221
- Rosado E., Germano A., Costa A., Theias R., Gomes A., Leichsenring C., Santiago I.**
Selection of colon cancer patients for neoadjuvant chemotherapy based on optimised preoperative MDCT A prospective multi-observer radiologic-pathologic agreement study (SS 701b), B-0735
- Rosella F., Chiappetta M., Pomes L.M., dall'Armi V., Granone P., Pirronti T., Bonomo L.**
CT-guided FNAB and biopsy of pulmonary nodules: predictive factors for diagnosis and pneumothorax occurrence (SS 304), B-0328
- Rosendahl K.**
What's new in biomedical imaging research: an update of EIBIR activities: EIBIR Joint Initiative for Paediatric Radiology (EIBIR 2), A-382
- Rossi A., Wragg A., Klotz E., Pugliese F.**
Relationship among stenosis severity and CT-derived myocardial blood flow in patients with coronary artery disease (SS 1003a), B-0799
- Rossi A.**
The paediatric brain and spine: not only tumours: C. The paediatric spine: tips and tricks (RC 111), A-047
- Rossi A.**
Imaging of foetus and infant: A. Foetal neuro imaging (RC 412), A-125
- Rossi A.**
Advanced brain MRI techniques in paediatrics: toys or tools in daily practice?: Chairman's introduction (SF 8a), A-236
- Rossi A.**
Neuro: A. Congenital and white matter disorders of the brain (E³ 1823), A-734
- Roskopf A.B., Ehrmann C., Buck F.M., Gerber C., Pfirrmann C.W.A.**
Quantitative shear wave ultrasound elastography of the supraspinatus muscle in relation to tendon integrity and muscle quality (SS 610a), B-0491
- Roskopf A.B., Ramseier L.E., Pfirrmann C.W.A., Buck F.M.**
Femoral and tibial torsion measurements in children: comparison of MR imaging and 3D models based on low-dose biplanar radiographs (SS 710), B-0639
- Rothe J.H., Denecke T., Weissmann T., Grieser C., Hamm B., Brenner W., Steffen I.G.**
Does hepatic steatosis influence the detection rate of metastases in hepatobiliary phase of Gd-EOB-DTPA enhanced MRI with conventional 3D-T1-weighted fat-saturated sequences? (SS 201a), B-0003
- Rotzinger D., Rau P., Roux M., Federau C., Zerlauth J., Ledoux J., Omoumi P., Becce F.**
Diffusion-weighted MRI of the spine: is it helpful to discriminate between Modic type 1 vertebral endplate changes and infectious spondylodiscitis? (SS 1410), B-0940
- Rousset P., Bordonne C., Rousset-Jablonski C., Goffier F., Hugon-Rodin J., Alifano M., Revel M.-P.**
MR diagnosis of diaphragmatic endometriosis (SS 1404), B-0989

Authors' Index

Roux C., Kachenoura N., Kamenicky P., Bollache E., Mousseaux E., Chanson P., Redheuil A.

CMR evaluation of diastolic function impairment in Cushing's syndrome and its normalisation with treatment (SS 303b), B-0395

Rovira-Cañellas A.

White spots in the brain: B. How can I improve my reporting of T2-hyperintense lesions? (RC 1511), A-608

Rowbotham E.L.

Internal derangement of joints: choosing the right test for the problem: MR arthrography: exquisite soft tissue contrast (SF 1c), A-025

Rowlands P., Dyce S., Pfirsich N., Lomax S.

Development of a shared multisite virtual PACS (SS 1805), B-1038

Rowley H.A.

CNS emergencies: A. CNS trauma and neurovascular injury (MC 728), A-228

Rowley H.A., Smits M.

CNS emergencies: C. Interactive case discussion (MC 728), A-230

Roy C., Severac F., Ohana M., Labani A., Chakfe N.

Evaluation of a low iodine concentration contrast media in abdominal multiphasic CT using spectral imaging: a prospective study on 210 patients (SS 713), B-0672

Roy C., Labani A., Ohana M., Bierry G., Aleman G., Lang H.

Role of diffusion-weighted (DW) MRI to evaluate upper excretory urinary wall thickening (SS 1907), B-1278

Roy-Choudhury S., Gupta G.,

Roy Choudhury S., Dhar R.

Percutaneous treatment of parapneumonic effusions and complex empyemas with drainage and fibrinolytic therapy (SS 304), B-0333

Rozendorn N., Amitai M.M., Klang E.,

Konen E., Ben Cohen A., Diamant I.,

Greenspan H.

Automated liver lesions classification using dictionary Bag-of-Visual-Words (BoVW) model (SS 1805), B-1040

Rud E., Baco E., Eggesbø H.B.

The role of ultra-high b-value diffusion-weighted MRI for detection of the index tumour in patients with prostate cancer (SS 607a), B-0552

Runge J.H., Nederveen A.J., Verheij J.,

Beuers U.H., Stoker J.

Comparison of mDIXON and proton density liver fat fraction maps in patients suspected of NAFLD/NASH with ¹H-MRS as reference (SS 1813), B-1104

Ryeom H., Hong J.

Balloon dilatation biopsy of the Biliary stricture through the PTBD tract: feasibility and diagnostic accuracy (SS 1809), B-1125

Ryzhkova D.V.

Perfusion in PET (SY 21)

S

Saam T., Maurus S., Kammer N.N., Kooijman H., Treitl M., Coppentrath E., Reiser M.F., Treitl K.M.

Free breathing navigated 3D T1w black-blood MRI at 3T for the diagnosis of thoracic large vessel vasculitis (SS 315), B-0273

Saam T., Treitl K.M., Kammer N.N.,

Kooijman H., Reiser M.F., Coppentrath E.

3D-black-blood 3T-MRI of the vessel wall and beyond: a clinical perspective (SS 615), B-0486

Sabri A., Batool M., Xu Z., Bethune D., Manos D.

NSCLC with EGFR and KRAS positive genes mutations. Do CT findings help in differentiating these from other forms of NSCLC? (SS 216), B-0097

Sacarea I., Suppa P., Spies L., Pixberg M., Müller-Hübenthal J.

MRI-based automated hippocampal volumetry as a screening tool for Alzheimer's disease in subjects with memory complaints supplemented by FDG-PET/CT (SS 211a), B-0078

Sacconi B., Argirò R., Iannarelli A.,

Cipriani C., Minisola S., Catalano C., Bezzi M., Diacinti D.

The role of MR in the preoperative management of primary hyperparathyroidism in clinical practice: single-center experience with a 3T MR (SS 1008), B-0884

Salazar J.P., Miranda I., Ng Wong Y.K.,

Avella-García C., Rubio I., Salvador R.

Clinical and sonographic predictors of complete resection for percutaneous excision of benign symptomatic breast lesions using US-guided vacuum-assisted breast biopsy system (SS 602), B-0441

Saldari M., Bernardo S., Vinci V., Giancotti A.,

Manganaro L., Catalano C.

Correlation between fetal and postmortem MRI and conventional autopsy in the detection of major fetal abnormalities (SS 612), B-0520

Saldari M., Bernardo S., Vinci V., Giancotti A.,

Manganaro L., Catalano C.

Fetal MRI in the evaluation of facial anomalies: is there a role? (SS 612), B-0523

Salgado R.

Cardiac CT: cutting-edge techniques: Chairman's introduction: overview of the cutting-edge techniques (SF 15), A-593

Salomon G.

ShearWave™ elastography is accurate in identifying prostate cancer (SY 6)

Sanderud A., Gomes A., Vallinga A.,

Vouillamoz A., Raszkowski A.M., Rook J.W.,

Campbell N., Borge S., Buissink C.

Maintaining image quality in paediatric chest CT while lowering dose using sinogram affirmed iterative reconstruction (SS 1014), B-0864

Santos A., Figueiredo T., Ribeiro L.P.,

Abrantes A.F.C.L., Rodrigues S.,

Pinheiro J.P., Almeida R.P.P.,

Abrantes C.M.L., Lesyuk O.

Lidocaine utilisation in mammography exams (SS 314), B-0365

Santos J.

Enhancing patient safety culture in radiology: B. Quality assurance of radiology equipment: the first step to creating a safe working environment (RC 914), A-346

Santos R., Amaral A.

Musculotendinous structure changes evaluated by ultrasound in elderly population submitted to a physical activity programme (SS 214), B-0151

Sardanelli F.

Basic 1: Breast imaging: Breast MRI (Basic 1), A-150

Sardanelli F., Houssami N.

Breast cancer: to screen or not to screen?: Questions and answers (PS 827), A-242

Sardanelli F.

Tailoring breast cancer screening to risk level: C. High risk: MRI alone? (RC 1302), A-518

Sardanelli F.

Breast imaging: improving the information to women: Chairman's introduction (E³ 1626b), A-655

Sathiadoss P.A.R.P., Narayanasamy S., Wahab S., Ullah E., Ahmad I.

Role of ultrasonographic elastography in differentiating benign and malignant cervical lymph nodes (SS 208), B-0160

Saturnino P.P.

Non-traumatic colorectal perforation: assessment with MDCT (SS 701b), B-0745

Sauer A., Dierks A., Wolfschmidt F.,

Hassold N., Bley T., Kickuth R.

Hematrix® Active Patch for post-interventional hemostasis in femoral artery access: a study on efficacy and safety (SS 1909b), B-1290

Savatovsky J.

Fast and robust neuro imaging with Ingenia 1.5T (SY 18)

Sawicki M., Bohatyrewicz R., Walecka A.,

Walecki J., Rowiński O., Sosek-Pastuszka J.,

Czajkowski Z., Skrzywanek P., Guziński M.

Final report of the Polish multicentre study for evaluation of CT angiography in the diagnosis of brain death (SS 211b), B-0202

Scaglione M.

Polytrauma: comprehensive management guidelines for imaging: A. Chest and abdomen (RC 117), A-059

Scaglioni R., Besutti G., Ligabue G.,

Santoro A., Zona S., Leipsic J., Guaraldi G.,

Torricelli P.

Impact of HIV infection length on CT assessed emphysema and respiratory bronchiolitis prevalence and pattern (SS 1804), B-1113

Scarsbrook A.

Imaging protocols for PET/CT and MR/PET: B. PET/CT imaging protocols (E³ 518), A-179

Scarsbrook A.

Technology for supporting clinical research in radiology: Online tools and software solutions for effective clinical research (SF 17c), A-722

Schaal M., Severac F., Labani A., Jeung M.,

Roy C., Ohana M.

Diagnostic performance of ultra-low-dose computed tomography for detecting asbestos-related pleuropulmonary diseases: prospective study in a screening setting (SS 704), B-0681

Schaarschmidt B.M., Buchbender C.,

Rubbert C., Hild F., Ruhlmann V.,

Ruhlmann V., Quick H.H., Antoch G.,

Heusch P.

Diagnostic accuracy of different MRI pulse sequences in non-small cell lung cancer in a dedicated, thoracic 18F-FDG PET/MRI protocol (SS 216), B-0092

Schaarschmidt B.M., Gruenewisen J.,

Heusch P., Umutlu L., Ruhlmann V.,

Rosenbaum-Krumme S., Antoch G.,

Buchbender C.

Comparison of diagnostic certainty for abdominal incidentalomas in 18F-FDG PET/MRI and 18F-FDG PET/CT (SS 616), B-0516

Schad L.R.

MITIGATE consortium: state of the art imaging and therapy in GIST: Principle of X-Nuclei MR imaging: what the radiologist should know (EIBIR 3), A-407

Schaefer-Prokop C.M.

Pulmonary vasculitis and collagen vascular diseases: C. HRCT patterns in pulmonary vasculitis (RC 104), A-036

Schaefer-Prokop C.M.

Chest emergencies: B. Non-traumatic thoracic emergencies (MC 628), A-203

Schaefer-Prokop C.M.

Fleischner guidelines for nodules: theory and practice: Chairman's introduction (SA 12), A-448

Authors' Index

Schaefer-Prokop C.M.

Basic 5: Thoracic emergencies: Pulmonary (Basic 5), A-550

Schaefer-Prokop C.M.

Non-surgical approach to early lung cancer: perspectives of imaging and radiation-based disciplines: Imaging requirements to guide non-surgical treatment in early lung cancer (ESR/ESTRO 1), A-568

Schäfer J.F., Gatidis S., Tsiflikas I., Seitz G., Ebinger M., Reimold M., La Fougère C., Schwenzner N., Nikolaou K.

Simultaneous whole-body PET/MR Imaging in pediatric sarcomas and malignant soft tissue tumours: preliminary results (SS 312), B-0381

Schaper N.

Critical limb ischaemia (CLI): limb salvage or life salvage?: The diabetic foot patient (MS 8), A-245

Scheffer H.J., Nielsen K.,**van Tilborg A.A.J.M., Vieveen J.M., Kazemier G., Niessen H.W.M., Meijer S., van den Tol P., Meijerink M.R.**

Ablation of colorectal liver metastases by irreversible electroporation: results of the COLDFIRE-I ablate-and-resect study (SS 1009), B-0862

Schegeer A.A., Nagel H., Stamm G., Brix G.

Patient doses in standard CT examinations: results of a nationwide survey in Germany (SS 1013), B-0784

Schelhorn J., Schoenecker A., Neudorf U., Nassenstein K., Schara U., Schlosser T.

MRI-proven cardiac pathologies in female carriers of Duchenne muscular dystrophy (SS 1803), B-1056

Schelhorn J., Best J., Reinboldt M.P.,**Gerken G., Ruhlmann M., Lauenstein T.C., Antoch G., Kinner S.**

Does DWI improve therapy response evaluation by Gd-EOB-DTPA MRI in patients with HCC after radioembolisation? (SS 1816), B-1097

Schemuth H.P., Sirin S., Schweiger B.,**Schelhorn J., Kinner S.**

Detection of pulmonary nodules in children with a free breathing MRI technique compared to CT scans (SS 212), B-0165

Schiani E., Losio C., Ballati F., Panzeri M.,**Cristel G., Rodighiero M., De Cobelli F., Del Maschio A.**

Breast MRI in the evaluation of patients undergoing neoadjuvant chemotherapy: assessment of tumour features and predictive markers of response according to histopathology (SS 202a), B-0015

Schiavone M., Ippolito D., Bonaffini P.A.,

Talei Franzesi C.R.G.L., Fior D., Sironi S. Diagnostic value of Real-Time elastography (RTE) compared to biopsy in the assessment of liver stiffness in patients with chronic viral hepatitis (SS 701a), B-0612

Schima W.

Case-Based Diagnosis Training - Part II: Gastrointestinal (CBDT 2)

Schima W.

How about the lymph nodes?: A. The current criteria for nodal involvement on CT/MRI (RC 116), A-028

Schima W.

Gastrointestinal and abdominal: B. Pancreas and spleen (E³ 1423), A-547

Schima W.

Oesophageal and gastric cancer: D. Interactive case discussion (E³ 1622), A-622

Schima W.

FA(b)Q frequently asked (burning) questions - with answers: Questions about preparation (EDiR), A-680

Schindera S.T.

Quality improvements: reducing variation and dose through dose management tools (SY 5)

Schindler A., Hyafil F., Sepp D.,**Obenhuber T., Bayer-Karpinska A.,****Schwaiger M., Poppert H., Tobias S.**

Simultaneous PET-MR imaging with FDG for the evaluation of symptomatic patients with non-stenotic carotid atherosclerotic plaques (SS 615), B-0484

Schipper R.J., Lobbes M., Beets-Tan R.G.H.,**Nelemans P., de Vries B., Heuts E.,****van de Vijver K., Keymeulen K., Smidt M.**

The diagnostic performance of dedicated axillary T2- and diffusion-weighted MRI for nodal staging in breast cancer (SS 202b), B-0115

Schipper R.J., Smidt M., van Roozendaal L.,**Nelemans P., Brans B., Keymeulen K.,****Wildberger J.E., Beets-Tan R.G.H., Lobbes M.**

The diagnostic performance of gadofosveset-enhanced axillary MRI for nodal (re-)staging in breast cancer patients: can the initial promising results be reproduced? (SS 202b), B-0118

Schleich C., Miese F., Zilkens C., Schmitt B.,**Müller-Lutz A., Sondern M., Antoch G.,****Krauspe R., Bittersohl B.**

Glycosaminoglycan chemical exchange saturation transfer magnetic resonance imaging of knee joint cartilage at 3 Tesla: baseline values in asymptomatic young adult volunteers (SS 1406), B-0936

Schleich C., Buchbender C., Sewerin P.,**Ostendorf B., Rubbert C., Antoch G., Miese F.**

Evaluation of a simplified version of the rheumatoid arthritis magnetic resonance imaging score (RAMRIS) comprising 5 joints (RAMRIS5) (SS 1810), B-1068

Schlemmer H.-P.

Prostate imaging: how I do it: Chairman's introduction (RC 407), A-104

Schlemmer H.-P.

Prostate MR imaging: Keynote lecture (SS 307), K-06

Schmidt S., Dunet V., Meuli R., Hugli O.,**Ilic V.**

Prevalence of pulmonary embolism during pregnancy (SS 217), B-0185

Schmidt S., Knebel J., Denys A., Meuli R.,**Treyvaud M.**

Clinical significance of pneumatosis of the bowel wall: correlation of MDCT findings with patients' management and outcome (SS 301b), B-0256

Schmitt R.

Clinical experience on cardiovascular imaging with revolution CT (SY 24)

Schmücker R.

Imaging in population-based studies: Ethical aspects of population imaging (PC 8b), A-255

Schnapauff D., Collettin F., Gebauer B.,**Hamm B., Maurer M.H.**

Local ablation of unresectable liver malignancies using CT-guided high-dose rate brachytherapy or CT-guided radiofrequency ablation: a cost comparison (SS 1009), B-0860

Schneider C., Brumberg A., Roller F.C.,**Rixe J., Roth P., Krombach G.A.**

Multimodality imaging evaluation before TAVI: incidence of CI-AKI in relation to known risk factors (SS 603b), B-0599

Schneider J.F.

Advanced brain MRI techniques in paediatrics: toys or tools in daily practice?: MR spectroscopy: information vs time (SF 8a), A-238

Schneider J.F.

Advances in paediatric imaging: A. The CNS (E³ 926a), A-358

Scholten E., Jacobs C., van Ginneken B.,**van Riel S., Vliegenthart R., Oudkerk M.,****Prokop M., Gietema H.A., de Jong P.A.**

Detection and quantification of the solid component in pulmonary subsolid nodules by semiautomatic segmentation (SS 604), B-0540

Scholtz J.-E., Hüsters K., Albrecht M.H.,**Beeres M., Kaup M., Schulz B., Bauer R.W.,****Vogl T.J., Wichmann J.L.**

80-kVp neck computed tomography in patients with suspected peritonsillar abscess: evaluation of objective and subjective image quality, and reduction of radiation exposure (SS 708), B-0729

Scholtz J.-E., Hüsters K., Kaup M., Albrecht**M., Frellesen C., Bauer R.W., Kerl J.M., Vogl****T.J., Wichmann J.L.**

Non-linear image blending for dual energy CT improves visualisation of head and neck primary squamous cell carcinoma compared to linear blending technique (SS 708), B-0731

Schreiner M.M., Loewe C., Unterhumer S.,**Weber M.-A., Mistelbauer G., Sramek M.,****Gröller E., Scherthaner R.E.**

Accuracy and time-efficiency of multi-path curved planar reformations in the evaluation of low-dose CT angiography of the peripheral arteries (SS 715), B-0632

Schueler-Weidekamm C.

How I do it and report: B. MRI of the spine and sacroiliac joints (RC 1310), A-508

Schuknecht B.F.

Pitfalls in interpretation of head and neck disease: C. Distinct head and neck disease or systemic disease? (RC 508), A-174

Schüller S., Sawall S., Lell M., Kachelrieß M.

Empirical dual-energy beam hardening correction in dual-energy CT (SS 713), B-0675

Schulz A., Skogen K., Bethke A., Labori K.J.,**Ganeshan B., Klöw N., Dormagen J.B.**

Preoperative CT texture analysis predicts outcome in patients with colorectal liver metastases post liver resection (SS 1901b), B-1196

Schulz V.

Functional and multimodality neuroimaging: A. MR/PET chances and challenges (RC 106), A-049

Schulz-Wendtland R.

Digital breast tomosynthesis: the new mammography: Keynote lecture (SS 1402), K-21

Schwenzner N.

Indications for hybrid imaging in ...: A. Oncology (E³ 918), A-352

Screaton N.J.

Pulmonary arterial hypertension: A. An overview of pulmonary artery hypertension (RC 1504), A-600

Sdao S., Calareso G., Bonello L., Kule H.,**Orlandi E., Iacovelli N.A., Casiraghi E.,****Panizza P.**

Oropharyngeal squamous cell carcinoma: morphological and functional MRI differences between human papilloma virus positive and negative tumours. Preliminary results (SS 608), B-0577

Authors' Index

- Seaton T., Thiruchelvam P., Satchithananda K., Cosgrove D., Cunningham D., Lim A.**
Feasibility of axillary sentinel lymph node detection using intradermal microbubble injections for staging breast cancer (SS 202b), B-0112
- Secchi F., Scarabello M., Damiani F., Petrini M., Di Leo G., Sardanelli F.**
Evaluation of aortic strain with MR imaging in different pathologic conditions: a retrospective study (SS 303b), B-0397
- Secchi F., Pluchinotta F., Resta E., Cannà P., Carminati M., Sardanelli F.**
Medium-term biventricular heart remodeling after percutaneous and surgical pulmonary valve implantation evaluated with cardiac magnetic resonance (SS 603b), B-0602
- Secchi F., Resta E., Cannà P., Petrini M., Di Leo G., Sardanelli F.**
Prognostic value of late enhancement in cardiac magnetic resonance in patients with dilated cardiomyopathy: systematic review and meta-analysis (SS 1003b), B-0897
- Sechopoulos I., Feng S.S.J., Merchan L., Nagy J.G.**
Dual spectrum single pass digital breast tomosynthesis imaging (SS 1813), B-1098
- Secinaro A., Santangelo T., Napolitano C., Leonardi B., Chinali M., Rinelli G., Tomà P.**
Coronary assessment in young children with congenital heart disease: comparing a novel spiral acquisition technique to the standard sequential one in coronary CT angiography with dual-source CT (SS 212), B-0166
- Seddon B.**
Gastrointestinal stromal tumours (GIST): A. Pathology and treatment options (E³ 1722), A-675
- Sedlacek O.L.**
Lung cancer staging: C. Functional imaging of lung cancer heterogeneity (E³ 826), A-275
- Seith F., Gatidis S., Schmidt H., Bezrukov I., La Fougère C., Nikolaou K., Pfannenbergs C., Schwenzer N.**
Impact of attenuation correction on quantification of tracer uptake in a fully integrated PET/MR system: comparison between MR- and CT-based attenuation correction (SS 206), B-0028
- Seliverstova E., Seliverstov Y., Konovalov R., Krotenkova M., Illarionovskin S.**
Pattern of spontaneous neuronal activity within default mode network in patients with Parkinson's disease (SS 211a), B-0083
- Semeraro V., Susac A., Morasca A., D'Antonio F., Belli A.-M.**
Fetal radiation dose during prophylactic balloon occlusion for morbidly adherent placenta - a single centre experience (SS 1909a), B-1269
- Senan S.**
Non-surgical approach to early lung cancer: perspectives of imaging and radiation-based disciplines: The most up-to-date evidence from the radiation oncology perspective (ESR/ESTRO 1), A-570
- Seo J., Kim G., Kim E., Kwak J.**
Evaluation of underlying lymphocytic thyroiditis with histogram analysis using gray scale ultrasound images (SS 1008), B-0881
- Seo J.B.**
CT in lung cancer screening and COPD evaluation: CT in COPD: now and future (EM 3), A-541
- Seo J.B., Shin S., Lee S., Lee S., Oh S., Kim N., Oh Y.**
CT assessment of fissure completeness in target lobe selection for endobronchial volume reduction therapy in COPD (SS 304), B-0334
- Seo J.B., Shin S., Lee S., Oh S., Kim N., Lee S., Oh Y.**
Anatomical and functional lung changes after endobronchial lung volume reduction therapy: evaluation with combined xenon ventilation and iodine contrast perfusion dual energy CT (SS 304), B-0335
- Sergeeva O.N., Kukushkin A., Panov V., Dolgishin B.**
Long-term outcomes of intraductal photodynamic therapy in Klatskin tumour patients (SS 1809), B-1127
- Seyfer P., Klingmüller V., Voelker M., Mahnken A.H., Stief T.**
Does MRI influence blood coagulation? (SS 313), B-0322
- Shah A.R., Highland A.M.**
Percutaneous vertebroplasty for single or multiple thoracolumbar compression fractures (SS 310), B-0290
- Shahabpour M., Boulet C., De Maeseneer M.**
How I do it and report: C. MRI of the hand (RC 1310), A-509
- Shariat A., Nazeri M., Abolhasani Foroughi A., Karimi M.**
Transcranial doppler ultrasonography in Beta-thalassemia major patients without and with thrombocytosis (SS 315), B-0279
- Sharp P.**
Multi-energy imaging: from physics to diagnosis I: Chairman's introduction (EF 1), A-348
- Shetty N., Chandy P.E., Mahajan M.D., K G., Hegde N.P., Shetty M., Shetty A., Ruprela V.**
Prospective comparative analysis of ultrasound vs arthroscopy in evaluation of impingement syndrome and supraspinatus tear (SS 1010b), B-0915
- Shi C., Zhang H., Yan J.**
Lower stage migration rate of early gastric cancer with a new reconstruction algorithm of images in dual energy CT: preliminary study (SS 301b), B-0260
- Shigetomi-Medina J.M., Ramirez-Garcia Luna J.L., Stødkilde-Jørgensen H., Møller-Madsen B.**
Water content calculation in cartilage through MR estimation: design and validation of a mathematical model (SS 305), B-0247
- Shim S., Lee J., Jeong Y.**
Differentiation of tuberculous peritonitis, and peritoneal carcinomatosis in normal-sized ovarian carcinoma in female patients on CT (SS 207), B-0135
- Shin H., Kim K., Lee C., Choi J., Lee J., Park Y., Park C.**
Benign enhancing solid component of mature ovarian teratoma: MR imaging features (SS 607b), B-0593
- Shin J.H., Lim J., Park J.**
Diagnostic value of DW-SSFP and DW-EPI sequences in differential diagnosis of vertebral osteoporotic fractures from the pathological neoplastic fractures (SS 310), B-0283
- Shin Y., Lee H., Kim N., Lim M., Kang Y., Lim J., Cho S.**
MR sialography of sialadenitis related with radioactive iodine treatment in patients with postoperative thyroid cancer, using 3D fast recovery fast spin echo sequence at 3T (SS 208), B-0153
- Silva M., Sverzellati N., Colombi D., La Vecchia C., Galeone C., Marchiano A., Pastorino U.**
Pleural abnormalities in lung cancer screening trial: prevalence, features, and relation with cancer (SS 704), B-0682
- Simonetto I., Barbera S., Addonisio G., Dionisi C.**
Comparison between the image quality and the radiation dose in CT scanning for the detection of pharyngo-esophageal foreign bodies (SS 314), B-0366
- Sinitsyn V.E.**
Mediastinal disease revisited: B. Mediastinal masses: role of CT (RC 1204), A-459
- Sinitsyn V.E.**
Basic 5: Thoracic emergencies: Cardiac (Basic 5), A-551
- Sinitsyn V.E.**
Cardiac CT and cardiac GSI in assessment of myocardial scars (SY 21)
- Sivasubramanian S.**
Diffusion tensor imaging in cord compression: the future functional biomarker? (SS 1911), B-1221
- Sivit C.J.**
General principles: paediatric and ENT emergencies: B. Challenges of imaging paediatric abdominal emergencies (MC 828), A-298
- Skaane P.**
The Norwegian experience (SY 22)
- Skehan S.**
Colorectal cancer liver metastases: assessing tumour response: B. Morphological biomarkers (RC 1701), A-673
- Sklair-Levy M., Shalmon A., Servadio Y., Rundstein A., Halshtok O., Gotlieb M., Yagil Y.**
Background parenchymal enhancement (BPE) in contrast-enhanced spectral mammography (CESM): classification and evaluation of impact on diagnostic performance (SS 602), B-0438
- Skondras E., Fusco A., Beeson J., Dalal P.**
The diagnostic value of chest MRI in the follow up of lung cancer patients treated with radio frequency ablation (SS 304), B-0332
- Skornitzke S., Fritz F., Klauß M., Hansen J., Pahn G., Grenacher L., Kauczor H.-U., Stiller W.**
Quantitative comparison of single-acquisition dual-energy iodine maps as a reduced dose alternative to abdominal CT-perfusion measurements (SS 1013), B-0788
- Skrupkin D.**
Radiation dose of 3rd generation CT colonography (SS 201b), B-0042
- Skrobisz-Balandowska K., Klasa L., Liro M., Wydra D., Studniarek M., Bianek-Bodzak A.**
Agreement in identification of tumour recurrence, peritoneal deposits or distant metastasis in patients treated with ovarian cancer using MRI (SS 716), B-0668
- Smit R.S., Egbers J.B., Hoogerwaard A.F., van Netten J.J., van der Velde D., Kraai M., op den Akker J.W.**
Validation of the NEXUS-criteria for CT (SS 317), B-0404
- Smith F.W., Morgan S.**
MRI following whiplash injury is improved by routine imaging of the cranio-cervical junction in addition to the cervical spine (SS 310), B-0289

Authors' Index

- Smith I.M., Naumann D.N., Marsden M.E.R., Ballard M., Bowley D.M.**
Scanning and war: utility of FAST and CT in the assessment of battlefield abdominal trauma (SS 317), B-0408
- Smits M.**
Functional and multimodality neuroimaging: B. Advanced MR neuroimaging techniques (RC 106), A-050
- Smits M.**
CNS emergencies: B. CNS non-traumatic emergencies (MC 728), A-229
- Smits M.**
New frontiers in brain tumour imaging: Imaging correlates of brain tumour genotypes (SF 8b), A-260
- Smits M.**
Imaging in multicentre clinical oncological trials: Optimised imaging for trials in brain tumours (ESR/EORTC), A-495
- Solà O., Puig J., Blasco G., Daunis-i-Estadella J., Essig M., Jain R., Puigdemont M., Pedraza S.**
Perfusion and permeability MRI biomarkers for enhancing and nonenhancing components predict patient survival in newly diagnosed glioblastoma (SS 611), B-0500
- Solomyany V.**
Comparison fractional flow reserve (FFR), instantaneous wave-free ratio (iFR) and quantitative assessment SPECT-CT in evaluation of intermediate stenosis (SS 703), B-0749
- Sommer G.**
New insights in bone tumour imaging: C. New insights in hybrid imaging for multiple myeloma (RC 916), A-335
- Song E., Yun S., Sohn Y., Lee H.**
Risk stratification for axillary lymph node metastases in breast cancer patients (SS 202b), B-0109
- Song H., Park J., Kim J., Ryu M., Yoo M., Lee J.**
Fluoroscopic gastroduodenal stent placement vs surgical gastrojejunostomy: palliation for patients with gastric obstructions due to unresectable gastric cancer (SS 1809), B-1120
- Song H., Zhou W., Park J., Jung H., Kim Y.**
Incidence and management of esophageal perforation after fluoroscopic balloon dilation in 820 adult patients with esophageal strictures (SS 1809), B-1122
- Sorantin E.**
Key issues in paediatric imaging: C. The importance of clinically acceptable image quality (RC 1512), A-575
- Sørensen L., Lillholm M., Pai A., Balas I., Anker C., Igel C., Nielsen M.**
Improved Alzheimer's disease diagnostic performance using structural MRI: validation of the MRI combination biomarker that won the CADDementia challenge (SS 211a), B-0077
- Sosna J.**
Multi-energy imaging: from physics to diagnosis I: Novel applications of multi-energy CT (EF 1), A-350
- Souhli N., Balvay D., Cuenod C., Bazot M., Thomassin-Naggara I.**
Analysis of the heterogeneity in DCE MR imaging of adnexal masses: a new tool for improving tumoural characterisation (SS 207), B-0131
- Souillard-Scemama R., Mellerio C., Oppenheim C., Meder J.-F., Soyer P.**
SECURE study: observational post-marketing study on the safety profile of gadoterate meglumine: final results in 35,499 patients (SS 206), B-0023
- Soulez G., Bloomgarden D.C., Rofsky N.M., Smith M., Abujudeh H.H., Morgan D., Kirchin M.A., Pirovano G., Spinazzi A.**
Nephrogenic systemic fibrosis in patients with chronic kidney disease undergoing MRI with the injection of gadobenate dimeglumine or gadoteridol: findings from prospective cohort studies (SS 315), B-0281
- Spagnolli F., Cardobi N., Cerini R., Barillari M., Colletti V., Pozzi-Mucelli R.**
Auditory brainstem implant: computed tomography assessment of electrodes dislocation (SS 308), B-0371
- Sparacia G., Banco A., Bencivinni F., La Tona G., Robusto V., Midiri M.**
The value of serial MR imaging in the assessment of brain metastases volume control during stereotactic radiosurgery (SS 611), B-0505
- Sparacia G., Iaia A., Gadde J., Midiri M.**
Peritumoral perfusion and proton spectroscopic MR imaging in the differentiation of gliomas and solitary metastases (SS 611), B-0507
- Spearman J.V., Wichmann J.L., Meinel F.G., Driesser I., Canstein C., Bayer R.R., Mangold S., De Cecco C.N., Schoepf U.J.**
Impact of automated attenuation-based tube voltage selection on radiation dose at CT: an observational big data analysis on a global scale (SS 605), B-0445
- Spick C., Helbich T.H., Pinker-Domenig K., Bickel H., Polanec S.H., Wengert G., Magometschnigg H., Baltzer P.A.T.**
MR-guided vacuum-assisted breast biopsy: influence of biopsy device, lesion type and size on false negative results and underestimation rates (SS 1002), B-0767
- Spick C., Polanec S., Tamandl D., Javor D., Schindl M., Weber M.-A., Ba-Ssalamah A.**
Efficacy of contrast-enhanced magnetic resonance imaging in the differentiation between malignant and benign pancreatic cystic neoplasms (SS 1901a), B-1170
- Spink C., John B., Krautschneider W., Schröder D., Fischbach R., Braunschweig M., Buhk J., Adam G., Koops A.**
Non-invasive 4-dimensional wireless aneurysm sac pressure monitoring after endovascular aortic aneurysm repair (EVAR): conceptual design of an integrated stent-graft and first in vitro results (SS 1909b), B-1286
- Sripathi S., Bansal D., Ayachit A., Kadavigere R.**
High resolution ultrasound in evaluation of bifid median nerve in carpal tunnel syndrome in Indian population (SS 1010b), B-0914
- Stahnke V., Unterberg-Buchwald C., Kowallick J., Lamata P., Kutty S., Hasenfuß G., Beerbaum P., Lotz J., Schuster A.**
Cardiovascular magnetic resonance myocardial feature tracking assessment of myocardial mechanics: inter-vendor agreement and considerations on reproducibility (SS 303b), B-0400
- Stajgis M.**
Polytrauma: comprehensive management guidelines for imaging: Chairman's introduction: management priorities in patients after polytrauma (RC 117), A-058
- Stajgis M.**
Basic 2: Neuroradiology: Brain trauma (Basic 2), A-200
- Stankovic Z., Roessler M., Euringer W., Schultheiss M., Salem R., Barker A., Langer M., Markl M., Collins J.**
Effect of TIPS on splanchnic arterial and portal venous blood flow in 4D flow MRI measurement at 3Tesla (SS 215), B-0064
- Staskiewicz G., Czekańska-Chehab E., Uhlig S., Siek E., Tomaszewski A., Przegaliński J., Drop A.**
Does accuracy of MSCT signs of right ventricular dysfunction depend on the time since the onset of symptoms in patients with acute pulmonary embolism? (SS 1004), B-0845
- Stecco A., Perchinunno M., Divenuto I., Migazzo E., Carriero A.**
Transcranial magnetic stimulation and MR with DTI in ALS patients: combination and correlations of their measurements (SS 211a), B-0086
- Stecco A., Perchinunno M., Cioffi S., Divenuto I., Lombardi M., Carriero A.**
Combined PET/CT and DWI by rigid image coregistration increases diagnostic accuracy in head and neck tumours (SS 608), B-0576
- Steenbakkens A.C.L.F., Holla M., de Rooy J., Hermans J., Ploegmakers M.J.M., Edwards M., Prokop M., Brink M.**
One-shot volume wrist CT after trauma: fracture detection and therapeutic consequences in a prospective cohort study (SS 317), B-0401
- Stelter L., Freyhardt P., Grieser C., Walter T., Seehofer D., Denecke T.**
An increased flip angle in late phase Gd-EOB-DTPA MRI shows improved performance in bile duct visualisation compared to T2w-MRCP (SS 201a), B-0011
- Stépán-Buksakowska I.L., Szabó N., Vydrová R., Kincses T.Z., Sanda J., Kynčl M., Hořínek D., Roček M., Komárek V.**
Widespread white matter maldevelopment in children with specific language impairment (SS 1811), B-1077
- Stojanov D., Ljubisavljevic S., Stojanovic I., Vojinovic S.**
Association of MR features, clinical presentation and levels of glutathione and glutathione peroxidase in erythrocytes of patients with clinically isolated syndrome and relapsing remitting multiple sclerosis (SS 211a), B-0079
- Stoker J.**
Misses and difficulties in abdominal imaging: Chairman's introduction (RC 401), A-069
- Stoker J.**
Inflammatory bowel disease: B. Small bowel disease (E³ 1422), A-533
- Stoupis C.**
Pitfalls in interpretation in pancreatic imaging: C. Incidental findings (RC 101), A-006
- Stoupis C.**
Gastrointestinal and abdominal: Chairman's introduction (E³ 1423), A-545
- Stratis A., Zhang G., Jacobs R., Bogaerts R., Bosmans H.**
The influence of the orbital bone density on the eye-lens dose in dental CBCT (SS 713), B-0680
- Strickland N.H.**
Radiologist: imager or doctor?: Which type of radiologist is future proof? (PC 4a), A-089

Authors' Index

Strobl F.F., Kuhlín B., Bamberg F., Reiser M.F., Saam T.

Intracranial arterial calcifications as a prognostic factor for the subsequent occurrence of mixed adverse cardiovascular events (MACE) (SS 311b), B-0417

Strobl F.F., D'Anastasi M., Wagershauser T., Trumm C.G., Graser A., Reiser M.F., Paprottka P.M.

Functional and technical outcomes of patients treated with selective microcoil embolisation due to pseudoaneurysms or arteriovenous fistulas after partial nephrectomy (SS 1909a), B-1264

Studniarek M., Gwozdziwicz K., Czarnowska-Cubala M., Gorycki T., Slezak P.

Pancreatic lesions core biopsy - analysis of efficacy and complications (SS 709b), B-0719

Suchá D., Daans C.G., Symersky P., Planken R.N., Mali W.P.T.M., van Herwerden L.A., Budde R.P.J.

Valve-in-valve transcatheter implantation work-up: CT can accurately determine the implanted bioprosthesis size (SS 603b), B-0601

Sudarski S., Haubenreisser H., Dösch C., Haneder S., Henzler T., Schönberg S.O., Pappavassiliu T.

Influence of late-Gadolinium enhancement on accuracy of quantitative left ventricular assessment in cardiac MRI single breath-hold undersampled input data (SS 303b), B-0391

Sudarski S., Steck V., Meyer M., Haubenreisser H., Schönberg S.O., Vliegenthart R., Henzler T.

CAD software for assessment of pulmonary nodules with 100kV/Tin-filtered input data comparing iterative to filtered back projection reconstructions: a third-generation dual-source CT phantom study (SS 605), B-0452

Sugimoto K., Kobayashi Y., Moriyasu F.
Assessment of various types of US findings after irreversible electroporation in porcine liver: comparison with radiofrequency ablation (SS 1009), B-0861

Sun L., Totsuka T., Akahane K., Hayakawa M., Matsumaru Y., Tsuboi K., Moritake T.

Novel x-ray shielding device for reducing the lens exposure during endovascular treatment for brain diseases (SS 609), B-0541

Sundin A.E.

Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: Chairman's introduction (RC 516), A-159

Suntharalingam S., Stecker F.F., Guberina N., Forsting M., Theysohn J.M., Ringelstein A., Schlosser T., Nassenstein K.

How much is the effective dose varying between follow-up examinations performed on the same CT scanner, when using the same imaging protocol? (SS 1013), B-0786

Suntharalingam S., Guberina N., Stecker F.F., Theysohn J.M., Nassenstein K., Forsting M., Ringelstein A., Schlosser T.

Effective dose in cardiac CT - evaluation of a new dose monitoring software (radimetrics™) (SS 1913), B-1240

Sunwoo L.

Introduction of Samsung technology (SY 19)

Sunwoo L., Sohn C.

Evaluation of the degree of arteriovenous shunting in intracranial arteriovenous malformations using pseudo-continuous arterial spin labeling MRI (SS 211b), B-0204

Suranyi P., Hewett L.

Quality improvement using educational intervention: improving accuracy of cardiac CT function reporting in triple-rule-out patients with acute chest pain (SS 303b), B-0396

Surov A., Gottschling S., Wienke A., Mawrin C., Spielmann R., Prell J., Fiedler E.
DWI and histological parameters in meningioma (SS 711), B-0655

Sverzellati N.

COPD, airways disease and beyond: A. COPD in HRCT: what should we report? (RC 504), A-169

Sverzellati N.

Evaluation of patients with lung emphysema: B. Diagnostic work-up after treatment of lung emphysema (E³ 1821), A-726

Swift S.

Gynaecology: C. Differential diagnoses of adnexal masses (E³ 920), A-371

Szczerbo-Trojanowska M.

Aortic interventions: Keynote lecture (SS 1909b), K-32

T

Tack D.

Chest: A. Fundamentals of chest imaging (E³ 1323), A-501

Tahir E., Sinn M., Radunski U., Saering D., Muellerleile K., Stehning C., Adam G., Gunnar L.

Serial native T1- and T2-mapping to quantitatively monitor resorption of myocardial edema following acute myocardial infarction (SS 603a), B-0469

Tahir E., Berliner C., Yasar S., Lüers G., Karul M., Adam G., Yamamura J.

Anterolateral ligament of the knee: correlation of MR imaging with anatomical findings (SS 1910), B-1213

Taina M., Vanninen R., Sipola P., Muuronen A., Jäkälä P., Hedman M.

Cardiac computed tomography is an accurate method to differentiate left atrial appendage thrombi from spontaneous echo contrast in acute stroke patients (SS 1803), B-1058

Takahashi H., Ishii K., Watanabe Y., Tanaka H., Murakami T., Tomiyama N.

Apparent diffusion coefficient map can help the voxel-based morphometric diagnosis of Alzheimer's disease (SS 311a), B-0298

Takx R.A.P., Leiner T., Hoffmann U.

Incremental diagnostic value of functional CT for the assessment of hemodynamically significant coronary artery disease: a meta-analysis (SS 703), B-0755

Talei Franzesi C.R.G.L., Ippolito D., Bonaffini P.A., Fior D., Colombo M., Sironi S.

Diagnostic accuracy of contrast-enhanced T1 free-breathing GE sequences in the assessment of aortic disease: comparison with standard T1 breath-hold GE 3D angiographic sequences (SS 315), B-0274

Talei Franzesi C.R.G.L., Ippolito D., Bonaffini P.A., Fior D., Minutolo O., Sironi S.

Low-kV CTA with low contrast medium volume using 256-slice and 16-slice CT scans: comparison of diagnostic accuracy and radiation dose exposure (SS 1015), B-0774

Tali E.T.

Unexpected findings on brain MRI: B. Incidental lesions on a brain MRI (E³ 1221), A-415

Tamandl D., Fueger B., Paireder M., Haug A., Schoppmann S., Ba-Ssalamah A.

Metabolic volumetric parameters assessed with 18F-FDG PET/CT are superior to SUVmax and CT volumetry for predicting long-term outcome in patients with esophageal cancer after neoadjuvant chemotherapy and resection (SS 301b), B-0250

Tanaka C.

Evaluating the intracranial perforating branches by new x-ray system using a cerium anode (SS 1911), B-1220

Tanter M.

Future applications of UltraFast™ ultrasound imaging: towards functional ultrasound (SY 6)

Tao H., Qiao Y., Chen S.

The quantitative MRI evaluation of repair tissue after microfracture treatment for ankle osteochondritis dissecans (OCD) (SS 710), B-0645

Taori K.B.

A comparative study of RFA and EVLT in treatment of symptomatic varicose veins patients (SS 209), B-0130

Taravari V., Özyavuz I., Yilmaz E., Erol O.B., Ertem F., Sarifov R., Bulakçi M., Bulakçi B., Yekeler E.

Hand bone age determination: quantitative radiographical evaluation method for in 0-59 months aged children (SS 312), B-0388

Tardivon A.

Breast ultrasound: a primer: Breast ultrasound: a primer (E³ 25A), A-067

Taverna G.G., Brucculeri F., Oppezzo E., Gola G., Tappero C.M.S.O., Barbero S.

Radiofrequency ablation of malignant pleural mesothelioma plaque (SS 304), B-0331

Taylor A.M.

Congenital heart disease: from infancy to adulthood: Segmental approach to MR imaging of congenital heart disease (SF 17b), A-705

Taylor S., Van Muylem A., Gevenois P.A.A., Tack D.

Intra-institution CT dose surveys in adults: what sample size for what precision? (SS 1013), B-0785

Taylor S.A.

Update on computer-aided diagnosis (CAD): A. CT colonography and CAD (RC 1205), A-474

Taylor S.A.

Inflammatory bowel disease: D. Interactive case discussion (E³ 1422), A-535

Teh H.S., Tan M.M.L., Srinivasan S., Choy T.W., Yeow K.K.

Dual-energy CT brain in the evaluation of cerebral infarction (SS 1411), B-0954

Teh J.

How I do it and report: A. MRI of the hip (RC 1310), A-507

Teichgräber U.K.M.

EVAR endoleaks: imaging and management: A. The role of US: Doppler, 3D US, CEUS (RC 815), A-286

Teixeira P.A.C., de Barros N., Chala L.F., Shimizu C., Filassi J.R.

Axillary lymph node ultrasound features that can predict malignancy in patients with primary invasive breast cancer (SS 202b), B-0111

Telegrafo M., Moschetta M., Stabile Ianora A., Angelelli G.

Diffusion-weighted imaging with background body signal suppression (DWIBS) imaging of breast lesions before and after gadolinium injection (SS 702), B-0616

Authors' Index

Telegrafo M., Moschetta M., Stabile Ianora A., Angelelli G.

Breast mapping of lesion displacement from prone MRI to supine MRI-focused US: what the radiologist should know? (SS 1902b), B-1182

Telesca M., Pediconi F., Ursu S., Luciani M., De Felice C., Cipolla V., Catalano C.

Diffusion-weighted imaging at 3T: correlation of the apparent diffusion coefficient value with breast cancer biomarkers (SS 702), B-0621

Terrazzino F., Meloni A., Ricchi P., Giunta N., Messana D., Pepe A.

Extramedullary hematopoiesis (EMH) is associated with lower cardiac iron loading in regularly politransfused thalassaemia patients (SS 203a), B-0046

Terrazzino F., Meloni A., Restaino G., Casini T., Messana D., Pepe A.

Application of fat suppression in T2* relaxometry for the quantification of pancreatic iron overload (SS 301a), B-0226

Testa F., Fumero E., Roberto E., Chauvie S., Olivero R., Lo Bello M., Fraire D.

A dentalscan or a multi-layer digital orthopantomography in the study of the jaws? A dosimetric evaluation on a CBCT device (SS 708), B-0724

Thaher F., Hopf N., Kurucz P., Hickmann A., Aguilar Pérez M., Kurre W., Ganslandt O., Henkes H.

Intra-arterial infusion of milrinone in the treatment of severe symptomatic cerebral vasospasm in patients with aneurysmal subarachnoid haemorrhage: first experience (SS 211b), B-0196

Thierfelder K.M., Sommer W.H., Dietrich O., Meinel F.G., Paprottka P.M., Reiser M.F., Nikolaou K.

Parallel-transmit-accelerated spatially-selective excitation MRI for reduced-FOV diffusion-weighted imaging of the pancreas (SS 313), B-0323

Thierfelder K.M., Notohamiprodjo M., Weiß J., Dietrich O., Mueller-Lisse U.G., Reiser M.F., Nikolaou K., Theisen D.

Advantages of zoomed EPI with parallel-transmit-accelerated 2D-selective excitation imaging in diffusion-weighted MRI of the prostate (SS 607a), B-0556

Thoeny H.C.

How about the lymph nodes?: B. MRI techniques: what do they contribute? (RC 116), A-029

Thoeny H.C.

Evaluation of treatment response in head and neck cancer: Evaluation of early treatment response: can MRI techniques make a difference? (SF 9a), A-310

Thomassin-Naggara I., Perrot N., Carette M., Bazot M.

Female pelvic imaging: how I do it: A. Imaging female congenital anomalies (RC 1307), A-526

Thomeer M.G., Willemsen F., Biermann K., de Man R., IJzermans J., Dwarkasing R.S.

MRI features of inflammatory hepatocellular adenomas on hepatocyte phase imaging with liver-specific contrast agents (SS 601a), B-0425

Thomeer M.G., Devos A., Lequin M., De Graaf N., Meradji M., De Blaauw I., Sloots C.

High-resolution MRI for preoperative workup of neonates with an anorectal malformation: a direct comparison with rectofistulography using surgical findings as reference standard (SS 1012), B-0893

Thurnher M.M.

Reporting spine imaging studies: B. What to say and not to say in your report (RC 1311), A-511

Thurnher M.M.

Neuro: C. Tumours of the brain and spine (E³ 1823), A-736

Tian B., Lu J., Xu B., Wang M., Liu Q.

Evaluation of cranial DAVF: use of 4D CTA before and after embolisation (SS 215), B-0065

Timon G., Agostinelli S., Blandino G., Vidano G., Barra S., Corvò R.

Role of 3T MRI in radiotherapy planning for stereotactic treatment of the prostate with helical tomotherapy (SS 1416), B-0970

Toepker M.

Case-Based Diagnosis Training - Part II: Genitourinary (CBDT 2)

Tolan D.J.M.

Acute gastrointestinal tract emergencies: an update: Mechanical bowel obstruction (SF 1a), A-009

Tolan D.J.M.

Imaging the postoperative patient: B. Do I need to re-operate? Postoperative imaging and immediate complications (E³ 1322), A-490

Tonoyan A.S., Pronin I., Grinberg F., Farrher E., Pitskhelauri D., Fadeeva L., Pogosbekyan E., Potapov A., Kornienko V.

Diffusion Kurtosis imaging in diagnosis of malignancy and proliferative activity of brain gliomas (SS 711), B-0658

Topcuoglu O., Ozmen M., Topcuoglu E., Karcaaltincaba M., Akata D.

Reproducibility and variability of very low-dose hepatic perfusion CT in metastatic liver disease (SS 1901b), B-1198

Tosi E., Teggi S., Dell'Oste G., Zorzi M., Armocida C., Armocida A., Raso G.

Use of computer aided detection in breast cancer screening programmes (SS 1802), B-1033

Tot T.

Rethinking ductal carcinoma in situ (DCIS): New molecular pathologic knowledge on DCIS (SA 5), A-152

Tranquart F.

Quantification on DCEUS: new trends and developments (SY 23)

Trattnig S.

Integration of imaging biomarker activities on a European level: From qualitative to quantitative imaging: a paradigm shift in radiology (PC 8a), A-264

Trattnig S.

Imaging biomarkers in degenerative joint disease: Chairman's introduction (SF 16), A-647

Treitl K.M., Wörner B., Reiser M.F., Treitl M.

Patency rates of self-expandable bare metal stents after endovascular treatment of peripheral occlusive artery disease: a matter of stent design? (SS 209), B-0123

Treitl K.M., Treitl M., Kammer N.N., Copenrath E., Kooijman-Kurfuerst H., Reiser M.F., Saam T.

3D black-blood T1-weighted turbo spin-echo technique for the diagnosis of deep vein thrombosis: a viable alternative to contrast-enhanced MRI (SS 315), B-0275

Treitl M., Reiser M.F., Treitl K.

First experience with a novel bioabsorbable and non-synthetic vascular closure device: FISHING in the angio-suite (SS 1909b), B-1288

Triantopoulou C.

Pancreatic lesions - the solid, the cystic, and the diffuse: benign or malignant?: The diffuse pancreatic lesion (SF 4), A-076

Triantopoulou C.

From my workstation: difficult cases on review: A. Pancreas (RC 1601), A-616

Trimboli R.M., Di Leo G., Benedek A., Helbich T.H., Gilbert F.J., Houssami N., Sardanelli F.

Indications and prescriptions for preoperative breast MRI: first data from the MIPA study. The MIPA study group (SS 1902b), B-1175

Trimboli R.M., Carbonaro L.A., Vogt F.M., Siegmann K., Partanen K., Rosenberg M.L., Sardanelli F.

Gadobutrol-enhanced breast MRI in the preoperative setting: results on 390 patients from an international multicenter study with European blinded readers (SS 1902b), B-1176

Trojanowska A.

Up-to-date imaging for hearing loss: Chairman's introduction (SF 1b), A-019

Trojanowska A.

Cone-beam vs multi-detector CT in head and neck imaging: Panel discussion: Cone-beam vs multi-detector CT: pros and cons (E³ 1626a), A-646

Tsetis D.K.

Interventional radiology in venous thromboembolism and chronic venous disease: Chairman's introduction (SF 12), A-443

Tsili A., Ntorkou A., Baltogiannis D., Stavrou S., Maliakas V., Sofikitis N., Argyropoulou M.

Magnetisation transfer MR imaging of normal and abnormal testis: initial experience (SS 707), B-0702

Tsitskari M., Filippiadis D.K., Velonakis G., Reppas L., Brountzos E., Kelekis N., Kelekis A.D.

Vertebral augmentation in extreme vertebral fractures: comparison between standard and augmented vertebroplasty (SS 309), B-0339

Tsougos I.

MR: artefacts and devices: C. Artefacts in perfusion and diffusion MRI (RC 1613), A-629

Tsurumaru D., Miyasaka M., Nishimuta Y., Kawanami S., Asayama Y., Nishie A., Honda H.

Dynamic contrast-enhanced CT of gastric cancers: relationship between enhancement pattern and histological type (SS 301b), B-0252

Tudisca C., Meloni A., Grassettonio E., Valeri G., Missere M., Citroto C., Renne S., Midiri M., Pepe A.

Regional myocardial contractility in thalassaemia major by magnetic resonance tagging (SS 303b), B-0393

Tudisca C., Meloni A., Grassettonio E., Restaino M., Terrazzino F., Argento C., Vallone N., Midiri M., Pepe A.

Prognostic CMR parameters for heart failure and arrhythmias in large cohort of well treated thalassaemia major patients (SS 1003b), B-0899

Tupý R., Ferda J., Kastner J., Hes O., Přebáň V.

Dynamic T1 contrast-enhanced MRI of peritumoral white matter in differentiation between glioblastoma multiforme and metastatic tumour (SS 711), B-0653

Authors' Index

Turek J., Kok M., Muhl C., Kietselaer B.L.J.H., van Ommen V.V.A., Nijssen E.C., Wildberger J.E., Das M.

Pre-TAVI evaluation: dynamic assessment of circumference-derived diameter and its influence on prosthesis selection (SS 603b), B-0600

Turkay R., Aydin F.A., Inci E., Bakir B., Hocaoglu E., Dogan-Ekici I., Bingul I., Kucukgergin C., Uysal M.

Can ultrasound imaging predict the outcomes of an experimental steatofibrosis model? (SS 301a), B-0221

Turnbull L.W.

Breast MR: when, why and how (SY 15)

Tutein Nolthenius C.J., Boellaard T.N., Nio Y., Thomeer M.G., de Haan M., Bipat S., Montauban van Swijndregt A., Stoker J.

Computer tomography colonography participation and yield in patients under surveillance for 6-9 mm polyps in a population-based screening trial (SS 701b), B-0736

Twomey M., Moloney F., Bogue C., Sheehy M., O' Connor O.J., Maher M.M.

CT dose monitoring and optimisation in paediatric CT using radiation dose tracking Software (SS 212), B-0171

Twomey M., Ryan J., Murphy K., Sheehy M., Maher M.M., O' Connor O.J.

Adult CT dose monitoring using web based radiation dose tracking software (SS 605), B-0447

Twomey M., Murphy K., Sullivan C., Carey K., Moore N., O' Connor O.J., Maher M.M.

Accuracy of SSDE calculation using radiation dose tracking software (RDTS) (SS 605), B-0448

Twomey M., Murphy K., Carey K., Nicholson P., Sheehy M., O' Connor O.J., Maher M.M.

Use of dose tracking software for assessment of patient positioning in CT (SS 605), B-0455

Tyrrell P.N.M.

The treated spine and joints: A. Imaging of the postoperative spine (E³ 721), A-211

Tyurin I.E.

HRCT - patterns in chest radiology: back to basics and beyond: C. GGO opacities and consolidation (RC 404), A-100

U

Uberoi R.

Interventional radiology in venous thromboembolism and chronic venous disease: Current endovascular treatment in iliofemoral DVT (SF 12), A-444

Udiya A.K., Jha A., Chauhan U., Singhal S.

Prognostic correlation of MRI findings with levels of parasitemia in cerebral malaria (SS 311a), B-0296

Ueno Y., Takahashi S., Ohno Y., Yui M., Kassai Y., Ueda Y., Kyotani K., Sugimura K.
High resolution computed DWI with high b-value for prostate cancer: a preliminary study (SS 1416), B-0964

Ukmar M., Pozzi-Mucelli R., Degrassi F., Neri F., Pozzi Mucelli F., Cova M.

Perfusion CT (pCT) in acute stroke: value of automatically generated colour map in the evaluation of patients with acute stroke (SS 1411), B-0956

Umutlu L.

MR/PET - the future of hybrid imaging?: A. For which indications is MR/PET better than PET/CT? (E³ 1218), A-464

Umutlu L., Pöppel T., Wrede K., Müller O., Pöttgen C., Heusch P., Lauenstein T.C., Forsting M., Schlamann M.

Diagnosing relapse in brain tumours utilising integrated [11C]-methionin PET/MRI (SS 206), B-0026

Ünal Ö., Cay N., Gumus M., Yulek F.

Real-time ultrasound elastographic features of primary open angle glaucoma (SS 208), B-0162

Uprimny C., Kroiss A., Decristoforo C., Geraldo Roig L., Kendler D., Putzer D., Horninger W., Jaschke W.R., Virgolini I.J.
Diagnostic performance of ⁶⁸Ga PSMA-ligand PET/CT in prostate cancer patients with biochemical relapse (SS 316), B-0305

V

Vago H., Toth A., Czibalmos C., Suhai F., Csces I., Kecskes K., Merkely B.

Athletes' normal left ventricular magnetic resonance parameters modified by trabeculae measurement (SS 1803), B-1064

Valcke J.

CT scan in preservation protocols of laryngeal carcinomas: choice of response criterions and impact of on disease free survival (SS 608), B-0582

Válek V.

Basic principles of percutaneous tumour ablation: A. Thermal ablation with RF (RC 409), A-118

Válek V.

Colorectal liver metastases: the emerging role of interventional radiologists in oncology: A. Tumour ablation: when and how in a modern oncological setting (E³ 919), A-319

Valentini V.

Management of rectal cancer: a paradigm shift: Organ-saving treatment: what does the radiation oncologist want to know? (MS 9), A-338

Valentini V.

What's new in biomedical imaging research: an update of EIBIR activities: EIBIR Joint Initiative for Image Guided Radiotherapy (EIBIR 2), A-384

Valentinitsch A., Fischer L., Patsch J.M., Bauer J.S., Kainberger F., Langs G., DiFranco M.

Clinical applicability of advanced trabecular microarchitecture assessment using multi-detector computed tomography (SS 305), B-0249

van Beek E.J.R.

Mediastinal disease revisited: C. A new look at the mediastinum: role of MRI and PET/CT (RC 1204), A-460

van Beek E.J.R.

Comprehensive personalised imaging of cardiothoracic diseases: Patients with chronic shortness of breath (NH 17), A-701

Van Beers B.

Technical advances in liver and pancreatic imaging: B. MRI: diffusion, perfusion and elastography (RC 901), A-306

van Delden O.M.

Acute gastrointestinal tract emergencies: an update: The acute GI bleed (SF 1a), A-011

van Delden O.M.

The leading role of interventional radiology in a major trauma centre: B. Upper abdominal trauma (E³ 926b), A-363

van den Berg N.S., Engelen T., KleinJan G.H., Valdés Olmos R.A., Klop W.M.C., van Leeuwen F.W.B.

Navigation in an intraoperatively acquired freehand SPECT scan has the potential to improve lesion identification (SS 206), B-0025

van den Berg N.S., KleinJan G.H., Brouwer O.R., Horenblas S., Valdés Olmos R.A., van der Poel H.G., van Leeuwen F.W.B.

The hybrid tracer ICG-99mTc-nanocolloid for combined radio- and fluorescence-guidance to the sentinel node in the groin (SS 206), B-0033

van den Broek W.J.M.

Looking into PET/CT: B. Quality control for PET/CT (RC 1714), A-716

van der Lugt A.

Personalised medicine in radiology: Imaging is everywhere in personalised medicine (PC 9), A-323

van der Woude H.

Diagnostic evaluation of bone tumours: A. Bone tumours: benign or malignant? (E³ 1321), A-484

van der Zijden T., Voormolen M., d'Archembeau O., de Belder F., Venstermans C., van den Hauwe L., Van Goethem J., Parizel P.M.

Imaging and intervention in acute ischaemic stroke: C. Mechanical revascularisation (RC 515), A-183

van Ginneken B.

Fleischner guidelines for nodules: theory and practice: Estimating the risk for malignancy of pulmonary nodules (SA 12), A-451

Van Goethem J., van den Hauwe L., De Belder F., Venstermans C., Ramon F., Parizel P.M.

Reporting spine imaging studies: C. Introduction to structured reporting in the spine (RC 1311), A-512

Van Gompel G., Buls N., Covens P., de Mey J.

Small-size low-contrast liver lesion detectability: dual energy CT (DECT) versus conventional CT (SS 1901b), B-1199

van Heeswijk M.M., Lambregts D.M., Palm W.M., Hendriks B.M.F., Beets G.L., Beets-Tan R.G.H.

DWI for assessment of rectal cancer nodes after chemoradiotherapy: does the absence of nodes on DWI predict a ypN0 status? (SS 1001), B-0837

van Heeswijk M.M., Lambregts D.M., Oei S., Papanikolaou N., Rao S., Beets G.L., Vliegen R.F.A., Beets-Tan R.G.H.

Automated and semi-automated diffusion-weighted MRI volumetry to assess response after neoadjuvant therapy in rectal cancer (SS 1816), B-1094

van Landsveld-Verhoeven C., Timmers J.M.H., van de Looij P., den Heeten G.J., Broeders M.J.M.

A self-test for screening radiographers in the Netherlands, in signalling apparent abnormalities (SS 1814), B-1144

Van Ombergen A., Jeurissen B., Vanhevel F., Loeckx D., Dousset V., Laureys S., Van de Heyning P.H., Parizel P.M., Wuyts F.L.

A first insight in regional brain changes after parabolic flight: a voxel-based morphometry study (SS 1911), B-1219

Van Ongeval C.

Introduction (SY 2)

Authors' Index

van Oudenaarde K., Jobke B., Kloppenburg M., Oostveen A., Marijnissen A., Wesseling J., Bierma-Zeinstra S., Bloem H., Reijnen M.

Association of MRI features with development of radiographic knee osteoarthritis in early knee osteoarthritis patients (SS 1910), B-1210

van Riel S.J., Chung K., Scholten E.T., de Jong P.A., Schaefer-Prokop C.M., van Ginneken B.

ACR lung-RADS guidelines for pure ground-glass nodules: is a threshold of 20mm adequate? (SS 604), B-0535

van Seeters T., Velthuis B.K.

CT angiography and CT perfusion for outcome prediction in patients with suspected acute ischemic stroke (SS 1011), B-0812

van Seeters T., Kappelle L., Biessels G., van der Graaf Y., Velthuis B.K.

CT angiography and CT perfusion improve prediction of infarct occurrence and infarct volume at follow-up (SS 1411), B-0950

van Westerveld P.P., Vriesema J.L.J., van den Hout J.H.W., Cornel E.B., Veltman J.
Cognitive target MRI-TRUS fusion biopsies of MRI detected PIRADS 4 and 5 lesions (SS 707), B-0704

van Zandwijk J.K., Tuncay V., Slump C.H., Oudkerk M., Vliegenthart R., van Ooijen P.M.A.

Geometrical differences of the coronary arteries during the cardiac cycle on 4D CT angiography (SS 1803), B-1060

van Zelst J.C.M., Mann R.M., Woldringh G.H., Mus R.D.M., Bult P., Rutten M.J.C.M., Hoogerbrugge N., Karssemeijer N.

A prospective evaluation of a multimodal screening regimen in BRCA carriers (SS 302b), B-0228

Vande Berg B.

Internal derangement of joints: choosing the right test for the problem: CT arthrography: acceptable if MR availability is limited? (SF 1c), A-024

Vande Berg B.

Metabolic, endocrine and marrow disease: Metabolic, endocrine and marrow disease (E³ 24E), A-742

Vander Plaetsen S., Verstraete K.

Post-mortem evaluation of drowning with whole body computed tomography (SS 314), B-0363

Vandulek C., Ohmstede A.

High-end and hybrid technology in clinical and research work of radiographers in Germany: Introduction (EM 5), A-396

Vandulek C.

MRI from the cradle to the future: C. Safety in MRI: all you have to know (RC 1614), A-662

Vanel D.

New insights in bone tumour imaging: Chairman's introduction (RC 916), A-332

Vanhoenacker F.M.H.M., Peters B.

Diagnostic evaluation of bone tumours: B. Pseudotumours: mimic bone tumours (E³ 1321), A-485

Vanhoenacker F.M.H.M.

Musculoskeletal: Chairman's introduction (E³ 1523), A-576

Vanzulli A.

Tailoring CT scans to individual patients: design and validation (SY 8)

Vanzulli A., Romano L., Flor N., Carriero A., Albrecht T., Prokop M.

Reduction of contrast and radiation dose in multidetector computed tomography (MDCT) using individualised tailored protocols (SS 201b), B-0035

Varoquaux A.D., Reyre A., Martin-Duverneuil N., Benoudiba F., Dubrulle F., Moulin G.

Skull base lesions: B. Imaging of the central skull base (E³ 1521), A-560

Vasilevska Nikodinovska V.

Sports injuries to the knee: improving my report: B. The collateral ligaments and posterolateral corner: what are they, why do they matter and how do I assess them? (RC 1210), A-441

Veit-Haibach P.

Essentials of hybrid imaging: B. The SUV: when does its use make sense? (E³ 818), A-284

Veit-Haibach P.

Technical and diagnostic experiences in simultaneous TOF-PET/MRI (SY 9)

Velasco A., Zoubi T., Kurre W.,

Aguilar Perez M., Berkemeyer S., Niederstadt T., Henkes H., Chapot R., Heindel W.

Complete recanalization after mechanical thrombectomy with stent retrievers: comparison between balloon guide catheter (BCG) and distal access catheter (DAC) in acute ischemic stroke (SS 609), B-0548

Veldhoen S., Schöllchen M., Hanken H.,

Precht C., Henes F.O., Schön G., Heiland M., Adam G., Regier M.

Diagnostic performance of cone beam computed tomography and MDCT in diagnostic imaging of the midface: a comparative study on phantoms and cadaver head scans (SS 708), B-0725

Venancio J.

Prostate: A. Ultrasound of the prostate (E³ 720), A-231

Venugopal V., Arjun S.K.

Real-time splenic elastography as a tool for detection and grading of oesophago-gastric varices (SS 1401), B-0981

Venugopal V., Afshan I., Arjun S.K.

Relative contributory role of Interictal/Ictal SPECT, interictal PET, MR spectroscopy and T2 relaxometry in localisation of seizure focus in temporal lobe epilepsies: a metaanalysis and systematic review (SS 1811), B-1082

Verbist B., Frijns J.H.M.

Up-to-date imaging for hearing loss: Pre- and postoperative imaging in inner ear and brainstem implants (SF 1b), A-022

Verellen D., de Mey J., Vandenbroucke F.,

Buls N., De Ridder M.

Radiology and radiation oncology: new chances for a partnership: Interventional radiology and radiation oncology: working together (ESR/ESTRO 2), A-626

Verhagen M.V., Guit G.L., Hafkamp G.J.,

Kalisvaart C.J.

The additional value of neuroimaging combined with visual rating scales to the clinical diagnosis of dementia (SS 1911), B-1226

Verloh N., Haimerl M., Stroszczyński C.,

Fellner C., Wiggermann P.

Multivariable analysis of clinical influence factors on liver enhancement of Gd-EOB-DTPA-enhanced 3T MRI (SS 301a), B-0218

Verma R.K., Wagner F., Abela E., Springer E., Huber A., Schindler K., Weisstanner C., Gralla J., Wiest R.

Patterns of altered susceptibility during seizures: the value of susceptibility weighted imaging (SWI) in detecting ictal events (SS 1011), B-0813

Verstraete K.

Basic 4: Musculoskeletal trauma: Knee (Basic 4), A-505

Verstraete K.

Tumoural and pseudotumoural MSK lesions: Tumoural and pseudotumoural MSK lesions (E³ 24D), A-558

Verstraeten T.R.G.M., De Wilde L.F.

Three-dimensional glenohumeral relationship of different surgical glenoid planes: a three-dimensional CT-scan study (SS 610a), B-0498

Verstraeten T.R.G.M., De Wilde L.F.

Preoperative guiding for the reconstruction of the native glenoid plane: an anatomical three-dimensional CT-scan reconstruction study (SS 610a), B-0499

Vicente D., Dessandier V., Pimenta A.,

Almeida C., Silva D., Gaspar R., Paulo G., Santos J.

Cardiac computed tomography dose levels: a national approach and comparison with other cardiac radiation procedures (SS 1014), B-0867

Viganò S., Patterson A.J., McLean M.A.,

Earl H., Bedair R., Matthew W.G.,

Graves M.J., Provenzano E., Gilbert F.J.

MRI parameters as imaging biomarker for prediction of response in patients with breast cancer receiving neoadjuvant therapy (SS 202a), B-0019

Vikestad K.G.

Radiography and evidence-based research: the way forward: C. Improvement of patient outcomes by evidence-based research (RC 1314), A-525

Vilar J.

Pulmonary vasculitis and collagen vascular diseases: B. Large-vessel vasculitis (RC 104), A-035

Vilar J.

Chest: Chairman's introduction (E³ 1323), A-500

Vilar J.

FA(b)Q frequently asked (burning) questions - with answers: Panel discussion: More FA(b)Q and its answers (EDiR), A-684

Vilela P.

Basic 2: Neuroradiology: Vascular malformations (Basic 2), A-201

Vilgrain V., Burrel M.

Current trends in transarterial chemoembolisation (TACE) and radioembolisation for HCC: A. Imaging in therapy planning and follow-up (RC 809), A-294

Vilgrain V., Ronot M., Vullierme M.,

Ruszniewski P.

Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: C. Anatomical imaging: transabdominal US, endoscopic US, MDCT and MRI: which is the most appropriate imaging approach? (RC 516), A-162

Villeirs G.M.

Prostate: B. Multiparametric MRI of the prostate (E³ 720), A-232

Villeirs G.M.

Joint ESR-EAU prostate cancer session: Role of a multiparametric MRI in early detection (EM 2), A-418

Authors' Index

Villers A.

Joint ESR-EAU prostate cancer session: Active surveillance strategies in prostate cancer (EM 2), A-419

Vinci V., Bernardo S., Saldari M., Manganaro L.

comparison of DWI and T2 TSE with gadolinium enhanced sequences for the staging of the uterine cervical cancer (SS 207), B-0140

Vining D.J., Pitici A., Prisacariu A., Popovici C.

Patient lifetime graphs as an aid to subsequent image interpretations (SS 1905), B-1191

Viviani A., Moreschi L., Ricci E., Guerra C.

Angio-uro dynamic functional MRI: difference between this new technique and the traditional investigations in patients with pathology of the urinary tract (work in progress) (SS 707), B-0707

Vliegenthart R.

Coronary atherosclerosis: Keynote lecture (SS 303a), K-05

Vock P.

Multi-energy imaging: from physics to diagnosis II: Multi-energy imaging in the thorax (EF 2), A-387

Vock P.

EuroSafe imaging call for action: EuroSafe imaging training and education activities and data collection project "Are you EuroSafe?" (EuroSafe 2), A-410

Vock P.

Principles of imaging and radiation protection: Chairman's introduction (E³ 1923), A-743

Vogl T.J., Kardeh M., Silber G.

Method to determine dynamic in vivo material properties of the achilles tendon using ultrafast MRI sequence (SS 313), B-0324

Vogl T.J., Lauer H.C., Lehnert T., Naguib N.N.N., Soekamto H., Fillmann N., Ottl P.

Value of MRI in patients with temporomandibular joint dysfunction: correlation of MRI and clinical findings (SS 308), B-0372

Vogl T.J., Hagar A., Naguib N.N.N., Nour Eldin N.-E.A., Bechstein W.O., Zeuzem S.

Microwave ablation (MWA) in malignant liver tumours: comparative evaluation of local tumour control and survival rates using two different microwave generator systems (SS 1009), B-0858

Vogl T.J., Basten L., Panahi B., Nour-Eldin N.-E.A., Naguib N.N.N.

New concept in microwave ablation (MWA) of liver and lung malignancies: does MWA with thermosphere technology reproduce a predictable spheric ablation zone? (SS 1009), B-0859

Vogl T.J., Tietz S., Zangos S., Zeuzem S.

Transarterial chemoembolisation (TACE) in primary liver malignancies: Intraprocedural blood volume measurement using fast C-arm-CT for monitoring response (SS 1409), B-0994

Vonder M., Pelgrim G., Huijsse S.E.M., Greuter M.J.W., Gratama J.C., Oudkerk M., Vliegenthart R.

Detectability of small calcifications in patients of different sizes: a stationary phantom study (SS 303a), B-0263

Vonder M., Pelgrim G., Huijsse S.E.M., Meyer M., Greuter M.J.W., Oudkerk M., Henzler T., Vliegenthart R.

The impact of Sn-filter on detection and quantification of coronary calcification using third generation dual-source CT at ultra-low dose: a phantom study (SS 303a), B-0264

Voormolen M., van der Zijden T., d'Archambeau O., Venstermans C., De Belder F., Van den Hauwe L., Van Goethem J., Salgado R., Parizel P.M.

Screening for cerebral aneurysms: B. Which technique to use? CT angiography, time-of-flight MR angiography, contrast-enhanced MR angiography, catheter angiography (RC 1711), A-719

Vreemann S., Gubern-Mérida A., Lardenoije S., Platel B., Karssemeijer N., Mann R.M.

A critical audit of a breast MRI screening programme for intermediate and high risk patients in clinical practice (SS 302b), B-0233

W

Wadhvani A., Batool S., Novak K., Wilson S.

Does abdominal ultrasound show equivalence to computed tomography and magnetic resonance enterography in predicting disease severity and complications? (SS 201b), B-0034

Wadhvani A., Guo L., Saude E., Els H., Lang E., MacRae A., Bhayana D.

Intravenous and oral contrast vs intravenous contrast alone CT for the visualisation of appendix and diagnosis of appendicitis in adult ED patients (SS 217), B-0194

Wadhvani A., Patel P., Novak K., Wilkens R., Wilson S.

Monitoring response to infliximab monotherapy in Crohn's disease with interval ultrasound: a safe and objective option (SS 601b), B-0463

Waldt S.

Sports injuries to the knee: improving my report: C. The patellofemoral joint and osteochondral injuries: how do I assess and what do I report? (RC 1210), A-442

Walecki J.

Acute pain: your friend and enemy in emergency radiology: Chairman's introduction: patients with acute pain - management and therapeutic pathways (RC 917), A-365

Walker-Samuel S.

Chemical exchange saturation transfer (CEST): a new toy for molecular imaging?: C. Clinical applications (E³ 1226d), A-469

Wallace A.B., Hayton A.

Lessons learned from developing and establishing a national web-based MDCT DRL survey program (SS 605), B-0446

Wallace A.B., Thomas P., Hayton A.

Data distributions and the impact of iterative reconstruction algorithms from the first three years of the Australian MDCT DRL project (2011-2014) (SS 1013), B-0783

Walsh D., Messmer-Wullen M.

Communicating the results of radiological studies to patients: from high-tech to human touch imaging: Brain disorder - the communication challenge (ESR-PAG 2), A-740

Walter T.C., Knobloch G., Sandek A., Ding-Reinelt V., Freyhardt P., Krebs A., Denecke T., Hamm B., Makowski M.

Multi-parametric myocardial mapping of patients with Anderson Fabry disease: regional distribution of changes in T1, T2 relaxation and ECV (SS 1003b), B-0905

Wanambiro K.W., Jowi J., Ponda S.W.

Improved prediction of ischaemic stroke outcome using combined ASPECTS and the NIHSS (SS 1011), B-0820

Wanders J.O.P., Holland K., Veldhuis W.B., Mann R.M., Peeters P.H.M., van Gils C.H., Karssemeijer N.

Effect of volumetric mammographic density on performance of a breast cancer screening program using full-field digital mammography (SS 1802), B-1028

Wang F., Xue H., Han W., Wu Z., Ma S., Zhang Y., Jin Z.

Metal artefacts reduction for spinal fusion implants in computer tomography: usage of gemstone spectral imaging and iterative reconstruction (SS 1410), B-0939

Wang H., Liu Y., Grove O., Balagurunathan Y., Heine J., Eschrich S., Ye Z., Gillies R.

Correlation between CT features and KRAS mutation in patients with stage I lung adenocarcinoma and their prognostic value (SS 216), B-0094

Wang X., Wang S., Xue H., Jin Z.

Use of dual-energy virtual non-contrast CT for quantitative assessment of hepatic steatosis with dual-source CT scanner: a preliminary study (SS 701a), B-0606

Wang Y., Xiao Y., Jiang Y., Li H., Liu S.

Evaluation of artifacts reducing effect of orthopedic metal artifact reduction technique in patients after pedicle screw placement (SS 1410), B-0944

Weber C.N., Ge B.H., Clark T.W.I., Soulen M.C., Nadolski G.J.

Clinical outcomes of selective variceal coil embolisation during PTFE-covered transjugular intrahepatic portosystemic shunt (TIPS) placement for variceal hemorrhage (SS 709a), B-0698

Weber M.-A., Rehnitz C.

Imaging biomarkers in degenerative joint disease: Proteoglycan-specific quantitative imaging in osteoarthritis and cartilage repair - part 2 (SF 16), A-649

Weber R.J.P., Klompenhouwer E.G., Nederend J., Louwman M.W., Voogd A.C., Strobbe L.J.A., Jansen F.H., Duijm L.E.M.

Characteristics and survival of interval breast cancer subtypes at biennial screen-film and full-field digital screening mammography (SS 1802), B-1031

Weber R.J.P., Klompenhouwer E.G., Nederend J., Voogd A.C., Strobbe L.J.A., Duijm L.E.M.

Screening outcome and surgical treatment during and after the transition from screen-film to digital screening mammography in the south of the Netherlands (SS 1802), B-1032

Ween B., Skoglund M., Parameswaran P., Eieland H.

Premature and neonatal chest images' quality variations (SS 314), B-0367

Weidner M., Schegerer A.A., Diehm T., Lechel U., Schoenberg S.O., Brix G., Neff K.W.

Paediatric fluoroscopic imaging - comparison of simulation results using an anthropomorphic phantom representing a 1-year old child examined on an image-intensifier and a flat-panel detector based system (SS 212), B-0169

Weidner M., Hagelstein C., Diehm T., Schoenberg S.O., Neff K.W.

Comparison of radiation dose between an image intensifier system and a flat-panel detector system - evaluation of clinical imaging in a paediatric population (SS 212), B-0172

Authors' Index

Weinheimer O., Heußel C.P., Kauczor H.-U., Wielpütz M.O.

Simulation study about the accuracy of advanced airway geometry determination on MDCT using a computer-generated phantom (SS 605), B-0450

Weir-McCall J.R., White R.D., Gutur Ramkumar P., Belch J.J.F., Struthers A.D., Houston G.

Follow-up of atheroma burden with sequential whole body contrast enhanced MR angiography: a longitudinal cohort study (SS 615), B-0479

Weishaupt D.

Perianal fistula disease: all you need to know: D. Interactive case discussion (E³ 1222), A-424

Weishaupt D.

Dose-tracking leads the way to dose-reduction: Implementing a dose management solution in your department: where to start and what to expect? (EuroSafe 3), A-582

Weiß J., Pomschar A., Neumaier K., Flatz W., Ertl-Wagner B., Li M., Notohamiprodjo M.

Low-dose fluoroscopic examinations of the upper gastrointestinal tract: assessment of image quality and radiation levels (SS 201b), B-0036

Wellenberg R.H.H., Boomsma M.F., van Osch J.A.C., Vlassenbroek A., Milles J., Mueller D., Maas M.

CT-imaging of a hip prosthesis using model-based iterative reconstruction and its influence on metal artefact reduction: a quantitative analysis (SS 610b), B-0567

Wen L., Yang Z., Xu H.

Diagnostic accuracy of dual-source computed tomography in evaluation of coronary in-stent restenosis: a meta-analysis (SS 603a), B-0475

Wenkel E.

MRI perspective (SY 4)

Weskott H., Ba-Ssalamah A.

Advances in diagnostic ultrasound: better results through integration: Diagnosis, characterisation and staging of liver tumours (ESR/EFUMB), A-140

Wessling J.

Pancreatic lesions - the solid, the cystic, and the diffuse: benign or malignant?: The cystic pancreatic lesion (SF 4), A-075

West D.J.

Interventional radiology in venous thromboembolism and chronic venous disease: Techniques and tools in endovenous thermal ablation (SF 12), A-447

Westwood T.D., Kershaw L.E.,

Donaldson S.B., Carrington B.M., Cowan R., Lyons J., Elliot T., Choudhury A., Bonington S.

Pretreatment DCE-MRI estimates of extravascular extracellular volume (ve) predict for survival following therapy for muscle invasive bladder transitional cell carcinoma (TCC) (SS 716), B-0662

Wichmann J.L., Meinel F.G., De Cecco C.N., Varga-Szemes A., Muscogiuri G., Cannao P.M., Choe Y.H., Wang Y., Schoepf U.J.

Semi-automated global quantification of left ventricular myocardial perfusion at stress dynamic CT: diagnostic performance for detection of territorial perfusion deficits (SS 1003a), B-0793

Wichmann J.L., De Cecco C.N., Meinel F.G., Varga-Szemes A., Muscogiuri G., Cannao P.M., Choe Y.H., Wang Y., Schoepf U.J.

Left ventricular myocardial perfusion at stress dynamic CT: multi-center evaluation of relative and absolute territorial myocardial blood flow in patients with coronary artery stenosis (SS 1003a), B-0794

Widmann G., Dalla Torre D., Hoermann R., Schullian P., Gassner E., Bale R., Puelacher W.

Detection of midfacial and orbital fractures using ultralow dose CT and iterative reconstructions (SS 1913), B-1244

Wieberneit N.

Spectral lesion characterisation: initial clinical results (SY 25)

Wielema M., Dorrius M.D., Dijkstra H., Oudkerk M., Sijens P.E.

The influence of size and position of the region of interest on the apparent diffusion coefficient values in discriminating between benign and malignant breast lesions in diffusion weighted imaging (SS 702), B-0617

Wielpütz M.O.

COPD, airways disease and beyond: C. Is there a role for MRI? (RC 504), A-171

Wildberger J.E.

Great vessels (SY 5)

Wildberger J.E., Bekkers S.C.A.M.

Acute pain: your friend and enemy in emergency radiology: B. Chest (RC 917), A-367

Williams M.C., Weir N., Gray C., MacGillivray T., van Beek E.J.R., Newby D.E., Mirsadraee S.

Quantification and optimisation of computed tomography myocardial late enhancement imaging with correlation to magnetic resonance imaging (SS 203a), B-0055

Williams M.C., Morley N., Muir K., van Beek E.J.R., Reid J.H., Murchison J.

Can coronary artery calcifications on CT pulmonary angiography predict right heart strain? (SS 1004), B-0846

Wilson D.J.

Percutaneous treatment of chronic back pain and sciatica: A. Sacroiliac joint syndrome (RC 509), A-188

Wilson D.J.

Research for trainees made easy: critical reading of the literature: Clinical relevance of publications: influence on outcome (Res.WG), A-315

Wilson D.J., Allen G.M.

Ultrasound / MRI fusion imaging guided lumbar nerve root blocks: preliminary experience (SS 210), B-0067

Wilson D.J., Allen G.M., Bullock S.

Extremity CT and ultrasound in the assessment of ankle injuries - occult fractures (SS 310), B-0282

Winkhofer S., Peter S., Tischler V., Morsbach F., Modregger P., Stampanoni M., Thali M., Alkadhi H., Stolzmann P.

Characterisation of human coronary atherosclerotic plaques with phase-contrast imaging (SS 703), B-0746

Wirth S., Rentsch M.

Acute postoperative complications in the abdomen: from diagnosis to therapy: B. Liver and pancreas (E³ 1226b), A-479

Woitek R., Weber M.-A., Seidl R., Bettelheim D., Schöpf V., Amann G., Brugger P.C., Prayer D., Kasprlan G.

Fractional anisotropy of the fetal midbrain is specifically elevated in Chiari II malformations (SS 612), B-0524

Wong Y., Wang L., Wu C.

Comparisons of liver CT perfusion of blunt liver injuries between patients treated with intervention and conservative management (SS 317), B-0411

Woussen S.E., Zanca F., Bosmans H., Vanbeckevoort D., Oyen R.H.

Clinical indications and radiation doses to the conceptus associated with CT scanning in pregnancy: a retrospective study (SS 1913), B-1246

Woznitza N.H., Piper K., Burke S., Ellis S., Bothamley G.

Chest x-ray agreement: comparative analysis between consultant radiologists, reporting radiographers and expert chest radiologists (SS 1814), B-1143

Wu C.X., Zheng W.B.

DTI and MR spectroscopy study in the auditory neural pathway of paediatric congenital sensorineural hearing loss patients (SS 612), B-0528

Wu L., Andong A., Xu J.

Quantitative T2 mapping in the distinction of salvaged and infarcted myocardium within the ischemic area-at-risk: validation and comparison with T2-weighted images (SS 203a), B-0047

Wu L., Chen X., Xu J.

T2 star relaxation time in the detection and assessment of aggressiveness of peripheral zone cancer in comparison with diffusion-weighted imaging (SS 1416), B-0963

X

Xia W., Chen X., Wang L., Li H.

The value of diffusion-weighted MRI in the diagnosis of muscle-invasive bladder cancer (SS 1907), B-1279

Xing J., Limbu H.H., Gao J.B.

Application of spectral CT on T staging of gastric carcinoma: evaluation of iodine concentration of perigastric fat tissue adjacent to tumour for diagnosing serosal invasion compared with pathological T staging (SS 301b), B-0253

Y

Yakar D., Bomers J., Bosboom D., Fütterer J.J.

Feasibility of a pneumatically actuated MR-compatible second generation robot for transrectal prostate biopsy guidance by using the PIRADS classification (SS 707), B-0706

Yamamura J., Schramm C., Ittrich H., Adam G., Keller S.

Correlation between MRI examination and biopsy of the liver in patients with primary sclerosing cholangitis: a retrospective study (SS 301a), B-0223

Yamamura J., Keller S., Pfeifer C., Schönengel B., Grosse R., Adam G., Wang J., Fischer R.

Pancreatic iron assessment by MRI-R2* in patients with transfusional siderosis and haemochromatosis (SS 301a), B-0225

Authors' Index

Yamamura J., Schmidt T., Keller S., Wang J., Adam G., Fischer R.

Useful tool in virtopsy: postmortal 31P magnetic resonance spectroscopy of the skeletal muscle: α -ATP/Pi ratio (SS 1010a), B-0808

Yang L., Luo Y.

An experimental study on the relationship between the haemodynamic changes and liver regeneration on a rat model of different degrees of portal vein stenosis following 70% partial hepatectomy (SS 1901b), B-1206

Yao L., Deng W., Liao W., Li F., Xiao Y., Zhang W., Sweeney J., Gong Q., Lui S.

Disrupted small-world networks in never treated schizophrenia patients with long illness duration (SS 211a), B-0080

Yaroshenko A., Hellbach K., Velroyen A., Auweter S., Bech M., Meinel F.G., Reiser M.F., Pfeiffer F.

Visualisation of pulmonary emphysema and fibrosis in living mice using x-ray dark-field CT imaging (SS 213), B-0102

Yeong C.

Iterative model reconstruction (IMR) in routine clinical use (SY 26)

Yin J., Zhao B., Zuo P., Ni H., Shen W.

The value of resting-state fMRI for detecting epileptogenic zone in patients with focal epilepsy (SS 1811), B-1080

Yong Q., Zhang L., Yuan J., Mu J.

Super micro-vascular imaging: a new technique detecting neovascularisation in carotid plaque (SS 615), B-0485

Yoon I., Kim Y., Kim Y., Won Y., Song H.

Contribution of susceptibility weighted imaging in differentiating acute from chronic internal carotid occlusion (SS 311b), B-0416

Yoon J., Lee S., Cho Y., Son R., Kim S., Ahn S., Lee H.

Various factors contribute to graft extrusion in lateral meniscus allograft transplantation: MRI evaluation of 87 knees (SS 610b), B-0568

Yoon J., Lee J., Klotz E., Han J., Choi B.

Estimation of extracellular volume fraction using routine four-phase liver CT for grading hepatic fibrosis (SS 701a), B-0613

Yousry T.A.

White spots in the brain: A. White spots and blots in the brain: what are they? (RC 1511), A-607

Yousry T.A.

Inflammatory and degenerative disorders: Keynote lecture (SS 211a), K-02

Yu N., Jin C., Li Y., Ma J., Guo Y.

The pulmonary vascular alteration in COPD as determined by quantitative CT measurement: a two-year longitudinal study (SS 1804), B-1110

Z

Zagoria R.J.

Abdominal emergencies: B. The enemy within: non-traumatic abdominal emergencies (MC 528), A-192

Zamora D.

IT tools for dose tracking and workflow optimisation: B. Patient dose tracking: a must have? (RC 1313), A-498

Zamyshevskaya M., Zavadovskaya V., Zorkaltsev M., Udodov V., Grigoriev E.

3D DCE-MRA in evaluation of blood-flow in diabetic foot (SS 715), B-0633

Zanetti M.

The treated spine and joints: B. Imaging of joint replacement (E³ 721), A-212

Zanetti M.

Basic 4: Musculoskeletal trauma: Shoulder (Basic 4), A-504

Zarb F.

CT from A to Z: B. Patient safety in CT: radiation dose and CM administration (RC 1514), A-605

Zavadovskiy K.V.

Nuclear and hybrid imaging in assessment of myocardial perfusion: state of the art (SY 21)

Zavadovsky K.W., Gulya M.O.,

Lishmanov Y.B., Maslov L.N., Saushkin V.V.

The pattern of myocardial perfusion in patients with intermediate and significant coronary artery stenosis (SS 1003a), B-0789

Zbinden I., Rutz E., Jacobson J.A.,

Magerkurth O.

Tibial bowing in children: what is normal? A radiographic study (SS 312), B-0387

Zeilinger M., Lell M., Baltzer P.A.T., Uder M., Dietzel M.

Impact of post-processing algorithms on the reproducibility of apparent diffusion coefficient (ADC): is it really quantitative? (SS 305), B-0242

Zech C.J., Justo N., Lang A., Ba-Ssalamah A., Kim M.-J., Rinde H., Jonas E.

Economic evaluation of gadoxetic acid-enhanced magnetic resonance imaging (Gd-EOB-DTPA-MRI) in the diagnosis of colorectal-cancer metastasis in the liver: results from the VALUE trial (LBCT)

Zhang F., Cao J., Fu G., Fu G.

Early monitoring of tumor response to photothermal/photodynamic therapy delivered by nano-graphene oxide using diffusion-weighted and BOLD-contrast MRI (SS 1816), B-1095

Zhang G., Sun H., Li X., Jin Z.

Active severe gastrointestinal bleeding (GIB): diagnostic performance of the expanded criteria for positive findings on multi-detector CT angiography (MDCTA) (SS 1401), B-0976

Zhang L., Lin J., Zhang S., Yong Q.

Characterisation of achilles tendons in familial hypercholesterolemia patients using ultrasound imaging and shear wave elastography: a pilot study (SS 610b), B-0570

Zhang L., Odille F., Huttin O., Girerd N.,

Felblinger J., Marie P., De Chillou C.,

Mandry D.

Infarct evolution patterns following a revascularised acute myocardial infarction: a multilayer model for LGE analysis (SS 603a), B-0472

Zhang M., Sun Y., Qi W., Jiang Y., Liu Y.,

Hong N.

Screening for lung cancer using ultra-low dose computed tomography with iterative model reconstruction algorithm (SS 704), B-0685

Zhang Y., Fisher M., Tomson A., Lehmann H.,

Herlin G., Rouvelas I., Lundell L.,

Brismar T.B.

Semi-automatic computed tomography volumetry of esophageal cancer: a reproducible method for assessment of primary tumour size insensitive to radiologist experience (SS 201b), B-0044

Zhao J., Heußel C., Dinkel J., Kauczor H.-U.,

Schlemmer H.-P., Warth A., Schnabel P.,

Muley T., Steins M.

Epidermal growth factor receptor mutation in lung adenocarcinomas: comparing CT characteristics with and without activating EGFR mutation (SS 216), B-0096

Zhao J., Chu J., Yang J., Yang Z., Luo B.

Differentiation of primary brain tumours from metastases: quantitative evaluation of multi-parameters from diffusion and DCE-MR perfusion in tumor parenchyma and peritumoral area (SS 1016), B-0823

Zheng L., Zhang Z.

Blood oxygen level-dependent magnetic resonance imaging (BOLD-MRI) evaluating human visceral adipose tissue (AT) oxygenation induced by salt loading/depletion: feasibility study (SS 206), B-0032

Zheng L., Larson A.C., Zhang Z.

MRI of antigen-loaded dendritic cell migration in a pancreatic carcinoma model (SS 1406), B-0932

Zheng L., Zhang Z., Khazaie K., Saha S.,

Lewandowski R.J., Zhang G., Larson A.C.

MRI-monitored percutaneous injection of iron-oxidized labelled *Clostridium novyi*-NT for bacteriolytic therapy: preclinical studies in xenograft model of pancreatic cancer (SS 1406), B-0933

Zhou Y., Wang M.Y., Gao J.B.

Comparison of monoexponential and biexponential models of diffusion-weighted MRI in differential diagnosis of VX2 small hepatic tumours (SS 601a), B-0433

Zhou Y., Wang M.Y., Gao J.B.

Image quality of liver small lesions with virtual monochromatic spectral CT low-osmolar contrast: preliminary animal experience (SS 713), B-0673

Zhou Y., Hou P., Gao J.B.

Optimisation study of image quality of pulmonary angiography: volume helical shuttle technology with low-osmolar contrast medium (SS 1015), B-0771

Zhou Y., Gao J.B.

Virtual monochromatic spectral CT with low iodine concentration contrast medium in Budd-Chiari syndrome: investigation of image quality and detection (SS 1015), B-0778

Zhou Y., Gao J.B.

Virtual monochromatic spectral CT imaging with adaptive iterative reconstruction technique for urinary system: preliminary research (SS 1807), B-1137

Zhu L., Zhang L., Wang J.

HANP/PTX treatment (SS 316), B-0312

Zhu L., Xue H., Wang X., He Y., Sun H., Jin Z.

Enhancement pattern, clinical features and perfusional characteristics of symptomatic pancreatic endocrine tumours (SS 1901a), B-1167

Zimmermann E., Feger S., Rief M.,

Schlattmann P., Laule M., Dewey M.

Coronary angiography by 320-row CT in patients with atrial fibrillation: prospective intention-to-diagnose comparison with conventional coronary angiography (SS 203b), B-0176

Zins M.

Acute gastrointestinal tract emergencies: an update: The acute abdomen: inflammation and its mimics (SF 1a), A-008

Zins M.

Pancreatic inflammation: A. Acute pancreatitis (RC 1301), A-486

Zins M.

Gastrointestinal stromal tumours (GIST): D. Interactive case discussion (E³ 1722), A-678

Zins M.

New improvements in abdominal and pelvic oncologic MRI (SY 9)

Authors' Index

Zitzelsberger T., Hornung A., Krumm P., Klumpp B., Schäfer J.F., Sieverding L., Kramer U., Nikolaou K., Bamberg F.

Feasibility of real-time magnetic resonance imaging in assessment of ventricular volumes and function in pediatric patients with congenital heart disease (SS 303b), B-0392

Zlatareva D.

Epilepsy: B. How to report MRI in patients with epilepsy (E³ 1626c), A-664