



## Authors' Index (E)

# Authors' Index

## A

**Abdel Razek N.M., Shaalan M., Yousef O., Omar O.S., Naguib S., Soliman O.**

Image-guided breast lesion excision biopsy versus vacuum-assisted breast biopsy for suspicious non-palpable breast lesions (SS 202), B-0220

**Abdoelle M., Tsuruda K.M., Iles S.E., Lightfoot C.B., Payne J.I., Caines J.**

Fully automated breast density measures and breast cancer risk: a case-control validation study (SS 1702), B-0830

**Abdulhussein H., Morrissey D., Chan O.**

High-volume image-guided injection with or without steroid for achilles tendinopathy: a prospective study (SS 210), B-0185

**Abdullah B.J., Yeong C.H., Goh K., Yoong B., Ho G., Kulkarni A.**

Early experience of a commercial available robot (Maxio) for CT-guided radiofrequency ablation of liver tumours (SS 109), B-0121

**Abhehsara M.M., Gugliemina J., Stoinov J.I., Poncet E., Laurent N., Boulanger L., Dana A., Tibi C., Kovatcheva R.D.**

Ultrasound guided HIFU treatment of breast fibroadenoma (SS 102b), B-0075

**Aberle D.R.**

Computed tomography screening for lung cancer: is it time to implement individual lung cancer screening in clinical practice? A. Implications of the national lung screening trials (NLST) (MC 424), A-062

**Abishev B., Tazhibaev D.**

Uterine artery embolisation: long-term follow-up of leiomyoma (SS 1809), B-1051

**Adam A.**

Interventional radiology in oncology: Chairman's introduction (PC 4), A-098

**Adams J.E.**

Body composition: a new string to the radiologist's bow: Body composition: why and how? (SF 15a), A-474

**Adamsbaum C., Husson B., Deiva K., Tardieu M.**

Autoimmune disorders in children: C. Multiple sclerosis in children (RC 812), A-211

**Aghaghazvini L., Sharifian H., Salahshur F., Yazdani N., Shakiba M., Koorki S.**

Dynamic contrast enhanced MRI for differentiation of major salivary glands neoplasms, a 3-T MRI study (SS 508), B-0393

**Aghaghazvini L., Sharifian H., Omidi S., Yazdani N., Koorki S.**

The role of magnetic resonance spectroscopy for differentiation between major salivary glands neoplasms (SS 508), B-0395

**Agostini G., Venturini M., Maffi P.,**

**Balzano G., Piemonti L., Del Maschio A.**

Single centre experience of extending indications for percutaneous intraportal pancreatic islets auto-transplantation after pancreatic surgery to prevent type-1 diabetes: feasibility, technical aspects, complications, and clinical outcome (SS 1309), B-0734

**Agresti R.**

Multidisciplinary team meeting from Milan, IT: B. The surgeon's point of view (E<sup>3</sup> 820c)

**Aguilar-Pérez M., Kurre W., Fischer S.,**

**Bázner H., Henkes H.**

Safety and efficacy of a new device for the treatment of wide neck bifurcation aneurysms: preliminary experience (SS 1311), B-0713

**Aherne E., Moriarty H., Egan M., Lawler L.**

Multidisciplinary meetings and radiologist workload: a retrospective and prospective review in a tertiary university centre in Ireland (SS 216), B-0210

**Ahlström H.**

Diffusion MRI: everything you always wanted to know but never dared to ask: Clinical applications of diffusion MRI (body) (Joint Session of the ESR and ESMRMB), A-245

**Ahlström H.**

Management of bone metastases: Chairman's introduction (RC 1616), A-532

**Ahlström Riklund K.**

Pitfalls in FDG PET/CT imaging: Chairman's introduction (SF 3), A-036

**Ahn S., Lee J., Joo I., Lee E., Han J., Choi B.**

Hepatocellular carcinoma: correlation between microvascular invasion with image findings of gadoteric acid-enhanced MR and [<sup>18</sup>F] FDG uptake on PET/CT (SS 1301), B-0679

**Aigner F.**

Elastography as a new tool: US elastography of the prostate (SF 16e), A-554

**Aime S., Schönberg S.O.**

Molecular imaging and targeted-image guided therapy in gastrointestinal stromal tumours: Introduction (MITIGATE Session)

**Aime S.**

Molecular imaging and targeted-image guided therapy in gastrointestinal stromal tumours: Functional and molecular imaging in tumour therapy response assessment (MITIGATE Session), A-275

**Akata D.**

Misses and difficulties in abdominal imaging: A. Mesentery and peritoneum (RC 401), A-059

**Akça A., Anık Y., Sakıcı Z., Gençtürk M., Özkul B., Kaya A., Altıntaş Ö.**

Effects of refractive errors on functional magnetic resonance imaging of visual cortex (SS 1711), B-0852

**Akhan O.**

Thoracic nonvascular interventions: Chairman's introduction (RC 1209), A-371

**Aktay R., Mazzone P., Love T.E.**

Tobacco smoking and screen-detected lung cancer: does it matter beyond 30 pack-years? (SS 104), B-0021

**Al Faraj A., Sultana Shaik A., Al Sayed B., Halwani R.**

MR imaging and targeting of a specific alveolar macrophage subpopulation in COPD animal model using antibody conjugated magnetic nanoparticles (SS 606), B-0525

**Al-Jebaly A., Alkubayyer M.A., Alorainy I.**

Normal variations of the falx cerebri shape based on MR data (SS 511), B-0355

**Alberich-Barriar A., Sanz-Requena R., García-Martí G., Martí-Bonmatí L.**

Optimisation of b-values in MR diffusion-weighted acquisitions through information theory: a mathematical justification for consensus (SS 916), B-0580

**Alberti N., Buy X., Frulio N., Kind M.**

Myxoid containing tumours of soft tissues: MRI appearance with radiologic-pathologic correlation (SS 910), B-0564

**Alberti N., Ferretti G.R., Buy X., Palussiere J.**

Diaphragmatic hernias after lung percutaneous radiofrequency ablation: incidence and risk factors (SS 1709), B-0884

**Albrecht M., Wichmann J.L., Müller C.,**

**Ackermann H., Sakthibalan S.,**

**Hammerstingl R., Bechstein W.O.,**

**Schreckenbach T., Zangos S., Vogl T.J.**

Diagnosing MRI and CT in patients with colorectal liver metastases: diagnostic performance and inter-observer agreement of four different qualified reviewers (SS 1301), B-0680

**Albrecht T.**

Low Kvp protocols: what you should know (SY 18)

**Alexopoulou E.**

Autoimmune disorders in children: B. The digestive tract (RC 812), A-210

**Alexopoulou E.**

Childhood abdominal emergency 2014: the dos and don'ts: Chairman's introduction (SF 15c), A-487

**Akadhi H.**

Polytrauma: redefining imaging issues for management priorities: Chairman's introduction: advanced imaging, logistics and management priorities in patients after polytrauma (RC 817), A-199

**Allegranza P., Ippolito D., Leone F., Bonaffini P.A., Sironi S.**

Incidental hypervascular pancreatic lesions: prevalence and imaging features on MDCT (SS 201a), B-0151

**Allegranza P., Ippolito D., Bonaffini P.A., Leone F., Fior D., Casiraghi A., Sironi S.**

Diagnostic accuracy of 256-detector row computed tomography in detection and characterisation of incidental pancreatic cystic lesions: a large population series (SS 201a), B-0152

**Allen S.D.**

Follow-up of local treatments of breast cancer: B. Pre-imaging and post-imaging appearance of breast lesion excision system (BLES) lesions (CC 1618), A-558

**Aloraini Z., Veillon F., Riehm S., Matern J., Rock B., Charpiot A., Debry C., Hemar P.**

Imaging of perilymph fistulae of the round and oval windows in the absence of a fracture (SS 208), B-0176

**Altmann-Schneider I., de Craen A., Veer I., van den Berg-Huysmans A., Slagboom P., Westendorp R., van Buchem M., van der Grond J.**

Preserved white matter integrity is a marker of familial longevity (SS 1811b), B-1021

**Alvarez-Linera J.**

Central nervous system changes after treatment: what you need to know: B. Imaging of treated brain tumours (E<sup>3</sup> 820b), A-204

**Amoretti N.**

Percutaneous treatment of chronic back pain and sciatica: C. Intervertebral disc syndrome (RC 809), A-235

**Andreini D.**

Low dose cardiac CT with 270 concentration isosmolar contrast media: the right choice for image quality and patient care? (SY 28)

**Angileri S.A., Rizzo S., Maccagnoni S.,**

**Calareso G., Landoni F., Raimondi S.,**

**Pasquali E., Lazzari R., Bellomi M.**

Pre-operative MRI in early stage cervical cancer may predict the need of adjuvant therapies: a single-center experience (SS 216), B-0205

# Authors' Index

Annoni A.D., Formenti A., Pontone G., Nobili E., Petullà M., Mushtaq S., Ballerini G., Pepi M., Andreini D.

Feasibility of an ultra-low dose CT for left atrium and pulmonary veins imaging using VEO (model-based iterative reconstruction) (SS 503), B-0296

Anselmi M., Catalucci A., Felli V., Patriarca L., Pino M., Mazza M., Gallucci M.

Regional cerebral changes and functional connectivity during the observation of negative emotional stimuli in earthquake survivors with post-traumatic stress disorder in l'Aquila (SS 1711), B-0854

Antonuccio E., Iezzi R., la Torre M., Guerra A., Nestola M., Bonomo L.

Comparison between transcatheter arterial chemoembolisation (TACE) and transcatheter arterial chemoembolisation combined with percutaneous radiofrequency ablation (TACE-RFA) for treatment of intermediate hepatocellular carcinoma (SS 509), B-0388

Antulov R., Dolic K., Fruehwald-Pallamar J., Miletic D., Thurnher M.M.

Comparative evaluation of fungal and pyogenic brain abscesses with susceptibility-weighted imaging (SS 1811b), B-1019

ap Dafydd D., Desai S.R., Gordon F., Copley S.

Trachea morphology on CTPA: correlation with extent and distribution of adipose tissue (SS 904), B-0550

Apfaltrer P., Schoepf U.J., Spears J., Pilz L., Schönberg S.O., Henzler T., Vliegenthart R. Cardiac mortality and morbidity in breast cancer survivors after radiation therapy - is coronary atherosclerosis the culprit? (SS 1304), B-0659

Apitzsch J.C., Westphal S., Penzkofer T., Knüchel-Clarke R., Mahnken A.H.

Comparison between unenhanced and contrast-enhanced post-mortem CT for diagnosis of death by cardiovascular events at virtual autopsy (SS 1803), B-0918

Apolikhin O., Sivkov A., Oschepkov B., Roshin D., Koryakin A.

Five-year results of prostate cancer permanent brachytherapy: the importance of postimplant CT-based quality control (SS 216), B-0206

Arcuri P., Arcuri V., Roccia S., Gigliotti M., Molica S., Fodero G.

Contrast enhanced total spine MRI and DWI evaluation of disease activity in monoclonal gammopathy of undetermined significance and multiple myeloma (SS 1316), B-0642

Arellano Reynoso A., Aguilar Castañeda E.

Eloquent brain areas localisation by functional MRI in tumour resection surgery (SS 1711), B-0859

Argyropoulou M.I.

Imaging the head and skull base: B. All about the paediatric pituitary gland (RC 1912), A-581

Arikidis N., Sakellaropoulos P.,

Skiadopoulos S., Karahaliou A., Vassou K., Costaridou L.

Real time and accurate segmentation of mammographic microcalcifications (SS 605), B-0421

Arkhipova I., Sinitsyn V.E., Mershina E.

The role of the radiographer in image acquisition and processing: Interlude: Russian art and culture (EM 5), A-269

Arnaud F., Legrand L., Sibleau E., Boulay I., Zins M.

Pancreatic adenocarcinoma: comparison of six MRI sequences including diffusion-weighted imaging for tumour conspicuity (SS 201a), B-0159

Arrigoni F., Gregori L., La Marra A., Conchiglia A., Zugaro L., Barile A., Masciocchi C.

Our experience of non-invasive treatment of epiphyseal benign bone lesions using MRgFUS: can it really be a definitive solution? (SS 209), B-0263

Arshad M.A., Howard L., Chan E., Giannarou S., Yang G., Copley S.

Comparison of HRCT data in idiopathic pulmonary artery hypertension (IPAH) and normals using fractal dimension analysis (SS 904), B-0541

Aslund M.

Future applications of photon counting spectral mammography (SY 27)

Atkov O.

Opening Ceremony - Presentation of Honorary Members - Opening Lecture: Etudes of space radiology (OL), A-055

Attard Mifsud S., Castillo J., Zarb F.

Setting standards for an MRI unit in Malta: a study in establishing image quality criteria for MRI of the knee joint (SS 1814), B-1058

Attenberger U.I., Schönberg S.O., Hausmann D., Weidner A., Morellini J.N., Dinter D.J., Haecker A., Sertdemir M.

Is there a role for functional MR techniques for the assessment of extracapsular extension in prostate cancer? A preliminary analysis with histopathologic correlation (SS 507), B-0343

Attye A., Tropriès I., Karkas A., Righini C., Bettega G., Krainik A.

MR tractography of the intraparotid facial nerve (SS 908), B-0556

Avanesov M., Patten M., Münch J.,

Bannas P., Sähring D., Tahir E., Adam G., Lund G.

Size of late gadolinium enhancement in patients with hypertrophic cardiomyopathy in correlation with serum MMP9 as an indicator of myocardial fibrosis (SS 203), B-0169

Avanesov M., Seiffert M., Conradi L., Lunau C., Schirmer J., Adam G.,

Blankenberg S., Reichenspurner H., Lund G. Evaluation of aortic valve calcium and feasibility of transcatheter aortic valve implantation with first- and second-generation transcatheter heart valves (SS 903), B-0608

Ayuso C.

Assessing HCC response to ...: C. Ablative therapies (CC 1218), A-377

Azavedo E.

Mammography: C. Screening mammography (E<sup>3</sup> 420b), A-079

Azulay G., Omoumi P., Aguilar G., Monres J., Brandao M.

The Mick Jagger position: a new manoeuvre for the intra-articular biceps ultrasound visualisation (SS 110), B-0041

Azulay G., Rossi I., Omoumi P., Brandao M.

A new dynamic manoeuvre to differentiate complete vs. partial distal bicep tears at ultrasound (SS 110), B-0042

Azzouz M., Roemsing J., Thomsen H.

CIN or just fluctuations? (SS 1306), B-0753

## B

Ba-Ssalamah A.

Oesophageal and gastric cancer: A. Modern imaging: an update (CC 1621), A-518

Ba-Ssalamah A.

Managing incidental findings in cancer patients: A. Abdomen: common pitfalls and protocol issues (RC 1916), A-587

Baglio I., Camera L., Barbazeni G.,

Cavedon C., Piubello Q., Montemezzi S.

Vacuum-assisted breast biopsy using computer-aided 3T-MRI guidance: a preliminary experience (SS 102b), B-0078

Balassy C., Feier D., Wrba F.,

Witoszynskyj S., Ba-Ssalamah A.

The effect of echo times on the accuracy of susceptibility weighted magnetic resonance imaging in staging liver fibrosis (SS 1701), B-0767

Balasubramanian R., Subesinghe M., Smith J.

The malignant proliferation of MDT meetings: can radiology departments continue to support them all? (SS 216), B-0209

Balasubramanian R., Lyall H., Gupta H.,

Robinson P.

Imaging follow-up of large and symptomatic soft tissue lipomas (SS 910), B-0562

Bale R.

Molecular and functional imaging methods for interventions: Interventional oncology based on molecular and functional imaging (Joint Session of ESR/ESMOFIR and ESMI), A-260

Bale R., Widmann G., Schullian P., Haidu M., Jaschke W.R.

Molecular imaging and targeted-image guided therapy in gastrointestinal stromal tumours: Stereotactic radiofrequency ablation of liver tumours: does improved targeting increase tumour response? (MITIGATE Session), A-274

Bali M.A.

Technical advances in liver and pancreatic imaging: B. Diffusion and perfusion (RC 1501), A-460

Ballegaard C., Riis R., Christensen R., Henriksen M., Bartels E., Lohmander S., Hunter D., Bouret R., Boesen M.

Knee pain and inflammation in the infrapatellar fat pad estimated by conventional and dynamic contrast-enhanced magnetic resonance imaging in obese patients with osteoarthritis: a cross-sectional study (SS 1810), B-0963

Balleyguier C.S., Ben Lakhdar A., Dunant A.,

Mathieu M., Delaloge S., Sinkus R.

Value of MR-breast elastography as an adjunct tool to MRI to diagnose and characterise breast lesions (SS 1802), B-0999

Balleyguier C.S.

Role of MRI in the breast cancer pathway in challenging situations (SY 17)

Balleyguier C.S., Canale S., Ciolovan L., Dromain C.

Breast US: C. Sonoelastography and ancillary modalities (E<sup>3</sup> 520b), A-122

Balodis A., Kupcs K., Kidikas H., Miglane E.

Mechanical thrombectomies performed in acute ischaemic stroke patients in Paula Stradiņš Clinical University hospital during 2010 - 2013 (SS 909), B-0618

Baltzer P.A.T., Pinker-Domenig K.

Emerging breast imaging technologies: B. Multiparametric high-field MRI and more (RC 1902), A-595

# Authors' Index

**Baltzer P.A.T., Pinker-Domenig K., Bernathova M., Helbich T.H.**  
Can we reduce the number of MR-guided biopsies? Application of an algorithm that increases specificity (SS 102b), B-0074

**Baltzer P.A.T., Pinker-Domenig K., Bernathova M., Helbich T.H.**  
BI-RADS 4 lesions only visible on contrast-enhanced MRI: can apparent diffusion coefficient measurements differentiate benign from malignant? (SS 1302), B-0695

**Baltzer P.A.T., Dietzel M., Kaiser W.A.**  
Unenhanced MRI of the liver: morphology assessment on diffusion-weighted images has additional diagnostic value to quantitative apparent diffusion coefficient (ADC) measurements (SS 1701), B-0765

**Bamberg F.**  
Quantification of myocardial perfusion: which test is the best (PET, MRI, MDCT)?: B. Stress perfusion CT imaging for the detection and quantification of relevant coronary stenosis (RC 803), A-240

**Bankier A.A.**  
Pulmonary vasculitis and systemic diseases: D. Inflammation and remodeling (RC 304), A-014

**Bankier A.A.**  
Managing incidental findings in cancer patients: B. Chest: CT follow-up and advanced techniques (RC 1916), A-588

**Barbara A., Ferreira J., Lanca L.J.O.C.**  
Preventable exposure in routine chest CT examinations: evaluation of effective dose beyond prescribed anatomical landmarks (SS 914), B-0626

**Barentsz J.O.**  
Structured reporting: Implications for radiological practice and decision support tools (SF 16c), A-540

**Bargellini I.**  
The treated liver: B. Imaging of treated liver tumours (E<sup>3</sup> 320), A-010

**Barkhausen J.**  
Mammography: B. Tomosynthesis and contrast-enhanced digital mammography (E<sup>3</sup> 420b), A-078

**Barkhausen J.**  
Digital breast tomosynthesis: from a first idea to clinical routine (SY 5)

**Barkhof F.**  
Central nervous system changes after treatment: what you need to know: A. Drug-related conditions (E<sup>3</sup> 820b), A-203

**Barkhof F.**  
Neuroimaging in dementia: Chairman's introduction (RC 1611), A-541

**Barter S., McKnight L.**  
European Diploma in Radiology: and the beat goes on!: Learn from past mistakes: lessons to improve your preparation and performance (EDiR Session), A-329

**Barter S., Schima W., Derchi L.E., Thurnher M.M.**

European Diploma in Radiology: what a hearty meal!: Catch of the day: fun and nasty tricks to succeed or to fail (EDiR Workshop), A-384

**Barter S.**  
Doing good not harm - understanding audit and its role in reducing patient dose: Internal audit in the UK (PC 13), A-400

**Bashir W., Baghla D.P., Musah A., Bell J., Connell D.A.**  
Treatment of non-traumatic posteromedial knee pain due to semimembranosus tendinopathy: a study assessing the efficacy of ultrasound guided injections in 92 patients (SS 210), B-0181

**Basile A.**  
The diabetic foot: contribution of interventional radiology: B. Imaging and angiosom concept (RC 709), A-182

**Bassi C.**  
Pancreatic neuro-endocrine tumours: Surgeon's point of view (MS 4), A-092

**Bastarrika G.**  
Pitfalls in heart imaging: A. CT (E<sup>3</sup> 1620), A-512

**Bastati-Huber N.**  
Non-invasive differentiation between simple steatosis and steatohepatitis using gadoxetic acid-enhanced MRI in patients with non-alcoholic fatty liver disease: a feasibility study (SS 1701), B-0761

**Batterham R.**  
Radiology and obesity: Obesity: causes and consequences to the patient (SA 8), A-213

**Battisti S., Martino M., Rodacki K., Tomei E., Semelka R.**  
Definition of a scoring system for assessment of skeletal age using MRI of hand and wrist in healthy male children (SS 1812), B-0959

**Battisti S., Vaccaro D.M.A., Semelka R.C., Beomonte Zobel B.**  
Modification in abdominal fat distribution after aromatase inhibitor in breast cancer patients using CT volumetry (SS 1816), B-0987

**Bauer R.W., Fessler F., Kerl J.M., Schulz B., Frellsen C., Vogl T.J., Wichmann J.L.**  
Dual-energy CT of the pancreas: improved carcinoma-to-pancreas contrast with a novel mono-energetic reconstruction algorithm (SS 101), B-0009

**Baum T., Bauer J.S., Netsch T., Klinder T., Dobritz M., Rummeny E.J., Noël P.B., Lorenz C.**  
Automatic detection of osteoporotic vertebral fractures in routine thoracic and abdominal MDCT (SS 510), B-0319

**Baxa J., Ferda J., Vondrakova A., Flohr T., Schmidt B., Kreuzberg B.**  
Two-phase dual energy CT in lung carcinoma: possible contribution of iodine uptake calculation in mediastinal lymph nodes with different therapy response (SS 1304), B-0653

**Bazzocchi A.**  
Body composition: a new string to the radiologist's bow: DXA: technical aspects and application (SF 15a), A-477

**Bazzocchi A., Napoli A., Spinnato P., Diano D., Facchini G., Busacca M., Catalano C., Albisinni U.**  
Magnetic resonance guided focused ultrasound surgery for osteoid osteoma (SS 910), B-0569

**Bazzocchi A., Napoli A., Spinnato P., Ponti F., Busacca M., Catalano C., Albisinni U.**  
MRgHIFU treatment in pain palliation of bone metastases: initial experience from the Rizzoli orthopaedic institute (SS 910), B-0570

**Bazzocchi G., Bernardi S., Dobrinja C., Fabris B., Sabato N., Ulcigrai V., Barro E., De Manzini N., Stacul F.**  
Efficacy and cost-analysis of radiofrequency ablation compared to surgery for the treatment of benign thyroid nodules (SS 1709), B-0881

**Beale T., Colley S.**  
Imaging of thyroid nodules: Chairman's introduction (SF 12), A-354

**Beale T., Colley S.**  
Imaging of thyroid nodules: Management (SF 12), A-355

**Bechten A., Wattjes M.P., Purcell D., Sanchez E., Daams M., Arrighi H.M., Barkhof F.**  
Validation of an MRI rating scale for amyloid related imaging abnormalities (SS 911), B-0597

**Becker M.**  
How to perform and read a head and neck study (part 2): C. PET/CT and MR/PET: the true added value of the method (CC 1119), A-313

**Bedlington N.**  
Good radiation and bad radiation? How to assess and communicate radiation risk to patients and referring physicians: A. Radiation risk: a patient's perspective (RC 1413), A-442

**Beets-Tan R.G.H.**  
Rectal cancer: C. Assessment after treatment (CC 1421), A-413

**Beggs I.**  
Shoulder imaging and intervention: Chairman's introduction (SF 16a), A-514

**Behairy N.H., Omran D.**  
Evaluation of cirrhotic cardiomyopathy in end stage virus C hepatitis by delayed myocardial enhancement (SS 203), B-0162

**Behairy N.H., El Mozy W.**  
Delayed myocardial enhancement in pediatric idiopathic hypertrophic cardiomyopathy (SS 603b), B-0515

**Behrndt P., Habes M., Völzke H., Mayerle J., Hegenscheid K., Kühn J.**  
Accuracy of ultrasound in the assessment of liver fat: an MRI correlation study (SS 1701), B-0769

**Beiderwellen K., Grueneisen J., Hartung V., Heusch P., Aktas B., Kimmig R., Kinner S., Lauenstein T.C., Umutlu L.**  
Whole-body [18F]-FDG PET/MRI vs PET/CT in staging of recurrent malignancies of the female pelvis: first results (SS 1316), B-0647

**Beiderwellen K., Huebner M., Heusch P., Grueneisen J., Hartung V., Nensa F., Kuehl H., Umutlu L., Lauenstein T.C.**  
Assessment of bone metastases in whole-body [18F]FDG PET/MRI: comparison to PET/CT (SS 1806), B-1065

**Beigelman C.**  
Pulmonary infections: the old and the new: A. Mycobacterial infections (RC 1404), A-415

**Bekiesinska-Figatowska M.**  
The paediatric brain: not just a small brain: C. Paediatric brain tumours (RC 411), A-089

**Belli A.-M.**  
Gynaecological and obstetrical haemorrhagic emergencies: Chairman's introduction (RC 1109), A-317

**Ben Hassen W., Wagner M., Chami L., Egels S., Correas J.-M., Lucidarme O.**  
Interest of shear wave elastography in the determination of malignancy for focal liver lesions (SS 901a), B-0537

**Bendaoud S., Vanaerde O., Molinari F., Simeone A., Algeri E., Remy J., Remy-Jardin M.**  
Dual-energy CT with reduced iodine load: a new option for standard chest CTA in patients with superior vena cava syndrome (SS 504), B-0307

# Authors' Index

- Benedetti G., De Cobelli F., Esposito A., Damascelli A., Cava M., Colombo A., Margonato A., Camici P.G., Del Maschio A.**  
No reflow as predictor of adverse outcome in patients with acute myocardial infarction: the role of cardiac magnetic resonance (CMR) and coronary angiography (SS 203), B-0164
- Bennani-Baiti B., Baltzer P.A.T.**  
Breast MRI as a problem-solving tool: systematic review and meta-analysis (SS 902), B-0590
- Benndorf M., Soschynski M., Bucher S., Windfuhr-Blum M., Langer M., Kotter E.**  
Lesion size is a potential confounder for tumour heterogeneity assessed with first order histogram features entropy and uniformity (SS 205), B-0279
- Bensamoun S.F.**  
Elastography as a new tool: US and MR elastography of the liver: assessment of liver stiffness with elastography techniques (SF 16e), A-556
- Benz M., Froehlich J., Würtemberger U., Stadelmann G., Janetzki J., von Baer U., Bongartz G.M., Schindera S.**  
Effect of contrast agent temperature on aortic enhancement profile in CT angiography: a phantom study (SS 1306), B-0760
- Berczi V.**  
The diabetic foot: contribution of interventional radiology: A. Pathophysiology of the diabetic foot (RC 709), A-181
- Beresneva E.A., Smirnov S.V., Sheviakova S.V., Spiridonova T.G., Barinova M.V.**  
X-ray findings and morphologic changes in lungs after thermal injury (SS 1717), B-0878
- Bereznitskiy V., Serkova K.**  
The role of the radiographer in image acquisition and processing: Cardiac MDCT in children with congenital heart diseases (EM 5), A-270
- Berkovitz N., Vasserman M., Gottlieb P., Tal S.**  
Correlation between post-mortem computed tomography and magnetic resonance imaging and autopsy findings in paediatric forensic imaging (SS 1312), B-0745
- Bernardo S., Sollazzo P., Vinci V., Saldari M., Cascone P., Saponaro G., Manganaro L.**  
Isolated craniosynostoses: is cranial sutures ultrasonography helpful? (SS 511), B-0351
- Bernardo S., Vinci V., Saldari M., Sollazzo P., Capozza F., Giancotti A., Manganaro L.**  
Prenatal diagnosis of fetal abdominal cystic masses: can MR change the outcome? (SS 1712), B-0795
- Bernieri M.G., Barchetti F., Forte V., Indino E.L., Catalano C., Panebianco V.**  
Beyond RECIST criteria: the role of MR perfusion in evaluating response to anti-angiogenic therapy in patients with metastatic renal cancer (SS 1307), B-0708
- Bernieri M.G., Panebianco V., Forte V., Barchetti F., Zini C., Catalano C.**  
The role of MR perfusion in evaluating polycystic kidney disease: correlation with laboratory data (creatinine clearance) (SS 1707), B-0847
- Berthold F., Mayerle J., Völzke H., Reeder S.B., Hosten N., Mensel B., Hegenscheid K., Meffert P., Kühn J.**  
Pancreatic steatosis in a population-based study and its clinical relevance determined by magnetic resonance imaging (SS 101), B-0005
- Betari R., Mejean A., Elie C., Timsit M., Richard S., Delmas V., Helenon O., Correas J.-M.**  
Modified renal score: quantitative criteria predicting the complexity of radiofrequency ablation of renal tumours (SS 1307), B-0710
- Bezzi M.**  
Needles and samples: a practical approach to image-guided biopsy (MC 25A), A-002
- Bhuva S., Haigh I., McMahon M., Dall B., Dodwell D., Sharma N.**  
In the context of overdiagnosis, does size matter? (SS 502), B-0338
- Bianchi G., Lozza L.**  
Multidisciplinary team meeting from Milan, IT: C. Oncologist/radiotherapist's point of view (E<sup>3</sup> 820c)
- Bick U.**  
Update on BI-RADS: A. Mammography (RC 1402), A-432
- Bickel H., Pinker-Domenig K., Baltzer P.A.T., Helbich T.H.**  
Quantitative diffusion-weighted imaging at 3T for the detection of breast cancer: influence of ROI-selection on the diagnostic performance (SS 1302), B-0699
- Bickelhaupt S., Froehlich J.M., Patak M.A.**  
Small bowel motility measurements in MRI using 2D coronal slices: does the intrasegmental location matter? (a pilot study) (SS 201b), B-0196
- Biederer J.**  
Pulmonary arterial hypertension: C. MRI in pulmonary artery hypertension (RC 1604), A-524
- Bilbao J.I.**  
Interventional radiology in oncology: The current scope and future challenges (PC 4), A-099
- Bilbao J.I.**  
Imaging follow-up of vascular interventions: Imaging follow-up of oncologic patients after embolisation procedures (SF 16d), A-551
- Binkert C.**  
Venous thrombosis: imaging and management: B. Epidemiology, prevention and treatment (RC 1615), A-562
- Biró G., Kovács D., Gyevnár Z., Vandulek C., Repa I.**  
Integrating ultrasound guided MR arthrography in an outpatient institute - the radiographers' role (SS 1814), B-1060
- Biscaldi E.**  
From my workstation: difficult cases on review: B. Small bowel (RC 1901a), A-574
- Bison S.M., Haeck J.C., Koelewijn S.J., Melis M., Bernsen M.R., de Jong M.**  
Optimisation of combination of peptide receptor radionuclide therapy (PRRT) and temozolomide therapy using SPECT/CT and MRI in mice (SS 606), B-0523
- Bizino M.B., Tao Q., Amersfoort J., van der Geest R.J., Lamb H.J.**  
3D free-breathing cardiovascular 3T MRI: late gadolinium enhancement compared to breath-hold 2D imaging (SS 203), B-0167
- Blomqvist L.C.O.**  
Rectal cancer: D. Interactive case discussion (CC 1421), A-414
- Blondiaux E., Pidial L., Autret G., Balvay D., Audureau E., Whilhelm C., Ducou le Pointe H., Menasché P., Clément O.**  
Myocardial engraftment assessment of mesenchymal stem patches on serial high-resolution *in vivo* cardiac MR in chronic heart failure (SS 603a), B-0491
- Bly R.**  
Novel developments in CT and their impact on dose: A. Impact of CT on patient dose (RC 1113), A-314
- Bodelle B., Schulz B., Wichmann J.L., Klotz N., Vogl T.J.**  
70 kV ultra-low dose computed tomography of the paranasal sinuses: diagnostic image quality and radiation dose (SS 908), B-0551
- Bodrova I.V., Kulakova L.A., Gagarina N.V., Fominykh E.V., Ternovoy S.**  
Functional MSCT of temporal bone as a new standard in differential diagnostics of a conductive hearing loss (SS 208), B-0177
- Bohdorff K.**  
Degenerative disease (MC 26E), A-570
- Bonatti M., Stuefer J., Schifferle G., Oberhofer N., Manfredi R., Bonatti G.**  
MRI of endometrial carcinoma: comparison between T2-weighted, contrast-enhanced T1-weighted and diffusion-weighted sequences (SS 607), B-0473
- Bongartz G.M.**  
Radiology: opportunities and threats: Where are the turf battles in diagnostic imaging? (PC 3), A-026
- Boni F., Zaccagna F., Napoli A., Noce V., Bertaccini L., Catalano C.**  
Magnetic resonance-guided focused ultrasound surgery (MRgFUS) treatment of painful bone metastases: can ADC value predict the clinical outcome? (SS 209), B-0264
- Böning G., Schäfer M., Grupp U., Kahn J., Renz D., Denecke T., Hamm B., Pavel M., Streitparth F.**  
Filtered back projection vs adaptive statistical iterative reconstruction in staging-CT: comparison of dose and image quality in NET-patients (SS 516), B-0318
- Boninsegna E., Negrelli R., Pedrinolla B., Mehrabi S., Manfredi R., Pozzi-Mucelli R.**  
Indication to the use of secretin-enhanced MRCP: experience of a single large referral center (SS 101), B-0004
- Boos J., Kröpil P., Klee D., Heusch P., Antoch G., Lanzman R.**  
Evaluation of organ-specific dose reduction in paediatric chest computed tomography (SS 1812), B-0956
- Boraschi P., Donati F., Marciano E., Balestri R., Gherarducci G., Pacciardi F., Neri E., Falaschi F., Bartolozzi C.**  
Preoperative 3T MR imaging of rectal cancer: local staging accuracy using 2D T2-weighted FSE sequence and diffusion-weighted MRI with b-multiple SE-EPI (SS 601a), B-0402
- Boraschi P., Donati F., Urbani L., Gigoni R., Gherarducci G., Pacciardi F., Masi G., Falaschi F., Bartolozzi C.**  
Preoperative assessment of colorectal liver metastases after chemotherapy: a combined approach of diffusion-weighted MR imaging with b-multiple SE-EPI and Gd-EOB-DTPA MR sequences at 3T-device (SS 1301), B-0676
- Borg Grima K., Rainford L.A., Bezzina P., O'Leary D.**  
Risk factors leading to coronary heart disease within the Maltese population: further factors for consideration (SS 1714), B-0891
- Borges A.**  
Skull base lesions: imaging studies and differential diagnosis: B. Middle cranial fossa pathologies (RC 1108), A-322

# Authors' Index

## Borges A.

Tailoring head and neck examinations to the clinical symptoms (part 1): B. Trigeminal neuralgia (CC 1519), A-496

## Borggrefe J., Giravent S., Pena J., Wulff A., Heller M., Glüer C.C.

Association of osteolyses with vertebral fractures in patients with multiple myeloma (SS 510), B-0325

## Bosnjakovic P.M., Radovanovic Z., Stojanov D., Bojanovic A.

A guided tour of radiology in Serbia: Interventional treatment of varicoceles (EM 2), A-249

## Botar-Jid C., Cosgarea R., Şenilă S.,

## Bolboacă S.D., Lenghel M., Vasilescu D., Dudea S.M.

Very high-resolution ultrasound and elastography in melanoma lesion: US-pathological correlations (SS 116), B-0065

## Boudabbous S., Ardit I., Paulin E.,

Syrgiannopoulou A., Becker C.D., Montet X. Model-based iterative reconstruction: reduction of metal artefact on CT images (SS 1710), B-0805

## Boulin M., Schmitt A., Cercueil J.,

## Wendremaire M., Imbs D., Delhom E.,

## Pierredon-Foulongne M., Guiu B.

Improved stability of lipiodol-drug emulsion for TACE of HCC results in improved pharmacokinetic profile: proof of concept using idarubicin (SS 509), B-0384

## Bour L.J., Place V., Bendavid S.,

## Fargeaudou Y., Sebag-Ffez D., Vicaut E.,

## Dohan A., Soyer P.

Accuracy of MR imaging in the diagnosis of invasive placenta (SS 207), B-0223

## Boutry N., Herbaux B.

Trauma to the paediatric skeleton: A. Pelvis/hips (RC 710), A-160

## Bouvier J., Detante O., Tahon F., Attye A.,

## Perret T., Tropres I., Grand S., Barbier E.,

## Krainik A.

Evaluation of multiparametric quantitative bold approach and cerebrovascular reserve in patients with severe intracranial arterial stenosis: a comparison study (SS 1711), B-0851

## Brambati M., Messina C., La Rocca R.,

## Togni G., Sconfienza L.M., Sardanelli F.

Clinical impact of chest and abdominal CT on emergency patients (SS 117), B-0037

## Brancatelli G.

The many faces of benign liver lesions: B. Cystic (RC 1201), A-335

## Brandmaier P., Purz S., Reinhardt M.,

## Barthel H., Sabri O., Kahn T., Stumpf P.

Quantification of ADC and SUV values in tumours and lymph node metastases of patients with cervical carcinoma in a simultaneous MR/PET system (SS 1316), B-0650

## Brandstätter J.

The role of social media in radiology: Interactions between patients and radiologists through social media (PC 11), A-306

## Brau A.

GE vision for cardiac MR (SY 12)

## Breen D.J.

Follow-up of thermal ablation (part II): C.

Follow-up imaging of thermal ablative therapies for kidney tumours (CC 1518), A-503

## Bresson B., Dao T., Beaussart P., Pigneur F.,

## Meyblum E., Bosc R., Belkacemi Y.,

## Rahmouni A., Luciani A.

Axillary node staging in patients with breast cancer on preoperative 3T breast MRI: a pilot study (SS 902), B-0588

## Briani C., Di Pietropaolo M., Federici G.,

## Marignani M., Begini P., Iannicelli E.

Evaluation of HCC and hypovascular nodules with gadoteric acid-enhanced MRI and DWI (SS 1301), B-0678

## Brindle K.

ENCITE based insights for molecular imaging in guidance of therapy: A dual-modality gene reporter for *in vivo* imaging (ENCITE Session), A-507

## Brindle K.

Imaging the hallmarks of cancer: Dysregulated metabolism (NH 4), A-076

## Brink J.A.

Launch of ESR EuroSafe Imaging Campaign: dealing with challenges of radiation protection: Image Wisely Campaign (ESR Radiation Protection Session), A-128

## Brountzos E.

Imaging follow-up of vascular interventions: Imaging methods for postprocedural evaluation and follow-up of EVAR (SF 16d), A-550

## Brown G.

Rectal cancer: B. How to stage lymph nodes in rectal cancer (CC 1421), A-412

## Bruno C., Bucci A., Pozzi-Mucelli R.

Elastosonography evaluation of testes with varicocele in paediatric patients, preliminary results (SS 1312), B-0744

## Bruno C., Bucci A., Pozzi-Mucelli R.

Ultrasound and elastographic evaluation of the lower urinary tract in patients with hypospadias (SS 1312), B-0750

## Bucerius J.

Quantification of myocardial perfusion: which test is the best (PET, MRI, MDCT)? A. PET for evaluation of perfusion, absolute myocardial blood flow and coronary flow reserve (RC 803), A-239

## Buch K., Qureshi M.M., Jain A., Hirsch A.E., Jaffe C., Georgian-Smith D., Hines N., Bloch N.B.

Fast migration of breast biopsy marker placement during stereotactic core needle biopsy (SS 102b), B-0080

## Buch K., Jain A., Qureshi M.M., Jaffe C., Wang D., Babayan R., Henderson J., Andry C., Bloch N.B.

MRI features of chronic prostatitis and differentiation from co-existent prostate cancer (SS 107), B-0083

## Buchbender C., Baraliakos X., Ostendorf B., Heusch P., Hartung V., Beiderwellen K., Braun J., Antoch G.

Hybrid 18F-fluoride PET and MR imaging of the spine - a pilot study and comparison of signals in patients with axial spondyloarthritis (SS 1806), B-1069

## Bucher A.M., Geyer L.L., Schoepf U.J., Vogl T.J., Kerl J.M., Kazinski A.W., Lewis A.J., Meinel F.G., Wolla C.D.

Quantitative evaluation of novel beam-hardening artefact correction technique in dual-energy CT perfusion imaging of the myocardium (SS 1803), B-0913

## Budjan J., Appel E., Nguyen T., Diehl S., Schönberg S.O., Reis C., Bartling S.H.

Next generation multimodal visible embolisation particles: feasibility study in rabbit and pig animal models (SS 109), B-0128

## Budjan J., Michaely H.J., Attenberger U.I.,

## Haneder S., Heidenreich D., Kreil S.,

## Hofmann W., Schönberg S.O., Klein S.A.

Assessment of acute intestinal graft versus host disease by abdominal magnetic resonance imaging at 3 Tesla (SS 201b), B-0198

## Budjan J., Neudecker S., Schock-Kusch D.,

## Gretz N., Schönberg S.O., Michaely H.J.,

## Haneder S.

Can Ferumoxytol be used as a contrast agent to differentiate between acute and chronic inflammatory kidney disease? Feasibility study in a rat model (SS 1706), B-0905

## Bufi E., Di Matteo M., Belli P., Nardone L., Diletto B., Bonomo L.

Role of MRI in predicting the response of neoadjuvant chemotherapy and the follow-up outcome in patients with different breast cancer phenotypes (SS 202), B-0218

## Buijsink C., Thompson J., Voet M.,

## Sanderund A., Kamping L.V., Savary L.,

## Mughal M., Rocha C.S.P., Hart G.E.,

## Parreiral R., Martin G., Hogg P.

The influence of observer training for the detection of simulated pulmonary lesions on single CT images of an anthropomorphic chest phantom: a jackknife alternative free-response ROC analysis (SS 1714), B-0897

## Bule M., Reis C.S.D.

Radiographers practice concerning breast compression in mammography: gradual versus no gradual (SS 214), B-0278

## Bullmore E.

The human connectome: a comprehensive map of brain connections: The economics of brain networks (NH 7), A-157

## Burke N.P., McNulty J., Pelletier N., Grgurich T., Lombardo R., Hennessy B., Conlogue G.

Determining the value of non-traditional approaches to conventional radiographic imaging of neonates in the post-mortem setting (SS 1314), B-0686

## Busacca M., Capannelli D., Tetta C., Buda R., Ferranti Calderoni E., Albisinni U.

A new protocol of MRI evaluation of two different techniques in anterior cruciate ligament reconstruction (SS 210), B-0187

## Busacca M., Capannelli D., Moio A., Kon E., Filardo G., Albisinni U.

Subchondral bone oedema after matrix-assisted autologous chondrocyte transplantation: MRI evaluation at different follow-up times (SS 1810), B-0961

## Byon J., Kwak H.-S., Hwang S., Jung K.

High-resolution MR imaging in patients with symptomatic middle cerebral artery dissection (SS 211), B-0233

## C

## Cademartiri F., Maffei E.

Cardiac computed tomography: from diagnosis to prognosis: How accurate and prognostically valid is coronary CT angiography? (SA 7), A-148

## Cadonici A.C., Ippolito D., Minutolo O., Bonaffini P.A., Talevi Franzesi C.R.G.L., Sironi S.

Value of parametric maps in the assessment of uterine lesions by combination of DWI and semi-quantitative perfusion dynamic contrast-enhanced (DCE) MRI (SS 207), B-0229

## Cadonici A.C., Ippolito D., Bonaffini P.A., Minutolo O., Besostri V., Sironi S.

Semi-quantitative dynamic contrast-enhanced (DCE) MRI in preoperative staging of patients with cervical carcinoma: preliminary results (SS 607), B-0470

# Authors' Index

- Cadonici A.C., Ippolito D., Minutolo O., Bonaffini P.A., Colombo M., Sironi S.**  
Conventional MR imaging combined with perfusion and diffusion weighted imaging in the pre-operative assessment of endometrial cancer (SS 607), B-0474
- Cai X., Yu J., Xian Z., Yang W.**  
Assessment of renal function with unilateral ureteral obstruction using 320-detector MDCT (SS 1707), B-0840
- Calandriello L., del Ciello A., Larici A., Leccisotti L., Giordano A., Bonomo L.**  
Integrated metabolic-perfusion assessment of non-small cell lung cancer using 18F-FDG PET/CT and perfusion-CT (SS 516), B-0309
- Calandriello L., Larici A., Occhipinti M., Infante A., Petrone G., Bonomo L.**  
CT perfusion parameters as a prognostic biomarker in patients with non-small-cell lung cancer (SS 516), B-0310
- Calliada F.**  
Clinical impact of high resolution technologies in everyday ultrasound clinical practice (SY 14)
- Çam I., Anik Y., Çaliskan E., Çağlayanlı S., Yalnız A., Agırar T., Anik İlhan G., Demirci A.**  
Placental diffusion MR imaging findings in intrauterine growth retardation (SS 1312), B-0748
- Campoy-Balbontín F., Jurado-Gómez M.C.**  
Imaging of thyroid nodules: Fine needle biopsy of the thyroid nodule (SF 12), A-357
- Camps Herrero J.**  
The treated breast: what you need to know: B. Imaging after treatment of benign breast conditions (E<sup>3</sup> 220), A-004
- Camps Herrero J.**  
How to report: B. Breast US (E<sup>3</sup> 920b), A-255
- Camps Herrero J.**  
Follow-up of local treatments of breast cancer: C. Common features and pitfalls in imaging the treated breast (CC 1618), A-559
- Cannavale A., Corona M., Fiocca F., Lucatelli P., Cereatti F., Cirelli C., Fanello G., Fanelli F., Salvatori F.M.**  
Percutaneous transhepatic cholangioscopic lithotripsy for the treatment of intrahepatic stones (SS 1309), B-0736
- Cantisani V., Di Segni M., Di Leo N., Fioravanti C., Rubini A., Lodise P., Catalano C., D'Ambrosio F., Ricci P.**  
Q-elastography in the presurgical evaluation of thyroid nodules with indeterminate cytology: bimcenter experience on large population (SS 1708), B-0814
- Cappelli A., Mosconi C., Giampalma E., Renzulli M., Galaverni M., Gramenzi A., Granito A., Trevisani F., Goffriri R.**  
Yttrium-90 radioembolisation vs sorafenib for hepatocellular carcinoma: a cohort study with a propensity score analysis (SS 1809), B-1042
- Caramella D.**  
The role of social media in radiology: Major social media networks and their relationship to professional societies (PC 11), A-303
- Caramella D.**  
Improving workflow efficiency and quality: Chairman's introduction (RC 1605), A-564
- Carbone S., Grazzini I., Fausto A., Leoncini L., Mazzé M., Volterrani L.**  
Correlation between DWI-ADC values and histological cellularity in bone marrow biopsy in patients affected by lymphoma (SS 916), B-0579
- Carbonell I., Revert R.R., Martínez M., Fernández Y., Vizueté J., Ripolles T.**  
Usefulness of contrast-enhanced ultrasound in the diagnosis of acute gangrenous cholecystitis: a comparative study with surgical and pathological findings (SS 1717), B-0874
- Carl bom L., Weis J., Biglarnia A., Korsgren O., Ahlström H.**  
Assessing the viability of human pancreas grafts using 3<sup>1</sup>P MR spectroscopy (SS 101), B-0001
- Carles J.**  
Tumour response assessment in clinical practice: Endpoints for therapy response assessment: the oncologist's perspective (SA 15), A-479
- Caruso D., Ferretti S., Bellini D., Spallone M., Carlino G., Rengo M., Laghi A.**  
Coronary risk stratification in asymptomatic population: impact of cardiac CT (SS 103), B-0014
- Caruso D., Maceroni M.M., Vecchietti F., Bellini D., Bertana L., Ferretti S., Rengo M., Laghi A.**  
Prognostic value of cardiac CT in a asymptomatic population: 2-years follow-up (SS 103), B-0017
- Caseiro-Alves F.**  
The many faces of benign liver lesions: C. Hepatocellular (RC 1201), A-336
- Casiraghi A., Ippolito D., Bonaffini P.A., Talei Franzesi C.R.G.L., Fior D., Sironi S.**  
4th generation iterative reconstruction algorithm in low dose whole-body CT in comparison with standard dose examination for follow-up of oncologic patients (SS 516), B-0317
- Cassar-Pullicino V.N.**  
Inflammatory/infectious disorders (MC 26C), A-264
- Casselman J., Offeciers F., De Foer B.**  
What do I see? Clinical radiological interaction (part 1): B. Temporal bone: sensorineural hearing loss and deafness (CC 1219), A-366
- Casselman J.**  
How to perform and read a head and neck study (part 1): A. Cranial nerve examination made easy (CC 819), A-226
- Castañer E.**  
Thoracic emergencies: A. Vascular (E<sup>3</sup> 1520), A-457
- Castillo J., Caruana C.J., Morgan P.S., Westbrook C.**  
Service development by radiographer managers: a case study in MRI service portfolio development through a formal research-based process (SS 1814), B-1053
- Castro Costa J., Torres L.A., Belo J.L.M.O., Tavares Ó., Saraiva A., Patrão T.**  
Diagnostic value of ultrasound in the detection of rheumatoid arthritis (SS 1814), B-1054
- Catania D.**  
The interventional suite of 2014: responsibilities and challenges: A. Today's technology: requirements for a cutting-edge interventional suite (RC 1514), A-504
- Catania D., Pasquato M., Masterson L., Foley S., Rainford L.A.**  
A European collaborative research study investigating paediatric cardiac interventional radiation dose levels (SS 1714), B-0896
- Cauzza E.**  
Experience of low dose photon counting mammography and spectral breast density measurement (SY 27)
- Cavanagh P.**  
Launch of ESR EuroSafe Imaging Campaign: dealing with challenges of radiation protection: Lessons from a national approach to patient safety in radiation protection (ESR Radiation Protection Session), A-129
- Cavanagh P.**  
Doing good not harm - understanding audit and its role in reducing patient dose: Chairman's introduction (PC 13), A-399
- Cejna M.**  
Vascular: emergent, not urgent!: A. Aortic emergencies (RC 417), A-070
- Cellina M., Tagliaferri B., Torresin A., Maddalo M., Trombetta L., Oliva G.**  
Effect of tube voltage reduction on radiation dose and image quality in paediatric thoracic 256 multidetector computed tomography (SS 1812), B-0958
- Cevasco L., Paparo F., Revelli M., Puppo C., Aleo E., Bacigalupo L., Forni G., Rollandi G.**  
Real-time elastography: role in the assessment of hepatic fibrosis in patients with liver iron-overload (SS 601b), B-0413
- Chakraborty S., Patro S., Glikstein R., Stotts G.**  
Dynamic CT angiogram in acute stroke: a complementary look at perfusion (SS 211), B-0239
- Chalazonitis A., Liopiris S., Feida E., Goutzamanis D., Antoniou Z.**  
The added value of dual-energy contrast-enhanced digital mammography in breast cancer diagnosis (SS 102a), B-0055
- Chang T., Hsu H., Huang G.**  
Peritumoral anisotropy of the breast cancer on diffusion tensor imaging (SS 1802), B-0996
- Chen C., Hsu M., Liao Y., Tsai H.**  
Performance of integrated adaptive iterative dose reduction 3D into automatic tube current modulation in radiation dose and image noise reduction compared with filtered-back projection for 80-kVp liver CT: anthropomorphic phantom and patient study (SS 1801a), B-0929
- Chen Z., Chen X., Ma L., Yu S.**  
Altered functional connectivity of the marginal division in medication overuse headache using resting state fMRI (SS 1711), B-0855
- Chernyak V., Flusberg M., Haramati L., Rozenblit A.M., Bellin E.**  
Effect of incidental pancreatic cystic lesions on all-cause mortality and incidence of pancreatic adenocarcinoma and ductal carcinoma (SS 201a), B-0153
- Chhabra, A., Peng Z., Zhou X., Florin C.**  
Knee joint space measurements on computer automatically aligned images vs conventional reconstructions (SS 1810), B-0969
- Chin A.S., Kino A., Berry G., Miller D.C., Fleischmann D.**  
Acute limited dissection (class 3) of the aorta diagnosed with EKG-gated CT angiography: a 10-year single center experience (SS 215), B-0254
- Chin A.S., Kino A., Fleischmann D.**  
CTA imaging characteristics of rupturing thoracic aortic aneurysm in acute aortic syndrome: a 10-year single center experience (SS 215), B-0257
- Choi S., Sung D., Oh S., Han N., Park B., Kim M., Cho S.**  
Small clear cell renal carcinoma: correlation between CT findings and histologic grade (SS 1307), B-0703

# Authors' Index

**Choi W., Kim H., Hur S., Chung J.**

Caudate lobe hepatocellular carcinoma treated with selective chemoembolisation: usefulness of C-arm CT performed at the proper hepatic artery or equivalent (SS 509), B-0383

**Chojniak R., Testa M.L., Sene L.S.**

DW-MRI for the characterization of focal liver lesions in cancer patients (SS 916), B-0578

**Choo K., Roh J., Hwang J.**

Image quality and reconstruction time of CT angiography with model-based iterative reconstruction in newborns and infants with congenital heart disease (SS 1812), B-0957

**Cieszanowski A., Stadnik A., Lezak A., Maj E., Zieniewicz K., Rowinska-Berman K., Grudzinski I.P., Krawczyk M., Rowinski O.**

Detection of active bile leak with Gd-EOB-DTPA-enhanced MR cholangiography: comparison of 20-25 min delayed and 60-180 min delayed images (SS 101), B-0007

**Cieszanowski A., Maj E., Kulisiewicz P., Grudzinski I.P., Jakoniuk-Głodala K., Chlipala-Nitek I., Kaczynski B., Rowinski O.**

The non-contrast-enhanced whole body magnetic resonance imaging in the general population: the prevalence of abnormal findings in two age groups (SS 1316), B-0644

**Ciolina F., Zaccagna F., Boni F., Cavallo Marincola B., Sandolo F., Bertaccini L., Napoli A., Catalano C.**

Magnetic resonance-guided focused ultrasound (MRgFUS) in women affected by uterine fibroids: outcomes on symptoms, quality of life, non-perfused volume ratio and size reduction over 12 months (SS 207), B-0227

**Ciolina F., Boni F., Zaccagna F., Noce V., Bertaccini L., Cavallo Marincola B., Napoli A., Catalano C.**

Retrospective evaluation of uterine fibroids treated using MRgFUS: elements that can predict short and long-term results (SS 207), B-0228

**Cipriani A., Bufi E., Belli P., Costantini M., Di Matteo M., Rinaldi P., Bonomo L.**

Role of pre-treatment apparent diffusion coefficient in the prediction of response to neoadjuvant chemotherapy in locally advanced breast cancer patients (SS 202), B-0212

**Claudon M.**

General and paediatric radiology using the EPIQ system (SY 22)

**Claudon M., Elliott S.T.**

Advances in diagnostic ultrasound: better results through combinations: 3D/4D ultrasonography: tool or toy? (Joint Session of the ESR and EFSUMB), A-110

**Clauser P., De Nicolò A., Londero V., Girometti R., Zuiani C., Bazzocchi M., Sardanelli F.**

Second-look digital breast tomosynthesis (SL-DBT) in assessing incidental findings (IFs) at contrast-enhanced magnetic resonance imaging (CE-MRI) in patients with newly diagnosed breast cancer (SS 102a), B-0059

**Clément O.**

Contrast media safety: update: A. Acute non-renal reactions to contrast media: new concepts (RC 807), A-206

**Clément O., Blondiaux E., Rahmi G., Pidial L., Silva A., Gazeau F., Wilhelm C., Autret G.**

ENCITE based insights for molecular imaging in guidance of therapy: Mesenchymal stem cells constructs for image-guided cell therapy in myocardial ischemia and digestive fistulas (ENCITE Session), A-510

**Clevert D.A.**

Recent technical innovations in abdominal CEUS (SY 29)

**Clevert D.**

Fusion navigation: expanding the role of ultrasound in radiology (SY 22)

**Coenen A., Kurata A., Dedic A., Lubbers M., Dijkshoorn M.L., Ouhouss M., van Geuns R., Krestin G.P., Nieman K.**

Validation of coronary CT angiography-derived fractional flow reserve with catheter-based fractional flow reserve (SS 503), B-0291

**Colantoni C., Venturini M., Borrelli E., Cascavilla M., Barboni P., Del Maschio A.**

Orbital colour Doppler ultrasound assessment in patients affected by Leber's hereditary optic neuropathy and dominant optic atrophy (SS 208), B-0172

**Colantoni C., Venturini M., Modorati G., Colucci A., Di Nicola M., Agostini G., De Cobelli F., Bandello F., Del Maschio A.**

Contrast-enhanced ultrasound in the quantitative assessment of uveal melanoma response to gamma knife radiosurgery: do changes in tumour vascularisation precede thickness variation at ultrasound? (SS 208), B-0175

**Colleoni A., Romanini L., Cantisani V., Ricci P., Calliada F., Dal Corso M., Grazioli L., Maroldi R.**

Technical feasibility and interobserver variability of elastosonography in the assessment of pathological bowel tracts (SS 1801b), B-0981

**Colliez F.G., Magat J., Maia Safranova M., Jordan B., Peeters A.F., Gallez B., Duprez T.P.J.**

MOBILE pO2 brain mapping in sub-acute ischaemic stroke (SS 111), B-0097

**Colombi D., Diciotti S., Manna C., Montermini I., Fontana E., Rossi C., Silva M., Tiseo M., Sverzellati N.**

Three-dimensional analysis of advanced stage NSCLC: prognostic significance of volumetric measurements (SS 1304), B-0656

**Colson D., Cox C., Germonpré S., Caerts B.**

Is contrast agent necessary for MR angiography? (SS 1314), B-0687

**Conradie W., Gebremarrium F.**

Can CT oesophagography reliably diagnose penetrating oesophageal injury in the trauma population? Preliminary data (SS 117), B-0040

**Conte G., De Fiori E., Perucchini E., Preda L., De Benedetto L., Ansarin M., Bellomi M.**

Ultrasound-guided transcutaneous tru-cut biopsy of laryngohypopharyngeal lesions (SS 508), B-0398

**Conte G., Petralia G., Summers P., Alessi S., Testori A., Bellomi M.**

Is whole-body diffusion-weighted imaging all we need for detecting metastases in melanoma patients? (SS 916), B-0571

**Cook G.**

Management of bone metastases: C. Assessment of tumour response: techniques and timing (RC 1616), A-535

**Coppenrath E., Lenz O., Lummeil N., Linn J., Bamberg F., Dichgans M., Pfefferkorn T., Reiser M.F., Saam T.**

Clinical significance of intraluminal contrast enhancement in patients with spontaneous cervical artery dissection: an in vivo MRI study (SS 211), B-0234

**Corcuer Solano I., Tanenbaum L., Doshi A.**

Ultra-low-dose Sinogram affirmed iterative reconstruction in head CT: satisfactory for repeated surveillance exams in neurosurgical ICU (SS 1811a), B-0931

**Cornud F.**

Multiparametric MRI for prostate cancer management: the essential guide for radiologists: C. The joint action: MR-guided, MR/TRUS-fusion biopsy (RC 416), A-068

**Cornud F.**

Image-guided prostate biopsies: a paradigm shift: TRUS-guided biopsies with TRUS-MRI image fusion: pros and cons (SF 8), A-221

**Correas J.-M., Hélenon O.**

Renal and adrenal tumours: C. How to deal with small indeterminate renal masses (RC 707), A-175

**Correas J.-M., Khairoune A., Tissier A., Khouri G., Hélenon O.**

Quantitative Shear Wave ultrasound elastography and multi parametric MR imaging performance for prostate cancer detection as a function of size and Gleason score (SS 1807), B-1010

**Correas J.-M.**

CEUS and new tools for percutaneous interventional procedures (SY 29)

**Cowan N.C.**

Stone disease: new concepts: A. From the Stone Age to the New Age (RC 307), A-033

**Cristel G., Venturini M., Bianchi Marzoli S., Simonato F., Agostini G., Del Maschio A.**

Can a negative orbital-colour-Doppler-US examination avoid a diagnostic cerebral angiography in patients with a clinical suspect of anterior-draining intracranial-arterio-venous-fistulas? (SS 1311), B-0720

**Cristiano L., Bartoloni A., D'Amico R., Fioroni G., Persichino R., Tuccimei M., Lanzolla T., Scopinaro F., Argento G.**

Imaging of prostate cancer biological relapse: our experience of MRI and PET-CT comparison in the evaluation of bone and lymphnode metastases and in detection of local recurrency (SS 1716), B-0824

**Crockett M.T., Moynagh M., Long N., Synnott K., Eustace S.**

Ozone augmented percutaneous discectomy: a novel minimally invasive alternative to surgical discectomy in patients with refractory discogenic sciatica? (SS 1309), B-0737

**Crowley M.P., O'Neill S.B., O'Neill D.C., Bird B., Flanagan O., Maher M.M., Cahill M.R., O'Shea D., O'Regan K.**

Ionizing radiation exposure as a result of diagnostic imaging in patients with Hodgkin and non-Hodgkin lymphoma (SS 216), B-0207

**Curvo-Semedo L.**

Imaging the postoperative patient: C. It still hurts: follow-up imaging and long-term complications (CC 1221), A-339

## D

**D'Anastasi M., Notohamiprodjo M., Reiser M.F., Baur-Melnyk A.**

Tumour load in patients with multiple myeloma: β2-Microglobulin levels vs whole-body MRI (SS 1316), B-0643

**Damascelli A., De Cobelli F., Esposito A., Benedetti G., Cava M., Durante A., Colombo A., Camici P.G., Del Maschio A.**

How microvascular obstruction impacts on left ventricle remodelling: a cardiac magnetic resonance (CMR) study (SS 203), B-0166

**Damilakis J.**

Body composition: a new string to the radiologist's bow: Computed tomography: what does it measure and how? (SF 15a), A-475

# Authors' Index

## Danse E.

Misses and difficulties in abdominal imaging: C. Bowel dilatation (RC 401), A-061

Danse E., Pavard X., Lerut J., Goffette P., Trefois P., Annet L., Dragean C., Michoux N. Imaging findings of ischemic cholecystitis following transarterial chemoembolisation prior to liver transplantation for hepatocarcinoma (SS 101), B-0010

## Darcy S., Rainford L.A., Toomey R.

Decision making and variation in radiation exposure factor selection by radiographers: an eye-tracking study (SS 114), B-0135

## Das M.

Venous thrombosis: imaging and management: A. Ultrasound, CT and MR venography (RC 1615), A-561

## Davis A.

Theory and practice of brain perfusion (SY 24)

## Davis M.

Child protection issues: raising awareness among medical imaging professionals: A. Professional responsibilities: an international perspective (RC 414), A-084

## De Baere T., Deschamps F., Tselikas L.

Follow-up of thermal ablation (part II): A. Follow-up imaging of thermal ablative therapies for lung tumours (CC 1518), A-501

## De Baere T., Tselikas L., Deschamps F.

Management of bone metastases: B. Therapeutic radiological approaches: from ablation to cementoplasty (RC 1616), A-534

de Bruin F., ter Horst S., Bloem H., Fagerlik K., Landewé R., van Oosterhout M., van der Heijde D., Reijnsiere M. Signal intensity of the cervical spine (SS 610a), B-0454

## de Bruyne B.

Clinical introduction to invasive FFR and role of invasive FFR in CAD (SY 31)

## De Cecco C., Schoepf U.J., Krazinski A.W., Bucher A., McQuiston A.D., Meinel F.G.

Incremental value of pharmacological stress dual-energy cardiac CT over coronary CT angiography alone for the assessment of coronary artery disease in a high-risk population (SS 1803), B-0910

## De Cecco C., Ganeshan B., Ciolina M., Rengo M., Bellini D., Laghi A.

Texture analysis as a predictive and prognostic biomarker of tumoural response to neoadjuvant chemoradiotherapy in rectal cancer patients studied with 3T MR (SS 1816), B-0991

## De Foer B., Offeciers F.

What do I see? Clinical radiological interaction (part 1): A. Temporal bone: conductive hearing loss and cholesteatoma (CC 1219), A-365

## de Jong M.

Novel approaches to imaging and treatment: New developments in molecular imaging of the prostate (EF 2), A-259

## De Kerviler E.

Tumour response assessment in clinical practice: Chairman's introduction (SA 15), A-478

## de Lange C.E.

Paediatric emergencies: B. Imaging of acute chest pain and distress in children (RC 1212), A-345

## de las Heras H., Fernández Soto J., Torres R., Hernando I., Vañó Carruana E.

Digital subtraction angiography: can we reduce the dose maintaining enough image quality? (SS 1813), B-1022

## De Petro P., Pozza S., De Marchi A., Carlo F., Actis M., Romano L., Balocco P.

Real-time elastosonography RTE contribution in assessing muscle spasticity in patients with spinal cord injury: preliminary report (SS 1310), B-0669

## De Robertis R., D'Onofrio M., Ruzzenente A., Puntil G., Conci S., Crosara S., Canestrini S., Guglielmi A., Pozzi-Mucelli R.

Comparison between CT perfusion and indocyanine green retention test: time to peak values can provide a non-invasive esteem of liver function (SS 1801a), B-0930

## de Roos A.

Josef Lissner Honorary Lecture: Research in cardiac imaging: how I do it (HL 1), A-132

## De Vivo A., Pitocco F., Liguori C., Di Giampietro I., Moscariello A., Sorrentino F., Beomonte Zobel B.

Cardiac magnetic resonance comparison of cardiac left-right ventricular volumetric and functional parameters in thalassemia major and thalassemia intermedia (SS 1303), B-0725

## de Witt Hamer P.C., Hendriks E.J., Mandonnet E., Barkhof F., Zwinderman A.H., Duffau H.

Resection probability maps for quality assessment of glioma surgery without brain location bias (SS 611), B-0489

## Deandrea D.

Follow-up of thermal ablation (part I): B. PET/CT for the evaluation of ablative therapy: Who? Where? When? Does it help? (CC 1418), A-447

## Deco G.

The human connectome: a comprehensive map of brain connections: Linking structure and function: the role of modeling in understanding the pathophysiology (NH 7), A-159

## Degenhart C.

How to perform venous sampling for endocrine disease: A. Role of venous sampling in localising endocrine disease (RC 315), A-048

## Del Giudice C., Gandini R., Da Ros V., Altobelli S., Salvatori E., Pampana E., Simonetti G.

Efficacy of drug eluting balloon percutaneous transluminal angioplasty to treat recurrent carotid in-stent restenosis: long-term results (SS 609), B-0502

## Del Giudice C., Gandini R., Merolla S., Morosetti D., Pampana E., Simonetti G.

Single center prospective randomised study to evaluate treatment of superficial femoral artery chronic in-stent occlusion with combined laser atherectomy and drug eluting balloon angioplasty in patients with critical limb ischemia (SS 609), B-0506

## Delgado V.

The role of imaging in the cardiac patient: Assessing interventions (EM 3), A-282

## Della Vecchia N., Giurazza F., Del Vescovo R., Zobel B.B.

Evaluation of DNA damage induced by total body CT scans (SS 1813), B-1029

## Delongchamps N.B.

Image-guided prostate biopsies: a paradigm shift: A targeted-only biopsy strategy: impact on overdiagnosis and overtreatment (SF 8), A-219

## den Dekker M.A.M., Pelgrim G., Ike K.G.O., Pundziute G., van den Heuvel E.R., Oudkerk M., Vliegenthart R.

Hemodynamic significance of coronary stenosis by vessel attenuation measurement on CT compared with adenosine perfusion MRI (SS 1703), B-0773

## Denys A.

Follow-up of thermal ablation (part I): A. The zone of cell death and collateral phenomena in cross-sectional imaging: from histopathology to the standardisation of terms (CC 1418), A-446

## Derchi L.E.

Radiology: opportunities and threats: History of ultrasound in radiology: lessons learned (PC 3), A-028

## Deroose C.

Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: B. The current role of nuclear medicine (RC 1416), A-426

## Desai S.R.

Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: A. Ground-glass opacification: why do we see it and what does it mean? (RC 1104), A-288

## deSouza N.M.

Imaging biomarkers in cancer drug development: Functional imaging in cancer drug development (SF 7b), A-178

## Dettmer S., Solyanik O., Kaireit T., de Wall C., Wacker F., Shin H.

Value of density mapping in computed tomography for detection of bronchiolitis obliterans syndrome (BOS) (SS 1804), B-0947

## Deuschl C., Görlicke S., Lehnerdt G., Kastrup O., Müller O., Forsting M., Schlaermann M.

Value of DSA in the diagnostic workup of pulsatile tinnitus (SS 511), B-0357

## Devaraj A.

Take a deep breath and hold: why and why not: B. Using inspiratory and expiratory CT (RC 1904), A-578

## Dewey M.

Cardiac computed tomography: from diagnosis to prognosis: Chairman's introduction (SA 7), A-146

## Dewey M.

Introduction (SY 9)

## Dewey M.

X-ray in cardiac CT: results of a multicenter randomised study towards better patients' safety through low radiation and iodine dose (SY 9)

## Dewey M.

Questions and conclusions (SY 9)

## Dhooge C.

Multidisciplinary approach for detection and treatment of malignant primary bone tumours: Oncologic approach to malignant primary bone tumours (MS 3), A-023

## Di Martino M., Di Mischio R., Lombardo C.V., Saba L., Catalano C.

Qualitative analysis of small ( $\leq 2$  cm) regenerative nodules, dysplastic nodules and well-differentiated HCCs with gadoxetic acid MRI (SS 901a), B-0535

## Di Matteo M., Bufo E., Cipriani A., Costantini M., Belli P., Bonomo L.

The hypervascularity paradox: can asymmetric increase in breast vascularity predict the response to neoadjuvant chemotherapy and the follow-up outcome in locally advanced breast cancer? (SS 202), B-0214

## Di Rocco F.

Imaging the head and skull base: A. Faciocraniosynostoses revisited (RC 1912), A-580

# Authors' Index

**Di Salvo D., Borghesi A., Bettini R., Farina D., Maroldi R.**

Mandibular incisive canal (MIC): visibility and path of the intramandibular course using cone beam computed tomography (CBCT) (SS 908), B-0559

**Dietrich C.F.**

The advances of liver ultrasound imaging and innovative ShearWave™ elastography (SY 3)

**Dietrich T.J., Moor B.K., Puskas G.J., Pfirrmann C.W.A., Hodler J., Peterson C.K.**

Imaging-guided therapeutic shoulder injections: prospective study comparing the lateral extension of the acromion on conventional radiographs with patients' outcomes (SS 110), B-0047

**Dietzel M., Zoubi R., Jerowski C., Kaiser W.A., Baltzer P.A.T.**

Breast MRI as a potential biomarker to predict occurrence of metastasis: is there any additional value compared to classical prognostic factors? (SS 216), B-0201

**Dietzel M., Kaiser W.A., Baltzer P.A.T.**

Application of artificial neuronal networks for the assessment for the assessment of early, non-invasive breast cancer (SS 605), B-0420

**Dietzel M., Lang S., Baltzer P.A.T., Volbers B., Lettmaier S., Fietkau R., Struett T., Engelhorn T., Dörfler A.**

Computer-assisted diagnosis (CAD) in multiparametric neuroimaging: you only have to push the button? (SS 605), B-0425

**Dietzel M., Kaiser W.A., Baltzer P.A.T.**

Influence of background enhancement on the diagnostic accuracy of breast MRI (SS 902), B-0581

**Dietzel M., Kaiser W.A., Baltzer P.A.T.**

Differentiation of ductal carcinoma in situ (DCIS) vs fibrocystic breast disease using breast MRI: new insights on imaging patterns and diagnostic accuracy (SS 1702), B-0837

**Dietzel M., Volbers B., Baltzer P.A.T., Kloska S., Struett T., Engelhorn T., Lettmaier S., Fietkau R., Dörfler A.**

Multiparametric quantitative MRI in neurooncology: impact of single parameters on overall accuracy (SS 1816), B-0982

**Díez Blanco M., López Uzquiza E., Drake Pérez M., Navasa Melado J., Marco de Lucas E.**

Update on CNS complications after allogeneic bone marrow transplant (SS 1811b), B-1016

**DiFranco M.D., Valentinitisch A., Fischer L., Schueler-Weidekamm C., Kainberger F., Langs G.**

Denoising of HRpQCT scans via dictionary learning for improved spatio-temporal morphometry analysis (SS 205), B-0284

**Dijkshoorn M.L.**

Cutting-edge imaging: translating research into clinical reality: C. Advanced cardiac imaging (RC 1414), A-452

**Dijkstra J.**

ENCITE based insights for molecular imaging in guidance of therapy: Optical imaging in the clinic (ENCITE Session), A-509

**Dioguardi Burgio M., Ronot M., Bruno O., Francoz C., Paradis V., Durand F., Castéra L., Belghiti J., Vilgrain V.**

Radio-pathological correlation in HCC treated by transarterial chemoembolisation: comparison between RECIST, mRECIST and EASL criteria (SS 116), B-0062

**Dioguardi Burgio M., Ronot M., Fuks D., Dondero F., Cauchy F., Paradis V., Durand F., Belghiti J., Vilgrain V.**

Pattern of HCC recurrence after liver transplantation: time to modify the current follow-up imaging modalities? (SS 901a), B-0538

**Dixon A.K.**

Radiology: opportunities and threats: Beating threats in Europe with radiological training (PC 3), A-027

**Doellinger F., Huebner R., Kuhnigk J., Schreiter N.F., Haberstroh C., Froeling V., Poellinger A.**

Imaging of pulmonary emphysema: correlation of FEV1% with quantitative volumetric CT analysis of pulmonary volume and emphysema (SS 904), B-0546

**Domingo A., Gras F., Cusidó C., Salvador X.**  
Review of 3000 automated breast ultrasound scanners in dense-breasted women: analysis of results in the detection of benign and malign lesions (SS 602), B-0467

**Doo K., Kang E., Yong H., Ham S., Lee K., Choo J.**

Comparison study of chest radiography, digital tomosynthesis and low-dose MDCT to detect ground-glass nodules: an anthropomorphic chest phantom study (SS 904), B-0549

**Dörfler A., Engelhorn T.**

Imaging and intervention in acute ischaemic stroke: C. Mechanical revascularisation (RC 815), A-231

**Dorrius M.D., Dijkstra H., Oudkerk M., Sijens P.E.**

Diffusion-weighted imaging of breast lesions: a systematic review and meta-analysis (SS 1302), B-0698

**Dournes G., Verdier D., Montaudon M., Riviere A., Dromer C., Picard F., Billes M., Laurent F., Lederlin M.**

Dual-energy CT perfusion and angiography in chronic thromboembolic pulmonary hypertension: diagnostic accuracy and concordance with radionuclide scintigraphy (SS 504), B-0303

**Dromain C., Caramella C., Vilcot L., Ammari S., Deschamps F.**

Follow-up of thermal ablation (part I): C. Everyday practice: MRI and CT for evaluating response to thermal ablation (CC 1418), A-448

**Drudi F.M.**

Advances in diagnostic ultrasound: better results through combinations: US/MRI fusion to guide prostate biopsies (Joint Session of the ESR and EFSUMB), A-107

**Duan X.**

Fluorodeoxyglucose positron emission tomography and chemotherapy-related tumour marker expression in non-small cell lung cancer (SS 1716), B-0821

**Dumitriu D.**

Paediatric MSK radiology: what is important?: B. Benign bone tumours and pseudotumours in children: the pitfalls (RC 1512), A-471

**Duprez T.P.J.**

Skull base lesions: imaging studies and differential diagnosis: A. Anterior cranial fossa with special emphasis on olfactory apparatus lesions (RC 1108), A-321

**Durmus T., Franiel T., Maxeiner A., Kilic E., Huppertz A., Hamm B., Baur A.D.J.**

Evaluation of multiparametric MRI PI-RADS scores for the detection of prostate cancer (SS 107), B-0088

**Duschka R.L., Haegele J., Graeser M., Luedtke-Buzug K., Schaecke C., Panagiotopoulos N., Buzug T.M., Barkhausen J., Vogt F.M.**

Magnetic particle imaging (MPI): kinetics of the intravascular signal in vivo (SS 1706), B-0907

## E

**E Y., He N.**

The effect of sustained delivery of sirolimus on neointimal hyperplasia and the local thrombotic environment after angioplasty (SS 609), B-0500

**Edwards R.M., Kicska G.**

Digital tomosynthesis vs radiography in detection of fungal pneumonia: a computer simulated clinical trial (SS 904), B-0547

**Edwards R.M., Kicska G.**

Discriminating between pneumonia and atelectasis on contrast-enhanced computed tomography: a quantitative approach (SS 1704), B-0783

**Ehrmann C., Maier M., Mengiardi B., Pfirrmann C.W.A., Sutter R.**

MR findings in asymptomatic volunteers at the calcaneal attachment of the plantar fascia (SS 210), B-0184

**Eiber M., Maurer T., Beer A., Souvatzoglou M., Holzapfel K., Wester H., Rummeny E.J., Schwaiger M.**

A novel 68Ga-PSMA PET ligand in patients with biochemical recurrence of prostate cancer using PET/CT and PET/MR imaging (SS 107), B-0081

**Eikendal A.L.M., den Ruijter H., Evelein A.M.V., Pasterkamp G., Hoefer I.E., de Kleijn D.P.V., Leiner T., Bots M.L., Uiterwaal C.S.P.M.**

Microvesicle protein CD14 levels reflect carotid intima-media thickness in 8-year-old children (SS 1815), B-1033

**Einhellig H., Poppert H., Rummeny E.J., Huber A.**

Iterative reconstruction: Improvement of image quality for dynamic CT brain perfusion imaging (SS 1811a), B-0934

**EI Aidi H., Adams A., Moons K., den Ruijter H., Doevedans P., Nagel E., Schalla S., Bots M., Leiner T.**

Cardiac magnetic resonance imaging findings and the risk of cardiovascular events in patients with recent myocardial infarction or suspected or known coronary artery disease: a systematic review of prognostic studies (SS 203), B-0168

**EI Bejjani M., Rocher L., Bellin M.-F., Koscielny S., Benatsou B., Lassau N.**

Comparison between portal phase CT attenuation values and dynamic contrast enhanced ultrasonography in the early evaluation of metastatic renal cell carcinoma patients treated with anti-angiogenic treatment (SS 116), B-0068

**EIDeih N.A.E., Khalifa N.M., Sharaf S.M.S., Helal M.H.H., Nada O.M.M.N., Nasr E.N., Magdy O.M., Farouk S., Abbas E.**

Contrast-enhanced digital mammography: is it useful in detecting lesions in oedematous breast? (SS 102a), B-0056

**Elizondo-Riojas G.**

Oncology imaging in Mexico: Interventional radiology in oncologic patients (EM 4), A-389

**Emrich T., Kros M., Abegunewardene N., Müntzel T., Düber C., Kreitner K.-F.**

Prognostic significance of cardiac magnetic resonance imaging in patients with acute chest pain, elevated cardiac enzymes and a negative coronary angiogram (SS 103), B-0012

# Authors' Index

## Engelke C.

Pulmonary vasculitis and systemic diseases: A. Pulmonary manifestations of systemic diseases (RC 304), A-011

## Ereno Ealo M., Pastor Ausin E., Sancho Garaizabal B., Montejo E., Labayru Echevarria F.M.

Total knee arthroplasty: early post-surgical malrotation (SS 210), B-0182

## Ergen F.B., Yıldırım G., Kose I.C., Karakaya J., Aydin B., Aydingoz U.

Does apparent diffusion coefficient values can be used for the differentiation of small-blue-round cell tumours from malignant non-small-blue-round cell tumours? (SS 910), B-0561

## Erkoç M.F., Okur A., Öztoprak B., Gümüs C.

Exploration of orbital and orbital soft-tissue volume changes with gender and body parameters by using magnetic resonance imaging (SS 208), B-0171

## Erkoç M.F., Örsçelik Ö., Öztoprak B., Okur A., Kantarcı M., Kızırkı Y.

The relationship of location of patent foramen ovale with severity of stroke: a life-saving radiological approach (SS 603b), B-0512

## Ertl-Wagner B.

The paediatric brain: not just a small brain: A. Neurocutaneous syndromes: more than neurofibromatosis (RC 411), A-087

## Ertl-Wagner B.

Educational challenges for radiographers: Perception of changes: the radiologist's point of view (SF 7c), A-193

## Eschbach R., Fendler W., Hacker M., Havla L., Schneider M.J., Späth L., Nikolaou K., Reiser M.F., Cyran C.C.

Perfusion-MRI and 18-FDG-PET for monitoring the effects of regorafenib on experimental colorectal carcinomas in rats with immunohistochemical validation (SS 1806), B-1071

## Essig M.

Clinical applications of neuroimaging perfusion (SY 24)

## Esterson Y., Flusberg M., Oh S., Mazzariol F., Rozenblit A.M., Chernyak V.

Effect of extended delay time on the degree of liver enhancement on Gd-EOB-DTPA-enhanced MRI in patients with parenchymal liver disease (SS 501), B-0361

## Eugene F., Raoult H., Gentric J., Mineur G., Carsin B., Ronziere T., Stamm A., Ferre J., Gauvrit J.

MR angiographic and clinical long-term follow-up after intracranial mechanical thrombectomy using solitaire FR device (SS 1311), B-0712

## Evangelista L., Cervino A., Scagliori E., Panunzio A., Castoro C., Muzzio P., Sileni Chiarion V., Pomeri F.

A prospective trial for the evaluation of esophageal cancer patients: fluorodeoxyglucose (FDG) positron emission tomography (PET)/computed tomography (CT) vs contrast enhancement (c.e.) CT vs. FDG PET/c.e. CT (SS 901b), B-0635

## Evans A.

ShearWave™ elastography of solid breast lesions: benign versus malignant differentiation and prediction of disease behavior (SY 3)

## Ewertsen C.

Advances in diagnostic ultrasound: better results through combinations: CT/US and US/MRI images: are they useful for diagnostic applications? (Joint Session of the ESR and EFSUMB), A-108

## F

### Faby S., Kuchenbecker S., Simons D., Schlemmer H.-P., Lell M., Kachelrieß M.

Optimal image-based material decomposition with energy-selective detectors in spectral CT in comparison to dual energy CT (DECT) (SS 113), B-0102

### Faggioni L., Neri E., Bargellini I., Scalise P., Calcagni F., D'Ippolito G., Bartolozzi C.

iPad-based primary 2D reading of CT

angiography examinations of patients with suspected gastrointestinal bleeding:

performance comparison with a conventional

workstation (SS 105), B-0148

### Faggioni L., Neri E., D'Ippolito G., Pancrazi F., Ginanni B., Sacco R., Bresci G., Bartolozzi C.

64-row perfusion CT of hepatocellular carcinoma with the axial shuttle technique and adaptive statistical iterative image reconstruction: preliminary experience (SS 901a), B-0540

### Faggioni L., Paolicchi F., Bastiani L., Molinaro S., Puglioli M., Caramella D., Bartolozzi C.

Optimising the balance between radiation dose and image quality in paediatric head CT: findings before and after intensive radiological staff training (SS 1812), B-0952

### Faggioni L., Mantarro A., Neri E., Bemi P., Scandifio R., D'Ippolito G., Bartolozzi C.

CT colonography with rectal iodine tagging: evaluation of diagnostic accuracy, patient acceptance and overall examination time (SS 1801b), B-0973

### Faietti E., Berta L., Mascaro L., Ravanelli M., Maroldi R.

Iterative reconstructions safire applied to dual-energy CT images for increasing detectability of small low-contrast hypoattenuating liver metastases (SS 516), B-0315

### Fanelli F., Cannavale A., Corona M., Lucatelli P., d'Adamo A., Widerk A., Salvatori F.M.

Calcium assessment and impact on drug eluting balloons in peripheral arterial disease (SS 609), B-0501

### Fanelli F.

Endovascular treatment of acute thoracic aorta syndrome: B. EVAR techniques and results (RC 409), A-096

### Fanelli F.

Renal artery denervation in the management of resistant hypertension: Chairman's introduction (SF 7a), A-169

### Farina D.

Head and neck emergency: for the general radiologist or the patient?: B. Where medical history and previous images help to rule out tumour (RC 308), A-042

### Farshad-Amacker N., Hughes A., Aichmair A., Herzog R.J., Farshad M.

Determinants of evolution of endplate and disc degeneration in the lumbar spine: a multifactorial perspective (SS 610a), B-0455

### Fatehi M.

Structured reporting: Structured reporting: from clinical needs to technical challenges (SF 16c), A-537

### Feier D.S., Balassy C., Bastati N., Ba-Salamah A.

Are MR diffusion-weighted, hepato-specific contrast-enhanced and susceptibility-weighted imaging surrogate markers for advanced liver fibrosis detection in chronic liver disease patients? (SS 501), B-0367

### Feier D.S., Knogler T., Mayerhofer M.E., Balassy C., Ba-Salamah A.

The feasibility of texture analysis using susceptibility-weighted magnetic resonance imaging in detecting patients with liver cirrhosis (SS 1701), B-0764

### Feng Q., Ma Z., Wu J.

Diffusion tensor imaging of the kidney with optimisation of the b value: the initial clinical experience (SS 1807), B-1008

### Ferda B.

Endovascular treatment of acute thoracic aorta syndrome: A. Pre-therapeutic radiological evaluation (RC 409), A-095

### Fernandez Nuñez Y., Medina R., Revert Espi R.

Predictive value of posterior acoustic features in the biological behaviour of breast tumours (SS 602), B-0463

### Fernandez-Bayo J.

Mobile IT in radiology: A. Tablet-computers: a technical overview (RC 305), A-045

### Ferrari F., Miccoli A., Arrigoni F., Carducci S., Giordano A., MAscaretti G., Masciocchi C.

New frontiers for the multiple uterine fibroids therapy: combined treatment using MRgFUS and uterine artery embolisation (SS 209), B-0261

### Ferré R., Balleyguier C.S., Goumot P., Mesurolle B.

The 3D mammography: the imaging of the future? (SS 102a), B-0060

### Ferré R., Bourdet C., Feydy A., Hamadouche M., Drape J.-L., Guenoun B.

Measurement of acetabular cup orientation after total hip arthroplasty in standing and sitting positions with a novel low dose biplanar slot scanner (SS 1710), B-0800

### Ferreira C., Martins P., Graça B., Peixoto F., Monteiro S., Barbosa S., Castelo-Branco M.

Ventricular function assessment using MRI: comparative study between cartesian and radial techniques of k-space filling (SS 1314), B-0681

### Ferreira T.A.

The orbit: you can't see what you haven't learnt: B. Congenital and inflammatory disease (RC 708), A-185

### Ferrero G., Fabbro E., Orlandi D., Sconfienza L.M., Lacelli F., Serafini G., Silvestri E.

Ultrasound-guided percutaneous treatment of rotator cuff calcific tendinitis: randomised comparison between one- and two-needle procedure (SS 110), B-0046

### Ferretti G.R.

Thoracic changes after treatment: B. Device-related conditions (E³ 820a), A-198

### Ferretti G.R.

Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: C. GGO in dysplasia and neoplasia (RC 1104), A-290

### Feydy A.

How I do and report: B. MRI of the spine and sacroiliac joints (RC 1410), A-422

### Figueira C., Vieira C., Santos D., Santos D., Vale J., Santos M.R.D.

Reference dose levels in head computed tomography: a pilot study performed during traineeship in three Portuguese health institutions (SS 914), B-0629

### Filippone A.

Misses and difficulties in abdominal imaging: B. Occult GI bleeding (RC 401), A-060

# Authors' Index

- Filonzi G., Spinnato P., Salizzoni E., Battista G., Albisinni U., Bazzocchi A.**  
Durie-Salmon plus vs international staging system: the impact of MRI in the staging of multiple myeloma (SS 510), B-0324
- Finkenstaedt T., Morsbach F., Calcagni M., Vich M., Pfirrmann C., Alkadhi H., Andreisek G., Guggenberger R.**  
Metallic artefacts from internal scaphoid fracture fixation screws: comparison between C-arm flat-panel, cone-beam and multi-detector CT (SS 110), B-0050
- Fiocchi F., Petrella E., Currà S., Nocetti L., Facchinetto F., Torricelli P.**  
Nulliparous vs caesarean-scarrered uteri: in-vivo analysis of myometrial uterine fibres with 3T-magnetic resonance with diffusion tensor imaging (MRDTI) (SS 207), B-0224
- Fiocchi F., Petrella E., Currà S., Nocetti L., Costi T., Ligabue G., Facchinetto F., Torricelli P.**  
3T-magnetic resonance diffusion tensor imaging (MRDTI) of caesarean scar: morphological and quantitative evaluation - what can we add to transvaginal ultrasound? (SS 207), B-0225
- Fior D., Ippolito D., Bonaffini P.A., Colombo M., Talei Franzesi C.R.G.L., Sironi S.**  
Quantitative evaluation of CT perfusion map as indicator of tumor response to transarterial chemoembolization and radiofrequency ablation (SS 509), B-0385
- Fischer A., Maderwald S., Johst S., Orzada S., Ladd M.E., Nassenstein K., Lauenstein T.C., Umutlu L.**  
Non-contrast-enhanced T1w MRA of the lower extremity vessels at 7 Tesla (SS 515), B-0372
- Fischer A., Kraff O., Maderwald S., Beiderwellen K., Lauenstein T.C., Umutlu L.**  
Non-enhanced T1-weighted imaging of the visceral arteries at 7 Tesla (SS 515), B-0373
- Fischer L., Valentinitisch A., DiFranco M.D., Schueller-Weidekamm C., Kienzl D., Gross T., Kainberger F., Langs G., Patsch J.M.**  
Effects of recent lung transplantation on cortical and trabecular microarchitecture and bone strength in men and women (SS 510), B-0322
- Fischer M.A.**  
Multisystemic malignancies in organ-based radiology: Melanoma (SF 16b), A-528
- Fischer T.**  
Genitourinary ultrasound: advanced diagnostics in prostate cancer and scrotal lesions (SY 16)
- Fischer T., Stephan C., Slowinski T., Thomas A., Hamm B., Durmus T.**  
Multiparametric MRI and state-of-the-art US techniques for the characterisation of prostate cancer in the setting of MR-US fusion biopsy (SS 1807), B-1009
- Floridi C., Carrafiello G., Ierardi A., Macchi E., Fontana F., Fugazzola C.**  
Utility of cone beam computed tomography and ablation planning software for monitoring of ultrasound-guided microwave ablation of liver malignancies (SS 109), B-0129
- Floridi C., Carrafiello G., Fontana F., Ierardi A., Fugazzola C.**  
Utility of cone-beam computed tomography and Emboguide software for planning and monitoring of transarterial catheter embolisation (TACE) of hepatocellular carcinoma (HCC) (SS 509), B-0381
- Foley-Friel K., Rainford L.A., Butler M.-L.**  
Do radiographers' inform parents? An investigation into disclosure of radiation risks in paediatric CT in Ireland (SS 914), B-0627
- Fontaine-Delaruelle C., Couraud S., Gamondes D., Pradat E., De Leusse A., Souquet P., Ferretti G.R.**  
Transthoracic core needle biopsy under CT scan for lung malignancies: predictive negative value and predictive factor of failure and complications (SS 1304), B-0655
- Fornasa F., Nencioni S., Dibenedetto A.**  
Can diffusion-weighted magnetic resonance imaging differentiate between metastatic and non-metastatic axillary lymph nodes in patients with breast cancer? (SS 1302), B-0697
- Fornasa F., Bernardin L., Pantalone F., Bellotti M.**  
The principles of diffusion-weighted magnetic resonance imaging (DWI-MR): experimental models and clinical applications (SS 1713), B-0867
- Forsting M.**  
Enhance! The clinics. (SY 4)
- Forstner R., Meissnitzer M.**  
Female imaging: how I do it?: C. How to image cystic tumours of the ovary (RC 1207), A-364
- Fouad R.M.K.E., Hamed S.T., Faker I.**  
The preserved fundal circumferential contour sign: a new and simple sign on 2D ultrasound to differentiate septate uterus from other double uterine cavity anomalies (SS 207), B-0222
- Foukal J., Mechli M.**  
The use of contrast-enhanced ultrasonography (CEUS) in classification of renal cystic lesions (SS 1307), B-0704
- Fournier L.S.**  
Tumour response assessment in clinical practice: Revised RECIST guidelines: principles, practical applications and pitfalls (SA 15), A-480
- Francone M.**  
Personalised CT imaging: are we there yet? (SY 18)
- Francone M.**  
Pitfalls in heart imaging: B. MRI (E<sup>3</sup> 1620), A-513
- Franquet T.**  
Pulmonary infections: the old and the new: C. Emerging infections (RC 1404), A-417
- Franquet T.**  
Thoracic changes after treatment: A. Drug-related conditions (E<sup>3</sup> 820a), A-197
- Freire V., Feydy A., Benhamou M., Poiradeau S., Drapé J.-L.**  
Comparison of lumbar disk height measurements between EOS system and digital radiography (SS 610a), B-0456
- Frellesen C., Böttcher M., Kerl J., Wichmann J.L., Vogl T.J., Bauer R.W.**  
Feasibility of a dual-room sliding gantry CT concept for initial evaluation of trauma patients (SS 117), B-0033
- Fretellier N., Idee J., Jestin-Mayer G., Rasschaert M., Factor C., Corot C.**  
Comparative in vitro dissociation of gadolinium chelates in human serum measured by relaxometry (SS 1706), B-0908
- Freyhardt P., Heckmann L., Beck A., Stolzenburg N., Schnorr J., Rinneithal J., Günther R.W., Streitparth F.**  
Image-guided high-focused ultrasound for renal sympatheticolysis: a feasibility study in pigs (SS 209), B-0269
- Friebe B., Wollrab A., Thormann M., Grüsow M., Fischbach K., Ricke J., Kropf S., Fischbach F., Speck O.**  
Side effects in ultra-high-field-MRI at 7 Tesla in comparison to a "Mock-up"-scanner (SS 1713), B-0868
- Fries P., Morr D., Müller A., Robert P., Dabew R., Massmann A., Seidel R., Buecker A., Schneider G.K.**  
Enhancement properties of a high relaxivity macromolecular Gd-based contrast agent (P846) with a standard extracellular Gd-chelat (Gd-DTPA) in rats with experimental liver tumours at 9.4 Tesla (SS 1706), B-0901
- Fries P., Müller A., Robert P., Stroeder J., Menger M., Massmann A., Seidel R., Schneider G.K., Buecker A.**  
Intraindividual comparison of an experimental high relaxivity extracellular Gd-based contrast agent (P03277) with Gadubutrol in a rat model of hepatic metastases at 9.4 Tesla (SS 1706), B-0902
- Frija G.**  
Mentoring in radiology: Introduction (ESOR Session), A-139
- Fruehwald-Pallamar J.**  
Dental imaging: Chairman's introduction (SF 14c), A-453
- Fuchsjäger M.H.**  
The treated breast: what you need to know: A. Imaging after treatment of breast cancer (E<sup>3</sup> 220), A-003
- Fuchsjäger M.H.**  
Breast ultrasound: A. Physics and practical aspects of high-quality hand-held US and automated breast US (RC 302), A-030
- Fuchsjäger M.H.**  
How to report: C. MRI of the breast (E<sup>3</sup> 920b), A-256
- Fujii M., Aoki T., Kinoshita S., Oki H., Hayashida Y., Saito K., Tanaka Y., Korogi Y.**  
Assessment of radiographic progression in rheumatoid arthritis patients using Sharp/van der Heijde scoring method: comparison with plain radiography and tomosynthesis (SS 610b), B-0446
- Fujimoto S., Shimada M., Kata T., Kidoya E., Hasegawa Y., Adachi T., Kimura H., Mochizuki Y., Kitanaka Y.**  
Visual evaluation of target exposure index and deviation index on chest x-ray image using digital radiography system (SS 114), B-0132

## G

- Gabbai M.H., Leichter I.S., Romman Z., Sosna J.**  
Assessment of the diagnostic value of virtual mono-energetic images generated by a novel spectral-detector CT (SDCT) prototype (SS 205), B-0286
- Gahleitner A.**  
Dental imaging: Pre-surgical and post-surgical imaging with MDCT and cone-beam CT (SF 14c), A-455
- Galea N., Noce V., Sorrentino V., Francone M., Catalano C., Carbone I.**  
Right ventricular myocardial fibrosis detection using cardiac MR in repaired tetralogy of fallot: correlation between functional and clinical markers (SS 603b), B-0510
- Galea N., Giannetta E., Isidori A., Francone M., Catalano C., Carbone I.**  
Diabetic cardiomyopathy: a cardiac magnetic study on progression of function impairment (SS 1303), B-0730

# Authors' Index

- Galea N., Carbone I., Cannavale G., Noce V., Catalano C., Francone M.**  
Early myocardial gadolinium enhancement in patients with myocarditis: validation of "Lake Louise consensus" criteria using a single bolus of 0.1 mmol/Kg of a high relaxivity gadolinium-based contrast agent (SS 1803), B-0917
- Gallagher F.**  
Molecular imaging in oncology: B. Potential of MRI for molecular imaging in oncology (RC 1906), A-604
- Gallix B.**  
Cross-sectional imaging of colitis: B. Differentiating between the causes of colitis (RC 301), A-007
- Gaman S., Barysheva N., Shabanova M., Merculova I., Shariya M.**  
Assessment of coronary plaque by coronary CT angiography in patients with acute coronary syndrome non-ST segment elevation (SS 103), B-0019
- Gangi A., Garnon J., Tsoumakidou G.**  
Interventional radiology in oncology: Best practice: how to organise an interventional oncology unit (PC 4), A-101
- Gangi A.**  
Percutaneous treatment of chronic back pain and sciatica: Chairman's introduction (RC 809), A-232
- Gangi A., Garnon J., Tsoumakidou G.**  
Follow-up of thermal ablation (part II): B. Follow-up imaging of percutaneous local treatment of bone tumours (CC 1518), A-502
- Gatti M., Faletti R., Benedini M., Stola S., Rapellino A., Dominguez A., Grasso A., Fonio P., Gandini G.**  
Preoperative evaluation of rectal cancer with MR: how to increase diagnostic accuracy of N staging? (SS 216), B-0204
- Gaudiano C., Busato F., Corcione B., Clementi V., Golifieri R.**  
Functional evaluation of the kidneys in renal artery stenosis using diffusion tensor imaging (SS 1807), B-1005
- Gedroyc W.M.W.**  
Treatment with MR-guided focused US (FUS): Chairman's introduction (SF 14b), A-435
- Geers-van Gemeren S.**  
Doing good not harm - understanding audit and its role in reducing patient dose: Models of external audit in the Netherlands (PC 13), A-401
- Geers-van Gemeren S., Mamedova S.**  
The role of the radiographer in image acquisition and processing: Introduction (EM 5), A-266
- Geith T., Schmidt G., Biffar A., Dietrich O., Dür H., Reiser M.F., Baur-Melnyk A.**  
Determination of the best combination of b-values for ADC-based assessment of benign and malignant vertebral body fractures with a diffusion-weighted ssTSE sequence (SS 510), B-0326
- Gennaro G., Dal Bosco C., Opocher G., Muzzio P., Pomerri F.**  
Growth curves of renal masses from patients with von Hippel-Lindau disease (SS 116), B-0070
- Gennaro G., Baldan E., Bezzon E., Dal Bosco C., Polico I., Proietti A., Pescarini L.**  
Volumetric breast density: can computer assessment really reduce human variability? (SS 1702), B-0833
- Geoffray A., Clément J.**  
Paediatric MSK radiology: what is important?: A. Scoliosis: what the radiologist needs to know (RC 1512), A-470
- Gerevini S.**  
How to perform and read a head and neck study (part 1): B. MRI of the lower neck - feasible? (CC 819), A-227
- Gerevini S.**  
Peripheral nerve imaging: MRI and US: A. Anatomy and pathology of the brachial plexus (RC 1210), A-347
- GHaye B.**  
What to look for after treatment of lung cancer: B. Imaging of non-surgical treatment of lung cancer (E<sup>3</sup> 1120), A-277
- Gibson L.M., Paul L., Sudlow C.L.M.**  
The prevalence of potentially serious incidental findings on cardiac MR imaging: a systematic review (SS 603a), B-0499
- Gibson L.M., Paul L., Sudlow C.L.M.**  
The prevalence of potentially serious incidental findings on abdominal magnetic resonance imaging: a systematic review (SS 901a), B-0534
- Gielen J.L.M.A., Van Dyck P., Verlyser J.**  
The ankle and foot: A. Ankle sprain: patterns of injury (RC 1110), A-291
- Giganti F., De Cobelli F., Orsenigo E., Chiari D., Mazza E., Albarello L., Ambrosi A., Staudacher C., Del Maschio A.**  
DW-MRI in gastro-oesophageal cancer: can ADC be considered a prognostic biomarker and used for preoperative risk stratification? (SS 901b), B-0632
- Giigli S., Di Pastena F., Tardioli S., Mancini M., D'Amati G., Monti M., Ballesio L.**  
Breast MRI: factors affecting accuracy in the evaluation of residual disease after neoadjuvant chemotherapy (SS 202), B-0217
- Giigli S., Di Pastena F., Ballesio L., Tardioli S., D' Ambrosio I., Porfiri L.**  
Breast MRI in Ptients with unilateral hematic nipple discharge: comparison with galactography (SS 902), B-0585
- Gilbert F.J.**  
Breast MRI and other diagnostic tools (SY 11)
- Gilbert F.J.**  
How to report: A. Mammography (E<sup>3</sup> 920b), A-254
- Gilbert F.J.**  
Clinical challenges in breast MRI: Chairman's introduction (RC 1102), A-298
- Gilbert F.J.**  
Evidence-based radiology, comparative effectiveness research, and health technology assessment: Translating EBR, CER, and HTA results into imaging decisions in daily practice (SF 15b), A-486
- Gilbert F.J., Tucker L., Nagarajan S., Willsher P., Astley S., Young K.C., Duffy S.**  
Comparison of FFDM with DBT in a UK retrospective reading study (SS 502), B-0330
- Gilligan P.**  
Good radiation and bad radiation? How to assess and communicate radiation risk to patients and referring physicians: B. Radiation risks for patients and staff (RC 1413), A-443
- Girardi V., Carbognin G.**  
Sonographically guided biopsy with 14 Gauge vacuum assisted probe: false-negative and underestimation rate (SS 102b), B-0077
- Giraldo C., Fais P., Cecchetto G., Boscolo-Berto R., Toniolo M., Viel G., Tagliaro F., Miotto D.**  
CT and MR track reconstruction of experimentally produced stab wounds (SS 117), B-0034
- Giurazza F., Del Vescovo R., Siano F., Schena E., Zobel B.B.**  
Assessment of CT-based thermometry during laser interstitial thermotherapy ablation of swine pancreases (SS 113), B-0107
- Giurazza F., Frauenfelder G., Del Vescovo R., Schena E., Saccomandi P., Allegretti G., Siano F., Beomonte Zobel B.**  
MR thermometry feasibility during LITT in ex vivo porcine pancreas (SS 1713), B-0864
- Giurazza F., Del Vescovo R., Schena E., Paternostro F., Zobel B.B., Frauenfelder G.**  
Sex estimation from scapular length measurements by CT scan images in a Caucasian population (SS 1714), B-0892
- Gleeson F.**  
Lung cancer: staging and personalised imaging in 2014: C. The role of PET-CT and whole body MRI (RC 1204), A-343
- Goehler A., Mayrhofer T., Pursnani A., Huber S., Bayley J., Nolte J., Gazelle G., Chow B., Hoffmann U.**  
Anatomic vs functional testing in patients with chronic chest pain syndrome: a cost-effectiveness analysis (SS 103), B-0016
- Goethals L.R.Y., Allemeersch G., Bos T.J., de Mey J., Lahoutte T.**  
Camelid reporter gene imaging: a generic method for in vivo cell tracking of fluorescent/luminescent cells (SS 606), B-0530
- Gögebakan Ö., Albrecht T., Osterhoff M.A., Reimann A.J.**  
Is mesenteric panniculitis truly a paraneoplastic phenomenon? A matched pair analysis (SS 201b), B-0197
- Goh G.**  
Vascular: emergent, not urgent!: B. Visceral emergencies (RC 417), A-071
- Goh G.**  
Renal artery denervation in the management of resistant hypertension: Renal artery denervation: current technologies, indications and contraindications (SF 7a), A-171
- Golatta M.**  
Virtual touch tissue imaging quantification (VTIQ): a new tool to measure breast tissue stiffness and for breast lesion assessment by ultrasound (CHI) (SY 20)
- Golay X.**  
Assessment of brain perfusion with arterial spin labelling (ASL): Chairman's introduction (SF 14a), A-428
- Gordic S., Hodel S., Simmen H., Wanner G., Sprengel K., Alkadhi H.**  
Whole-body CT-based imaging algorithm for multiple trauma patients: radiation dose and time to diagnosis (SS 117), B-0038
- Gordic S., Simmen H., Wanner G., Cadusch D., Alkadhi H.**  
Follow-up and characterisation of indeterminate spleen lesions in primary CT after blunt abdominal trauma: potential of MR imaging (SS 1717), B-0877
- Gordon T.J., Govinda Rajoo R., Prakash V.**  
The clinical impact of leukoscan imaging in managing peri-prosthetic joint infection (SS 210), B-0183

# Authors' Index

- Goske M.J., Strauss K.J., Coombs L., Towbin A., Larson D., Callahan M., Darge K., Frush D.**  
Diagnostic reference ranges: a new quality improvement tool in paediatric CT of the abdomen (SS 1812), B-0954
- Goske M.J.**  
Launch of ESR EuroSafe Imaging Campaign: dealing with challenges of radiation protection: Image Gently Campaign (ESR Radiation Protection Session), A-127
- Goto H., Hashimoto S., Iwama Y., Kanzaki N., Ayoma N., Ohno Y., Sugimura K.**  
T1rho values and T2 mapping using 3.0-Tesla MRI and arthroscopic findings correlations of hip joint cartilage in patients with early osteoarthritis caused by femoroacetabular impingement (FAI) (SS 1310), B-0670
- Gourtsoyiannis S.**  
Radical cancer: A. Imaging protocols (CC 1421), A-411
- Gourtsoyiannis N.**  
Mentoring in radiology: ESOR in action 2014 (ESOR Session), A-140
- Göya C., Hamidi C., İçer M., Oğuz A., Okur M.H., Hattapoğlu S., Çetinçakmak M.G., Teke M.**  
Acoustic radiation force impulse elastography in diagnosis and staging the severity of acute appendicitis (SS 1717), B-0873
- Graeter T., Galgenmueller S., Kratzer W., Beer M., Oeztuerk S., Haenle M., Akinli A.**  
Generating normal reference values for examinations of the liver using acoustic radiation force impulse virtual touch tissue quantification (ARFI-VTTQ) elastography and comparison with acoustic radiation force impulse virtual touch imaging and quantification (ARFI-VTIQ) elastography: first results of a pilot study (SS 1801a), B-0924
- Gramer B.M., Phi van V., Rasper M., Rummeny E.J., Huber A.**  
Impact of iterative reconstruction on CNR and SNR in a 256-slice MDCT low-dose triple-rule-out angiography (SS 504), B-0308
- Grande A., Delgado C., Trinidad C., Oca R., Fernandez del Valle A., Bustos A.**  
Myocardial dynamic perfusion imaging with DSCT: a comparative study with magnetic resonance imaging (SS 1803), B-0916
- Graser A.**  
Gastrointestinal stromal tumours (GIST): C. Treatment response assessment and disease follow-up (CC 1521), A-464
- Grass M.**  
Cone-beam CT: B. Medical applications of cone-beam CT (RC 1213), A-369
- Grasso D., Borreggine C., Melchionda D., Carapelle E., Macarini L., Specchio L.M.**  
Diffusion tensor imaging of the hippocampus and posterior cingulate fasciculus in mild cognitive impairment and early Alzheimer's disease: our initial results (SS 911), B-0599
- Grenier N.**  
Characterisation and treatment of renal tumours: new paradigms: Chairman's introduction (MS 11), A-294
- Grenier N., Cornelis F.**  
Characterisation and treatment of renal tumours: new paradigms: Characterising solid renal tumours in 2014: from morphology to function (MS 11), A-295
- Grenier P.A.**  
Take a deep breath and hold: why and why not: Chairman's introduction (RC 1904), A-576
- Grothoff M.**  
Right heart morphology and function: Right heart failure in ischaemic and non-ischaemic cardiomyopathies (SF 4), A-104
- Grueisen J., Beiderwellen K., Heubner M., Kimmig R., Lauenstein T.C., Umutlu L.**  
Comparison of 18F-FDG PET/MRI and MRI alone for whole body staging of female patients with recurrent pelvic malignancies (SS 1316), B-0646
- Grunho R.M., Pires F.S., Santos J., Paulo G.**  
Clinical audit in a service of paediatric radiology: preliminary approach (SS 1714), B-0893
- Gu L., Fang H., Li F., Zhang S.**  
Doppler ultrasound for preoperative assessment of hepatic haemodynamics and prediction of early portal vein thrombosis after liver transplantation in paediatric patients with biliary atresia (SS 1712), B-0791
- Guberina N., Schlaman M., Mukherjee B., Ringelstein A.**  
Efficacy of lens protection systems in cranial CT-scans: dependency on different scanning techniques (SS 213), B-0248
- Guenther M.**  
Assessment of brain perfusion with arterial spin labelling (ASL): An introduction to ASL, its jargon and methods (SF 14a), A-429
- Guerini H., Drapé J.-L.**  
The hand and wrist: B. Inflammatory disorders (RC 1910), A-584
- Guermazi A., Eckstein F., Hayashi D., Roemer F.W., Wirth Y., Yang T., Niu J., Sharma L., Felson D.**  
Meniscal lesions and effusion synovitis assessed by semiquantitative MRI strongly predict quantitatively measured cartilage thickness loss over 30 months: multicenter osteoarthritis study (SS 1810), B-0962
- Guermazi A., Renoux J.**  
MRI and ultrasound fusion in MSK pathology: the art of studying structures in static and motion (SY 14)
- Guerrero D., Panzironi G., Guida M., Di Paola C., De Cristofaro F., Garau L.**  
Feasibility of 3T IDEAL MR of the orbits for imaging of Graves' ophthalmopathy: correlation between quantitative evaluation of extraocular muscle size and proptosis value (SS 208), B-0173
- Guglielmi G.**  
Body composition: a new string to the radiologist's bow: Chairman's introduction (SF 15a), A-473
- Guisasola Iñiguez A., Fernández-Torron R., Alustiza J., Fernandez E., Otaegui D., Poza J., Saenz A., Salvador E., Lopez de Munain A.**  
MRI muscle fat quantification with 3 point Dixon in 20 patients with muscular dystrophy and its correlation with clinical scales (SS 1310), B-0668
- Gullien R., Hammond R., Andersen J., Skaane P.**  
Tomosynthesis in mammography screening: invited women's attitude regarding radiation health effects and pain experience (SS 214), B-0272
- Gupta J.K.**  
Gynaecological and obstetrical haemorrhagic emergencies: B. Can we prevent post-partum haemorrhage (RC 1109), A-319
- Gutberlet M.**  
FFRCT background and technology (SY 31)
- Gutte H.**  
Diagnosis of pulmonary embolism when CTA is indeterminate or unfeasible: B. Nuclear medicine approach: combined ventilation-perfusion SPECT and low-dose CT (MC 724), A-151
- Guziński M., Waszcuk L., Czarnecka A., Kraśnicki T., Sasiadek M.**  
Head CT: adaptive statistical iterative reconstruction protocol- the same image quality and lower radiation dose comparing to filtered back projection (FBP) protocol (SS 1811a), B-0935
- Guzinski M., Waszcuk L., Sasiadek M.**  
Dual-energy CT of hip prosthesis: metal artefact reduction system image and 140keV monochromatic image contrast and noise on non-prosthesis side (SS 1710), B-0808
- Gwyther S.**  
Tumour response assessment in clinical practice: Criteria beyond RECIST: Choi, mRECIST, EASL-AASLD, PERCIST (SA 15), A-481
- Gwyther S., Thompson A., McLennan L., Hillier D.**  
Low-dose CT scans of subjects smuggling illicit concealed packages at the UK border: a liquid situation (SS 1801b), B-0979
- 
- H**
- 
- Haberkorn U.**  
Imaging the hallmarks of cancer: Cell proliferation and death (NH 4), A-074
- Hackenbroch M., Maintz D.**  
SECURE study: observational post-marketing study on the safety of gadoteric acid (SS 1306), B-0759
- Hacker M.**  
Hybrid cardiovascular imaging: where should we go?: B. SPECT/CT: is it just PET/CT's little brother? (RC 303), A-016
- Haeggele J., Rahmer J., Duschka R.L., Schaecke C., Panagiotopoulos N., Tonak J., Borgert J., Barkhausen J., Vogt F.M.**  
Magnetic particle imaging (MPI): direct quantification of vascular stenosis (SS 515), B-0370
- Hagelstein C., Zöllner F.G., Weidner M., Weiss C., Schäuble T., Schönberg S.O., Schäuble T., Zahn K., Neff K.W.**  
Quantitative cerebral perfusion imaging at 3.0 T after congenital diaphragmatic hernia repair and ECMO therapy with or without common carotid artery occlusion (SS 1312), B-0746
- Hagelstein C., Zahn K., Weidner M., Weiss C., Schäuble T., Schönberg S.O., Büsing K.A., Neff K.W.**  
MR foetal lung volume in congenital diaphragmatic hernia: association of prenatal MR imaging findings with postnatal need for prosthetic patch repair of the hernia (SS 1712), B-0792
- Hagmann P.**  
The human connectome: a comprehensive map of brain connections: Chairman's introduction: definitions and basic imaging technique (NH 7), A-156
- Hahn H.**  
Biomedical image analysis: novel tools in neurodegenerative disease and breast cancer: VPH-PRISM: opening doors in breast cancer care (BIA Session), A-051
- Haimerl M., Verloh N., Fellner C., Zeman F., Stroszczynski C., Wigermann P.**  
MRI-based estimation of liver function: post-Gd-EOB-DTPA T1 relaxometry of 3T vs the MELD-Score (SS 601b), B-0416

# Authors' Index

- Hájek M., Jirák D., Herynek V.**  
ENCITE based insights for molecular imaging in guidance of therapy: MR imaging for pancreatic cells transplantation (ENCITE Session), A-508
- Haller S.**  
Ruling out disease: a radiologist's headache?: A. Vasculo-ischaemic lesions: inappropriate for age? (RC 1911), A-597
- Halligan S.**  
Perianal fistula disease: all you need to know: B. Perianal fistula disease: the basics (CC 1121), A-284
- Hallinan B.**  
The interventional suite of 2014: responsibilities and challenges: C. Changing professional roles (RC 1514), A-506
- Hamilton M.**  
Cardiac CT and MRI in difficult patients: what to do?: Chairman's introduction (RC 1503), A-466
- Hamm B.**  
Image-guided prostate biopsies: a paradigm shift: MRI-guided biopsies: pros and cons (SF 8), A-220
- Hammond R., Gullien R., Østerås B., Hauge I.**  
Reject analysis for digital mammography (2D) including 2D plus tomosynthesis in high volume mammography screening (SS 214), B-0271
- Hammond R., Gullien R., Andersen J., Skaane P.**  
Reject analysis in high-volume mammography screening: comparison of image quality between rejected and replaced images (SS 214), B-0273
- Hammond R., Pedersen K., Gullien R., Sebuødegård S., Skaane P.**  
Screening mammograms rejected due to positioning: does radiographer experience and type of employment matter? (SS 214), B-0275
- Hamoen E.H.J., Thompson L.C., Witjes F., Rovers M.M., Barentsz J.O.**  
Interobserver agreement of the PI-RADS score for prostate cancer diagnosis on multiparametric MRI (SS 107), B-0090
- Hansell D.M., Diederich S.**  
Computed tomography screening for lung cancer: is it time to implement individual lung cancer screening in clinical practice?: Discussion (MC 424), A-064
- Hany T.F.**  
Pitfalls in FDG PET/CT imaging: Oncology (SF 3), A-037
- Hany T.F.**  
Imaging after systemic therapies: the standards: B. PERCIST: evolving considerations for PET response criteria in solid tumours (CC 718), A-188
- Hashimoto T., Koizumi J., Yamamoto K., Ichikawa T., Imai Y.**  
Respiratory variation of the length of the vena cava: implications for IVC filters (SS 115), B-0113
- Haslauer L., Ernst P., Schick I., Köhler O., Hilger I., Tremel W.**  
Au@Fe<sub>3</sub>O<sub>4</sub> Janus particles as an innovative contrast agent for future multi-modal imaging (SS 606), B-0528
- Hastir F., Tack D.**  
Operator dependency in protocol assignment could be suppressed if tuning the AEC strength curve from average to strong (SS 914), B-0628
- Hata J.**  
Seeing the unseen: new clinical findings by novel imaging techniques (SY 16)
- Haubenreisser H., Hahn M., Nance J.W., Apfalterer P., Sedlmair M., Schmidt B., Schönberg S.O., Henzler T.**  
Image quality optimisation of spinal exams with metal artifacts using iterative reconstruction in combination with monoenergetic extrapolation (SS 610a), B-0459
- Havez M., Cornelis F., Lippa N., Al Ammari S., Kind M.**  
Mid-term outcome of percutaneous image-guided cryoablation on inoperable extra-abdominal desmoid tumors (SS 1709), B-0888
- Havla L., Peller M., Cyran C., Nikolaou K., Reiser M.F., Dietrich O.**  
Visualisation of energy-dependent attenuation properties in vitro and in vivo using polar coordinates in dual-energy computed-tomography data (SS 113), B-0103
- He J., Zhang Y., Cheng J., Hu Y.**  
The value of DWI based on biexponential model in differential diagnosis between benign and malignant lesions of breast (SS 1802), B-0995
- Heijnen L.A., Lambregts D.M., Martens M.H., Lahaye M.J., Maas M., Beets G.L., Beets-Tan R.G.H.**  
Remaining malignant lymph nodes in good responders after chemoradiotherapy for rectal cancer: where are they located? (SS 216), B-0203
- Heilmeier U.R., Liebl H., Nardo L., Kretzschmar M., Lee S., Joseph G.B., McCulloch C.E., Nevitt M.C., Link T.M.**  
Association of T2 relaxation time measurements with different grades of radiographic knee osteoarthritis over 48 months - data from the Osteoarthritis Initiative (SS 1810), B-0967
- Heinz-Peer G.**  
Renal and adrenal tumours: A. Adrenal masses: a practical approach (RC 707), A-173
- Hekimoglu K., Yıldırım F., Arslan S., Ozdemir A., Demir C.C., Yazıcı C.**  
A novel application: the role of ARFI sonoelastography for the diagnosis of chronic autoimmune Hashimoto's thyroiditis (SS 1708), B-0816
- Hélagé S., Revel M.-P., Mansuet-Lupo A., Audureau É., Alifano M., Vadrot D.**  
Solitary fibrous tumours of the pleura: are there any scanographic features suggestive of malignancy? A 56-patient case series with anatomopathological correlation (SS 1704), B-0784
- Helal M.H., Kamal R.M., Essam R., Godda I., Mansour S.M., Alieldin N., Khalifa N.M., ElSaid N., El-Sharawy A.A.I.**  
Can contrast-enhanced spectral mammography replace magnetic resonance imaging in the detection and staging of breast cancer? (SS 102a), B-0052
- Helbich T.H.**  
Introduction: shaping the future of breast MRI (SY 11)
- Helbich T.H.**  
Clinical challenges in breast MRI: C. Monitoring response to neo-adjuvant chemotherapy (RC 1102), A-301
- Helck A., Bianda N., Canton G., Yuan C., Reiser M.F., Gallino A., Wytttenbach R., Saam T.**  
Intra-individual comparison of carotid and femoral atherosclerotic plaque features with in vivo MR plaque imaging (SS 1815), B-1039
- Hellbach K., Yaroshenko A., Velroyen A., Bamberg F., Nikolaou K., Reiser M.F., Pfeiffer F., Yıldırım A.Ö., Meinel F.G.**  
In vivo visualization of pulmonary emphysema using grating-based x-ray dark-field imaging (SS 904), B-0545
- Hellström M.**  
Imaging the postoperative patient: D. Interactive case discussion (CC 1221), A-340
- Helmberger T.K.**  
Tumour ablation: a primer (MC 25D), A-405
- Helmberger T.K.**  
Colorectal cancer liver metastases: assessing tumour response: A. Current treatment options (RC 1901b), A-591
- Hendrikse J.**  
Assessment of brain perfusion with arterial spin labelling (ASL): The use of ASL in cerebrovascular disease (SF 14a), A-430
- Henriksen S., Jeppesen L., Christensen A., Christensen H.**  
20 minutes' door-to-needle time in acute ischaemic stroke is achievable in a radiology-neurology team structure (SS 211), B-0240
- Henroteaux D.**  
Dialysis fistula: imaging and intervention: B. Treating the stenosed access (RC 715), A-195
- Herbrik M.C., Pöppel T., Grueneisen J., Hartung V., Heusch P., Lauenstein T.C.**  
Diagnostic accuracy of simultaneously acquired FDG-PET/MRI for the detection of sentinel lymph node metastases in malignant melanoma patients (SS 1316), B-0645
- Herek D., Karabulut N., Kocigit A.**  
Evaluation of abdominal organs by using breath hold and non-breath hold diffusion-weighted imaging (SS 1713), B-0865
- Hermans R.**  
Pitfalls in head and neck imaging: B. Pitfalls in maxillofacial and skull-base imaging (E<sup>3</sup> 720a), A-145
- Herrmann K.**  
Management of bone metastases: A. Diagnostic approach: the role of hybrid imaging (RC 1616), A-533
- Hetterich H., Lütke Daldrup C., Coppenrath E., Lechner A., Ferrari U., Wirth S., Saam T., Kammer N.N.**  
Comparison of mDixon sequences and T1-weighted images in the determination and quantification of adipose tissue compartments with whole-body 3T-MRI (SS 501), B-0368
- Hetterich H., Willner M., Habbel C., Herzen J., Saam T., Pfeiffer F., Reiser M.F., Bamberg F.**  
Phase-contrast computed tomography: coronary plaque characterisation by quantitative phase-contrast Hounsfield units (SS 903), B-0602
- Heusch P., Lanzman R.S., Aissa J., Schimmöller L., Antoch G., Krix M., Kröpil P.**  
Pulmonary CT angiography: evaluation of high concentration contrast medium protocols for radiation dose reduction (SS 604), B-0437
- Heusch P., Buchbender C., Köhler J., Heusner T.A., Nensa F., Gomez B., Kühl H., Hartung V., Antoch G.**  
Thoracic staging in lung cancer: [18F]-FDG-PET/MRI vs [18F]-FDG-PET/CT (SS 1316), B-0648
- Heussel C.**  
What to look for after treatment of lung cancer: A. Imaging of surgically treated lung cancer (E<sup>3</sup> 1120), A-276

# Authors' Index

## Heussel C.

Pulmonary infections: the old and the new: B. Infectious disease in immuno-compromised patients (RC 1404), B-416

**Heuvelmans M.A., Vliegenthart R., Xie X., De Jong P.A., Mali W. P.T.M., Oudkerk M.**  
Overruling of screen test results in a CT lung cancer screening trial: value of radiologists' expertise (SS 104), B-0022

**Heuvelmans M.A., Vliegenthart R., Horeweg N., Van Ooijen P.M.A., Mali W. P.T.M., De Koning H.J., Oudkerk M.**  
Comparison of diameter and volume measurements for the estimation of nodule size for lung nodules detected in a CT lung cancer screening trial (SS 104), B-0023

**Heye T., Sommer G., Bremerich J., Bieri O.**  
Anatomical detail of single breath-hold, high resolution ultra-fast 3D balanced SSFP MRI of the chest in comparison to low-dose CT (SS 1804), B-0944

**Heywang-Köbrunner S.H.**  
2D FFDM vs 3D DBT, with special respect to syngo.breast care and optimised workflow, possibilities and challenges with 2D FFDM vs 3D DBT (SY 2)

**Hichina E.**  
The role of the radiographer in image acquisition and processing: Contribution of radiographer to success of coronary MDCT (EM 5), A-268

**Higashigawa T., Ichikawa Y., Ishida M., Izumi D., Kouji T., Matsuoka K., Kitagawa K., Hirano T., Sakuma H.**

Noninvasive measurement of coronary flow velocity reserve by phase-contrast cine MRI at 3T in the detection of stenosis in the major three coronary arteries (SS 503), B-0298

**Himmelreich U.**  
ENCITE based insights for molecular imaging in guidance of therapy: Is cell imaging relevant for the clinic? Lessons to be learned from pre-clinical research (ENCITE Session), A-511

**Hinton M., Kubassova O., Boesen M.**  
An enterprise class computer aided detection platform scalable from laptop to cloud (SS 605), B-0426

**Hirokawa Y., Kurokawa H., Ikeda S., Terasawa R., Kohzai M., Tsuno T., Ikeda K., Sakaida N., Tanigawa N.**  
Pilomatricoma: radiologic findings of 17 cases (SS 910), B-0566

**Hirschmann A., Buck F.M., Fuentese S., Firrmann C.W.A.**

Weight-bearing CT of the knee: does the joint alignment change from supine to upright position? (SS 1810), B-0970

**Hjemly H.H., Strand E., Myklebust A.M.**  
Task shifting towards radiologists in medical imaging: what are the views of the radiographers? (SS 1714), B-0898

**Hoang D., Pagnier A., Cousin E., Guichardet K., Schiff I., Dubois-Teklali F., Krainik A.**  
Modality specific activations in working memory in children treated for cerebellar medulloblastoma: an fMRI study (SS 511), B-0356

**Hodler J.**  
Mentoring in radiology: Education in research: action plan (ESOR Session), A-142

**Hoeffel C.**  
Gastrointestinal stromal tumours (GIST): B. Disease staging and treatment planning (CC 1521), A-463

## Hoffmann and X-ACT Investigators M.H.K.

Comparison of three iodine concentrations in the visualisation of coronary arteries by CT: a randomised European multicenter trial (SS 1703), B-0780

**Holzapfel K., Regler J., Rechl H., Specht K., von Eisenhart-Rothe R., Gradinger R., Rummeny E.J., Wörtler K.**

Neurovascular invasion by soft-tissue sarcoma: assessment with MR imaging in 174 cases (SS 910), B-0567

**Hong J., Lee H., Kang Y., Lim M., Kim M., Cho S.**

Application of IDEAL T2- and postcontrast T1-weighted fat-suppressed FSE imaging in head and neck at 3T: evaluation of quality improvement (SS 908), B-0553

## Horner K.

Cone-beam CT: C. 3D dentomaxillofacial imaging (RC 1213), A-370

## Horsthuis K.

Perianal fistula disease: all you need to know: A. Perianal anatomy and imaging techniques (CC 1121), A-283

## Hosten N.

The orbit: you can't see what you haven't learnt: A. Anatomy and commonly encountered postoperative findings (RC 708), A-184

## Hrabak Paar M., Štern-Padovan R.

Visceral fat accumulation is a risk factor for atherosclerosis of the aorta (SS 115), B-0115

## Hricak H.

Imaging in precision medicine: Chairman's introduction (NH 14), A-407

## Hricak H.

Multiparametric MRI for prostate cancer management: the essential guide for radiologists: B. The radiologist's contribution: capabilities of multiparametric MRI in clinical routine (RC 416), A-067

**Hueper K., Gutberlet M., Lehner F., Becker J.U., Peperhove M.J., Großhennig A., Wacker F., Gwinner W., Hartung D.**

Assessment of delayed renal allograft function by arterial spin-labelled magnetic resonance imaging: comparison with kidney biopsy (SS 1807), B-1004

## Hughes E.

Cutting-edge imaging: translating research into clinical reality: A. Advanced imaging of neurodegenerative disease (RC 1414), A-450

## Hummel W.A.

How important are state-of-the-art displays to radiology?: A. Primary class displays (RC 1214), A-379

## Hunink M.G.M.

Evidence-based radiology, comparative effectiveness research, and health technology assessment: Chairman's introduction (SF 15b), A-483

**Hussein H.M., Chung C., Moshonov H., Naomi M., Kulkarni S., Scaranello A.**

Evaluation of apparent diffusion coefficient to predict grade, micro-invasion and invasion in DCIS (SS 1302), B-0692

**Hwang E., Park C., Lee S., Goo J., Ryu Y.**

Pulmonary adenocarcinoma presenting as part-solid ground glass nodule: is measuring solid component only appropriate in current staging system? (SS 104), B-0027

**Hwang I., Park C., Park S., Lee S., Goo J., Lee H.**

Differentiation of invasive pulmonary adenocarcinomas presenting as pure ground-glass nodules from their preinvasive lesions by using computerised image feature analysis from multi-detector computerised tomography images (SS 104), B-0028

## I

**Iacucci I., Carbone I., Mancone M., Gianluca D., Catalano C., Francone M.**

Impact of age-related differences on myocardial salvage (MS), micro-vascular obstruction (MVO) and left ventricular remodelling (LV-R) following primary percutaneous coronary intervention (PCI): insights from cardiac magnetic resonance (CMR) (SS 203), B-0165

**Ichikawa S., Motosugi U., Morisaka H., Sano K., Ichikawa T.**

Intravoxel incoherent motion diffusion-weighted imaging for staging hepatic fibrosis (SS 501), B-0359

**Ichikawa T., Koizumi J., Kawada S., Imai Y.**  
Renal artery anomalies associated with horseshoe kidneys: value of CT angiography (SS 1707), B-0848

**Ikink M.E., Nijenhuis R.J., Verkooijen H.M., Lohle P.N.M., van den Bosch M.A.J.**

Reintervention rate and symptom improvement following volumetric MR-guided high-intensity focused ultrasound versus uterine artery embolisation for uterine fibroids: a multicenter study (SS 209), B-0260

**Ilyushchenko Y., Panfilenko A., Tyutin L., Kostenikov N., Stanzhevskiy A.**

Comparison of PET/CT using 11C-choline and 11C-methionine for differential diagnosis of gliomas (SS 1806), B-1063

## Inbar Y.

Treatment with MR-guided focused US (FUS): Uterine fibroids and adenomyosis (SF 14b), A-437

**Ippolito D., Bonaffini P.A., Fior D., Capraro C., Trattenero C., Sironi S.**

Neoadjuvant radiochemotherapy response evaluation with MR and FDG-PET/CT in rectal cancer: predictive value of combined quantitative parameters of ADC and SUV compared with tumour regression grade at histology (SS 116), B-0067

**Isfort P., Na H., Penzkofer T., Wilkmann C., Osterhues S., Besting A., Schmitz-Rode T., Kuhl C.K., Bruners P.**

Electromagnetically navigated TIPS procedure: phantom and in vivo evaluation (SS 109), B-0122

## Ivanac G.

Breast US: A. Clinical US technique (2D and automated) (E<sup>3</sup> 520b), A-120

## J

## Jackson S.A.

Radiology and obesity: Chairman's introduction (SA 8), A-212

## Jackson S.A.

Pancreatic inflammation: C. Paradoodenal and autoimmune pancreatitis (RC 1601), A-531

## Jacobs A.H.

Functional and multimodality neuroimaging: A. Clinical applications of PET/CT in neurology (RC 306), A-018

# Authors' Index

- Jacobs S., van Nederveen F., Burger P., Peeters R., Vernooy M., van der Lugt A., Peluso J.**  
Non-diagnostic results of fine needle aspiration cytology of thyroid nodules (SS 1708), B-0811
- Jaffro M., Lagarde S., Collot S., Otal P., Rousseau H., Mokrane F.**  
Comparison between CT with multiplanar reconstructions and MRI for prediction of neoadjuvant therapy in rectal cancer (SS 601a), B-0405
- Jäger H.R.**  
Brain tumours: the central role of radiology: A. Differential diagnosis and pseudo-tumoural lesions (RC 1111), A-308
- Jahnen A., Moll C., Shannoun F.**  
UNSCEAR survey system: a software platform to support the global survey of medical radiation usage and exposures (SS 205), B-0285
- Jairam P., Blokhuis T., Verkooijen H.M., de Jong P.A., Rutten F., Leenen L., Mali W.P.T.M., van der Graaf Y.**  
Challenges in the use of a computed tomography imaging-based cardiovascular risk assessment tool in routine practice (SS 103), B-0011
- Jakab A., Langs G., Schwartz E., Kasprian G., Prayer D., Schöpf V.**  
Charting the emergence of the foetal functional brain connectome in the thalamus and subplate: an *in utero* fMRI study (SS 1711), B-0857
- Janardhan S., Withey S., Tan S., Choudhary S.**  
Unenhanced and dynamic contrast enhanced (DCE) MRI in assessment of scaphoid fracture non-union revisited: role in pre-operative planning (SS 610b), B-0440
- Jang J., Park J., Cho Y.**  
The distribution of effective dose and its association with body mass index and dose-area product in abdominal radiographic examinations (SS 114), B-0133
- Jans L.B.O.**  
Trauma to the paediatric skeleton: C. Spine (RC 710), A-162
- Januszewicz M., Pruszynska I., Rowinski O.**  
Assessment of intrarenal flow Doppler parameters in patients before and after pheochromocytoma tumour removal (SS 115), B-0118
- Jaspers K., Peek M.C.L., Wolff D., Greuter M.J.W., Ebels T., Willems T.P.**  
Optimisation of time-resolved CE-MRA of the thoracic vasculature in Fontan patients: a quantitative approach (SS 1312), B-0747
- Jaspers K., Backes W.H., Greuter M.J.W., Willems T.P.**  
Optimisation of k-space sampling and view-sharing parameters in time-resolved MR angiography (SS 1713), B-0860
- Jazwiec P., Poreba R., Gac P., Poreba M., Miszalski-Jamka T., Mazur G., Sobieszczańska M.**  
The relationship between the volume of carotid bodies assessed by computed tomography angiography and cardiac autonomic function in patients with essential hypertension (SS 1815), B-1035
- Jensen J., Mussmann B.**  
Implementation of TraumaCad calibration ball in orthopaedic imaging in a radiology department: a multidisciplinary approach (SS 1314), B-0689
- Jeong C., Park J., Kim C., Park S., Park B., Kim B., Kwon S., Cha M., Kim H.**  
Value of diffusion-weighted imaging in predicting parametrial invasion in stage Ia2-IIa cervical cancer (SS 607), B-0471
- Jeukens C.R.L., Lalji U.C., Meijer E.J., Lobbes M.**  
Radiation exposure of contrast enhanced spectral mammography compared to conventional mammography (SS 102a), B-0054
- Ji Hoon P., LOCAT Group**  
Diagnostic imaging pathways and clinical outcomes of acute appendicitis: a multi-institutional cross-sectional study (SS 1717), B-0871
- Jiang T.**  
MGMT promoter methylation status is associated with specific imaging features and MR imaging quantitative parameters in high-grade gliomas (SS 611), B-0483
- Jobst B.J., Triphan S., Sedlacek O., Anjorin A., Kauczor H.-U., Biederer J., Ley S., Ley-Zaporozhan J., Wielpütz M.O.**  
Comparative assessment of T1 imaging, oxygen-enhanced MRI and first-pass perfusion MRI in chronic obstructive pulmonary disease at 1.5 Tesla (SS 1804), B-0943
- John S.D.**  
General principles: paediatric and ENT emergencies: B. Challenges of imaging paediatric abdominal emergencies (MC 422), A-081
- Johnson J.O., Shuaib W.**  
Risk factors for non-compliance with recommendations by emergency radiologists (SS 117), B-0039
- Johnson K.J.**  
Trauma to the paediatric skeleton: B. Elbow (RC 710), A-161
- Johnson T.R.C., Hellbach K., Meinel F.G., Reiser M.F., Bamberg F.**  
Metal artefact removal: single and dual-source CT approaches (SS 113), B-0106
- Jonczyk M., Hamm B., Heinrich A., Thomas A., Rathke H., Schnackenburg B., Güttler F., Teichgräber U., de Bucourt M.**  
Initial clinical experience with a quadrupole butterfly coil for spinal injection interventions in an open MRI system at 1.0 Tesla (SS 1309), B-0733
- Jordan J.A., Llibre J.C.**  
Feasibility of the superselective test with propofol for determining eloquent brain regions in the endovascular treatment of arteriovenous malformations (SS 909), B-0617
- Jöres A., Heverhagen J.T., Exadaktylos A., Klink T.**  
Diagnostic accuracy of full-body linear X-ray scanning in trauma patients in comparison to CT (SS 1717), B-0875
- Jorritsma W., Cnossen F., van Ooijen P.M.A.**  
Adaptive support for PACS interface customization (SS 105), B-0149
- Jost G., Knobloch G., Huppertz A., Pietsch H.**  
Assessment of early treatment effects of targeted tumour therapy by CT: systematic comparison of dual-energy CT, conventional contrast-enhanced CT and dynamic contrast-enhanced CT (SS 516), B-0316
- Jungmann P.M., Baum T., Schaeffeler C., Sauerschnig M., Mann A., Ganter C., Rummey E.J., Woertler K., Bauer J.S.**  
Quantitative MR imaging of the ankle: the effect of axial traction on cartilage T2 relaxation times and cartilage diffusion values (SS 1310), B-0665
- Jungmann P.M., Nevitt M.C., Liebl H., Nardo L., Baum T., Liu F., Lane N.E., McCulloch C.E., Link T.M.**  
Relationship of total hip arthroplasty to ipsilateral and contralateral knee osteoarthritis: a 4-year longitudinal 3T MRI study from the osteoarthritis initiative (SS 1810), B-0966
- Junker D., Aigner F., Bektic J., Horninger W., Jaschke W.R.**  
ESUR scoring system for prostate cancer detection: how to derive the overall PI-RADS score from different single modality scores? (SS 107), B-0089
- 
- K**
- Kachelries M.**  
Cone-beam CT: A. Fundamentals of cone-beam CT (RC 1213), A-368
- Kahn C.E.**  
Structured reporting: Structured reporting in the US (SF 16c), A-538
- Kahn J., Maurer M.**  
How does arm positioning of polytraumatised patients in the initial CT affect image quality and diagnostic accuracy? (SS 117), B-0031
- Kaiser C., Herold M., Krammer J., Dietzel M., Baltzer P.A.T., Kaiser W.A., Schönberg S., Wasser K.**  
Prepectoral oedema as a morphological sign in MR mammography (SS 902), B-0587
- Kaiser C.G.N.**  
Economic aspects and the future of breast MR (SY 1)
- Kallergi M., Heine J.J., Wollin E.**  
Magnetic resonance electrical impedance mammography: a new approach to breast cancer imaging (SS 1802), B-1000
- Kamal I.F., Fouad R.M.K.E., Mansour S.M., Salaheldin L.A., Hamed S.T., Omar O.S.**  
Inflammatory breast disorders - benign vs malignant: does T2-weighted magnetic resonance sequence (MRI) meet this diagnostic challenge? (SS 1702), B-0838
- Kammer N.N., Lütke Daldrup C., Coppenrath E., Lechner A., Ferrari U., Reiser M.F., Wirth S., Saam T., Hetterich H.**  
Comparison of modified dixon-sequences and H1-spectroscopy for quantitative assessment of liver steatosis in patients with gestational diabetes (SS 501), B-0366
- Kammer N.N., Coppenrath E., Kooijman H., Reiser M.F., Saam T.**  
Whole brain 3D-black-blood 3T-MRI for the diagnosis of CNS vasculitis: a feasibility study (SS 515), B-0378
- Kang E., Lee K., Han J., Lee J.**  
Evaluation of dual-input perfusion in lung cancer: using a 640-slice volume CT scan (SS 1704), B-0782
- Kang J., Choi S., Lee W., Lim T.-H.**  
Feasibility study of free-breathing diffusion tensor imaging in porcine acute myocardial infarction model (SS 503), B-0294
- Kang J., Choi S., Ko S., Lim T.-H.**  
Evaluation of accuracy for detection and extent of occult myocardial scars using delayed-enhancement CT in patients with asymptomatic diabetes: results from the ACCREDIT study (SS 1803), B-0912
- Kantarci M., Genc B., Orsal E., Ogul H., Aydin Y., Pirimoglu B., Okur A., Solak A., Eroglu A.**  
Comparison of computed tomographic perfusion and 18FDG/PET-CT in the diagnosis of primary oesophageal cancer (SS 901b), B-0634

# Authors' Index

- Kapetas P., Baltzer P.A.T., Clauser P., Abeyakoon O., Pinker-Domenig K., Bernathova M., Woitek R., Helbich T.H.** Diagnostic performance of breast acoustic radiation force impulse imaging in the clinical setting (SS 602), B-0468
- Kaplanoglu V., Ciliz D., Kaplanoglu H., Toprak U., Parlak S., Sakman B., Yuksel E.** The success of MRI in preoperative detection of primary hyperparathyroidism focus and contribution to other imaging methods (SS 1708), B-0819
- Karaarslan E., Gürbüz D., Ulus Ö.S., Argun Ö.B., Kural A.R.** Role of multiparametric magnetic resonance imaging using T2-weighted, diffusion-weighted and 4D perfusion contrast-enhanced MRI in prostate cancer at 3T (SS 107), B-0084
- Karabulut N., Kaya F., Yilmaz I., Herek D.** Combined MR imaging of acute pulmonary embolism and deep vein thrombosis: diagnostic accuracy of unenhanced balanced steady-state free precession and contrast-enhanced 3D gradient echo sequences (SS 504), B-0301
- Karahaliou A., Vassiou K., Skiadopoulos S., Arikidis N., Fezoulidis I., Costaridou L.** Quantitative analysis of apparent diffusion coefficient maps for breast cancer diagnosis in 3T diffusion-weighted MRI (SS 1302), B-0694
- Karaman C.** Head and neck emergency: for the general radiologist or the patient?: A. Pseudolesions mimicking disease (RC 308), A-041
- Karampinos D.C.** Body composition: a new string to the radiologist's bow: MRI: current and future applications (SF 15a), A-476
- Karani J.B.** The treated liver: A. Imaging of liver transplantation (E<sup>3</sup> 320), A-009
- Karani J.B.** Paediatric emergencies: C. The role of the interventional radiologist in paediatric trauma (RC 1212), A-346
- Karcaaltincaba M.** The many faces of benign liver lesions: A. Vascular (RC 1201), A-334
- Karimi M.A., Sedaghat F., Motevalli M., Pouraliakbar H.** Diagnostic value of dual source CT angiography in congenital heart diseases: comparison with transthoracic echocardiography and angiography (SS 603b), B-0511
- Karmazanovsky G.** Modern MRI: different ways for visualisation and differentiation of the focal liver lesions (SY 30)
- Karmazanovsky G.G.** Crossroads of diagnostic imaging in the big country: Advances in imaging of pancreatic masses (EM 1), A-118
- Kärnä N., Aakula U., Metsälä E.** Self-assessment of clinical image quality in plain radiography: an evidence-based practice for radiographers (SS 1814), B-1061
- Karul M., Fokuh S., Veldhoen S., Nagel H.D., Regier M., Adam G., Yamamura J.** Influence of 4th generation iterative reconstruction system on image quality in computed tomography in adults with acute appendicitis (SS 205), B-0282
- Karul M., Avanesov M., Behzadi C., Keller S., Stahl P., Adam G., Yamamura J.** Signs of acute appendicitis on CT in comparison with both histopathological findings and C-reactive protein (SS 1717), B-0872
- Kasatkina E., Lyadov V.K., Shrayer I., Bogomazova S., Mershina E., Sinitsyn V.E.** Is MDCT capable of detecting perineural invasion in pancreatic head cancer? (SS 201a), B-0160
- Kasprian G., Schwartz E., Langs G., Brugge P., Prayer D.** Foetal cortical pattern analysis in commissural dysgenesis (SS 511), B-0353
- Kauczor H.-U.** Take a deep breath and hold: why and why not: C. Pulmonary disease assessment with MRI (RC 1904), A-579
- Kauczor H.-U.** Mentoring in radiology: Mentoring in radiology (ESOR Session), A-143
- Kawai T., Ozawa Y., Suzuki T., Ohashi K., Shibamoto Y.** Artefact reduction of dual-energy lung perfusion image using a tin filter: a phantom study and evaluation on clinical images (SS 604), B-0434
- Kawashima H., Kajino Y., Kabata T., Matsuura Y., Tsuchiya H., Sanada S.** Kinematic X-ray imaging of the hip joint for patients after hip resurfacing arthroplasty and total hip arthroplasty (SS 1814), B-1059
- Kazakevich V.I., Mitina L.A.** Transcutaneous ultrasound examination of mediastinum in lung cancer (SS 1304), B-0654
- Kelekis A.D.** Percutaneous treatment of chronic back pain and sciatica: B. Facet joint syndrome (RC 809), A-234
- Keller J., Votrubová J., Latnerová I., Jíru F., Kulka J., Vymazal J.** MR spectroscopy and FLT-PET: voxel-by-voxel comparison differentiates tumorous tissue in high-grade glioma (SS 111), B-0093
- Keller J., Neu il P., Vymazal J., Weichert J., Janotka M., Brada J., ácek R., Reddy V.Y.** Magnetic resonance imaging at 1.5 Tesla in patients with a subcutaneous implantable cardioverter-defibrillator (S-ICD) (SS 503), B-0297
- Kelly B.S., Rainford L.A., Kavanagh E.C., Toomey R.** The development of diagnostic accuracy and search pattern behaviour in the interpretation of chest radiographs (SS 904), B-0548
- Kenny L.M.** Interventional radiology in oncology: How an oncologist works and why technology alone is not enough (PC 4), A-100
- Keulers A.R., Stamm A., Mahnken A.H.** Combined implantation of central venous access ports and percutaneous radiological gastrostomy in patients with malignant disease is feasible and safe (SS 1309), B-0740
- Keyzer C., Dhaene B., Blocklet D., De Maertelaer V., Gevenois P.** The nature of incidental colonic FDG uptake at PET/CT (SS 1716), B-0825
- Kezi N.F.** Molecular MRI (SS 1714), B-0899
- Khalmukhamedova A.E., Gazhonova V.E., Belozerova I.S., Zubarev A.V.** Sonoelastography in differentiation of benign and malignant small sized ovarian tumours (SS 1314), B-0682
- Kharuzhyk S.A., Sachivko N.V.** Predicting treatment response in lymphoma: value of pretreatment apparent diffusion coefficient and its early change during chemotherapy (SS 916), B-0574
- Khromov A.A., Semenov S.E., Moldavskaya I.V., Khromova A.N., Zhuchkova E.A.** A possibility of clinically using the unenhanced arterial spin-labeled MR-perfusion in the diagnostics of acute non-haemorrhagic stroke (SS 111), B-0096
- Kickingereder P., Sahm F., Wiestler B., Heiland S., Schlemmer H.-P., Wick W., von Deimling A., Bendszus M., Radbruch A.** Evaluation of microvascular permeability with dynamic contrast-enhanced MRI for the differentiation of primary CNS lymphoma and glioblastoma: radiologic-pathologic correlation (SS 611), B-0487
- Kiessling F.M.A.** Imaging the hallmarks of cancer: Angiogenesis (NH 4), A-075
- Kiessling F.M.A.** Molecular imaging in oncology: C. Emerging molecular imaging techniques (RC 1906), A-605
- Kilburn-Toppin F.** Spectral lesion characterisation: will it be possible to distinguish cysts from solid masses on the screening mammogram? (SY 27)
- Kilburn-Toppin F., Willsher P., Erhard K., Fredenberg E., Moa E., Dance D., Wallis M.G.** Characterisation of breast lesions with spectral mammography: results on tissue specimens and first clinical cases (SS 102a), B-0057
- Kilsdonk I.D., Wattjes M.P., Kuijjer J.P.A., de Jong M.C., Conijn M.M.A., Luijten P.R., Geurts J.J.G., Geerlings M.I., Barkhof F.** Improved differentiation between MS and vascular brain lesions using FLAIR\* at 7 Tesla (SS 1811b), B-1012
- Kim D., Choi S., Kim J., Sohn C.** Differentiation of true recurrence from delayed radiation therapy-related change of primary brain tumors using advanced MR imaging (SS 611), B-0486
- Kim H., Cha M., Park B., Park J., Park S., Kim C.** Radiofrequency ablation of sporadic cystic renal masses: mid-term outcomes (SS 1307), B-0709
- Kim J., Lee C., Park Y., Lee J., Choi J., Kim K., Park C.** Using intravoxel incoherent motion MR imaging to predict vesicoureteral reflux in children with upper urinary tract infection: preliminary results (SS 1312), B-0741
- Kim J.E., Lee J.M., Baek J.H., Moon S.K., Han J.K., Choi B.I.** Differentiation of poorly differentiated colorectal adenocarcinomas from well- or moderately differentiated colorectal adenocarcinomas at contrast-enhanced multidetector computed tomography (SS 601a), B-0404
- Kim S., Choi Y., Cheon J., Kim W., Kim I.** Acute appendicitis in children: multidetector CT and US findings in negative appendectomy cases (SS 1712), B-0797
- Kim S., Lee D., Kim M., Won J.** Outcomes of endovascular treatment for aortic pseudoaneurysm in Behcet's disease (SS 909), B-0614
- Kim S.U., Nerestyuk Y.I., Archipova I.M., Vishnyakova M.V., Surmava A.** Russian radiology best practice: clinical experience sharing (SY 26)
- Kim T., Kim J., Shin C., Kim S., Han J., Choi B.** A comparison study with fluoroscopy: can CT scan predict anastomotic leaks after gastric surgery? (SS 901b), B-0638

# Authors' Index

- Kinkel K.**  
Pitfalls in female pelvic imaging: B. Pitfalls in ultrasound (E<sup>3</sup> 420a), A-057
- Kinkel K.**  
MRI of the breast: A. Technique and diagnosis (E<sup>3</sup> 620), A-133
- Kinner S., Pöppel T., Bockisch A., Hoffmann O., Nagarajah J.**  
Integrated <sup>18</sup>F-FDG PET/MRI with a 16-channel breast coil for local and axillary breast cancer staging: initial results on PET imaging (SS 1316), B-0649
- Kinner S., Steinweg V., Radtke A., Forsting M., Schröder T.**  
Bile duct evaluation of potential living liver donors with Gd-EOB-DTPA enhanced MRI: should we use single-dose, double dose or half-dose? (SS 1706), B-0900
- Kinner S., Ertle J., Theysohn J.M., Gerken G., Sippel N., Forsting M., Lauenstein T.C.**  
Diagnostic imaging after Yttrium 90 therapy in patients with hepatocellular carcinoma (HCC): preliminary comparison of magnetic resonance imaging with Gd-EOB-DTPA and gadobutrol (SS 1706), B-0903
- Kiss M., Lombay B.**  
Colorectal liver metastasis' changes during different systematic chemotherapy treatment (SS 914), B-0630
- Kiss M., Lombay B.**  
Parallel MR imaging: technique and significance (SS 1314), B-0688
- Kitrou P.M., Spiliopoulos S., Katsanos K., Kyriakopoulou M., Karnabatidis D., Siablis D.**  
Paclitaxel-coated balloons vs. plain balloon angioplasty for the failing fistula: final 1-year results of the randomised controlled trial (SS 609), B-0505
- Klimeczek P.T., Jagas J., Witkiewicz W.**  
Usefulness of CT angiography in low and moderate cardiovascular risk patients with chest pain admitted to emergency room in multimodal hospital (SS 103), B-0013
- Klimeczek P.T., Kozierowski-Dolega B., Dyś K., Zaleska-Dorobisz U., W.W.**  
T1- and T2-weighted SE carotid plaque imaging and contrast-enhanced MR angiography in comparison with intravascular ultrasonography: qualitative and quantitative assessment (SS 1815), B-1036
- Klumpp B.D., Schwenzer N., Gatidis S., Koenigsrainer I., Koenigsrainer A., Beckert S., Mueller M., Claussen C.D., Pfannenberg C.**  
Assessment of recurrent peritoneal carcinomatosis with 18F-FDG-PET/CT in patients after cytoreductive surgery and hyperthermic intraperitoneal chemotherapy (SS 1716), B-0826
- Knuuti J.**  
Pitfalls in FDG PET/CT imaging: Cardiology (SF 3), A-038
- Kobayashi S., Gabata T., Matsui O., Koda W., Minami T., Kozaka K., Kitao A., Yoneda N., Yoshida K.**  
Sequential contrast-enhanced CT analysis of reduction effect on multicentric type recurrence of HCC with Peretinoin (SS 1801a), B-0921
- Kobeiter H.**  
TACE in HCC: cone beam CT and arterial feeders detection improves patient survival (SY 9)
- Kocsis P., Demers V., Chandelier F., Stein L.A.**  
Enhancing ground glass nodule interpretation through the interactive unification of 2D and 3D visualisations (SS 605), B-0428
- Koenigkam Santos M., Optazaita E., Sommer G., Schlemmer H.-P., Heussel C., Kauczor H.-U., Puderbach M.**  
Dynamic contrast-enhanced magnetic resonance imaging of lung lesions using a straightforward technique for morphological and quantitative kinetic analysis (SS 1704), B-0788
- Koh D.-M.**  
Imaging after systemic therapies: advanced techniques: C. Assessing the precision and accuracy of biomarker imaging: is it reproducible? (CC 818), A-238
- Koh D.-M.**  
Colorectal cancer liver metastases: assessing tumour response: C. Functional biomarkers (RC 1901b), A-593
- Koizumi J., Itou C., Mori N., Hashimoto T., Shiozaki H., Sekiguchi T., Ichikawa T., Imai Y., d'Othée B.**  
Laser-assisted transjugular intrahepatic portosystemic shunt: an experimental study (SS 109), B-0123
- Koizumi J., Itou C., Mori N., Sekiguchi T., Hashimoto T., Myojin K., Ichikawa T., Imai Y.**  
Transcatheter embolisation of extracranial aneurysms using n-butyl cyanoacrylate (SS 909), B-0619
- Komljenovic D., Wiessler M., Pipkorn R., Waldeck W., Bangert R., Semmler W., Braun K.**  
Solid phase peptide synthesis (SPPS) combined with the inverse Diels-Alder reaction: a versatile tool for novel theranostic applications (SS 1706), B-0906
- Kondratyev E., Karmazanovsky G.G., Shirokov V., Tarbaeva N., Vishnevskia A.**  
Low-dose 256-MDCT angiography of the carotid arteries: effect of hybrid iterative reconstruction technique on noise, artefacts, and image quality (SS 215), B-0258
- Koprivsek K.**  
A guided tour of radiology in Serbia: The role of prenatal MRI in foetal central nervous system abnormalities: a case-based pictorial review (EM 2), A-253
- Körner M.**  
ER: basic principles - polytrauma: feel your own pulse first! A. Logistics and management (RC 717), A-153
- Kowalik K.J., Golzarjan J.**  
Prostate artery embolisation: preliminary outcomes for symptomatic benign prostate hyperplasia (SS 1809), B-1049
- Kozák L.R., Iljicsov A., Simó M., Dániel B., Rudas G., Barsi P.**  
The clinical subtype of multiple sclerosis determines the timeline of temporal lobe atrophy - a voxel based morphometry study (SS 1811b), B-1013
- Krajina A., Kalousek I.**  
Gynaecological and obstetrical haemorrhagic emergencies: C. Treatment of post-partum haemorrhage (RC 1109), A-320
- Kramer H., Pickhardt P.J., Kliewer M.A., Hernando D., Chen G., Reeder S.B.**  
Accuracy of liver fat quantification by CT, MRI and US: a prospective comparison with magnetic resonance spectroscopy (MRS) (SS 501), B-0365
- Krestin G.P.**  
Imaging in precision medicine: Radiogenomics and personalised (precision) medicine (NH 14), A-408
- Krieghoff C., Barten M., Hildebrandt L., Grothoff M., Lehmkuhl L., Lücke C., Andres C., Nitzsche S., Guberlet M.**  
Assessment of sub-clinical acute cellular rejection after heart transplantation: comparison of cardiac imaging and endomyocardial biopsy (SS 603a), B-0490
- Ku M., Lee C., Kim J., Park Y., Lee J., Choi J., Kim K., Park C.**  
Using gadoxetic acid-enhanced liver MR imaging to predict histologic features and treatment response in liver metastasis from breast cancer: Preliminary results (SS 1301), B-0671
- Kuchenbecker S., Faby S., Schüller S., Lell M., Kachelrieß M.**  
Monochromatic imaging in dual energy CT (DECT): metal artifact reduction with acceptable image quality? (SS 113), B-0104
- Kuhl C.K.**  
MRI of the breast: C. MRI in the high-risk population (E<sup>3</sup> 620), A-135
- Kuhl C.K.**  
Clinical challenges in breast MRI: B. Non-mass like enhancement (NMLE): when to biopsy? (RC 1102), A-300
- Kuhl C.K.**  
Optimising MRI scanning protocols for breast cancer screening (SY 11)
- Kulikova S., Peresedova A., Bryukhov V., Trifonova O., Krotenkova M., Zavalishin I.**  
Longitudinal DTI changes in multiple sclerosis patients with different cortical reorganization patterns (SS 1811b), B-1015
- Kunzendorf B., Schwartz E., Langs G., Prayer D., Kasprian G.**  
Prenatal detection of abnormal hippocampal development in lissencephaly (SS 511), B-0352
- Kuok S., Ramli N., Tan Y., Tan L., Tan L., Goh S., Goh K.**  
Effect of mindfulness meditation on BCI performance: a fMRI study (SS 1711), B-0856
- Kurita Y., Kitagawa K., Ito T., Nagasawa N., Nakajima H., Nakamori S., Ishida M., Sakuma H.**  
CT evaluation of myocardial extracellular volume in patients with chronic myocardial infarction: a novel approach for objective assessment of myocardial viability (SS 1803), B-0914
- Kutter K.J., Paprottka P.M., Reiser M.F., Waggershauser T.**  
Comparative study of the corrosion behaviour of peripheral stents in a accelerated corrosion model: experimental in vitro study of 28 metallic vascular endoprostheses (SS 1813), B-1024
- Kutter K.J., Saam D.C., Schwarz F., Saam T., Reiser M.F., Helck A.**  
Prevalence, distribution and outcome of patients with calcified nodules in carotid arteries (SS 1815), B-1037
- Kwak H.-S., Chung G.**  
Symmetrical plaque progression rates in bilateral carotid atherosclerosis: the impact of local plaque factors (SS 211), B-0237
- Kwon S., Kim Y., Choi D., Lee W., Jeong W., Min J., Cha M., Jeong C.**  
Added value of diffusion-weighted imaging to conventional MR imaging in the preoperative detection of small pancreatic carcinoma (SS 201a), B-0155

# Authors' Index

## L

**la Torre M., Iezzi R., Antonuccio E., Nestola M., Guerra A., Bonomo L.**

Carotid plaque vulnerability: could contrast enhanced ultrasound play a role in patient management? (SS 1815), B-1034

**Labutin V.**

The role of the radiographer in image acquisition and processing: MRI safety: the radiographers' role (EM 5), A-267

**Laghi A.**

Changes of the gastrointestinal tract after treatment: A. Gastrointestinal tumours (E<sup>3</sup> 1720), A-568

**Lahaye M.J., Lambregts D.M., Mutsaers E., Essers B., Breukink S., Beets-Tan R.G.H.**

Does inclusion of imaging in the work up of patients with clinically suspected appendicitis reduce the rate of unnecessary surgical procedures? (SS 1717), B-0870

**Lalam R.**

The ankle and foot: B. Inflammatory disorders (RC 1110), A-292

**Lambert L., Daneš J., Jahoda J., Hořejš J.**

Submillisievert ultralow-dose CT colonography: comparison of filtered back projection and model-based iterative reconstruction technique (SS 1801b), B-0978

**Lambregts D.M., Sassen S., Rao S., Martens M.H., Heijnen L.A., Beets G.L., Vliegen R.A., Beets-Tan R.G.H.**

Tumour volumetry on diffusion-weighted MRI for identification of complete tumour responders to preoperative chemoradiotherapy in rectal cancer: a multicenter validation study (SS 601a), B-0400

**Lambregts D.M.**

From my workstation: difficult cases on review: C. Rectum (RC 1901a), A-575

**Lammer J.**

The diabetic foot: contribution of interventional radiology: Chairman's introduction (RC 709), A-180

**Lammers T.**

Imaging in precision medicine: Use of nanotechnology, imaging and therapy (NH 14), A-409

**Lanca L.J.O.C., Franco L., Ahmed A., Harderwijk M., Martí C., Nasir S., Ndlovu J., Oliveira M., Santiago A., Hogg P.**

10 kVp rule - an anthropomorphic pelvis phantom imaging study using a CR system: impact on image quality and effective dose using AEC and manual mode (SS 114), B-0134

**Lanca L.J.O.C.**

Educational challenges for radiographers: Challenges in undergraduate education (SF 7c), A-191

**Lanzman R.S., Heusch P., Weller J., Müller-Lutz A., Miese F., Kröpil P., Antoch G., Wittsack H.**

Assessment of diffusion parameters of the kidney over the entire cardiac cycle using ECG-triggered, time-resolved diffusion-weighted imaging (DWI) (SS 1707), B-0845

**Laqmani A., Regier M., Veldhoen S., Backhaus A., Sehner S., Nagel H.D., Adam G., Henes F.O.**

Impact of the hybrid iterative reconstruction technique on image quality of low-tube-voltage CT pulmonary angiography (SS 215), B-0253

**Laqmani A., Klink T., Quitzke M., Credner D.D., Adam G., Lund G.**

Accuracy of coronary plaque detection using a semiautomatic plaque analysis software in computed tomography coronary angiography (SS 205), B-0287

**Laqmani A., Veldhoen S., Dulz S., Henes F.O., Derlin T., Wassenberg F., Nagel H.D., Adam G., Regier M.**

CT enterography: comparison of dose-reduced CT with hybrid iterative reconstruction and routine-dose CT with filtered back projection for the evaluation of sigmoid diverticulitis (SS 1801b), B-0977

**Larina O., Mershina E., Sinitsyn V.E., Sidorenko E., Preobrazhenskiy V.**

Cardiac MRI in elite athletes: can it be a final step in the eligibility for competitive sport after suspicious ultrasonography? (SS 603a), B-0495

**Larsson E.-M.**

Diffusion MRI: everything you always wanted to know but never dared to ask: Clinical applications of diffusion MRI (neuro) (Joint Session of the ESR and ESMRMB), A-244

**Lassau N.**

Advances in diagnostic ultrasound: better results through combinations: Imaging tumour perfusion: CEUS compared with CT, MRI and PET (Joint Session of the ESR and EFSUMB), A-109

**Laswad T., Fournier D., Brat H., Deac M., Deriaz O.**

Quality control in radiology reporting: experience in a private setting (SS 105), B-0147

**Latifi A., Torkzad M., Beckman M., Sundin A., Labruto F.**

Low-dose chest CT vs bedside chest x-ray in emergency patients (SS 914), B-0622

**Latifi A., Labruto F., Sundin A., Torkzad M.**  
3-point ultrasound for complete diagnosis of deep vein thrombosis of the lower extremities (SS 1314), B-0685

**Lau K.K.-P., Jackson D., Ardley N., Lau T.**  
Model based iterative reconstruction: its efficacy in CT assessment of cystic fibrosis and dose reduction (SS 604), B-0431

**Laurent F.**

Lung cancer: staging and personalised imaging in 2014: A. Lung biopsy: who, how and why (RC 1204), A-341

**Lazik A., Kraff O., Schulte P., Landgraeben S., Lauenstein T.C., Theysohn J.M.**

WARP imaging of metal-on-metal hip resurfacing arthroplasty at 1.5T and 3T MRI compared to standard imaging techniques: what more do we see? (SS 1710), B-0806

**Lebovici A., Buruiyan M., Feier D.S., Tamas-Szora A., Suciu M.D., Sfrangeu S.A.**

The accuracy and interobserver variability of multidetector computer tomography (MDCT) for T staging of renal cell carcinoma (SS 1307), B-0705

**Lebovici A., Buruiyan M., Feier D.S., Tamas-Szora A., Suciu M.D., Sfrangeu S.A.**

Renal sinus fat invasion in renal cell carcinoma: evaluation of multidetector computer tomography (MDCT) predicting factors (SS 1707), B-0841

**Leconte I., Teodorescu M., Michoux N., Fellah L.**

Tumour size: dual-energy contrast-enhanced digital mammography (CEDM) versus breast MRI (SS 102a), B-0051

**Lecouvet F.E.**

Managing incidental findings in cancer patients: C. Skeletal system: is MRI sufficient? (RC 1916), A-589

**Lee E., Kim J., Joo I., Lee J., Han J., Choi B.**  
Xanthogranulomatous cholecystitis: which is the best image tool to differentiate it from gallbladder carcinoma? (SS 101), B-0008

**Lee J.S.Z., Bradley K.M., Gleeson F.**

The impact of PET-CT in detecting non-nodal extrathoracic metastases in lung cancer compared to the staging CT (SS 1716), B-0820

**Lee J., Choi J., Lee E., Kang H.**

Femoroacetabular impingement pattern of hip involvement in ankylosing spondylitis (SS 1710), B-0802

**Lee J.J., Park J., Lee N., Kim J., Youn S., Kang E.**

MRI-drawn pulsatile flow, can we accept it? In-vitro validation using aortic flow model (SS 1713), B-0861

**Lee K., Griffith J.F., Leung J.H.Y., Wang D., Shi L., Tam L.**

Dynamic contrast-enhanced low-field (0.25T) MRI wrist in rheumatoid arthritis compared with high-field (3.0T) MRI (SS 610b), B-0439

**Lee K., Park J.**

Optimization of image reconstruction method with sinogram affirmed iterative reconstruction in pediatric CT: chest, abdomen and head (SS 1812), B-0955

**Lee S., Shin N.**

The pattern of white matter alteration in patients with Parkinson's disease according to cognitive status (SS 911), B-0591

**Lee S., Nardo L., Heilmeier U.R., Kumar D., Kretzschmar M., Yu A., Majumdar S., Lane N.E., Link T.M.**

How common are hip labral tears? Comparison of individuals with and without hip symptoms (SS 1710), B-0803

**Lee Y., Choi H., Jung S., Ahn K., Kim B., Kim T.**

Intramural haematoma detection by susceptibility weighted image in intracranial vertebral artery dissection (SS 211), B-0232

**Leguerney I., De Rochefort L., Poirier-Quinot M., Robin S., Pitre-Champagnat S., Violas X., Robert P., Lassau N.**

Evaluation of anti-angiogenic therapies using molecular MRI and DCE-US in kidney tumour xenograft (SS 606), B-0522

**Leiber L., Boursier J., Michalak S., Roullier V., Fizanne L., Roux J., Gallois Y., Aube C.**

Steatosis quantification: comparison MRI vs histology in rat model using total intrahepatic triglycerides as reference (SS 1701), B-0766

**Leichter I.S., Gabai M.H., Romman Z., Sosna J.**

Dose reduction with dual-energy body CT: feasibility of concurrent spectral analysis and dose modulation (SS 213), B-0242

**Leichter I.S., Neeman V., Panfil E.Y., Gleisner O., Morag R., Duvdevani M.**

Automatic assessment of upper urinary tract clearance during the initial phase of digital pyelography (SS 1813), B-1031

**Leiner T.**

New perspectives on speed and robustness in MRI with Ingenia 1.5T (SY 25)

**Leitgeb N.**

Good radiation and bad radiation? How to assess and communicate radiation risk to patients and referring physicians:

# Authors' Index

- D. Communicating risks to patients and the public (RC 1413), A-445
- Lencioni R.**  
Assessing HCC response to .... B. Endovascular therapies (CC 1218), A-376
- Lenghel L.M., Băciuț G., Bojan A., Botar-Jid C., Vasilescu D., Feier D., Dudea S.M.**  
The value of ultrasonographic criteria for the differential diagnosis between benign and malignant cervical lymph nodes (SS 508), B-0397
- Léránt G., Sárközy P., Jávor L., Szalay C., Lévai A., Gódény M.**  
Characterisation of head and neck tumors using dynamic contrast enhanced MRI (SS 508), B-0392
- Lesaru M.**  
Multimodality breast imaging: Chairman's introduction (RC 1202), A-358
- Leschka S.**  
Cardiac computed tomography: from diagnosis to prognosis: Incidental findings in cardiac CT: how to report and proceed (SA 7), A-149
- Leung J., Lee R., Yu S., Hui J., Wong J., Hung H., Siu D., Cheung T., Chu C.**  
Outcome of emergency trans-arterial embolisation of spontaneous ruptured hepatocellular carcinoma with emphasis of angiography and CT correlation (SS 1809), B-1048
- Lewin M., Gelu-Simeon M., Sobesky R., Ostos M., Teicher E., Meyer L., Seror O., Trinchet J., Duclos-Vallée J.**  
Hepatocellular carcinoma (HCC) is more advanced at diagnosis in HIV-HCV (human immunodeficiency virus-hepatitis C virus) co-infected than in HCV mono-infected cirrhotic patients (SS 901a), B-0531
- Lewis A.J., Garrett K.G., Schoepf U.J., Silverman J.R., Krazinski A.W., Geyer L., Suranyi P., Meinel F.G., Costello P.**  
Residents' performance in the interpretation of on-call "triple-rule-out" CT studies in patients with acute chest pain (SS 103), B-0018
- Li Y., Lau K.K.-P.**  
Efficacy of questionnaire prior to contrast CT in predicting renal impairment for patients older than sixty years of age (SS 1306), B-0754
- Liang C.C.K.**  
Potential dual energy volume scan implemented by 320-section area detector CT (320-deADCT) through lower-dose acquisition imaging protocol applied in liver tri-phase CT application: initial experience in Taiwan (SS 1801a), B-0928
- Lim A.**  
Abdominal and high-frequency ultrasound imaging: latest technologies for improved lesion detection and characterisation (SY 16)
- Lin E.**  
Experimental study on correlation of histopathological changes and evaluation of MRI in rat spinal injury (SS 111), B-0095
- Linsenmaier U., Wirth S.**  
General principles: paediatric and ENT emergencies: A. General principles (MC 422), A-080
- Linsenmaier U., Geyer L.**  
Polytrauma: redefining imaging issues for management priorities: C. Extremities (RC 817), A-202
- Lisowska A., Cieszanowski A., Krenke R., Korczynski P., Dabrowska M., Zukowska M., Rowinski O.**  
The role of multi-sequence MR in the detection of pulmonary nodules (SS 1704), B-0785
- Lisý J., Chocholatý M., Havlová K., Mikšík L., Březinová H., Schmidt M.**  
Contribution of ADC value to histopathological differentiation of renal tumors (SS 1307), B-0702
- Liu Y., Yuan H., Zeng X., Wang Z., Zhang H.**  
Diffusion tensor imaging at 3-T MR for detection of patients with depression and comorbid hypertension in depression (SS 911), B-0595
- Llibre J.C., Jordan J.A.**  
Predictors of neurological deficit after endovascular treatment of cerebral arteriovenous malformations and functional repercussion in prospective follow-up (SS 1311), B-0716
- Llopis E., Higueras V., Belloch E.**  
The hand and wrist: C. Tumours and tumour-like lesions (RC 1910), A-585
- Lobbes M., Lalji U.C., Houwers J., Nelemans P., Smidt M., Heuts E., Wildberger J.E.**  
Contrast-enhanced spectral mammography in women referred from the breast cancer screening programme (SS 102a), B-0053
- Locatelli M., Tonutti M., Trianni A.**  
First experience with the new generation low-dose digital breast tomosynthesis: can 2D synthetic image replace digital mammography in combination with digital breast tomosynthesis? (SS 502), B-0333
- Locidise P., Panebianco V., Cannavale A., Barchetti F., Forte V., Catalano C.**  
Novel anatomic kidney segmentation in nephron sparing surgery: a comprehensive CT-scan based reporting (SS 1307), B-0706
- Loewe C.**  
Cardiac CT and MRI in difficult patients: what to do?: A. Coronary CTA in patients with severe arrhythmias and high heart rate (RC 1503), A-467
- Loewe C.**  
Cardiovascular CT with OptiBolus™ (SY 13)
- Loewe C., Reider L., Schöpf V., Unterhuber S., Beitzke D., Wolf F., Lammer J.**  
Influence of iodinated contrast agents on heart rate variability during CT angiography of the coronary arteries: a prospectively randomised study (SS 1703), B-0772
- Lombardi M.**  
The role of imaging in the cardiac patient: Assessing myocardial viability (EM 3), A-279
- Longaretti F., del Corral M., Boccilone M., Nardi B., Lisignoli V., Balzarini L., Monti L.**  
Relevance of small areas of myocardial ischemia in adenosine stress MR (SS 203), B-0163
- Lopci E., Bello L., Raneri F., Riva M., Rodari M., Chiti A.**  
Correlation of biological characteristics with metabolic information on 11C-methionine PET in primary brain tumours (SS 1806), B-1062
- Lopes R., Santos J.**  
Variation of lumbar and pelvis Agfa exposure index in different radiography equipment's (SS 114), B-0140
- Lopez Rendón X., Bosmans H., Oyen R., Zanca F.**  
The assessment of effective dose and organ dose taking tube current modulation into account (SS 213), B-0247
- Lowe J., Cronin E., Rainford L.A.**  
An investigation into the impact of lead shielding application on radiographic image quality during lumbar spine examination of obese patients (SS 114), B-0136
- Lu C., Diao Y., Guo Y., Zhang X., Li Z.**  
Flash-4D CT angiography in aortic dissection (SS 215), B-0252
- Lucatelli P., Fanelli F., Cannavale A., Cirelli C., Corona M., d'Adamo A., Catalano C., Salvatori F.M., Saba L.**  
An echo-color-doppler analysis - carotid endarterectomy vs stenting: does the flow really change? (SS 609), B-0503
- Lucatelli P., Di Martino M., d'Adamo E., d'Adamo A., Bezzini M., Corona M., Salvatori F.M., Catalano C.**  
Dyna-CT vs MDCT in the evaluation and detection of hypervascular HCC (SS 1301), B-0674
- Lucatelli P., Tarnoki A.D., Tarnoki D.L., Fanelli F., Berczi V., Medda E.**  
Genetic and environmental effects on carotid flow velocities: an international twin study (SS 1815), B-1040
- Luciani A., Legou F., Chalaye J., Chiaradia M., Pigneur F., Djabbari M., Costentin C., Itti E., Rahmouni A.**  
Highlighted Lectures: Imaging hepatocellular carcinoma at the era of multimodality and hybrid imaging (TF 1), A-396
- Luciani A.**  
Spectral imaging and Veo: clinical practice and new perspectives in oncology (SY 28)
- Luciani M., Pediconi F., Telesca M., Vasselli F., Casali V., Castrignanò A., Carpignano I., Catalano C.**  
Breast MR spectroscopy at 3T in biopsy proved breast cancers: does choline peak correlate with prognostic factors? (SS 1802), B-0998
- Lucic M.A.**  
A guided tour of radiology in Serbia: Introduction (EM 2), A-248
- Lucic M.A.**  
Brain tumours: the central role of radiology: Chairman's introduction (RC 1111), A-307
- Lucidarme O., Wagner M.**  
Imaging after systemic therapies: advanced techniques: B. MRI biomarkers: from acquisition to post-processing (CC 818), A-237
- Lücke C., Werner P., Jochimsen T., Eitel I., Grothoff M., Barthel H., Sabri O., Gutberlet M.**  
Comparison of cardiac function in synchronously acquired Hybrid PET-MRI data (SS 503), B-0290
- Lukianchenko A.**  
Current approaches to evaluation of focal liver lesions (SY 26)
- Luna A., Broncano J., Martin T., Sanchez-Gonzalez J.**  
Detection of myocardial oedema in acute myocarditis with diffusion-weighted imaging (SS 1303), B-0722
- Lund V., Madani G.**  
What do I see? Clinical radiological interaction (part 2): B. Sinonasal imaging for functional endoscopic sinus surgery (FESS) (CC 1419), A-440
- Lund V., Freling N.J.M.**  
What do I see? Clinical radiological interaction (part 2): C. Sinonasal tumours: key clinical questions (CC 1419), A-441
- Luoma K., Kerttula L., Vehmas T., Grönblad M.**  
Association of low-back pain with modic type endplate changes and disc degeneration using a detailed MRI-classification (SS 610a), B-0458

# Authors' Index

## Lyadov V.K.

Pre-operative imaging in abdominal oncology: what does a surgeon need from a radiologist? (SY 26)

## Lycoklama à Nijeholt G.

Spine, cord and intervention: B. Spondylodiscitis, degenerative or tumoural? (RC 1511), A-493

## M

### Maccioni F.

Perianal fistula disease: all you need to know: C. Perianal fistula disease: advanced (CC 1121), A-285

### Mack M.G.

Head and neck emergency: for the general radiologist or the patient?: C. Findings that can't wait for follow-up (RC 308), A-043

### Mack M.G.

Tailoring head and neck examinations to the clinical symptoms (part 1): A. Impaired eye movements (CC 1519), A-495

### Mafalanka F., Rehel J., Pesenti-Rossi D.,

Christiaens L., Convers-Domart R., Ou P., Schouman-Claeys E., Sirol M., Etard C.

Dose optimisation in coronary CT angiography: is it restricted to the prospective ECG gating mode? Results from a multicentre study (SS 1703), B-0779

### Magalhaes M., Belo Oliveira P., Casalta-Lopes J., Costa Y., Gonçalo M., Gomes P., Caseiro-Alves F.

Acoustic radiation force impulse imaging value in differentiating benign and malignant breast nodules (SS 602), B-0469

### Maher M.M.

Imaging the postoperative patient: A. What the surgeon does: surgical procedures and normal postoperative anatomy (CC 1221), A-337

### Mahnken A.H., Fischer V., Tacke J., Bruners P.

Systemic hyperthermia after local tumour ablation: comparison of monopolar and multipolar radiofrequency ablation (SS 1709), B-0880

### Mahnken A.H., Kühl K., Bruners P.

CT-guided RF ablation improves survival in patients with liver metastases from breast cancer (SS 1709), B-0882

### Maier A.

From my workstation: difficult cases on review: Chairman's introduction (RC 1901a), A-572

### Maijers M.C., Niessen F.B., Veldhuizen E.F.H., Ritt M.J.P.F., Manoliu R.A.

MRI screening for silicone breast implant rupture: accuracy, inter- and intraobserver variability using explantation results as reference standard (SS 902), B-0586

### Majd S., Abdullah B.J., Ahmad Sarji S., Mat Adenan N., Yeong C.

Quantitative dynamic contrast-enhanced MRI in symptomatic uterine fibroids and normal uterus (SS 207), B-0226

### Majós C.

Imaging after systemic therapies: the standards: C. Evaluation of brain tumours (CC 718), A-189

### Maksimović R.

A guided tour of radiology in Serbia: MRI in non-ischaemic cardiomyopathies (EM 2), A-251

### Malamateniou C.

Cutting-edge imaging: translating research into clinical reality: Chairman's introduction (RC 1414), A-449

### Malich A., Dvorak J., Teichgräber U., Kott A., Feger J.

Comparison of morphologic and dynamic characteristics of only MR-visible lesions at 1.5 T vs. 3T according to 425 MR-guided breast biopsies (SS 902), B-0582

### Malich A., Dvorak J., Teichgräber U., Kott A., Feger J.

Dynamic features of MR-guided histologically proven lesions: comparison 1.5T vs 3T MRI (SS 1816), B-0986

### Malikova M.A., Tkacz J.N., Aakil A., Slanetz P.J., Guo C., Jara H., Guo C.

Evaluation of T1/T2 ratios obtained by quantitative MRI in a pilot study as a potential biomarker to monitor response to treatment of biopsy-proven malignant breast lesions and assessment tool for involvement of contralateral breast. (SS 202), B-0211

### Maly Sundgren P.C.

Brain tumours: the central role of radiology: C. Monitoring treatment: real or pseudo progression? (RC 1111), A-310

### Maly Sundgren P.C.

Imaging the head and skull base: C. Imaging of the orbit: the globe and the lachrymal gland (RC 1912), A-582

### Manabe T., Oda M., Arai E., Kanai Y., Miyake M., Komiyama M., Nakanishi H., Kusumoto M., Arai Y.

Usefulness of additional apparent diffusion coefficient (ADC) values to morphologic MR imaging in predicts extracapsular extension (ECE) of prostate cancer (SS 507), B-0344

### Mandal S., Miraglia R., Maruzzelli L., Liotta R., Cortis K., Luca A.

Utility of real-time US-guided percutaneous liver biopsy in paediatric liver transplant recipients (SS 1712), B-0793

### Manfredi R.

Pitfalls in abdominal imaging: B. Pancreas and bile ducts (E<sup>3</sup> 520a), A-112

### Manka R.

Quantification of myocardial perfusion: which test is the best (PET, MRI, MDCT)?: C. Analysis of myocardial perfusion using MRI (RC 803), A-241

### Mann R.M.

Image-guided breast biopsy: B. Stereotactic vacuum-assisted biopsy (E<sup>3</sup> 720b), A-164

### Mann R.M.

Multimodality breast imaging: C. Image-guided therapy in breast lesions: indications and techniques (RC 1202), A-361

### Mann R.M.

Breast lesion detection and characterisation with MRI in less than two minutes (SY 2)

### Marcon M., Ciritsis B., Laux C., Nguyen-Kim T., Fischer M.A., Andreisek G., Ulrich E.

Qualitative and quantitative assessment of vastus medialis muscle atrophy at MR imaging in asymptomatic patients after anterior cruciate ligament reconstruction (SS 210), B-0188

### Marcon M., Ciritsis B., Laux C., Fischer M.A., Andreisek G., Ulrich E.J.

Correlation between muscle cross-sectional area measurement and total vastus medialis volume in patients with anterior cruciate ligament reconstructions (SS 1310), B-0667

### Margari S., Venturini M., Piero L., Maffi P., Lattanzio R., De Cobelli F., Secchi A., Del Maschio A.

Orbital Colour-Doppler Ultrasound (OCDUS) and Spectral-Domain Optical Coherence Tomography (SD-OCT) assessment in brittle type 1 diabetic (T1D) patients after timely percutaneous intraportal pancreatic islet transplantation (PIPIT) (SS 208), B-0179

### Mariani S., La Marra A., Arrigoni F., Mancini A., Barile A., Masciocci C.

Diagnostic value of arthro-MRI in the long head of biceps tendon instability due to biceps pulley lesion of the shoulder (SS 110), B-0045

### Marigliano C., Ciolina F., Molisso L., Panzironi G., Napoli A., Ricci P.

Elastosonography with transvaginal approach in assessing response to MRgFUS treatment of uterine fibroids: preliminary experience (SS 1807), B-1003

### Marmarelis V.Z.

Can transmission-ultrasound tomography detect small lesions in dense breasts? (SS 602), B-0465

### Maroldi R., Nicolai P.

What do I see? Clinical radiological interaction (part 1): C. Laryngeal and hypopharyngeal cancer (CC 1219), A-367

### Maroldi R.

Imaging laryngeal cancer: A. What matters in staging laryngeal cancer (RC 1908), A-600

### Marra P., Esposito A., Siti G., Catarinella M., Canu T., Guidotti L.G., De Cobelli F., Del Maschio A.

Volumetric assessment by 7 Tesla liver magnetic resonance (MR) in mice to evaluate a novel therapy for colorectal cancer (CRC) metastases (SS 1301), B-0675

### Marten-Engelke K.

Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?: B. Inflammatory and infectious GGO (RC 1104), A-289

### Martens M., Dresen R.C., Lambregts D.M., Heijnen L.A., Hua T.J., Mok W., Beets G.L., Beets-Tan R.G.H.

MR tumour volumetry for tumour response evaluation after neo-adjuvant chemoradiation in rectal cancer: a prospective validation study (SS 601a), B-0408

### Martens M.H., Subhani S., Heijnen L.A., Lambregts D.M., Maas M., Riedl R.G., Beets G.L., Kluzza E., Beets-Tan R.G.H.

Diagnostic performance of kinetic parameters derived from dynamic contrast-enhanced MRI for the selection of good responders after chemoradiation for rectal cancer (SS 601a), B-0403

### Marti-Bonmatí L.

Cutting-edge imaging: translating research into clinical reality: B. Advanced oncological imaging (RC 1414), A-451

### Martin E.

Treatment with MR-guided focused US (FUS): Transcranial FUS (SF 14b), A-438

### Martínez Miravete P., Paramo M., Salazar R., Etxano J., Apesteguia L., Piña Insausti L.J.

Digital mammography vs digital breast tomosynthesis in an enriched sample (SS 502), B-0332

### Martini C., Lacelli F., Romani A., Gandolfo N., Serafini G.

Ultrasound-guided block of suprascapular nerve as a treatment of adhesive capsulitis: indications, technique and early results (SS 110), B-0043

# Authors' Index

- Martini C., Buttarelli L., Rossi E., De Filippo M.**  
Coronary CT angiography using 2° generation iterative reconstruction vs filtered back projection: evaluation of image quality and radiation dose saving potential. A validation study (SS 205), B-0288
- Martinoli C.**  
Peripheral nerve imaging: MRI and US: C. Lower limb nerve entrapment (RC 1210), A-349
- Martinoli C.**  
Improved detail resolution in MSK ultrasound using high frequency imaging (SY 22)
- Masarwah A., Auvinen P., Sudah M., Rautiainen S., Sutela A., Pelkonen O., Vanninen R.**  
Very low mammographic breast density predicts poorer outcome in patients with invasive breast cancer (SS 1702), B-0831
- Masetto A., Ippolito D., Bonaffini P.A., Casiraghi A., Besostri V., Sironi S.**  
Value of lower-limb MRI examination for the prediction of joint collapse in haematological paediatric patients with osteonecrosis of femoral heads and condyles: role of lesion volume assessment (SS 1710), B-0804
- Masselli G., Gualdi G.**  
Stone disease: new concepts: C. Imaging of stone disease in pregnancy (RC 307), A-035
- Massmann A., Wolska-Krawczyk M., Seidel R., Fries P., Schneider G.K., Buecker A.**  
Transcatheter intra-arterial MRA for accurate guidance of TACE in patients with HCC (SS 509), B-0382
- Massmann A., Obst-Gleditsch K., Shayesteh-Kheslat R., Katoh M., Buecker A.**  
Paclitaxel-coated balloon-angioplasty for central-venous re-stenosis in patients with haemodialysis fistulas (SS 609), B-0504
- Massmann A., Wolska-Krawczyk M., Probst T., Minko P., Schneider G.K., Buecker A.**  
Evaluation of local thrombolysis for thrombosis of total implantable venous access devices (port-systems) (SS 609), B-0507
- Massmann A., Kunihara T., Fries P., Schneider G.K., Schäfers H., Buecker A.**  
Uncovered stent implantation in complicated acute aortic dissection type B (SS 909), B-0616
- Mathys C., Hoffstaedter F., Caspers J., Caspers S., Eickhoff S.B., Langner R., Rubbert C.**  
Functional connectivity of the subthalamic nucleus changes with age (SS 1711), B-0853
- Matos C.**  
Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: Chairman's introduction (RC 1416), A-424
- Matos C.**  
Pancreatic inflammation: B. Chronic pancreatitis and IPMN (RC 1601), A-530
- Matson M.**  
How to perform venous sampling for endocrine disease: B. Adrenal venous sampling (RC 315), A-049
- Matsuda T., Kido T., Itoh T., Shigemi S., Saeki H., Watanabe K., Matsuda T., Yamamoto M., Mochizuki T.**  
Diagnostic accuracy of late iodine enhancement on cardiac DSCT with denoise filter in the evaluation of myocardial infarction (SS 1803), B-0915
- Maurer M., Wolf M., Heine O.**  
Tolerability and diagnostic effectiveness of gadoteric acid (Gd-DOTA): use in daily routine and in patients with diminished kidney function (SS 1306), B-0758
- Maurovich-Horvat P., Puchner S., Lu M., Liu T., Mayrhofer T., Hoffmann U., Ferencik M.**  
Interobserver agreement of the quantitative computed tomography assessment of high-risk coronary plaque features in the ROMICAT II trial (SS 903), B-0603
- Maurovich-Horvat P., Jermendy A.L., Horváth T., Nagy E., Tárnoki Á.D., Tárnoki D.L., Kitslaar P., Merkely B., Jermendy G.**  
Can we evaluate the effect of genetic and environmental influences on coronary anatomy and plaque characteristics? initial experience with coronary CT angiography in twin pairs (SS 903), B-0604
- Mazzei M.A., Pozzessere C., Guerrini S., Mercuri P., Parrinello A., Cioffi Squitieri N., Righi L., Mazzei F.G., Volterrani L.**  
Diagnostic performance of MDCT in preoperative assessment for lymphatic gastric cancer spread in the era of neoadjuvant treatment: is a double dimensional cut-off a reliable approach? (SS 901b), B-0636
- Mazzetti S., Giannini V., Vignati A., Russo F., Regge D., Stasi M.**  
Automatic detection of prostate cancer by computer-aided multi-parametric magnetic resonance imaging (SS 605), B-0422
- Mc Nulty J.**  
Educational challenges for radiographers: Innovative approaches to educational enhancement: teaching and assessment (SF 7c), A-192
- McCall I.**  
Plain radiographs: analysis and interpretation (MC 26A), A-001
- McCullough C.H., Howard M., Leng S., Yu L., Bruesewitz M., Grant K.**  
Use of CT dose notification and alert values in routine clinical practice (SS 213), B-0246
- McCullough C.H., Liu Y., Leng S., Michalak G., Vrieze T.J., Duan X., Qu M., Shiung M.M., Fletcher J.G., Grant K.**  
Reducing image noise in CT colonography: effect of an integrated circuit CT detector (SS 1801b), B-0972
- McGarry J.G., Alenezi A.O., McGrath F.P., Given M.F., Keeling A.N., Lee M.J.**  
A 10-year retrospective review of pelvic ischaemic complications due to internal iliac artery embolisation prior to EVAR (SS 909), B-0613
- McKnight L., Vilar J., Menu Y.**  
European Diploma in Radiology: what a hearty meal! Pièce de résistance: live EDiR performance (EDiR Workshop), A-383
- McNulty J.**  
Child protection issues: raising awareness among medical imaging professionals: Chairman's introduction (RC 414), A-083
- McQueen A.S.**  
Imaging of thyroid nodules: US and US elastography (SF 12), A-356
- McQuiston A.D., Yin W., Schoepf U.J., Gao J., Li P., Sun K., Wu Z., Meinel F.G., Lu B.**  
Effect of reduced x-ray tube voltage, low iodine concentration contrast medium and iterative reconstruction on image quality and radiation dose at coronary CT angiography: results of the prospective multicentre REALISE trial (SS 1703), B-0771
- Mednikova M.**  
Crossroads of diagnostic imaging in the big country: Interlude: Mystery of Denisov's cave and paleoradiology (EM 1), A-117
- Meesters S.P.L., Ossenblok P.P.W., ter Haar Romeny B.M., Schijns O., Wagner L., Hofman P., Vilanova A.**  
Diffusion-weighted tractography to reconstruct the optic radiation in support of temporal lobe epilepsy surgery (SS 1811b), B-1018
- Meijer F.J.A., Tuladhar A., Bloem B., Goraj B.**  
3 Tesla brain MRI including quantitative diffusion tensor imaging to differentiate between Parkinson's disease and atypical parkinsonism (SS 911), B-0594
- Meinel F.G., De Cecco C.N., Bamberg F., Ebersberger U., Schoepf U.J., Lo G.G., Wang Y., Maivelett J.A.**  
Quantitative analysis of dynamic CT myocardial perfusion imaging in a large, multi-center patient population (SS 1803), B-0911
- Meinel F.G., Henzler T., Park P.A., Schoepf U.J., De Cecco C.N., Lewis A.J., Spearman J.V., Hlavacek A.M.**  
ECG-gated CT angiography in 324 consecutive pediatric patients: predictors of radiation dose (SS 1812), B-0960
- Mekiš N., Rainford L.A., Starc T., Paulo G., Foley S., Santos J.**  
A European collaborative investigation into the impact of additional copper filtration upon dose and image quality for adult chest examinations (SS 114), B-0131
- Mekiš N.**  
Dose reduction with PA projection in sacroiliac joint imaging (SS 114), B-0138
- Mekiš N., Dovečar N.**  
The effect of breast shielding in panoramic dental imaging (SS 114), B-0139
- Mendelson R.M.**  
Oesophageal and gastric cancer: B. How to provide the perfect staging report (CC 1621), A-519
- Mendes P.M.N., Laranjeiro T.A.R., Paulo G., Santos J.**  
The impact of real time active dosimetry monitoring during endoscopic retrograde cholangiopancreatography (SS 1814), B-1055
- Méndez R.J.**  
Highlighted Lectures: Diagnosis and management of pancreatic cystic lesions (TF 1), A-398
- Mensel B., Holzinger M., Kühn J., Hosten N.**  
Right-to-left ventricle ratios on pulmonary CTA in patients with acute pulmonary embolism: correlation of volumetric ratio, embolus burden and adverse outcome (SS 103), B-0020
- Menu Y.**  
Imaging after systemic therapies: the standards: A. RECIST criteria (CC 718), A-187
- Menu Y.**  
European Diploma in Radiology: and the beat goes on!: Chairman's introduction: setting the scene for the European Diploma (EDiR Session), A-327

# Authors' Index

## Menu Y.

European Diploma in Radiology: what a hearty meal!: Appetiser: what is behind the curtain (EDiR Workshop), A-382

## Menu Y.

European Diploma in Radiology: what a hearty meal!: Nightcap: the EDiR tomorrow (EDiR Workshop), A-385

## Mershina E.

Cardiac CT and MRI in difficult patients: what to do?: C. Cardiac MRI: potential problems and how to avoid them (RC 1503), A-469

## Mershina E.

MR-angiography of the body: different techniques and areas of implementation (SY 30)

## Messina C., Bandirali M., Sconfienza L.M., Sparani R., Ulivieri F., Sardanelli F.

Pitfalls in previous dual energy x-ray absorptiometry scans: adherence to International Society of Clinical Densitometry 2007 guideline (SS 510), B-0320

## Metsala E.

Evidence-based practice in medical imaging: a tool to improve the quality of care: C. Service development through evidence-based approaches (RC 1114), A-326

## Metsala E., Holopainen K., Parviainen T.

Quality assurance of dental digital imaging in Finland in health care facilities having CBCT devices (SS 908), B-0560

## Meyers M.A.

Samuil A. Reinberg Honorary Lecture: The tempestuous genesis of MRI: credit and discredit (HL 3), A-403

## Miele V.

Childhood abdominal emergency 2014: the dos and don'ts: Abdominal trauma: US is better (SF 15c), A-490

## Miese F., Hautzel H., Herzog H., Ostendorf B., Sewerin P., Schleich C., Buchbender C., Scherer A., Antoch G.

Hybrid 18F-FDG PET-MRI of the hand in rheumatoid arthritis (SS 610b), B-0441

## Miese F., Schleich C., Müller-Lutz A., Wittsack H., Ostendorf B., Sewerin P., Schneider M.J., Antoch G.

Biochemical MRI with glycosaminoglycan chemical exchange saturation transfer imaging of finger joint cartilage in rheumatoid arthritis (SS 610b), B-0442

## Miese F., Schleich C., Buchbender C., Nowak C., Kröpil P., Ostendorf B., Lanzman R., Wittsack H., Antoch G.

Biochemical cartilage MRI and synovitis severity in rheumatoid arthritis: correlation of cartilage damage and inflammatory activity (SS 610b), B-0449

## Mihalache C.I., Mayer J., Damy T., Luciani A., Koebele H., Rahmouni A., Deux J.

Diagnostic value of late-enhanced multi-detector computed tomography acquisition in cardiac amyloidosis (SS 1303), B-0728

## Mikhaylov A.

Multisystemic malignancies in organ-based radiology: Lymphoma (SF 16b), A-527

## Mildenberger P.

Improving workflow efficiency and quality: A. Improving the quality and efficiency of computerised order entry through decision support (RC 1605), A-565

## Minutolo O., Ippolito D., Cadonici A., Talei Franzesi C.R.G.L., Bonaffini P.A., Sironi S.

Diagnostic value of contrast-enhanced perfusion MR imaging in the assessment of tumour grading in patients with endometrial carcinoma by using quantitative analysis of microvascular changes: preliminary results (SS 207), B-0230

## Mirvis S.E.

Chest emergencies: A. Thoracic injuries (MC 622), A-136

## Mirvis S.E., Schaefer-Prokop C.M.

Chest emergencies: C. Interactive case discussion (MC 622), A-138

## Miszalski-Jamka T., Kedzierski B., Kuniej T., Stońska A., Gac P., Poreba R., Jazwiec P.

The incremental prognostic value of dual-source computed tomography coronary angiography in subjects with suspected or known coronary artery disease (SS 103), B-0015

## Miszalski-Jamka T., Licholai S., Laskowicz B., Konieczynska M., Trystula M., Slowik L., Urbanczyk M., Pasowicz M., Jazwiec P.

Computed tomography characteristics of coronary artery atherosclerosis in subjects with lower extremity peripheral artery disease and no cardiac symptoms (SS 903), B-0605

## Miu L.

Early detection of sacroiliitis using DW imaging (SS 510), B-0321

## Mlynka L., Chin C., Henderson L., Semple S., Newby D., Dweck M., Mirsadraee S.

Distensibility of the ascending and descending aorta in patients with aortic stenosis (SS 903), B-0607

## Moffa A.P., Cazzato R.L., Del Vescovo R., Zobel B.B.

MR accuracy for the diagnosis of prostate cancer (SS 507), B-0339

## Mohamed Hoesein F.A.A., Schmidt M., van Ginneken B., Lammers J.J., de Koning H.J., Oudkerk M., Postma D.S., de Jong P.A.

CT-quantified airway wall thickness and emphysema: association with lung function decline and development of airflow limitation (SS 1804), B-0942

## Mohammed N.-E.A.N., Naguib N.N.N., Lehnert T., Vogl T.J.

Microwave ablation (MWA) therapy of liver metastases from colorectal carcinoma post-systemic chemotherapy (SS 1709), B-0886

## Mohammed N.-E.A.N., Naguib N.N.N., Emam A., Zangos S., Lehnert T., Vogl T.J.

MRI chest parameters used in the assessment of tumour response post-microwave ablation of pulmonary metastases (SS 1709), B-0887

## Molinari C., Bertani V., Gualano A., Di Gaetano E., Girometti R., Londero V., Zuiani C., Bazzocchi M.

Can quantitative diffusion-weighted imaging (DWI) predict elevated MIB-1 proliferation index in invasive breast cancer? (SS 1302), B-0691

## Molinari F., Le Faivre J., Pontana F., Yasunaga K., Remy J., Remy-Jardin M.

Impact of perfusion imaging on the assessment of peripheral chronic pulmonary thromboembolism (CPTE): clinical experience in 62 patients (SS 504), B-0304

## Molinari F., Felloni P., Pontana F., Tacelli N., Santangelo T., Remy-Jardin M.

Impact of scanning conditions in the evaluation of pulmonary blood volume with dual-energy CT: results in 42 subjects (SS 904), B-0544

## Molinari F., Badr S., Tacelli N., Faivre J., Wallaert B., Remy-Jardin M.

Krypton ventilation imaging with dual-energy CT: correlation with pulmonary function tests in patients with chronic obstructive pulmonary disease (COPD) (SS 1804), B-0946

## Moloney F., Ryan D., Twomey M., Hewitt M., Barry J.

Comparison of magnetic resonance imaging and transvaginal ultrasound in the staging of invasive cervical cancer (SS 607), B-0472

## Moloney F., Ryan D., McCarthy L., Henry M., Kennedy M., McCarthy J., McSweeney S., Maher M.M., O'Regan K.

Integrated PET-CT in patients with non-small cell lung carcinoma: evaluation of equivocal mediastinal lymph nodes (SS 1716), B-0822

## Molto A., Freire V., Feydy A., Maksymowych W.P., Benhamou M., Rannou F., Dougados M., Gossec L., Drapé J.-L.

Assessing structural changes in axial spondyloarthritis using a low-dose biplanar imaging system (EOS) (SS 510), B-0327

## Montet X., Hachulla A., Neroladaki A., Botzikas D., Becker C.D.

Ultra-low dose CT pulmonary angiography reconstructed with a model-based iterative reconstruction: comparison with standard CT pulmonary angiography. A prospective non-inferiority trial (SS 504), B-0299

## Monti L., Occhi L., Moro C., Iacutti G., Bassanelli G., Nardi B., Lettino M., Balzarini L.

Predictors of arrhythmic events during the acute phase of hemodynamically stable myocarditis: a cardiac magnetic resonance study (SS 1303), B-0729

## Moonen C.

Molecular and functional imaging methods for interventions: MR-guided focused ultrasound in drug delivery and gene expression (Joint Session of ESR/ESMOFIR and ESMI), A-261

## Moonen C.

Treatment with MR-guided focused US (FUS): Description of technique (SF 14b), A-436

## Moos S.I., Nagan G., de Weijert R.S., van Vemde D.N.H., Stoker J., Bipat S.

Prediction of chronic kidney disease as described in contrast-induced nephropathy prevention guidelines after contrast enhanced computed tomography: a cohort of 1000 patients (SS 1306), B-0751

## Moos S.I., de Weijert R.S., Nagan G., Stoker J., Bipat S.

Contrast induced nephropathy prevention guidelines: should we determine eGFR in all patients or in a selected group of patients based on risk profile? (SS 1306), B-0756

## Morana G., Scattolin G., Zanato R., De Leo F.

DWI of liver lesions: IVM model with different combination of 11 b values (SS 1701), B-0768

## Morgan R.

Endovascular treatment of acute thoracic aorta syndrome: C. Imaging follow-up and complications (RC 409), A-097

## Morgan R.

Imaging follow-up of vascular interventions: Imaging follow-up and treatment of complications of angioplasty and stenting (SF 16d), A-549

## Morozov S.

Endorectal MRI of prostate cancer: do's and don'ts review (SY 30)

# Authors' Index

- Moschetta M., Telegrafo M., Scardapane A., Lorusso V., Rella L., Angelelli G., Stabile Ianora A.**  
Vessel probe reconstructions and 3D analysis software in the CT characterisation of incidentally detected breast lesions (SS 205), B-0280
- Mostbeck G.H.**  
Technical advances in liver and pancreatic imaging: A. CEUS and elastography (RC 1501), A-459
- Mouratoglou S., Kallifatidis A., Giannakoulas G., Kamperidis V., Grapsa I., Pitsiou G., Stanopoulos I., Hadjimiltiades S., Karvounis H.**  
Differences in CMR characteristics between pulmonary hypertension associated to congenital heart disease and other precapillary pulmonary arterial hypertension subgroups (SS 603b), B-0518
- Moussa N., Leduc C., Faivre L., Pignon J., Besse B., Dromain C., Caramella C.**  
Correlation of radiological presentation and response to TKI targeted therapy in EGFR mutant and ALK rearranged advanced lung adenocarcinomas patients (SS 116), B-0061
- Mousseaux E.**  
Quantitative MR imaging of myocardial fibrosis (SY 12)
- Moy L.**  
Simultaneous acquisition of breast imaging with PET/MRI a powerful tool to better classify lesions (SY 1)
- Mueller-Lisse U.G., Zhao Z., Frerichs I., Fischer R., Reiser M.F., Moeller K.**  
Regional obstruction in cystic fibrosis: correlation of electric impedance tomography (EIT) and high-resolution-CT (HRCT) findings (SS 1804), B-0945
- Muenzel D., Koehler T., Brendel B., Brown K., Zabic S., Fingerle A., Rummeny E.J., Dobritz M., Noel P.B.**  
SubmSv CT imaging of pulmonary arteries using an iterative model reconstruction algorithm (SS 604), B-0436
- Mukhamatullina E., Kondrashin S., Ternovoy S.**  
Comparison of 320-row perfusion CT-angiography with endoscopic sonography in preoperative diagnostic of isulinomas (SS 201a), B-0156
- Müller F.H.H., Müller A.G., Hentschel M., Farahati J.**  
High specificity and even high sensitivity of positron emission mammography (PEM) in diagnosis of breast cancer (SS 1802), B-0992
- Müller-Forell W.**  
The orbit: you can't see what you haven't learnt: C. Benign and malignant neoplastic tumours (RC 708), A-186
- Muscat J., Mizzi A.**  
European Diploma in Radiology: and the beat goes on! I did it! Lessons from a successful candidate (EDIR Session), A-331
- Muscogiuri G., Di Girolamo M., De Cecco C.N., Fierro S., Magri D., David V.**  
Do left ventricular volumes correlate with late enhancement in hypertrophic cardiomyopathy? (SS 203), B-0170
- Muto M.**  
Spine, cord and intervention: C. Percutaneous treatment of spinal diseases (RC 1511), A-494
- Muzzarelli S., Schwitter J.**  
The role of imaging in the cardiac patient: Assessing valvular heart disease (EM 3), A-281
- 
- N**
- Nadrljanski M., Maksimovic R., Plesinac-Karapandzic V., Nikitovic M., Markovic-Vasiljkovic B., Milosevic Z.**  
Locally advanced breast cancer response to neoadjuvant chemotherapy: correlation between RECIST, positive enhancement integral values and tumour vascularity (SS 202), B-0216
- Nadrljanski M., Maksimovic R., Plesinac-Karapandzic V., Nikitovic M., Markovic-Vasiljkovic B., Milosevic Z.**  
Time-to-peak tumor sub-volume in invasive carcinomas and fibroadenomas (SS 902), B-0583
- Naguib N.N.N., Morgan A., Mohammed N.-E.A.N., Lehnert T., Gruber-Rouh T., Burck I., Harth M., Vogl T.J.**  
Size of the membranous inner ear in different ages and sexes: volumetric assessment using three dimensional reconstructed high resolution MRI of the inner ear (SS 208), B-0178
- Naguib N.N.N., Morgan A., Lehnert T., Gruber-Rouh T., Burck I., Harth M., Hammerstingl R., Vogl T.J.**  
Volumetric assessment of the cochlea in patients with long-standing unilateral sensorineural hearing loss: comparison with the normal side (SS 208), B-0180
- Nakano Y., Maeda K., Kitahara S., Toyama T., Nakaguchi T., Kuwabara M., Kubo T.**  
Usefulness of alpha blending of maximum intensity projections or ray sums with segmented pulmonary nodules and vasculature for the evaluation of small nodules or ground glass opacity lesions (SS 104), B-0026
- Nakashima K.**  
A new stage of real-time tissue elastography (SY 14)
- Napoli A., Anzidei M., Boni F., Bertaccini L., Brachetti G., Catalano C.**  
Osteoid osteoma: magnetic resonance-guided high intensity-focused ultrasound for entirely non-invasive treatment: a prospective developmental study (SS 209), B-0262
- Napoli A., Noce V., Di Mare L., Anzidei M., Pediconi F., Bertaccini L., Catalano C.**  
Role of magnetic resonance-guided high intensity focused ultrasound (MRgFUS) surgery as non-invasive treatment of breast cancer in patients with focal disease (SS 209), B-0267
- Naranje P.M., Prakash M., Sharma A., Dogra S., Khandelwal N.**  
Ultrasound findings in hand joints involvement in patients with psoriatic arthritis and its correlation with clinical DAS 28 score (SS 610b), B-0444
- Nardo L., Kretzschmar M., Lee S., Schreck C., Slater J., Hawkins R., Hernandez Pampaloni M.J.**  
Role of <sup>18</sup>F-sodium fluoride PET/CT in characterising osteoblastic prostate cancer skeletal metastases (SS 1806), B-1067
- Nasatti A., Ippolito D., Bonaffini P.A., Casiraghi A., Fior D., Sironi S.**  
Multidetector low-dose CT in assessment of predictive signs of malignancy of undetermined lung nodules in staging of patients with known lung cancer (SS 1304), B-0660
- Natale L.**  
Practical approach to cardiovascular risk stratification with CT and MRI: C. Added value of carotid and peripheral artery imaging for risk assessment (RC 1903), A-608
- Natale L., Biagini C., Betti M., Biagini C., Izzo G., Cionini L.**  
Comparison between ADC and extravascular extracellular volume in oncologic patients under chemio-radiotherapy: preliminary results (SS 916), B-0576
- Nattenmüller J., Hosch W., Nguyen T.T., Grenacher L., Kauczor H.-U., Sommer C.M., Stiller W.**  
Hypodense liver lesions in patients with steatosis hepatis: do we profit from the additional image information of dual-energy computed tomography? (SS 1801a), B-0925
- Navarro U., Ravanelli M., Barbieri C., Colleoni A., Berruti A., Maroldi R.**  
Texture analysis on pre-treatment contrast-enhanced CT of colorectal cancer liver metastases: prediction of response to bevacizumab-containing chemotherapy according to Choi's criteria (SS 1816), B-0989
- Navas Canete A.**  
The hand and wrist: A. Patterns of injury (RC 1910), A-583
- Neeman M.**  
ENCITE based insights for molecular imaging in guidance of therapy: Introduction (ENCITE Session)
- Negrelli R., Boninsegna E., Pedrinolla B., Ventriglia A., Sozzi C., Mehrabi S., Manfredi R., Pozzi-Mucelli R.**  
Stenosis of the main pancreatic duct in focal form of autoimmune pancreatitis: imaging findings on MR-MRCP (SS 101), B-0003
- Nenning K., Donner R., Prayer D., Langs G.**  
Resting-state and stimulus induced fMRI data fusion (SS 1711), B-0850
- Nensa F., Poeppl T., Tezgah E., Heusch P., Nassenstein K., Schlosser T.**  
Integrated and quantitative comparison of PET and MRI in acute myocardial infarction (SS 503), B-0289
- Neri E.**  
Mobile IT in radiology: Chairman's introduction (RC 305), A-044
- Neri E.**  
Improving workflow efficiency and quality: B. Improving quality and efficiency of reporting through structure and templates (RC 1605), A-566
- Nestola M., Iezzi R., la Torre M., Contegiacomo A., Antonuccio E., Bonomo L.**  
Foot perfusion CT in patients with peripheral arterial occlusive disease treated with prostanoid drug: a pilot study (SS 215), B-0250
- Neubauer J., Voigt J., Fiebich M., Langer M., Kotter E.**  
Comparing the image quality of a mobile flat-panel CT and a multidetector CT: a phantom study (SS 113), B-0109
- Ng W., Rahmat K., Fadzli F., Westerhout C., Vijayanathan A., Abdul Aziz Y.**  
Shearwave elastography improves the diagnostic accuracy in the characterisation of benign and malignant breast lesions (SS 102b), B-0072
- Nguyen-Kim T., Jost L., Pfammatter T., Frauenfelder T.**  
Evaluation of computational wall stress analysis as an additional characterisation tool of small infrarenal abdominal aortic aneurysms (SS 115), B-0120
- Nguyen-Kim T., Maurer B., Nyffenegger P., Distler O., Frauenfelder T.**  
Does HRCT allow the prediction of oesophageal involvement in systemic sclerosis? (SS 201b), B-0195

# Authors' Index

## Niessen W.J.

Biomedical image analysis: novel tools in neurodegenerative disease and breast cancer: Introduction (BIA Session)

## Niessen W.J.

Biomedical image analysis: novel tools in neurodegenerative disease and breast cancer: Quantitative imaging biomarkers in dementia; the FP7 VPH-Dare@IT project (BIA Session), A-052

## Nikiforaki K., Katsaros V.K., Manikis G..

Marias K., Strantzalis G., Papanikolaou N. Glioma grading based on perfusion MRI: a normalized blood volume histogram metrics quantification study (SS 611), B-0481

## Nilsson A.

Clinical benefits of fusion imaging and a new contrast software (CHI) (SY 20)

## Nissan N., Feinberg-Shapiro M.,

Weisenberg N., Tanya Z., Grobgeld D., Degani H., Furman-Haran E.

Clinical utilisation of breast diffusion tensor MRI (SS 1802), B-0997

## Nock B.A., Maina-Nock T., Krenning E.P., de Jong M.

"To serve and protect" - enzyme inhibitors as radiopeptide escorts promote tumour targeting (SS 606), B-0529

## Noebauer-Huhmann I.

The ankle and foot: C. Tumours and tumour-like lesions (RC 1110), A-293

## Nørgaard A., Dam C., Rafaelsen S.R.

Selection of colon cancer patients for neoadjuvant chemotherapy by preoperative CT (SS 516), B-0312

## Notohamiprodjo M.

Renal and adrenal tumours: B. Staging renal cancer (RC 707), A-174

## Notohamiprodjo S., Deak Z., Meurer F.,

Mück F., Geyer L., Reiser M.F., Wirth S.

Image quality of iterative reconstruction in cranial CT imaging: comparison of model-based iterative reconstruction and adaptive statistical iterative reconstruction (SS 117), B-0035

## Notohamiprodjo S., Mueller-Lisse U.G.,

Schulze-Koops H., Reiser M.F., Saam T.

Are chest radiographs outdated in tuberculosis screening? Low dose CT (LDCT) as an alternative (SS 604), B-0429

## Ntziachristos V.

Molecular and functional imaging methods for interventions: Intraoperative imaging: a new dimension of imaging for radiology (Joint Session of ESR/ESMOFIR and ESMI), A-262

## Nunez D.

General principles: paediatric and ENT emergencies: C. Imaging in ENT emergencies (MC 422), A-082

## Nygård A., Rosenbaum S., Nielsen J.,

Ovesen C., Christensen A., Christensen H.

Co-registration of transcranial ultrasound and CT-angiography: a methodological study in cerebrovascular disease (SS 1811a), B-0939

## O

## O'Connor M., Ryan J., Foley S.

Best single-slice CT location to measure visceral adipose tissue in children (SS 1714), B-0890

## O'Sullivan G.J.

Venous thrombosis: imaging and management: C. IVC filters (RC 1615), A-563

## Oberhofer N., Surname N.

MR safety: the potential of ferromagnetic detection systems and the challenge of a ferrous-free policy (SS 1713), B-0869

Oca Pernas R., Santos E., Silva N., Fernández A., Grande A., Bustos A. Facial asymmetry and temporomandibular joint (SS 908), B-0558

## Oei E.H.G., McWalter E.J., Sveinsson B.,

Alley M.T., Hargreaves B.A., Gold G.E.

Diffusion-weighted imaging for the assessment of knee synovitis: a comparative study against contrast-enhanced MRI (SS 1810), B-0965

## Oei M.T.H., Manniesing R., Meijer F.J.A., Prokop M.

One-step stroke imaging: does an interleaved acquisition of cerebral CT perfusion and CTA of the carotids affect CTP values? (SS 1811a), B-0940

## Offiah A.C.

Paediatric MSK radiology: what is important?: C. Congenital bone dysplasias (RC 1512), A-472

## Oh E., Kim Y., Goo D., Yang S.

Study for percutaneous transluminal angioplasty for dysfunctional femoral haemodialysis graft fistula (SS 115), B-0114

## Oh E., Hwang J., Kim Y., Hong S.

Preoperative T-Staging of gallbladder carcinoma using gadoteric acid-enhanced MR imaging: emphasis on usefulness of the hepatobiliary phase (SS 901a), B-0533

## Oh J., Rha S., Byun J.

Assessment of aggressiveness of epithelial ovarian cancers: correlation of apparent diffusion coefficient with histologic grade and clinical stage (SS 607), B-0475

## Oh S.Y., Seo J.B., Lee S., Kim N., Lee M.

Size and collapsibility of emphysema holes on CT of COPD: evaluation with a new method (SS 1804), B-0941

## Ohana M., Jeung M., Labani A., El-Ghannudi S., Roy C.

Iterative reconstruction in single source dual-energy CT pulmonary angiography: Is sufficient to achieve a radiation dose as low as state-of-the-art single-energy CTPA? (SS 504), B-0300

## Ohno Y., Seki S., Nishio M., Koyama H.,

Yoshikawa T., Matsumoto S., Fujisawa Y.,

Sugihara N., Sugimura K.

Dynamic first-pass pulmonary perfusion area-detector CT for lung nodule assessment: comparison of dose reduction capability between adaptive iterative dose reduction using 3D processing and filter back projection (SS 104), B-0029

## Ohno Y., Seki S., Nishio M., Koyama H.,

Yoshikawa T., Matsumoto S., Aoyagi K.,

Yamagata H., Sugimura K.

Comparisons of capability for TNM and clinical stage assessment in non-small cell lung cancer patients among whole-body MRI, whole-body FDG-PET/CT and co-registered whole-body PET/MRI (SS 1704), B-0781

## Ohno Y., Seki S., Nishio M., Koyama H.,

Yoshikawa T., Matsumoto S., Kasai Y.,

Yui M., Sugimura K.

3D non-contrast-enhanced pulmonary perfusion MRI in non-small cell lung cancer patients: comparison of capability for postoperative lung function prediction with dynamic first-pass perfusion MRI, thin-section CT and Q scan (SS 1704), B-0787

## Oikonomou A.

Patterns in chest radiology: are there subtype patterns of ground glass opacity (GGO)?:

Chairman's introduction (RC 1104), A-287

Olerud H.M., Toft B., Flatabø S., Jahnhen A., Lee C., Thierry-Chef I.

Reconstruction of organ doses in paediatric CT performed in the 90-thies in Norway (SS 213), B-0241

## Omidi R.

Vascular: emergent, not urgent!: C. Peripheral emergencies (RC 417), A-072

## Op de Beeck B.J.

Technical advances in liver and pancreatic imaging: C. Liver specific contrast agents (RC 1501), A-461

## Ording Müller L.-S.

Autoimmune disorders in children: A. The joints in juvenile idiopathic arthritis (RC 812), A-209

Orlandi D., Ferrero G., Fabbro E., Serafini G., Silvestri E., Sconfienza L.M.

Ultrasound-guided percutaneous injection for De Quervain's disease using three different techniques: preliminary results of a randomised controlled trial (SS 110), B-0048

Orsi M., Venturini M., Morelli F., Colombo M., Sallemi C., De Cobelli F., Salvioni M., Cappio S., Del Maschio A.

Single-center experience in endovascular treatment of visceral artery aneurysms and pseudoaneurysms with Viabahn covered stent: technical aspects, success rate, complications and MDCT follow-up (SS 609), B-0509

Osawa M., Kanda T., Kiritoshi T., Toyoda K., Oba H., Furui S.

Normal variation of hypoglossal canal (SS 908), B-0557

Ossati M.S., Szczepura K., Marono A.M., Wäde G.G., Wilkinson J., Boerma K., Sanderson P., Kramer S., Evensen S.S., Hogg P.

Visibility of cancer mimicking lesions in a polyvinyl alcohol breast phantom using mammographic imaging: relationship between phantom thickness and lesion visibility (SS 214), B-0277

Ota H., Sugimura K., Nochioka K., Tatebe S., Miura M., Satoh K., Takase K., Shimokawa H., Takahashi S.

4D flow and cardiac MRI to estimate pulmonary arterial pressure: comparison with right-heart catheterisation in patients with pulmonary hypertension (SS 603a), B-0498

Otto J., Thörmer G., Reiss-Zimmermann M., Garnov N., Horn L., Do M., Kahn T., Moché M., Busse H.

Prospective impact of the additional use of an endorectal coil for 3 T prostate MRI on image quality and cancer detection rate (SS 107), B-0085

Ou S., Long F., Ou S., Cai K., Li B., Qiao G. The application of dual source CT in complex congenital heart disease of tetralogy of Fallot (SS 603b), B-0520

## Ou S., Li S., Ou S., Long F., Lin H.

Comparison study of the rest and adenosine stress of myocardial between CT perfusion and SPECT in CHD (SS 1803), B-0920

Ovesen C., Havsteen I., Christensen A., Krarup C., Christensen H.

Swirl sign is a robust predictor of spot sign on CTA and poor outcome in ultra-early ICH patients (SS 211), B-0231

Ovesen C., Hansson-Lundblad K., Havsteen I., Trampedach C.R., Musaeus C., Christensen H., Christensen A.

Thrombus-length predicts outcome in patients with cerebral artery occlusion treated with intravenous fibrinolysis (SS 1311), B-0711

# Authors' Index

## Özbek S.S.

European Diploma in Radiology: and the beat goes on! We made it! The Turkish Board of Radiology values EDIR (EDIR Session), A-330

## Özgür Ö., Gunduz S., Alimoglu E., Erkılıç M., Bozçuk H.S., Sindel H.T.

Yttrium-90 radioembolization for the treatment of unresectable liver cancer or liver metastases from gastrointestinal system cancers: results of a one-center study (SS 1809), B-1044

## Özsunar Y.

Brain tumours: the central role of radiology: B. Grading and prognosis: role of perfusion imaging (RC 1111), A-309

## P

### Paap E., Timmers J.M.H., Zonderland H.M., Broeders M.J.M., den Heeten G.J.

Opportunistic breast cancer screening in the Netherlands (SS 502), B-0335

### Padhani A.R.

Imaging the hallmarks of cancer: Chairman's introduction: importance of cancer hallmarks for radiologists (NH 4), A-073

### Palko A.

Abdominal emergencies: A. Abdominal injuries (MC 722), A-166

### Palko A., Zagoria R.J.

Abdominal emergencies: C. Interactive case discussion (MC 722), A-168

### Palko A.

Structured reporting: Chairman's introduction (SF 16c), A-536

### Palmisano A., Esposito A., Colantoni C., Maccabelli G., De Cobelli F., Della Bella P., Del Maschio A.

Post-myocarditis scars underlying ventricular tachycardia: correspondence between delayed-enhanced CMR or MDCT imaging and electroanatomic mapping (SS 1303), B-0721

### Pameijer F.A.

Pitfalls in head and neck imaging: A. Pitfalls in neck imaging (E<sup>3</sup> 720a), A-144

### Pameijer F.A.

Tailoring head and neck examinations to the clinical symptoms (part 2): C. Hoarseness (CC 1619), A-547

### Pameijer F.A.

Imaging laryngeal cancer: C. Can we rule out cancer recurrence? (RC 1908), A-602

### Panizza P.

Multidisciplinary team meeting from Milan, IT: D. MDT discussion (E<sup>3</sup> 820c)

### Panizza P., Agresti R., Lozza L., Bianchi G.,

### Panolini B.

Multidisciplinary team meeting from Milan, IT (E<sup>3</sup> 820c), A-216

### Pansini M., Schubert T., Hohmann J., Kovács B.K., Szűcs-Farkas Z., Bongartz G.M., Schindera S.

Dose-optimisation of dual-source, dual-energy CT for urinary calculi: assessment of the image quality and radiation dose (SS 1707), B-0849

### Panzeri M., Losio C., Cristel G., Rodighiero M., Tacchini S., De Cobelli F., Del Maschio A.

Improving the accuracy of breast MRI: could diffusion-weighted imaging (DWI) overcome background parenchymal enhancement (BPE)? (SS 1302), B-0696

### Panzeri M., Losio C., Cavallin R., Venturini E., Cristel G., Tacchini S., Rodighiero M., De Cobelli F., Del Maschio A.

Quantitative diffusion-weighted imaging (DWI) of additional lesions at pre-operative breast MRI: a practical tool to prevent overtreatment? (SS 1302), B-0700

### Paoletti M., Capone C., Stoppa D., Valentini A., Bassi E.M., Morsolini M., Grazioli V., D'Armini A.M., Dore R.

Correlation between DE-CTPA-based iodine map defect extensions and clinical parameters in patients with chronic thromboembolic pulmonary disease detected at DECT: an initial experience (SS 504), B-0305

### Paolini B.

Multidisciplinary team meeting from Milan, IT: A. Radio-pathologic correlation/cooperation (E<sup>3</sup> 820c)

### Paolini M., Weber K., Reiser M.F., Tufman A., Huber R., Mueller-Lisse U.G.

Thoracic lymph node delineation at contrast-enhanced MDCT: comparison of protocols with greatly reduced dose (<1mSv) and standard dose (SS 604), B-0430

### Papadakis A., Perisinakis K., Damilakis J.

Should automatic exposure control be used in CT imaging of pregnant patients? (SS 213), B-0243

### Paprottka P.M., Walter A., Haug A., Trumm C.G., Bartenstein P., Reiser M.F., Zech C.

Safety of radioembolisation with 90Ytrium-microspheres depending on coiling or no-coiling of aberrant vessels (SS 1809), B-1043

### Páramo M., Zalazar R., Pina Insausti L.J., Martínez Regueira F., Elizalde A., Olartecoechea B., Rodríguez-Spiteri N.

Preoperative breast MRI: should BI-RADS 3 category be considered? (SS 902), B-0589

### Páramo M., Zalazar R., Elizalde A., Pina Insausti L.J., Vigil C., Hernández M., Rodríguez-Fraile M.

The role of FUSION between MRI and PET-CT as preoperative staging (SS 1802), B-0994

### Parekh K., Seyal A.R., Agrawal R., Grant T.H., Goodwin A., Yaghmai V.

Evaluation of subcentimeter ground-glass nodule at very low dose CT: impact of different levels of iterative reconstruction (SS 104), B-0025

### Parizel P.M.

Wilhelm Conrad Röntgen Honorary Lecture: Mysteries of the human brain unveiled: imaging of white matter microstructure and neuroplasticity (HL 2), A-263

### Parizel P.M., Venstermans C., De Belder F., Van der Zijden T., Van Goethem J.W., van den Hauwe L., Voormolen M.

Stroke: diagnosis, mimics and treatment: A. Imaging acute stroke: value of CTA and perfusion (RC 1211), A-351

### Park H., Kim S., Park S., Hong S., Lee S., Byun J., Kim J., Kim H., Lee M.

Arterial hypervascular solid-looking serous cystadenoma of the pancreas: differential diagnosis with neuroendocrine tumours (SS 201a), B-0154

### Park S., Kim C., Park B., Cha M.

Utility of exponential apparent diffusion coefficient for evaluating peripheral zone prostate cancer at 3T: preliminary experience (SS 507), B-0341

### Park Y., Lee C., Kim K., Choi J., Lee J., Park C.

Usefulness of "controlled aliasing in parallel imaging results in higher acceleration" (CAIPIRINHA) in gadoxetic acid-enhanced liver MRI to clarify the hepatic arterial phase (SS 601b), B-0411

### Paruchuri R.K., Rajashekhar L.

Role of MRI in evaluation of asymmetric undifferentiated inflammatory hand arthritis: can it help change the diagnosis? (SS 610b), B-0445

### Parvizi N., Chung D., Gleeson F., Anderson M.

Perfusion CT: an evaluation of lung tumours following microwave ablation (SS 1304), B-0652

### Pasoglou V.P., Larbi A., Collette L., Annet L., Jamar F., Michoux N., Vande Berg B., Tombal B., Lecouvet F.E.

One-step TNM staging of high-risk prostate cancer during a single MR imaging session (SS 1316), B-0641

### Patak M.A.

Inflammatory bowel disease: A. Cross-sectional imaging protocols (CC 1321), A-392

### Patard J.

Characterisation and treatment of renal tumours: new paradigms: New therapeutic approaches for localised renal tumours: the urologist's opinion (MS 11), A-296

### Patel U.

Stone disease: new concepts: B. The contribution of imaging in planning urinary stone therapy (RC 307), A-034

### Paterson A.

Childhood abdominal emergency 2014: the dos and don'ts: The acute abdomen: CT is the answer (SF 15c), A-489

### Patrício R., Ribeiro M.C.

Measurement of bone mass density: comparison of the absorptiometry (DEXA) and quantitative ultrasonometry methods (SS 1314), B-0684

### Patzig M., Feddersen B., Mees K., Fesl G.

SWAN (susceptibility-weighted angiography) visualizes hypoxia in cerebral veins (SS 111), B-0098

### Paul J.-F.

Cardiac computed tomography: from diagnosis to prognosis: What are the protocols with the lowest radiation dose in clinical practice? (SA 7), A-147

### Paulo G.

Evidence-based practice in medical imaging: a tool to improve the quality of care: A. The radiographer as the interface between patient and technology: clinical judgement and professional accountability (RC 1114), A-324

### Paulo G., Bonomo L.

Educational challenges for radiographers: Chairmen's introduction (SF 7c), A-190

### Pavlicek W.

IT tools for dose tracking and workflow optimisation: B. Patient dose tracking: a must have? (RC 1513), A-499

### Payne G.

Novel approaches to imaging and treatment: MR imaging of the prostate (EF 2), A-258

### Peck D.

IT tools for dose tracking and workflow optimisation: A. DICOM and IHE standards (RC 1513), A-498

### Pedraza S.

Introduction (SY 24)

### Pedraza S.

Summary and discussion (SY 24)

# Authors' Index

- Pedrinolla B., Cybulski A., Negrelli R., Mehrabi S., Manfredi R., Pozzi-Mucelli R.**  
Utility of DWI sequences in autoimmune pancreatitis before and after steroid therapy (SS 101), B-0002
- Peeters R.**  
Good radiation and bad radiation? How to assess and communicate radiation risk to patients and referring physicians: C. Risk in MRI (RC 1413), A-444
- Pekarovic D., Zdešar U.**  
How important are state-of-the-art displays to radiology?: C. Clinical requirements for image display (RC 1214), A-381
- Pelgrim G., Xie X., Dorrius M.D., Handayani A., Den Dekker M., Oudkerk M., Vliegenthart R.**  
Diagnostic accuracy of myocardial perfusion assessment using computed tomography in comparison to SPECT and ICA: a meta-analysis (SS 1803), B-0919
- Pellerin O.**  
Gynaecological and obstetrical haemorrhagic emergencies: A. Etiology and treatment of benign and malignant gynaecological causes of massive bleeding (RC 1109), A-318
- Pellerin O.**  
Venous thrombosis: imaging and management: Chairman's introduction (RC 1615), A-560
- Peperhove M.J., Gutberlet M., Hartung D., Meier M., Rong S., Tewes S., Wacker F., Gueler F., Hueper K.**  
Mapping of T1 relaxation time for assessment of renal pathology following ischaemia-induced acute kidney injury in mice (SS 1807), B-1006
- Pereira P.L.**  
Thoracic nonvascular interventions: C. RFA of lung tumours (RC 1209), A-374
- Perez Fernandez C., Denecke T., Grieser C.**  
Performance of gadoteric acid-enhanced MRI for the differentiation of FNH and HCA: a single centre experience (SS 1301), B-0677
- Perisinakis K., Tzedakis A., Seimenis I., Papadakis A., Damilakis J.**  
Radiation burden from modern 256-slice CT imaging for suspected pulmonary embolism during pregnancy: Is lung scintigraphy still more dose efficient? (SS 113), B-0110
- Perisinakis K., Seimenis I., Tzedakis A., Pagonidis K., Papadakis A., Damilakis J.**  
One-stop-shop myocardial 256-slice CT examination: what about the cumulative radiation risk? (SS 213), B-0249
- Perrier A., Rémy-Jardin M.**  
Diagnosis of pulmonary embolism when CTA is indeterminate or unfeasible: Discussion (MC 724), A-152
- Pershina E., Glazkova M.A., Mershina E., Sinitsyn V. E.**  
Two methods for quantification of cardiovascular shunts by cardiac magnetic resonance (CMR) in patients with atrial septum defects (ASD) (SS 603b), B-0513
- Persson A.**  
Novel developments in CT and their impact on dose: B. New frontiers in CT: functional and spectral imaging (RC 1113), A-315
- Perucca G., Demaria P., Faletti R., Righi D., Fonio P., Gandini G.**  
The use of bolus tracking, high flow or slow flow contrast injection rate in Gd-EOB-MRI of the liver and its influence on SNR and truncation artifacts on arterial phase (SS 601b), B-0410
- Petrovic K.**  
Highlighted Lectures: The (extra)ordinary night shift at the ER (TF 1), A-397
- Pezzetti G., De Cobelli F., Margari S., Esposito A., Ironi G., Del Maschio A.**  
Dynamic contrast-enhanced magnetic-resonance imaging (DCE-MRI) of small bowel and MR flow analysis of mesenteric vessels in patients with Paroxysmic Nocturnal Haemoglobinuria (PNH) with and without abdominal pain (SS 201b), B-0191
- Pfammatter T.**  
Endovascular treatment of acute thoracic aorta syndrome: Chairman's introduction (RC 409), A-094
- Pfannenberg C.**  
Managing incidental findings in cancer patients: Chairman's introduction (RC 1916), A-586
- Pianykh O.S.**  
Crossroads of diagnostic imaging in the big country: Interlude: Development and use of web-based teleradiology in Russia (EM 1), A-115
- Piccolo C.L., Del Vescovo R., Ramaglia A., Schena E., Giurazza F., Grasso R.F., Beomonte Zobel B.**  
The role of DWI as a marker of prediction of tumour grade in endometrial cancer: preliminary results (SS 916), B-0577
- Pichler B.J.**  
Functional and multimodality neuroimaging: B. MR/PET changes and challenges (RC 306), A-019
- Pier Luigi D., Napoli A., Zaccagna F., Cartocci G., Boni F., Noce V., Noce V., Catalano C.**  
Non-invasive focal therapy of organ confined prostate cancer: phase-I study using magnetic resonance guided focused ultrasound technology and excision pathology for efficacy assessment (SS 209), B-0268
- Pierot L., Soize S., Emeriau S.**  
Stroke: diagnosis, mimics and treatment: C. Treatment: only intravenous? (RC 1211), A-353
- Pijnappel R.M.**  
Multimodality breast imaging: A. Conventional, functional and interventional lymph node assessment (RC 1202), A-359
- Pina Insausti L.J.**  
Image-guided breast biopsy: A. US-guided biopsy of breast and axilla (E<sup>3</sup> 720b), A-163
- Pina Insausti L.J.**  
Place of digital breast tomosynthesis in diagnostic investigation of breast lesions (SY 6)
- Pinker K.**  
MR-guided biopsy in breast cancer: when interventional MRI and macrocyclic contrast media are companions for a safe patient follow-up (SY 9)
- Pinker-Domenig K., Baltzer P.A.T.**  
Update on BI-RADS: C. MRI (RC 1402), A-434
- Pinker-Domenig K., Baltzer P.A.T., Magometschnigg H.F., Wengert G., Bernathova M., Bogner W., Karanikas G., Bago-Horvath Z., Helbich T.H.**  
Correlation of MIB1 proliferation index with quantitative PET and 3 Tesla MRI-derived imaging biomarkers (SS 1802), B-0993
- Pinker-Domenig K., Magometschnigg H.F., Baltzer P.A.T., Bernathova M., Bogner W., Gruber S., Bago-Horvath Z., Karanikas G., Helbich T.H.**  
Quantitative imaging of breast cancer: association between receptor status, 18FDG-PET and 3 Tesla MRI using DWI and 3D-MR-spectroscopy (SS 1802), B-1001
- Pintaric R., Matela J., Pintaric**  
Bicide aerosolisation: a new method for disinfection of radiology department (SS 1814), B-1052
- Piolanti M., Fiscaletti M., Coniglio C., Dalpiaz G., Miceli M., Violini S., Barozzi L.**  
The lung CT patterns in fat embolism syndrome (SS 1717), B-0879
- Pitocco F., Di Giampietro I., Liguori C., Moscarillo A., De Vivo A., Romano M., Sorrentino F., Beomonte Zobel B.**  
Cardiac magnetic resonance evaluation of right ventricle (RV) volumetric and functional parameters in thalassaemia major patients: does the iron affect the RV? (SS 1303), B-0724
- Pitocco F., Di Giampietro I., Liguori C., Moscarillo A., De Vivo A., Falchi G., Sorrentino F., Beomonte Zobel B.**  
Prevalence and clinical impact of left ventricular noncompaction (LVNC) in β-thalassaemia patients: a cardiac magnetic resonance evaluation (SS 1303), B-0727
- Pittion M.B., Dappa E., Kloeckner R., Schotten S., Wirth G.M., Lollert A., Jungmann F., Doering J., Dueber C.**  
Incidence and management of visceral artery aneurysms (VAA) (SS 609), B-0508
- Pittion M.B., Kloeckner R., Wirth G.M., Ruckes C., Eichhorn W., Woerns M.A., Weinmann A., Otto G., Dueber C.**  
Randomized comparison of SIRT and TACE for treatment of intermediate stage HCC (SS 1809), B-1046
- Pixberg M., Pixberg M.K., Zölligh A., Müller-Hübenthal J.**  
The impact of F18 choline PET/CT in the biochemical relapse of prostate carcinoma: a retrospective analysis in a large collective (SS 1806), B-1068
- Plagou A.**  
Shoulder imaging and intervention: US of the rotator cuff (SF 16a), A-515
- Plebani M., Ravanelli M., Costa L., Kengni Fondje Legrand V., Farina D., Maroldi R.**  
Diffusion-weighted MRI in advanced oropharyngeal carcinoma treated by exclusive chemoradiation therapy: prognostic value of histogram-derived parameters (SS 508), B-0391
- Poirier-Quinot M., de Rochefort L., Leguerney I., Robin S., Pitre-Champagnat S., Violas X., Robert P., Lassau N.**  
A multimodal quantitative molecular imaging protocol for kidney tumor mouse model characterisation using targeted contrast agents (SS 606), B-0524
- Pokieser P.**  
The role of social media in radiology: Chairman's introduction (PC 11), A-302
- Pokieser P.**  
Tailoring head and neck examinations to the clinical symptoms (part 2): B. Dysphagia (CC 1619), A-546
- Pomschar A., Dirr F., Müller J., Reiser M.F., Ertl-Wagner B.**  
Reduction of MR imaging artefacts caused by cochlea implants: a phantom study (SS 908), B-0555
- Pontana F., Billard A., Yasunaga K., Bendaoud S., Faivre J., Rémy-Jardin M.**  
Impact of iterative reconstructions on detection of systemic sclerosis (SSc): related interstitial lung disease: clinical experience in 55 patients (SS 904), B-0543

# Authors' Index

## Pontone G.

FFRCT clinical data and clinical experience (SY 31)

## Pontone G.

Ischemic cardiac disease: the role of cardiac MR vs other imaging modalities (SY 12)

## Pop M., Pop R.

Visceral fat quantification using routine abdominal CT data (SS 605), B-0424

## Popova T., Konovalov R., Seliverstova E., Krotenkova M., Maksimova M.

Motor function recovery prediction in patients with acute ischemic stroke using diffusion tensor imaging (SS 111), B-0092

## Poreba M., Poreba R., Gac P.,

Usnarska-Zubkiewicz L., Pilecki W.,

Kuliczkowski K., Mazur G.,

Sobieszczanska M.

Endothelial function assessed by ultrasound flow-mediated dilatation in patients with haematologic malignancies subjected to high-dose chemotherapy in the course of haematopoietic stem cell transplantation (SS 115), B-0117

## Portelli J.L.

Child protection issues: raising awareness among medical imaging professionals: B. Risk communication in paediatric examinations (RC 414), A-085

## Portugaller R.

Percutaneous drainages and nephrostomies (MC 25B), A-131

## Poyyamoli S.

Diffusion-weighted imaging to quantify the residual tumour post-neoadjuvant chemotherapy in locally advanced breast cancer: in comparison with dynamic contrast-enhanced MRI (SS 202), B-0213

## Pozza S., De Marchi A., Boffano M., Biino G., Piana R., Faletti C.

Ultrasound-guided biopsy in bone lesions: how and when it can be done. Preliminary results (SS 910), B-0568

## Pozzi-Mucelli R.

Pancreatic neuro-endocrine tumours: Chairman's introduction (MS 4), A-090

## Pozzi-Mucelli R.

Pancreatic neuro-endocrine tumours: Radiologist's point of view (MS 4), A-091

## Prayer D.

Pitfalls in brain imaging: B. MRI (E<sup>3</sup> 1220), A-333

## Pressl C., Dunphy M., Mellinghoff I., Omuro A., Venneti S., Lewis J., Kung H., Thompson C.

First-in-human trial of glutamine PET metabolic imaging: preliminary results in glioma (SS 111), B-0091

## Prinsen P., Wiegert J., Trattner S., Pieniazek R., Morton T.L., Gerland E.,

Thompson C.M., Halliburton S., Einstein A.J.

High correlation between CT radiation dose estimates obtained by fast monte carlo computation and solid-state metal-oxide semiconductor field-effect transistor measurements in physical anthropomorphic phantoms (SS 213), B-0245

## Priya S., Mehra S.

To evaluate the efficacy of MRI in detection of cartilage invasion and submucosal space involvement in laryngeal cancer for accurate pretherapeutic staging (SS 508), B-0396

## Prokop M.

An integrated approach: what more is needed? (SY 18)

## Prokop M.

Computed tomography screening for lung cancer: is it time to implement individual lung cancer screening in clinical practice?: B. Implications of the European Trials (MC 424), A-063

## Prokop M.

Lung subtraction versus dual energy (SY 7)

## Pronin I.

Skull base meningiomas: how much do we know? (SY 30)

## Pronin I.N.

Crossroads of diagnostic imaging in the big country: CT perfusion in the differential diagnosis of CNS pathology (EM 1), A-114

## Proshin A., Proshina J., Berezovskaya T.

MRI in cancer of the corpus uteri staging: possibilities and limitations (SS 207), B-0221

## Puchner S., Ferencik M.,

Maurovich-Horvat P., Nakano M., Otsuka F., Kauczor H.-U., Virmani R., Hoffmann U., Schlett C.

Iterative reconstruction algorithms in coronary CT angiography for the characterization of coronary atherosclerotic plaque: a comparison with histology (SS 903), B-0606

## Pugliese F.

Cardiac CT and MRI in difficult patients: what to do?: B. Severe coronary calcinosis and stents: tips and tricks in image acquisition and interpretation (RC 1503), A-468

## Pujol S., Golby A., Gerig G., Wells W., Styner M., Chauvin L., Pierpaoli C., Nabavi A., Kikinis R.

The DTI tractography challenge for neurosurgical planning (SS 111), B-0099

## Pusceddu C.

Percutaneous cryoablation of lung tumours: one year follow-up (SS 1709), B-0889

## Pylaert C.A.J., Tielbeek J.A.W., Bipat S., Stoker J.

Staging of Crohn's disease activity using CT, MRI, US and scintigraphy: a meta-analysis (SS 201b), B-0194

## Puzakov K.B., Rubtsova N.A., Droshneva I.V., Sidorov D.V., Mainovskaya O.A.

Diffusion-weighted images in differentiation of granulation tissue from minimal portion of residual tumour in the cases of the assumption of complete response after chemoradiotherapy of patients with rectal cancer (SS 601a), B-0401

## Pyatigorskaya N., Corvol J., Sharman M., Brice A., Lehericy S.

Iron load in genetic Parkinson's disease measured using MRI (SS 911), B-0592

## Q

## Qanadli S.D.

The diabetic foot: contribution of interventional radiology: C. Special techniques for crural endovascular revascularisation (RC 709), A-183

## Queiroz M.A., Veit-Haibach P., von Schulthess G., Hüllner M., Kuhn F., Kollias S., Huber G., Meerwein C.

Use of DWI in PET/MRI for head and neck cancer evaluation (SS 508), B-0390

## Queiroz M.A., Veit-Haibach P., von Schulthess G., Hüllner M., Kuhn F., Kollias S., Huber G., Meerwein C.

PET/MR and PET/CT in follow-up of head and neck cancer patients (SS 508), B-0389

## Quick H.H.

Hybrid cardiovascular imaging: where should we go?: C. MR/PET: do we really need it? (RC 303), A-017

## R

## Radmard A., Dadgostar M., Yoonessi A., Hashemi Taheri A., Poustchi H., Merat S., Malekzadeh R.

The role of iron in elevation of liver enzyme levels in steatosis: a non-invasive assessment in general population by magnetic resonance imaging (SS 501), B-0364

## Radmard A., Abrishami A.,

Gerami Sereshi M., Dadgostar M., Yoonessi A., Hashemi Taheri A., Poustchi H., Merat S., Malekzadeh R.

Association between central obesity and liver iron: a non-invasive assessment in general population by magnetic resonance imaging (SS 1701), B-0763

## Ragab Y., Hamza H., El Marakby A., Zeinhom F.

Comparison between CT venography at 320 multi-detector row scanners with conventional angiography in patients with failed arteriovenous axis for haemodialysis (SS 215), B-0259

## Raghavan B., Paul S.

Role of TIRADS in nodular thyroid disease (SS 1708), B-0810

## Rahmat K., Abu-Bakar F., Ramli N., Tai S., Tan C.

Evaluation of brain vascularity and perfusion in TB meningitis using MRA/MR perfusion imaging (SS 181b), B-1017

## Raiissaki M.

Childhood abdominal emergency 2014: the dos and don'ts: Abdominal trauma: CT is better (SF 15c), A-491

## Rajabi S., Stein L.A., Reinhold C., Bessissoow T., Dupuis I., Prucha A., Benmassaoud A.

MR enterography in the study of patients with Crohn's disease: which findings of MRE are more likely to change the gastroenterologist's management of the patient? (SS 201b), B-0193

## Ramírez-Arias J.

Oncology imaging in Mexico: Interlude: Meet Mexico (EM 4), A-388

## Ramiro Gandia R., Camps Herrero J., Cervera Araez A., Cano Gimeno J., Ricart Selma V., Forment Navarro M., Martinez Rubio C.

Breast MRI in the evaluation of nipple discharge: less is more (SS 902), B-0584

## Ramli N., Mohd Khairy A., Rahmat K., Tan L.K.

Evaluation of the use of chemical shift gradient echo in and opposed phase sequences in 3T MRI in the detection of H-MRS visible lipids and grading of gliomas (SS 111), B-0100

## Ranschaert E.R.

Mobile IT in radiology: C. Mobile teleradiology: radiological features of the tablet-computer (RC 305), A-047

## Rao S., Lambregts D.M., Albarello F., Martens M.H., Heijnen L.A., Schnerr R., Zeng M., Beets G.L., Beets-Tan R.G.H.

Assessing pathologic response in colorectal liver metastases undergoing preoperative chemotherapy: a comparison of CT texture analysis with RECIST and tumour volumetry (SS 1816), B-0988

## Rasper M., Wildgruber M., Settles M., Eckstein H., Reeps C., Zimmermann A., Rummeny E.J., Huber A.

3D non-contrast-enhanced, ECG-gated MR angiography of the lower extremities at 3.0 T: comparison with contrast-enhanced MR angiography (SS 515), B-0376

# Authors' Index

- Ratib O.**  
Mobile IT in radiology: B. Reading DICOM images on the tablet (RC 305), A-046
- Ratib O.**  
The role of social media in radiology: Social media networks in communication between radiologists, non-radiologists and patients (PC 11), A-305
- Ratib O.**  
Structured reporting: Structured reporting in Europe: the ESR initiative (SF 16c), A-539
- Ravanelli M., Colleoni A., Farina D., Maroldi R.**  
Texture analysis on pre-treatment contrast-enhanced CT of colorectal cancer liver metastases: prediction of response to bevacizumab-containing chemotherapy according to RECIST 1.1 (SS 1816), B-0990
- Ravaud A.**  
Characterisation and treatment of renal tumours: new paradigms: Impact of imaging in targeted therapy of metastatic renal cancer: the oncologist's opinion (MS 11), A-297
- Reede D.L.**  
Tailoring head and neck examinations to the clinical symptoms (part 2): A. Horner's syndrome (CC 1619), A-545
- Reekers J.A.**  
Radiology: opportunities and threats: Chairman's introduction (PC 3), A-025
- Reekers J.A.**  
Renal artery denervation in the management of resistant hypertension: Procedural technique and clinical results (SF 7a), A-172
- Regier M., Seiwerts C., Henes F.O., Kooijman H., Sauter G., Adam G., Budaeus L.**  
Discrimination of benign and malignant lymph nodes in prostate cancer: diameter measurement vs DWI, ADC mapping or signal intensity at T2w-STIR? (SS 507), B-0347
- Regier M., Tahir E., Schmidt-Holz J., Behzadi C., Marschall R.P., Catala-Lehnen P., Müllerleile K., Adam G., Lund G.K.**  
Assessment of left ventricular functional and morphological adaptation in professional soccer players using cardiac MR (SS 603a), B-0494
- Regulski P.A., Szopiński K., Nowiński K.**  
Automatic assessment of the occlusal plane on panoramic radiographs. (SS 605), B-0427
- Rehani M.M.**  
Launch of ESR EuroSafe Imaging Campaign: dealing with challenges of radiation protection: ESR EuroSafe Imaging Campaign (ESR Radiation Protection Session), A-126
- Reichert M., Sertdemir M., Moursy M., Scharf H.P., Attenberger U.I., Schönberg S.O., Bludau F.**  
Usefulness of slice encoding metal artefact correction for reducing metal artefact after spinal instrumentation (SS 1710), B-0807
- Reicht I., Simons D., Fangerau M., Meinzer H., Sassenberg A., Yen K., Schlemmer H.-P.**  
Mobile DICOM viewing applications facilitate multicenter radiology (SS 105), B-0144
- Reimer P.**  
Contrast media safety: update: Chairman's introduction (RC 807), A-205
- Reis C.S.D., Gonçalves J., Klompmaker C., Bárbara A., Bloor C., Hegarty R., Lagrange T., Temming N., Sønnesyn M., Røkeness H., Yamasathien A., Hogg P.**  
Image quality and dose analysis in PA chest x-ray: comparison between AEC and manual mode acquisition using the 10 kVp rule (SS 114), B-0137
- Reis C.S.D., Oliveira M.F., Pascoal A., Pascoal A., Alves J.**  
Failure on clinical image quality criteria in digital mammography: how can radiographers do better? (SS 214), B-0274
- Reiser M.F.**  
Radiology: opportunities and threats: Interdisciplinary cooperation without losing identity (PC 3), A-029
- Reiter G., Reiter U., Kovacs G., Schmidt A., Olschewski H., Fuchsäger M.H.**  
Towards non-invasive haemodynamic assessment of pulmonary hypertension (SS 603a), B-0497
- Reiter U., Reiter G., Kovacs G., Schmidt A., Olschewski H., Fuchsäger M.H.**  
MR 4D flow-based estimation of pulmonary arterial wedge pressure (SS 603a), B-0496
- Remy-Jardin M., Gutberlet M.**  
Right heart morphology and function: Chairman's introduction (SF 4), A-102
- Remy-Jardin M.**  
Right heart morphology and function: Right heart and chronic respiratory diseases: can CT be used as a one-stop-shop? (SF 4), A-105
- René A., Aufort S., Si Mohamed S., Gallix B.**  
Optimising RECIST reading using dedicated software (SS 105), B-0142
- Rengier F., Delles M., Eichhorn J., Azad Y., von Tengg-Kobligk H., Kauczor H.-U., Unterhinninghofen R., Ley S.**  
Quantification of aortic pressure gradients by 4D flow MRI in patients with repaired aortic coarctation: comparison to echocardiography (SS 1712), B-0796
- Rengier F., Delles M., Eichhorn J., Azad Y., von Tengg-Kobligk H., Kauczor H.-U., Unterhinninghofen R., Ley S.**  
Noninvasive quantitative 4D pressure difference mapping derived from 4D flow MRI shows alterations in patients with repaired aortic coarctation (SS 1712), B-0799
- Rengo M., Dharampal A., Das M., Kock M., Niezen A., van Tilborg F., Caruso D., Nieman K., Krestin G.P.**  
CT coronary angiography: effect of iodine concentration on vascular attenuation: the CT-CON multicentric study preliminary results (SS 1703), B-0774
- Rengo M.**  
Radiology and obesity: Imaging of modern surgical procedures and their complications (SA 8), A-214
- Repussard J.**  
Launch of ESR EuroSafe Imaging Campaign: dealing with challenges of radiation protection: Current challenges for radiation protection research in Europe (ESR Radiation Protection Session)
- Restaino G.**  
Female imaging: how I do it?: A. Imaging female congenital anomalies (RC 1207), A-362
- Reuther G.W., Röhner U., Will T., Dehne I., Peteretz U.**  
CT-guided screw fixation of vertical sacral fractures in local anaesthesia using a standard CT (SS 1309), B-0739
- Revel M.-P.**  
Diagnosis of pulmonary embolism when CTA is indeterminate or unfeasible: A. Radiological approach: ultrasound and MR imaging (MC 724), A-150
- Revel M.-P.**  
Pulmonary arterial hypertension: B. CT in pulmonary artery hypertension (RC 1604), A-523
- Revelli M., Puppo C., Paparo F., Piccazzo R., Astengo D., Bacigalupo L., Pascariello A., Binda G.A., Rollandi G.A.**  
Diagnostic accuracy of MR vs rigid rectoscopy in assessing the extraperitoneal location of rectal cancers (SS 601a), B-0399
- Riddell A.M.**  
Oesophageal and gastric cancer: C. Assessment after treatment (CC 1621), A-520
- Ridder K.**  
High image quality with lower dose mammography (SY 5)
- Riederer S., Weavers P.T.**  
Automated selection of optimum acceleration parameters for highly accelerated 3D contrast-enhanced MR angiography (SS 1713), B-0862
- Riedl C.C., Slobot E., Jochelson M.S., Weber W.A., Ulaner G.A.**  
FDG PET-CT staging of breast cancer in young women (SS 1716), B-0823
- Rieger M.**  
ER: basic principles - polytrauma: feel your own pulse first!: C. Whole-body CT: dose reduction and data handling (RC 717), A-155
- Rimola J.**  
Cross-sectional imaging of colitis: C. The role of cross-sectional imaging in colonic inflammatory bowel disease (RC 301), A-008
- Rimola J.**  
Inflammatory bowel disease: C. Colitis (CC 1321), A-394
- Rimola J.**  
Changes of the gastrointestinal tract after treatment: B. Non-tumoural intestinal diseases (E<sup>3</sup> 1720), A-569
- Ringe K.I., Meyer S., Wacker F., Raatschen H.**  
Value of oral effervescent powder administration for multidetector CT evaluation of oesophageal cancer (SS 901b), B-0631
- Robben S.G.F.**  
Normal variants in paediatric imaging: not to be confused with disease: B. Chest and abdomen (RC 1412), A-419
- Robben S.G.F.**  
Childhood abdominal emergency 2014: the dos and don'ts: The acute abdomen: US is the answer (SF 15c), A-488
- Rocha C.S.P., Preira G.A., Ribeiro M.M.C.P., Sousa P., Silva R.**  
Magnetic resonance quantification of iron in basal ganglia using SWI technique (SS 1314), B-0683
- Rockall A.G.**  
Female imaging: how I do it?: B. PET-CT in the female pelvis: how I do it? (RC 1207), A-363
- Rodrigues J.C.L., Joshi D., Lyen S., Negus I., Manghat N.E., Hamilton M.**  
Minimising dose in test bolus CT pulmonary angiography (CTPA): can tube potential be routinely lowered to 80 kVp during contrast monitoring? (SS 604), B-0435
- Rodrigues J.C.L., Murphy P., Hamilton M., Manghat N.E.**  
Transcatheter aortic valve implantation (TAVI) for severe aortic stenosis: the significance of non-vascular incidental pathology at CT angiography and the impact on outcome (SS 903), B-0609
- Rodríguez Treviño C., Tanus-Hajj J.**  
Oncology imaging in Mexico: Introduction (EM 4), A-386

# Authors' Index

**Roduit N., Strgar T., Ratib O.**  
DICOM-SandBox, an open communication platform for collaborative research (SS 105), B-0145

**Roemer F.W., Jomaah N., Niu J., Almusa E., Roger B., D'Hooge P., Tol J., Geertsema C., Guermazi A.**

Ligamentous injury patterns and risk of associated tissue damage in athletes with ankle sprain (SS 210), B-0190

**Roemsing J., Azzouz M., Thomsen H.**  
Can a structured questionnaire identify patients with reduced renal function? (SS 1306), B-0755

**Roethke M.C.**  
Tumour response assessment in clinical practice: Emerging biomarkers for response assessment: pros and cons (SA 15), A-482

**Rofe C.J., van Beek E.J.R., Hirani N., Murchison J.T., Nania A., Connell M., Mirsadraee S.**  
Sources of variability in the quantification of CT perfusion of the lung in patients with idiopathic pulmonary fibrosis (IPF) (SS 604), B-0432

**Rohde S.**  
Dental imaging: Dental MRI (SF 14c), A-456

**Romanos-Zapata R.S., Danfors T., Wikström J., Raininko R.**  
Differential diagnosis of therapy-related changes and recurrent intracranial tumours using perfusion MRI and methionine PET (SS 611), B-0485

**Ros P.R.**  
Colorectal cancer liver metastases: assessing tumour response: Chairman's introduction (RC 1901b), A-590

**Rosamond T., Wetzel L., Stanojevic D., Genton R., Tadros P., Gilroy R.**  
The cost-effectiveness of cardiac CTA for the detection of significant coronary artery disease in patients undergoing pre-operative liver transplantation evaluation (SS 1703), B-0778

**Rosenhek R.**  
The role of imaging in the cardiac patient: Assessing acute chest pain (EM 3), A-280

**Rossi A.**  
The paediatric brain: not just a small brain: B. Patterns of white matter disease in children (RC 411), A-088

**Rossi A.**  
Normal variants in paediatric imaging: not to be confused with disease: A. Brain (RC 1412), A-418

**Rostovtseva T., Ezhova R., Ananieva N.**  
Gender and age aspects of hippocampal anatomy in MDD patients compared to healthy volunteers using methods of MR morphometry (SS 911), B-0600

**Rovira-Cañellas A., Auger C.**  
Ruling out disease: a radiologist's headache?: B. Radiologically isolated syndrome: silent MS? (RC 1911), A-598

**Rowley H.A.**  
CNS emergencies: A. CNS trauma and neurovascular injury (MC 522), A-123

**Rowley H.A., Smits M.**  
CNS emergencies: C. Interactive case discussion (MC 522), A-125

**Rowley P.A., Field A., Simcock E., Munoz Del Rio A., Rowley H.A.**  
Unexpected brain MRI findings in research volunteers (SS 511), B-0354

**Rozhkova N., Tyurin I.E.**  
Crossroads of diagnostic imaging in the big country: Introduction: Russian radiology today (EM 1), A-113

**Rozhkova Z.Z., Omelchenko O.M.**  
Alterations of the regional cerebral metabolism and dysfunction of the resting state default mode network (RS DMN) in patients with Parkinson's disease (PD) and different level of cognitive impairment (CI): 1H MRS and fMRI study (SS 1711), B-0858

**Rubbert C., Kohan A.A., Vercher-Conejero J.L., Herrmann K.A., Muzic R.R.F.J., Ros P.R., Faulhaber P.F.**  
Alignment of abdominal organs in a sequential PET/MRI (SS 901a), B-0539

**Rud E., Klotz D., Rennesund K., Svindland A., Baco E., Eri L., Eggesbø H.**  
Preoperative MRI improves the surgical outcome in patients with non-palpable prostate cancer in a randomized study (SS 507), B-0342

**Runge J.H., Akkerman E.M., Nederveen A.J., Stoker J.**  
Success rate of three MRI protocols for liver iron measurements (SS 501), B-0363

**Rutten M.J.C.M.**  
3D automated breast ultrasound: accuracy and diagnostic potentials (SY 2)

## S

**Saade C.**  
OptiBolus™ in rare and unusual indications (SY 13)

**Saade C., Hourani M.**  
Complex contrast injection protocol reduces inflow streak artefacts at the cervico-thoracic junction during computed tomography of the thorax (SS 504), B-0306

**Saade C., Hourani M.**  
A reduced contrast volume acquisition regimen based on cardiovascular dynamics reduces radiation dose during carotid MDCT angiography (SS 1811a), B-0936

**Saade C., Hourani M.**  
Patient-specific contrast protocol based on cardiovascular dynamics reduces radiation dose during intra-cranial MDCT angiography (SS 1811a), B-0937

**Saam T., Willner M., Bamberg F., Habbel C., Herzen J., Schueller U., Hipp A., Pfeiffer F., Hetterich H.**  
Quantitative x-ray phase-contrast Hounsfield units for the differentiation of carotid atherosclerotic plaque components (SS 1815), B-1038

**Saba L., Montisci R., Sanfilippo R., Piga M., Suri J., Genovese E.A.**  
Analysis of association between carotid artery plaque volume and cerebral microbleeds (SS 211), B-0236

**Saba L., Montisci R., Sanfilippo R., Piga M., Genovese E.A.**  
Is there an association between leukoaraiosis volume and diabetes? (SS 911), B-0593

**Saba L., Raz E., Bassareo P.P., Argiolas G.M., Suri J., Piga M.**  
Carotid artery dissection in CT: does the colour improve the diagnostic confidence of the readers? (SS 1815), B-1041

**Sabharwal T.**  
Thoracic nonvascular interventions: A. Lung biopsy (RC 1209), A-372

**Sacarea I., Weber F., Maune S., Wustrow J., Zölligh A., Müller-Hüenthal J.**  
The value of F18-FDG PET/CT in the diagnosis of CUP syndrome: a retrospective study (SS 1716), B-0829

**Sacconi B., Argirò R., Iannarelli A., d'Adamo E., Rosignuolo M., Romagnoli E., Cipriani d., Bezzi M., Catalano C., Diacinti D.**  
Preoperative detection of parathyroid adenomas with 3T MRI in patients with hyperparathyroidism (SS 1708), B-0818

**Sachs A.**  
The role of social media in radiology: Impact of social media on the training of radiologists (PC 11), A-304

**Sack I.**  
Elastography as a new tool: Principles of US and MR elastography (SF 16e), A-553

**Saez F.**  
Normal variants in paediatric imaging: not to be confused with disease: C. Musculoskeletal (RC 1412), A-420

**Saida T., Shiotani S., Kobayashi T., Mori K., Nasu K., Ishikawa H., Ichimura H., Minami M.**  
Steady-state free-precession sequence in differentiating lung cancer from adjacent atelectasis (SS 1704), B-0786

**Sailer A.M.H., de Haan M.W., de Graaf R., van Zwam W.H., Wildberger J.E., Schurink G.-W.H., Das M.**

Fusion image guidance in endovascular peripheral artery interventions (SS 115), B-0111

**Sailer A.M.H., de Haan M.W., Peppelenbosch A.G., Jacobs M.J.H.M., Wildberger J.E., Schurink G.-W.H.**  
CTA with fluoroscopy image fusion guidance in endovascular complex aortic aneurysm repair (SS 909), B-0612

**Sala E.**  
Pitfalls in female pelvic imaging: A. Pitfalls in MRI (E³ 420a), A-056

**Sala M., de Roos A., van den Berg A., Altmann-Schneider I., Slagboom E., Westendorp R., van Buchem M., de Craen A., van der Grond J.**  
Microstructural brain tissue damage in metabolic syndrome (SS 111), B-0094

**Salamon J., Bannas P., Busch J.D., Herrmann J., Adam G., Mautner V.F., Derlin T.**  
18F-FDG PET/CT for characterization of peripheral nerve sheath tumours in patients with neurofibromatosis type 1: intratumoral heterogeneity of tracer uptake as new parameter (SS 1716), B-0828

**Salamon J., Bannas P., Busch J.D., Herrmann J., Adam G., Mautner V.F., Derlin T.**

Tumour-to-liver ratio is superior to a SUVmax cut-off for detection of malignant peripheral nerve sheath tumours in neurofibromatosis type 1 (SS 1816), B-0985

**Saleem H., Rana A.I., Jehangir M., Kiani E.M.**  
Importance of supply of right inferior phrenic artery to segment VIII hepatocellular carcinoma for trans-arterial chemoembolisation (SS 509), B-0380

**Salsano M., Candusso M., Torre G., Soglia G., Pietrobattista A., Grimaldi C., Tomà P., de Ville de Goyet J., Monti L.**  
Role of noninvasive acoustic radiation force impulse imaging to predict complications in post-liver transplanted paediatric patients (SS 1312), B-0742

**Salvador R.**  
Breast ultrasound: C. The use of ultrasound in the evaluation of the nipple-areolar complex (RC 302), A-032

# Authors' Index

## Sanne J.-L.

Biomedical image analysis: novel tools in neurodegenerative disease and breast cancer: Horizon 2020: Improving diagnosis and medical interventions and support to medical imaging (BIA Session), A-053

## Santos A., Blanco C., Paulo G.

Evaluation of the impact of specific training in the reduction of the radiography examination errors (SS 1314), B-0690

## Santos J., Foley S., Paulo G., McEntee M., Rainford L.A.

Optimisation of paediatric head computed tomography examinations: an experimental and clinical approach (SS 914), B-0621

## Santos J.

Evidence-based practice in medical imaging: a tool to improve the quality of care: B. Justification and optimisation in medical imaging (RC 1114), A-325

## Santos M.R.D., Silva A., Rocha N., Couto P.S.

DICOM metadata-mining in PACS for computed radiography x-ray exposure analysis: a mammography multisite study (SS 214), B-0276

## Sapoval M.

Renal artery denervation in the management of resistant hypertension: Resistant hypertension and sympathetic nervous system (SF 7a), A-170

## Sardanelli F.

Mentoring in radiology: Evidence-based radiology: the basics (ESOR Session), A-141

## Sardanelli F.

Evidence-based radiology, comparative effectiveness research, and health technology assessment: Evidence-based imaging (SF 15b), A-484

## Sardanelli F.

Identifying patients that can benefit from MRI (SY 11)

## Sastray A., Nayak S.

Endovascular stenting of extra-cranial internal carotid artery or vertebral artery occlusions in the management of acute stroke (SS 909), B-0620

## Sato Y., Matsushima S., Inaba Y., Yamaura H., Kato M., Ishiguchi T.

Preoperative estimation of remnant liver function using contrast-enhanced ratio following percutaneous transhepatic portal embolisation on Gd-EOB-DTPA-enhanced MRI (SS 1809), B-1047

## Saude J.M.

Assessment of psychosocial risks faced by radiographers in Portugal using the Copenhagen psychosocial questionnaire (SS 1814), B-1057

## Scaglione M.

Polytrauma: redefining imaging issues for management priorities: A. Chest and abdomen (RC 817), A-200

## Scagliori E., Panunzio A., Evangelista L., Nannini N., Calabrese F., Pomerri F., Polverosi R.

Conflicting or complementary role of computed tomography (CT) and positron emission tomography (PET)/CT in the assessment of thymic cancer and thymoma (SS 1304), B-0657

## Schabel C., Bongers M., Mangold S., Ketelsen D., Claussen C.D., Thomas C.

Fully integrated CT detector technology: evaluation of dose reduction potential (SS 113), B-0101

## Schabel C., Bongers M., Mangold S., Claussen C.D., Thomas C.

Effectiveness of an automated tube potential selection tool in contrast enhanced thoracic staging CT examinations (SS 604), B-0433

## Schaefer-Prokop C.M.

Pulmonary vasculitis and systemic diseases: C. HRCT patterns in pulmonary vasculitis (RC 304), A-013

## Schaefer-Prokop C.M.

Chest emergencies: B. Non-traumatic thoracic emergencies (MC 622), A-137

## Schaefer-Prokop C.M.

Thoracic emergencies: B. Pulmonary (E<sup>3</sup> 1520), A-458

## Schäffeler C., Waldt S., Bauer J.S., Kirchhoff C., Haller B., Rummeny E.J., Imhoff A.B., Woertler K.

Capsular laxity in atraumatic multidirectional instability of the shoulder: value of MR arthrography including abduction and external rotation images (SS 110), B-0044

## Schalekamp S., Schaefer-Prokop C.M., Karssemeijer N., van Ginneken B.

Double reading improves detection of small lung tumours in chest radiographs: can a computer aided detection system replace the second reader? (SS 605), B-0419

## Schalekamp S., van den Berk I.A.H., Hartmann I.J.C., Snoeren M.M., Odink A.E., Pegge S.A.H., Schijf L.J., Karssemeijer N., Schaefer-Prokop C.M.

Bone suppressed images improve pulmonary fungal infection detection in chest radiographs (SS 604), B-0438

## Schelhorn J., Theysohn J.M., Erle J., Schlaak J.F., Müller S., Bockisch A., Lauenstein T.C.

Selective internal radiation therapy of hepatic tumours: is coiling of the gastroduodenal artery always beneficial? (SS 1809), B-1045

## Scheurlen K., Schnitzer A., Krammer J., Kaiser C., Schönberg S.O., Wasser K.

Is galactography still state of the art in patients with nipple discharge? An online survey among german breast care centers and a review of the literature (SS 102b), B-0079

## Schima W.

European Diploma in Radiology: and the beat goes on!: Who really needs a European Diploma in Radiology? (EDiR Session), A-328

## Schima W.

Oesophageal and gastric cancer: D. Interactive case discussion (CC 1621), A-521

## Schimmöller L., Quentin M., Arsov C., Buchbender C., Seif Amir Hosseini A., Rabenalt R., Albers P., Antoch G., Blondin D.

Validation of MRI sequences for PI-RADS

scoring based on targeted MR-guided in-bore biopsy (SS 107), B-0087

## Schlemmer H.-P.

Imaging of the prostate for radiotherapy: Radiologist point of view: clinical and technical requirements for imaging of the prostate (EF 1), A-223

## Schlemmer H.-P.

Multiparametric MRI for prostate cancer management: the essential guide for radiologists: Chairman's introduction (RC 416), A-065

## Schmaranzer F., Kogler M., Reichkendler M., Schmaranzer E.

Improving sensitivity of conventional MR arthrography in detection of arthroscopically confirmed lig. teres lesions subsequent to FAI by adding axial leg traction (SS 1710), B-0801

## Schmidt S.

Cross-sectional imaging of colitis: A. Which protocol to use? (RC 301), A-006

## Schneider M.J., Nikolaou K., Cyran C., Reiser M.F., Dietrich O.

Diffusion-weighted MR imaging and volume measurements in assessment of early tumour response to antiangiogenic therapy (SS 916), B-0575

## Schoepf U.J.

Encore. The outlook. (SY 4)

## Scholtz J., Wichmann J.L., Kaup M., Frelesen C., Beeres M., Lehnert T., Vogl T.J., Kerl J., Bauer R.W.

First experience with a novel time-saving method for automatic labelling and curved multiplanar reconstructions for spinal CT (SS 105), B-0141

## Schönberg S.O.

Molecular imaging and targeted-image guided therapy in gastrointestinal stromal tumours: Introduction to the MITIGATE concept (MITIGATE Session), A-272

## Schröder F.H.

Multiparametric MRI for prostate cancer management: the essential guide for radiologists: A. The clinical arena: when and how to treat prostate cancer (RC 416), A-066

## Schuele S., Garbe C., Eigenthaler T., Pfannenberg C.

The influence of 18F-FDG PET/CT on therapy management of patients with malignant melanoma stage III/IV: survival analysis after 5 years of follow-up (SS 1716), B-0827

## Schueller G.

Vascular: emergent, not urgent!: Chairman's introduction: highlighting the benefits of minimally invasive procedures in vascular emergencies (RC 417), A-069

## Schueller G.

Polytrauma: redefining imaging issues for management priorities: B. Spine and pelvis (RC 817), A-201

## Schueller-Weidekamm C.

How I do and report: C. MRI of the hand (RC 1410), A-423

## Schuknecht B.F.

Stroke: diagnosis, mimics and treatment: Chairman's introduction (RC 1211), A-350

## Schulz A., Vilktil E., Godt J.C., Johansen C.K., Dormagen J.B., Holtedahl J.E., Labori K.J., Bach-Gansmo T., Klöw N.E.

Diagnostic performance of liver imaging in patients with suspected colorectal liver metastases: the superiority of MRI (SS 1801a), B-0926

## Schütz U.H.W., Ehrhardt M., Schoss D., Reiner A., Göd S., Brix M., Trattnig S., Beer M., Billich C.

Biochemical imaging and morphological analysis of the lower extremity joint cartilages of 44 ultra-marathoners with a mobile MRI during a 4500 km trans-continental-run (SS 1310), B-0664

## Schütz U.H.W., Billich C., Beer M., Machan J.

Longitudinal follow-up of changes regarding specific body tissue composition of 44 ultra-marathoners with a mobile whole body MRI during a 4,500 km trans-continental-run (SS 1310), B-0666

## Schwaiger M.

Hybrid cardiovascular imaging: where should we go?: A. PET/CT: present state and future prospects (RC 303), A-015

# Authors' Index

- Schwarz F., Zinsser D., Lange P., Greif M., Reiser M.F., Kupatt C., Becker C.R.**  
CT-angiography of the aortic annulus for prosthesis sizing in TAVI: comparison of predictive values of major anatomic parameters (SS 903), B-0610
- Sconfienza L.M.**  
Shoulder imaging and intervention: US-guided interventions of the shoulder (SF 16a), A-517
- Screaton N.J.**  
Right heart morphology and function: RV and prognosis in pulmonary thromboembolic disease (SF 4), A-106
- Screaton N.J.**  
Pulmonary arterial hypertension: A. An overview of pulmonary artery hypertension (RC 1604), A-522
- Secchi F., Spairani R., Petrini M., Messina C., Cartia F., Di Leo G., Sardanelli F.**  
Myocardial MR spectroscopy (MRS) as early indicator of athlete's heart and hypertrophic cardiomyopathy (SS 603a), B-0492
- Sechopoulos I., Ali E., Badal A., Badano A., Boone J., Mainegra-Hing E., McMillan K.L., Rogers D.W.O., Turner A.**  
Monte Carlo reference data sets for imaging research: results of the American Association of Physicists in Medicine (AAPM) task group no. 195 (SS 1813), B-1027
- Seddon B.**  
Gastrointestinal stromal tumours (GIST): A. Pathology and treatment options (CC 1521), A-462
- Sencha A.N., Patrunov Y., Sergeeva Y.**  
Difficulties in the performance of ultrasound elastography of thyroid malignancies (SS 1708), B-0813
- Serrao E.C.P.M., Kettunen M.I., Rodrigues T.B., Dzien P., Gallagher F.A., Tuveson D., Brindle K.**  
Detection of early precursor lesions of pancreatic cancer using hyperpolarized [1-13C]pyruvate (SS 606), B-0521
- Seuri R.**  
Doing good not harm - understanding audit and its role in reducing patient dose: External regulatory audit in Finland (PC 13), A-402
- Seyal A.R., Gonzalez-Guindalini F.D., Parekh K., Nikolaidis P., Yaghmai V.**  
What does FDG-PET activity tell us about morphological changes in colorectal liver metastasis treated with bevacizumab? (SS 116), B-0064
- Seyal A.R., Parekh K., Agrawal R., Grant T.H., Goodwin A., Yaghmai V.**  
Determining the lowest radiation dose parameters for virtual CT bronchoscopy: how low can we go? (SS 1704), B-0790
- Sharia M., Shirjaev G.**  
MRI-proton spectroscopy in diagnosis of NADFL (SS 1701), B-0762
- Sharma A.K.**  
Role of 256-MDCT in evaluation of image quality and radiation dose in prospective gating in congenital heart diseases in infants (SS 603b), B-0514
- Sharma N., Langlands F., White J., Kearns O., Cheung S., Burns R., Horgan K., Dodwell D.**  
Contralateral breast cancer: incidence according to ductal or lobular primary phenotype: a large dual cancer registry-based study (SS 502), B-0337
- Shi G., Wang Y.**  
Preliminary study of low-tube voltage scan in evaluation of T-staging of rectal cancer with dual-source CT (SS 601a), B-0407
- Shi G., Yang L.**  
Dual-energy CT: relationship between iodine concentration in perigastric adipose tissue and serosa invasion for gastric cancer (SS 901b), B-0633
- Shi G., Xu Q.**  
The prognostic value of tumour volume and lymph node metastasis for oesophageal carcinoma (SS 901b), B-0640
- Sicignano C., Piscitelli V., Ferraioli M., Buono G., Generali A., Delehaye L.**  
TRICKS MRA in the follow-up of coiled aneurysms: preliminary evaluation (SS 1311), B-0718
- Sidhu P.S.**  
ARFI technique reproducibility and role in chronic liver disease: are we ready to replace liver biopsy? (SY 20)
- Sidhu P.S.**  
Are we using enough CEUS in clinical practice? Role in radiation dose reduction (SY 29)
- Siebert U.**  
Evidence-based radiology, comparative effectiveness research, and health technology assessment: State-of-the-art methods in EBR, CER, and HTA relevant to imaging (SF 15b), A-485
- Siemund R.**  
Advances in iterative model based reconstruction (SY 21)
- Sijbers J.**  
Novel developments in CT and their impact on dose: C. New image reconstruction techniques (RC 1113), A-316
- Silva M., Centra F., Colombi D., Rossi C., Sverzellati N., Bankier A.A.**  
Ground glass nodules: CT-epidemiological analysis of growth patterns (SS 104), B-0024
- Silva M., Kienzl D., Mueller-Mang C., Jakisch P., Klepetko W., Bankier A.A.**  
Quantitative CT in the follow up of functionally stable lung transplant recipients (SS 904), B-0542
- Silva M., Centra F., Colombi D., Ampollini L., Carbognani P., Rossi C., Sverzellati N.**  
Ground glass nodules evolution according with an history of tumour (SS 1704), B-0789
- Singh A., Cai W., Saini S., Harris G.**  
Investigating changes in tumour volumes for defining limits for stable disease by total tumour volumetry criteria in therapy response assessment of hepatocellular carcinoma (SS 116), B-0063
- Sinitsyn V.E.**  
Live interactive cases (SY 31)
- Sinitsyn V.E., Sharp P.**  
Imaging of the prostate for radiotherapy: Welcome address (EF 1), A-222
- Sinnatamby R., Herbert A., Garnett S., Beattie C., Lavelle J., Lyburn I., Maxwell A.J.**  
Does a false positive recall for assessment deter women from subsequent breast screening? (SS 502), B-0336
- Sirin S., Schlamann M., Metz K.A., Bornfeld N., Holdt M., Schweiger B., Nensa F., Temming P., Goericke S.L.**  
High-resolution MRI using orbit surface coils vs conventional MRI in the evaluation of metastatic risk factors in children with retinoblastoma (SS 511), B-0349
- Sirin S., Kathemann S., Schweiger B., Hahnemann M., Forsting M., Lauenstein T.C., Kinner S.**  
MR colonography including diffusion-weighted imaging (DWI) in children and adolescents with inflammatory bowel disease (IBD): do we really need intravenous contrast? (SS 1801b), B-0975
- Skaane P.**  
Emerging breast imaging technologies: A. Digital breast tomosynthesis (DBT) (RC 1902), A-594
- Skehan S.**  
Colorectal cancer liver metastases: assessing tumour response: B. Morphological biomarkers (RC 1901b), A-592
- Skerl K., Thomson K., Whelehan P., Vinnicombe S.J., Evans A.J.**  
Which ultrasound shear wave elastography parameter gives the highest diagnostic accuracy for solid breast lesions? (SS 102b), B-0071
- Sklair-Levy M.**  
Follow-up of local treatments of breast cancer: A. MRI-guided HIFU therapies in the breast (CC 1618), A-557
- Skornitzke S., Fritz F., Klauß M., Pahn G., Grenacher L., Kauczor H.-U., Stiller W.**  
Evaluation of the effectiveness of rigid and deformable motion-correction algorithms with regard to CT-perfusion measurements in abdominal organs affected by breathing motion (SS 205), B-0283
- Smith C.**  
Image-guided breast biopsy: C. MRI-guided biopsy (E<sup>3</sup> 720b), A-165
- Smits M.**  
Functional and multimodality neuroimaging: C. Advanced MR neuroimaging techniques (RC 306), A-020
- Smits M.**  
CNS emergencies: B. CNS non-traumatic emergencies (MC 522), A-124
- Smits M.**  
Assessment of brain perfusion with arterial spin labelling (ASL): The use of ASL in non-vascular brain disease (SF 14a), A-431
- Soenen O., Zanca F., Balliauw C., De Wever L., Oyen R.**  
Urinary stone disease: dose and image quality in low dose CT with and without automatic tube current modulation, with and without iterative reconstruction (SS 113), B-0108
- Soikher E., Adam S., Shmueli H., Berliner S., Sagiv Y., Meilik A., Amitai Y., Bendet U., Aviram G.**  
Decreased left atrial volume predicts higher mortality in patients with acute pulmonary embolism (SS 504), B-0302
- Solyanik O., Dettmer S., Kaireit T., de Wall C., Wacker F., Shin H.**  
Voxel-to-voxel analysis of inspiration-expiration CT datasets for detection of pathologic air trapping in lung transplant patients: comparison to the threshold-based method in expiration (SS 1804), B-0948
- Sommer C.M., Vollherbst D.F.J., Zelzer S., Wachter M.F., Aulmann S., Stampfli U., Pereira P.L., Kauczor H.-U., Radeleff B.A.**  
Irreversible electroporation (IRE) in an acute porcine liver model: effect of previous transarterial embolization with iodised oil (TAEio) on technical parameters, CT 3D rendering of the electroporation zone, and histology (SS 109), B-0130

# Authors' Index

- Sommer G., Schubert T., Heye T., Nickel M.D., Horger W., Kiefer B., Merkle E.M.**  
Performance of fat-suppression in large field-of-view 3D T1w gradient echo imaging of the body using a 3T system with improved magnetic field homogeneity (SS 1713), B-0863
- Sorensen J.**  
Pitfalls in FDG PET/CT imaging: Inflammation (SF 3), A-040
- Sorrentino S.A., Peperhove M.J., Kaireit T., Strehlow J., Ruehaak J., Wacker F., Vogel-Claussen J., Shin H.**  
A virtual two-dimensional cardiac phantom for calculation of regional left ventricular strain using non-rigid image registration (SS 503), B-0292
- Sosa-Lozano L.A.**  
Oncology imaging in Mexico: Abdominal imaging in oncology (EM 4), A-387
- Sosna J.**  
Novel applications of spectral detector CT (SY 21)
- Sousa Pereira J., Rosado E., Bali M.A., Metens T., Chao S., Demetter P., Matos C.**  
Pancreatic neuroendocrine tumours: correlation between histogram analysis of apparent diffusion coefficient MRI maps and tumour grade (SS 201a), B-0157
- Sowemimo I., Siddique M., Connor S., McGurk M., Yip C., Guerrero-Urbano T., Gourtsoyianni S., Cook G., Goh V.J.**  
Assesment of global and locoregional heterogeneity of primary squamous cell carcinoma of the head and neck: association with treatment response and clinical outcome (SS 508), B-0394
- Spearman J.V., Meinel F.G., Schoepf U.J., Krazinski A.W., Apfaltrer P., McQuiston A.D., Canstein C., De Cecco C.N., Geyer L.L.**  
Evaluation of epicardial adipose tissue using CT angiography: evaluation of a prototype software (SS 503), B-0293
- Staab W., Bergau L., Dorenkamp M., Obenauer S., Hinojar R., Lotz J., Sohns C.**  
Intracardiac thrombus and masses in patients with CAD: CMR versus TTE (SS 603b), B-0519
- Stacul F.**  
Contrast media safety: update: C. Contrast medium-induced nephropathy and new guidelines (RC 807), A-208
- Stadler A.**  
Practical approach to cardiovascular risk stratification with CT and MRI: A. Modern views on value of coronary calcium scoring for risk assessment (RC 1903), A-606
- Stahre E., Sablayrolles J.-L.**  
Sharing GE CT vision and future (SY 28)
- Stankovic Z., Markl M., Semaan E., Wasielewski M., Carr M., Barker A., Carr J., Collins J.**  
The impact of field strength and contrast administration on liver haemodynamics at k-t accelerated 4D flow MRI (SS 601b), B-0414
- Stefanova M., Kratochwil C., Afshar-Oromieh A., Mavriopoulou E., Mier W., Schwartz L.H., Haberkorn U., Giesel F.L.**  
Assessment of <sup>68</sup>Ga DOTATOC uptake in neuroendocrine cancer patients undergoing PRRT to improve therapeutic stratification - a retrospective response analysis (SS 1806), B-1070
- Steidling C., Kolditz D., Roessler A., Kalender W.A.**  
Quantitative assessment of the spatial dependence of non-stationary high-contrast spatial resolution, low-contrast detectability, and noise behaviour in 3D imaging of the breast (SS 1813), B-1028
- Stenberg B., McNeill M.A.F., Elliott S.T.**  
Renal transplantation: 3D quantification of perfusion defects using contrast enhanced ultrasound, and its clinical significance (SS 1707), B-0843
- Sterzik A., Staehler M., Casuscelli J., Karpitschka M., Schwarz F., Reiser M.F., Graser A.**  
Early antiangiogenic effects of multikinase inhibitors in patients with metastatic renal cell cancer using dynamic contrast enhanced CT: initial results of a pilot study (SS 1307), B-0707
- Stöhlen F.**  
MR vacuum assisted biopsies and contrast injection optimisation (SY 1)
- Stojanov D., Ljubisavljević S., Vojinović S., Stojanović I.**  
Association of MR findings and serum bilirubin and uric acid levels changes during neuroinflammation in patients with initial and relapsed demyelisation attacks (SS 1811b), B-1014
- Stojanovic S.**  
A guided tour of radiology in Serbia: Interlude: Hop-on, hop-off sightseeing tour of Serbia (EM 2), A-252
- Stoker J.**  
Inflammatory bowel disease: B. Small bowel disease (CC 1321), A-393
- Stoker J.**  
Misses and difficulties in abdominal imaging: Chairman's introduction (RC 401), A-058
- Stoopen-Rometti M.E.**  
Oncology imaging in Mexico: Interlude: Origins and development of radiology in Mexico (EM 4), A-390
- Stork A.**  
Breast tomosynthesis in diagnostic work-up (SY 17)
- Stosic-Opincal T.**  
A guided tour of radiology in Serbia: Interlude: Radiology in Serbia at a glance (EM 2), A-250
- Stowe J.G., Curran K.M.**  
Suppression of the CT beam hardening streak artefact using predictive correction on detector data (SS 113), B-0105
- Stranzinger E., Bähler A., Neverhagen J.T., Ziebarth K., Kohlhof H.**  
3D ultrasound of the femoro-patellar articulation in newborns (SS 1312), B-0749
- Streitparth F., Walter A., Stolzenburg N., Freyhardt P., Gebauer B., Hamm B., Günther R.W.**  
Image-guided perarterial ethanol sympatheticolysis for renal denervation: a feasibility study in pigs (SS 109), B-0124
- Stroie R.O., Londero V., Gualano A., Girometti R., Zuiani C., Bazzocchi M.**  
Role of targeted-ultrasoundography in further assessing incidentally detected breast lesions at dynamic magnetic resonance imaging (SS 602), B-0464
- Suchá D., Willemink M.J., de Jong P.A., Schilham A.M.R., Leiner T., Symersky P., Budde R.P.J.**  
The impact of a novel iterative model-based reconstruction algorithm on prosthetic heart valve related artifacts at reduced radiation dose multidetector-row CT (SS 205), B-0281
- Sudarski S., Apfaltrer P., Nance J.W., Meyer M., Fink C., Schönberg S.O., Henzler T.**  
Dual source dual-energy CT in patients with advanced gastrointestinal stromal tumour: image quality and accuracy of hepatic metastasis detection with virtual monoenergetic imaging (SS 516), B-0314
- Sueoka-Aragane N., Kobayashi N., Bonnard E., Charbonnier C., Oubel E., Yamamichi J., Mizobe H., Kimura S.**  
RECIST management at investigator sites: evaluation of a cloud-based quality control of imaging evaluations in clinical trials (SS 105), B-0143
- Sukupova L.**  
Radiation doses to patients in interventional cardiology procedures (SS 1813), B-1025
- Sulkowska K., Palczewski P., Sawicka M., Golebiowski M.**  
Contrast enhanced MR angiography of renal arteries in living kidney donors - comparison with CT-angiography (SS 515), B-0374
- Sulkowska K., Palczewski P., Golebiowski M.**  
Diffusion-weighted magnetic resonance imaging of kidneys in healthy volunteers and living kidney donors (SS 1707), B-0846
- Sun R., Durdux C., Bauer P., Bourillon C., Cuendet C.A.**  
MRI characteristics of anal carcinoma: analysis in a cohort of 51 patients (SS 901b), B-0639
- Suntharalingam S., Nassenstein K.**  
Virtual monochromatic spectral image reconstruction in dual energy CT angiography and its use to reduce iodine load (SS 215), B-0251
- Suo S., Chen X., Wu L., Fan Y., Yao Q., Xu J.**  
Non-Gaussian water diffusion kurtosis imaging of prostate cancer (SS 107), B-0082
- Suo S., Chen X., Fan Y., Wu L., Yao Q., Xu J.**  
Histogram analysis of apparent diffusion coefficient in urinary bladder lesions: correlation with pathological findings (SS 607), B-0477
- Suomalainen A.**  
Dental imaging: Review of dentomaxillofacial anatomy with panoramic views and cone-beam CT (SF 14c), A-454
- Šurlan Popović K.**  
How to perform and read a head and neck study (part 2): A. CT and MR perfusion study of the head and neck (CC 1119), A-311
- Suzuki C., Blomqvist L.C.O., Guren T.K., Tveit K.M., Glimelius B.**  
The tumour response assessed with CT at 8 weeks from start of first-line chemotherapy correlates with overall survival in metastatic colorectal cancer (SS 116), B-0066
- Sverzellati N.**  
Take a deep breath and hold: why and why not: A. New insights into COPD on HRCT (RC 1904), A-577
- Sychenkova I., Rubtsova N.**  
Possibilities of diffusion-weighted magnetic resonance imaging in detection of peritoneal dissemination in case of recurrent ovarian cancer (SS 916), B-0572
- Sys G.M.L.**  
Multidisciplinary approach for detection and treatment of malignant primary bone tumours: Surgical approach of malignant primary bone tumours (MS 3), A-024
- Szczerbo-Trojanowska M.**  
Imaging follow-up of vascular interventions: Chairman's introduction (SF 16d), A-548

# Authors' Index

## T

**Tabone J., Aquilina D., Zarb F.**

Optimisation of the CT kidney ureter bladder protocol (SS 914), B-0625

**Tacelli N.**

Lung cancer: staging and personalised imaging in 2014: B. Pre and post-treatment tumour assessment (RC 1204), A-342

**Tacelli N., Hutt A., Santangelo T., Murphy C., Remy-Jardin M., Remy J.**

Is bronchial imaging affected by temporal resolution? Comparative evaluation at 140 and 75 ms in 90 patients (SS 1804), B-0950

**Tack D., Howarth N.**

Common and uncommon errors in plain film and CT imaging of the chest: how to improve your performance (E<sup>3</sup> 1420), A-406

**Tacke J.**

Imaging and intervention in acute ischaemic stroke: A. Acute stroke imaging (RC 815), A-229

**Tagliafico A., Bignotti B., Astengo D., Martino L., Signori A., Tagliafico G., Calabrese M.**

Breast density percentage assessment using a 3T MRI system: comparison amongst sequences using IDEAL (iterative decomposition of water and fat with echo asymmetry and least squares estimation) sequences as reference standard (SS 1702), B-0834

**Tahvonen P., Oikarinen H., Niinimäki J., Tervonen O.**

The effect of active referral guideline implementation on the number and justification of spine radiographs in municipal health centres in one city (SS 610a), B-0453

**Takechi M., Tsuda T., Koiwahara G., Tanaka H., Mochizuki T.**

Utility of hepatobiliary phase in the Gd-EOB-DTPA-enhanced MR imaging in the differentiation of simple steatosis and nonalcoholic steatohepatitis. (SS 501), B-0360

**Takx R.A.P., Vliegenthart R., de Koning H.J., van Ginneken B., Mali W.P.T.M., Oudkerk M., Leiner T., de Jong P.A.**

Prognostic value of spirometry and pulmonary CT biomarkers for cardiovascular events in a lung cancer screening setting (SS 104), B-0030

**Talei Franzesi C.R.G.L., Ippolito D., Bonaffini P.A., Fior D., Minutolo O., Sironi S.**

Feasibility study of CT-angiography with low kV settings and ultra low-contrast medium volume in the assessment of thoracic and abdominal aorta disease (SS 215), B-0255

**Talei Franzesi C.R.G.L., Ippolito D., Bonaffini P.A., Minutolo O., Colombo M., Sironi S.**

Added value of functional MRI with diffusion-weighted imaging (DWI) and ADC map in characterisation of undetermined adrenal lesions: comparison with chemical shift imaging (SS 1807), B-1002

**Tanaka C.**

New micro angiographic system for evaluation therapeutic effects of C-kit positive cardiac stem cells (SS 503), B-0295

**Tanghe H.**

Skull base lesions: imaging studies and differential diagnosis: C. Posterior cranial fossa pathologies (RC 1108), A-323

**Tanter M.**

The Ultrafast ultrasound revolution: current and future applications (SY 3)

**Tanus-Hajj J.**

Oncology imaging in Mexico: Modern issues in oncologic ultrasound (EM 4), A-391

**Tarasenko A., Iasakova E.**

The role of the radiographer in image acquisition and processing: MDCT in polytrauma patients: the radiographers' role (EM 5), A-271

**Tardivel A., Balleyguier C.S., Canale S., Delaloge S., Mazouni C., Mathieu M., Dromain C.**

Added value of contrast-enhanced spectral mammography (CESM) as part of a one stop breast unit (SS 102a), B-0058

**Tardivon A.**

MRI of the breast: B. MRI of the postoperative breast (E<sup>3</sup> 620), A-134

**Tavares Ó., Simões H., Castro Costa J., Cantante E., Santos M.**

Acoustic noise in MRI (SS 1714), B-0894

**Taylor A.M.**

Right heart morphology and function: Role of cardiac CT and MRI in assessment of RV in congenital heart disease (SF 4), A-103

**Taylor K., Vandersluis H., Britton P., Wallis M.G.**

Non-biopsy or follow-up of presumed fibroadenomas in patients under 30 years of age: is it safe? Four years experience in a single unit and review of European practice (SS 102b), B-0076

**Taylor S.A.**

Cross-sectional imaging of colitis: Chairman's introduction (RC 301), A-005

**Taylor S.A.**

Inflammatory bowel disease: D. Interactive case discussion (CC 1321), A-395

**Tayyab M., Subhani M., Karim R., Razia E.T., Razack A.**

Does tumour size matter? Correlation of rectal tumour volumes with oncological outcomes in low rectal cancers (SS 601a), B-0406

**Tazhibaev D., Abishev B.**

Usage of uterine artery embolization in obstetrical practice (SS 1809), B-1050

**Teh J.**

How I do and report: A. MRI of the hip (RC 1410), A-421

**Telesca M., Pediconi F., Ursu S., Luciani M., Casali V., Miglio E., Catalano C.**

Accuracy of 3T magnetic resonance imaging (3T MRI) with a high-relaxivity contrast agent in assessing treatment response in patients undergoing neoadjuvant chemotherapy (NAC) (SS 202), B-0215

**ter Haar G.**

Novel approaches to imaging and treatment: High intensity focussed ultrasound for the treatment of prostate disease (EF 2), A-257

**Testa F., Fraire D., Nyffenegger C., Baigi M., Lo Bello M.**

Role of oral contrast medium in x-ray defecography (SS 201b), B-0199

**Tewes S., Rodt T., Marquardt S., Evangelidou E., Wacker F., von Falck C.**

Comparison of a tablet-PC with a high-resolution display and a dedicated PACS workstation in emergency MDCT interpretation (SS 105), B-0146

**Teixeira P.A.G.**

A new reconstruction algorithm: single energy metal artefacts reduction (SEMAR), applied for evaluation of hip prostheses (SY 7)

**Thibault F.**

Update on BI-RADS: B. Ultrasound (RC 1402), A-433

**Thierfelder K.M., von Baumgarten L., Meinel F.G., Armburster M., Nikolaou K., Reiser M.F., Sommer W.H.**

Hypoplasia of the vertebral artery: impact on cerebellar blood flow and perfusion characteristics (SS 115), B-0119

**Thierfelder K.M., von Baumgarten L., Löchelt A.C., Meinel F.G., Nikolaou K., Beyer S.E., Patzig M., Reiser M.F., Sommer W.H.**

Diagnostic accuracy of whole-brain CT perfusion imaging in small-volume infarctions (SS 211), B-0238

**Thierfelder K.M., Meimarakis G., Nikolaou K., Sommer W.H., Schmitt P., Reiser M.F., Theisen D.**

Non-contrast-enhanced quiescent interval single-shot MR angiography at 3 Tesla in patients with advanced peripheral arterial occlusive disease (SS 515), B-0369

**Thoeny H.C.**

How to perform and read a head and neck study (part 2): B. MR diffusion study and how to interpret it (CC 1119), A-312

**Thomassin-Naggara I., Perrot N., Dechoux S., Chopier J., De Bazelaire C.**

Added value of one-view breast tomosynthesis combined with digital mammography according to reader experience (SS 502), B-0331

**Thomassin-Naggara I., Aubert E., Ballester M., Carette M., Darai E., Bazot M.**

Impact of ADNEXMR SCORING system on the clinical management of adnexal masses (SS 607), B-0476

**Thomsen H.S.**

Contrast media safety: update: B. Nephrogenic systemic fibrosis: from pathophysiology to recommendations (RC 807), A-207

**Thurnher M.M.**

Spine, cord and intervention: A. Intramedullary pathology (RC 1511), A-492

**Tielbeek J.A.W., Bipat S., Boellaard T.N., Nio C.Y., Stoker J.**

Training readers to improve their accuracy in grading luminal Crohn's disease activity on MRI (SS 201b), B-0192

**Timberg P.**

Technical optimisation of digital breast tomosynthesis for future breast screening (SY 5)

**Tkalčić L.**

MR enterocolonography: feasibility study (SS 1801b), B-0976

**Todua F., Gachechiladze D., Okujava M., Mimoshvili D.**

Brain structural and haemodynamic changes caused by methcathinone (ephedron) abuse (SS 115), B-0112

**Tolan D.J.M.**

Imaging the postoperative patient: B. Do I need to re-operate? Postoperative imaging and immediate complications (CC 1221), A-338

**Tomizawa N., Hayakawa Y., Nojo T., Nakamura S.**

Modified Morise score in predicting obstructive coronary artery disease prevalence at 64-row coronary CT angiography (SS 1703), B-0777

**Tonerini M.**

Bowel and mesenteric injuries in blunt abdominal trauma: the role of multidetector-CT for addressing a surgical approach (SS 1717), B-0876

**Tonyan A., Pronin I.N., Fadeeva L., Pitskhelauri D., Farrher E., Grinberg F., Kornienko V.**

Diffusion kurtosis imaging in grading of brain glioma malignancy (SS 611), B-0480

# Authors' Index

## Toomey R.

How important are state-of-the-art displays to radiology?: B. Is a smartphone all that is required? (RC 1214), A-380

## Torkzad M., Casta N., Bergman A., Ahlström H., Mahteme H.

Comparison between MRI and CT in prediction of peritoneal carcinomatosis index in patients undergoing peritoneal surgery in relation to the radiologist's experience (SS 216), B-0202

## Torres-Tabanera M., Pérez-Rodrigo S.

Multimodality breast imaging: B. Multimodality assessment of the breast following oncoplastic surgery (RC 1202), A-360

## Torresin A., Bortolato B., Brambilla M., Carbonini C., Colombo P., Minella M., Monti A., Parisotto M., Trombetta L.

Imaging of the prostate for radiotherapy: Cone beam computed tomography for treatment of prostate cancer (EF 1), A-225

## Tortora G.

Pancreatic neuro-endocrine tumours: Oncologist's point of view (MS 4), A-093

## Trampedach C.R., Ovesen C., Christensen A., Christensen H.

Leptomeningeal collaterals in patients with proximal middle cerebral artery occlusion are associated with shorter thrombus length and lower thrombus burden (SS 1311), B-0714

## Trampedach C.R., Ovesen C., Christensen A., Christensen H.

Leptomeningeal collaterals in patients with proximal middle cerebral artery occlusion are associated with milder stroke and better functional outcome after fibrinolysis (SS 1311), B-0715

## Trecate G., Agresti R., Valeri B., Sandri M., Capalbo M., Ferranti C., Vergnaghi D., Scaperrotta G., Panizza P.

Breast MRI and false negative invasive ductal carcinoma at our department (SS 1702), B-0836

## Tresoldi S., Magistrelli P., Pompili G., Rahali L., Cornalba G.

Detection and characterisation of myocardial fatty foci in patients affected by tuberous sclerosis complex using high-resolution computed tomography: a new diagnostic criteria? (SS 603b), B-0516

## Triadyaksa P., Handayani A., Willems T.P., Oudkerk M., Sijens P.E.

Inter-observer reproducibility improvement of myocardial iron T2\* calculation using CNR-optimised composite image (SS 1303), B-0726

## Trianni A., Farah J., Carinou E., Dabin J., Domienik J., Järvinen H., Negri A., Novak L., Knezevic Z.

European skin-dose trigger levels for interventional radiology and cardiology procedures (SS 1813), B-1026

## Triantopoulou C.

From my workstation: difficult cases on review: A. Pancreas (RC 1901a), A-573

## Tricaud E., Cornelis F., Grenier N.

Multiparametric magnetic resonance imaging to differentiate common subtypes of renal tumours (SS 1307), B-0701

## Trojanowska A., Trojanowski P.

What do I see? Clinical radiological interaction (part 2): A. Presurgical and postsurgical imaging: free flap reconstructions (CC 1419), A-439

## Tschauner S., Gübitz M., Marterer R., Weissensteiner S., Sorantin E.

European guidelines on paediatric chest x-rays: is our dedicated paediatric division able to fulfil the standards quantitatively and qualitatively? (SS 1812), B-0953

## Tsetis D.K.

How to perform venous sampling for endocrine disease: C. Inferior petrosal sinus sampling (RC 315), A-050

## Tsurumaru D., Miyasaka M., Nishimuta Y., Asayama Y., Nishie A., Kubo Y., Honda H.

Differentiation of early gastric cancer with ulceration and advanced gastric cancer using multiphasic dynamic multidetector CT (SS 901b), B-0637

## Turmel-Rodrigues L.

Dialysis fistula: imaging and intervention: C. Treating the thrombosed access (RC 715), A-196

## Tyrrell P.N.M.

The treated spine and joints: A. Imaging of the postoperative spine (E<sup>3</sup> 920a), A-246

## Tyurin I.E.

Crossroads of diagnostic imaging in the big country: Tuberculosis in Russia: a challenge for a national radiological service (EM 1), A-116

## Tyurin I.E., von Tengg-Kobligk H.

Multisystemic malignancies in organ-based radiology: Chairmen's introduction (SF 16b), A-525

## Tyurin I.

Clinical guidelines and practical contrast media usage (SY 26)

## U

## Uberoi R.

Dialysis fistula: imaging and intervention: A. Assessment of vascular access malfunction (RC 715), A-194

## Uberoi R.

Basics of arterial PTA/stent (MC 25C), A-265

## Ueda T., Tsunoda H., Arai H., Morishita E., Akaike G., Arai S.

Improved detection of architectural distortion in digital mammography using distortion-weighted image (DiWI): a new mathematical image-filtering technique by the pinwheel-framelet processing method (SS 502), B-0334

## Uglow E.B., Parsai A., Bouchareb Y., Szyszko T.

Comparison of PET fused with MR, PET/CT and MR alone in characterising hepatic lesions (SS 901a), B-0536

## Umutlu L., Wrede K., Moenninghoff C., Dammann P., Johst S., Forsting M., Schlamann M.

High-resolution TOF MRA at 7T versus DSA for assessment of arteriovenous malformations (SS 515), B-0371

## Umutlu L., Wrede K., Moenninghoff C., Johst S., Dammann P., Forsting M., Schlamann M.

7T vs 1.5T TOF MRA for assessment of intracranial aneurysms: the more Tesla, the better? (SS 515), B-0377

## Umutlu L., Fischer A., Forsting M., Ladd M., Maderwald S., Kraff O., Lauenstein T.C.

TOF MRA versus ultra-low-dose contrast-enhanced MRA at 7T (SS 1706), B-0909

## Umutlu L., Fischer A., Hense J.,

Lauenstein T.C., Forsting M., Ladd M.,

Kraff O., Schlamann M.

7 Tesla MRI goes clinical: imaging Glioblastoma multiforme at 7T versus 3T (SS 1816), B-0983

## Uno M., Ishida M., Nakayama R., Ito T., Goto Y., Ichikawa Y., Nagata M., Kitagawa K., Sakuma H.

Combined assessment of stress myocardial perfusion MRI and iterative super-resolution whole-heart coronary MR angiography in detecting coronary artery disease (SS 203), B-0161

## Unterhinninghofen R., Doll S., Rengier F., Talanow R., Kirsch J., Dillmann R., Kauczor H.-U., Giesel F.L.

Web-based interactive 3D visualisation of CT image data on tablet computers for educational purposes (SS 105), B-0150

## Urbach H., Meyer P.T.

Neuroimaging in dementia: C. Molecular imaging: when is it needed? (RC 1611), A-544

## Usov W.Y., Bobrikova E.E., Vusik E.A., Bogunetsky A.A., Lukyanenok P.I., Goltsov S.G.

Contrast paramagnetic enhancement of coronary atherosclerotic lesions as extension of CE-MRI of the heart (SS 515), B-0375

## Usov W.Y., Bogunetsky A.A., Babokin V.E., Belyanin M.L., Goltsov S.G., Filimonov V.D.

Use of high-relaxity paramagnetic complex Mn-DCTA as contrast agent for simultaneous MR-coronarography and contrast-enhanced MRI of the heart (SS 1706), B-0904

## V

## Vadapalli R., JS S., Panigrahi M.

"White matter choking signs" for diagnosis of focal cortical dysplasia on 3T MR imaging: retrospective analysis of 165 cases with multi-modality metabolic imaging and radio pathological correlation (SS 511), B-0350

## Vag T., Heck M., Beer A., Schwaiger M., Souvatzoglou M., Eiber M.

Preoperative lymph node staging in patients with primary prostate cancer using diffusion-weighted magnetic resonance imaging and [11C] choline PET/CT: which method is better? (SS 507), B-0346

## Valbousquet Schneider L., Arnaud F., Peroux E., Potet J., Zins M.

Right colonic diverticulitis: clinical and CT characteristics in a large series of Caucasian patients (SS 1801b), B-0980

## Van Beers B.E.

Imaging biomarkers in cancer drug development: Chairman's introduction (SF 7b), A-176

## Van Beers B.E.

Imaging after systemic therapies: advanced techniques: A. What can we expect from biomarkers (CC 818), A-236

## Van Cauter S.

Innovations in neuro imaging on the new Philips 3T dStream platform (SY 25)

## Van Cauteren T., Buls N., Tanaka K., Verdries D., Van Gompel G., Nieboer K., Willekens I., Verfaillie G., De Mey J.

The impact of combining low-tube voltage scanning with iterative reconstruction on total iodine dose in coronary CT angiography (SS 1703), B-0776

## van Delden O.M.

Essentials of transcatheter embolisation: (MC 25E), A-571

# Authors' Index

- van den Berg R., Lenczner G., Feydy A., van der Heijde D., Reijnierse M., Saraux A., Claudepierre P.**  
Reading of the sacroiliac joints on plain radiographs in undifferentiated spondyloarthropathies: agreement between local reading and trained central reading in a cohort of 708 patients (SS 510), B-0328
- van den Hauwe L., Van Goethem J.W., Venstermans C., De Belder F., van der Zijden T., Voormolen M., Parizel P.M.**  
Pitfalls in brain imaging: A. CT (E<sup>3</sup> 1220), A-332
- van den Heuvel J.**  
Addressing today's challenges with next generation digital MR solutions (SY 25)
- van den Heuvel M.P.**  
The human connectome: a comprehensive map of brain connections: Connectomics in brain pathology (NH 7), A-158
- van der Heijden R.A., Poot D.H.J., Bron E.E., Klein S., Verhaar J.A.N., Bierma-Zeinstra S.M.A., van Middelkoop M., Kotek G., Oei E.H.G.**  
Dynamic contrast-enhanced MRI in patellofemoral pain syndrome: perfusion quantification of patellofemoral joint tissues (SS 1810), B-0964
- van der Lugt A.**  
Ruling out disease: a radiologist's headache?: C. Incidental findings: what to report and what not to report? (RC 1911), A-599
- van der Putten W.J.**  
Imaging of the prostate for radiotherapy: Ultrasound imaging in the treatment of prostate cancer (EF 1), A-224
- van der Waal D., van Gils C.H., Broeders M.J.M., den Heeten G.J.**  
Geographical variation in mammographic density distribution in the Netherlands (SS 1702), B-0832
- van Engelen A., van Dijk A.C., Truijman M.T.B., van 't Klooster R., van der Lugt A., Niessen W.J., Kooi M.E., de Bruijne M.**  
Automatic segmentation of atherosclerotic plaque components in different carotid MRI protocols (SS 605), B-0423
- van Engelen A., Wannarong T., Parraga G., Niessen W.J., Fenster A., Spence J.D., de Bruijne M.**  
Atherosclerotic plaque texture from 3D carotid ultrasound improves prediction of vascular events (SS 1815), B-1032
- Van Hecke W.**  
Diffusion MRI: everything you always wanted to know but never dared to ask: Processing and analysing diffusion MRI data (Joint Session of the ESR and ESMRMB), A-243
- Van Laere K.**  
Pitfalls in FDG PET/CT imaging: Neurology (SF 3), A-039
- van Landsveld-Verhoeven C.G.C.M., Timmers J.M.H., Broeders M.J.M., den Heeten G.J.**  
Mammographic positioning quality of newly trained vs experienced radiographers in the Dutch breast cancer screening programme (SS 214), B-0270
- Van Ongeval C.**  
Is DBT the new standard in the diagnostic imaging of the breast? How to implement DBT as a method in specialist training? (SY 5)
- van Putte-Katier N., van Ochten J., Bierma-Zeinstra S., van Middelkoop M., Oei E.H.G.**  
Magnetic resonance imaging findings after lateral ankle trauma in injured and contralateral ankles (SS 210), B-0189
- van Tiel J., Kotek G., Reijman M., Bos P.K., Klein S., Verhaar J.A.N., Krestin G.P., Weinans H., Oei E.H.G.**  
Delayed gadolinium-enhanced MRI of cartilage is superior to T1rho-mapping in measuring cartilage-sulphated glycosaminoglycan content: preliminary results of an in vivo validation study (SS 1310), B-0662
- van Tiel J., Siebelt M., Reijman M., Bos P.K., Waarsing J.H., Verhaar J.A.N., Krestin G.P., Weinans H., Oei E.H.G.**  
CT arthrography of the human knee to quantitatively measure cartilage biochemical composition: preliminary results of an in vivo validation study (SS 1310), B-0663
- van Tiel J., Kotek G., Reijman M., Bos P.K., Klein S., Verhaar J.A.N., Krestin G.P., Weinans H., Oei E.H.G.**  
Delayed gadolinium-enhanced MRI of the Meniscus (dGEMRIC) in patients with knee osteoarthritis: relation with meniscal degeneration on conventional MRI, reproducibility, and correlation with dGEMRIC (SS 1810), B-0968
- van Zelst J.C.M., Platel B., de Jong M., Tan T., Rutten M., Mann R.M., Karssemeijer N.**  
Evaluation of breast lesions with a spiculation and retraction severity index (SRSI) on coronal reconstructions of automated breast ultrasound improves differentiation between benign and malignant lesions (SS 602), B-0461
- Vancini C., Spina A., Totaro M., Pollastri V., Murri Dello Diago N., Raisi E., Rocchi A., Carnevale A., Giganti M.**  
Comparing accuracy of dimensional and attenuation based criteria in predicting clinical outcome in patients with renal cell cancer treated with antiangiogenetic targeted therapy (SS 116), B-0069
- Vande Berg B., Larbi A., Perlepe V., Malghem J., Lecouvet F.E.**  
Metabolic, endocrine and marrow disease (MC 26D), A-404
- Vandevenne C., Franck C., Bacher K., Ernst C., Breysem L., Smeets P., Van De Moortele K., De Backer A., Thierens H.**  
 $\gamma$ -H2AX foci as effect biomarker for CT radiation exposure in paediatric patients: an individualised approach to estimate radiation risks (SS 1812), B-0951
- Vandulek C.**  
How important are state-of-the-art displays to radiology?: Chairman's introduction (RC 1214), A-378
- Vandulek C., Biro G., Refi L., Toth L., Emri M., Repa I., Kovacs A.**  
A study of the psychological distress of fMRI volunteers (SS 1714), B-0895
- Vaño E.**  
IT tools for dose tracking and workflow optimisation: C. To identify pitfalls and support technique optimisation (RC 1513), A-500
- Vaño E.**  
Improving workflow efficiency and quality: C. Improving quality and efficiency of dose management through exchange between modalities and registries (RC 1605), A-567
- Vardas P.E.**  
The role of imaging in the cardiac patient: Introduction (EM 3), A-278
- Vasilevska Nikodinovska V., Vilanova K., Vanhoenacker F.M.H.M., Nöbauer-Huhmann I.**  
Frequency of MR parameters in soft tissue synovial sarcoma: comparison between different histopathologic type (SS 910), B-0563
- Vázquez E.**  
Paediatric emergencies: A. The acute non-traumatic neurological patient: CT or MRI? (RC 1212), A-344
- Veillon F.**  
How to perform and read a head and neck study (part 1): C. CT and MRI of temporal bone: user's guide (CC 819), A-228
- Velasco Díaz Y.P., Sanchez Fernandez J., Quispe Bravo J., Rivera Sierra G., Puyalto P., Aguilera C., Virumbrales Cancio M., Olazabal A.**  
Correlation between presurgical DTI-tractography motor tract definition and intraoperative evoked potentials assessment (SS 1713), B-0866
- Velonakis G., Filippiadis D., Mazioti A., Malagari A., Alexopoulos E., Kelekis N., Kelekis A.D.**  
Fluoroscopy-guided infiltration for pain reduction in patients with Baatarp disease: clinical experience and results (SS 109), B-0127
- Velonakis G., Filippiadis D., Mazioti A., Tsitskari M., Brountzos E., Kelekis N., Kelekis A.D.**  
Percutaneous vertebroplasty in adult degenerative scoliosis for spine support: study for pain evaluation and mobility improvement (SS 1309), B-0738
- Veltman J.**  
Clinical challenges in breast MRI: A. High-risk patients: establishing clinical protocols (RC 1102), A-299
- Venidiktova D., Borsukov A.V., Borsukova M.V.**  
Diagnostic capabilities of dual-energy x-ray absorptiometry in the diagnostic algorithm of the metabolic syndrome in patients with steatohepatitis (SS 601b), B-0415
- Verbiest B.**  
Tailoring head and neck examinations to the clinical symptoms (part 1): C. Facing problems of the face: facial pain, tics and palsy (CC 1519), A-497
- Verdries D., Brussaard C., Pipeleers L., Francois K., de Mey J.**  
NSaFe study: observational study on the incidence of nephrogenic systemic fibrosis (NSF) in renal impaired patients following gadoteric acid administration (SS 1306), B-0757
- Verlohr N., Haimerl M., Zeman F., Schlabeck M., Stroszczynski C., Fellner C., Wigermann P.**  
Assessing liver function by liver enhancement during the hepatobiliary phase with Gd-EOB-DTPA-enhanced MRI at 3 Tesla (SS 1701), B-0770
- Verstraete K.**  
Multidisciplinary approach for detection and treatment of malignant primary bone tumours: Chairman's introduction (MS 3), A-021
- Verstraete K.**  
Multidisciplinary approach for detection and treatment of malignant primary bone tumours: Imaging malignant primary bone tumours (MS 3), A-022
- Verstraete K.**  
Tumoural and pseudotumoural MSK lesions (MC 26B), A-130

# Authors' Index

Vieira-Leite M., López-Larrubia P.

Multiparametric characterisation of a rat model of glioblastoma by using MRI and 18F-FDG PET/CT images (SS 611), B-0488

Vikestad K.G.

Is it economically justifiable to let sonographers perform diagnostic ultrasound examination in the upper abdomen? A cost/benefit analyze from a hospital cluster in Norway (SS 1814), B-1056

Vilanova J.C.

Image-guided prostate biopsies: a paradigm shift: Chairman's introduction (SF 8), A-217

Vilaplana A., Vivancos J., Garcia M., Marin J., Perez B.

MRI findings in acute myocarditis and short-term clinical outcome (SS 1303), B-0723

Vilar J.

Pulmonary vasculitis and systemic diseases: B. Large-vessel vasculitis (RC 304), A-012

Vilela P.

Stroke: diagnosis, mimics and treatment: B. Stroke mimickers and pitfalls (RC 1211), A-352

Vilgrain V., Ronot M., Kerbaol A., Bruno O.

Pitfalls in abdominal imaging: A. Liver (E<sup>3</sup> 520a), A-111

Vilgrain V., Ronot M., Leporcq B., Lambert S., Van Beers B.E.

Radiology and obesity: Fat: where it shouldn't be (SA 8), A-215

Vilgrain V., Ronot M., Zappa M., Faivre S., Raymond E.

Assessing HCC response to ...: A. Systemic therapies (CC 1218), A-375

Vilgrain V., Vullierme M., Ruszniewski P., Sauvanet A.

Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: C. Anatomical imaging: transabdominal US, endoscopic US, MDCT and MRI: which is the most appropriate imaging approach? (RC 1416), A-427

Villanueva Marcos A.J., Paramo M.,

Zalazar R., García-Barquín P., Etxano J., Larrache J., Bastarrika G., Pueyo J.

Vertebral marrow enhancement in chest MDCT studies of oncology patients without superior vena cava obstruction (SS 516), B-0313

Viner M.D.

Child protection issues: raising awareness among medical imaging professionals: C. What to do if you find yourself being called to give evidence (RC 414), A-086

Vining D.J., Yang T., Salem U., Popovici C., Pitici A., Prisacariu A., Jurca M.

Structured reporting of CT colonography examinations to support national data registries and outcomes analyses (SS 1801b), B-0974

Vinnicombe S.J., Waugh S., Davis Z., Evans A.J.

Apparent diffusion coefficient measurements of breast tumours at routine breast magnetic resonance imaging: how reproducible are they? (SS 1302), B-0693

Vinnicombe S.J., Evans A.J., Hart K., Whelehan P.

Visual and automated volumetric assessment of mammographic density (MD): do measurements depend on the digital mammography unit? (SS 1702), B-0835

Vishnevskaya A., Kondratyev E., Tarbaeva N., Karmazanovsky G.G.

Brain CT perfusion: effective dose reduction by using hybrid iterative reconstruction and different low-dose protocols (SS 1811a), B-0933

Vliegenthart R.

Practical approach to cardiovascular risk stratification with CT and MRI: B. Prognostic value of coronary CTA (RC 1903), A-607

Vogl T.J.,

Introduction and OptiBolus™ basics (SY 13)

Vogl T.J.,

OptiBolus™ in liver and abdominal imaging (SY 13)

Vogl T.J., Scholtz J., Zangos S., Trojan J., Zacharowski K., Orsi F., Ferruci P.

Chemosaturation with percutaneous hepatic perfusions (PHP) of melphalan for hepatic metastases: experience at two European centers (SS 109), B-0125

Vogl T.J., Qian J., Oppermann E., Imlau U., Tran A., Korkusuz H., Bechstein W.O.

Experimental study on transarterial administration of VEGF siRNA combined with transarterial chemoembolisation in rats with hepatocellular carcinoma (SS 509), B-0379

Vogl T.J., Trojan J., Göller M., op den Winkel M., Schott E., Welker M., Zangos S., Bechstein W., Zeuzem S.

Combination of Sorafenib and transarterial chemoembolisation (TACE) vs TACE vs Sorafenib protocol alone in advanced stage hepatocellular carcinoma (HCC): retrospective study at three German liver centers (SS 509), B-0387

Vogl T.J., Naguib N.N.N., Eichler K., Ackermann H., Freier V.

MR-guided laser-induced interstitial thermotherapy of liver metastases from breast cancer and other non-colorectal liver metastases: prognostic factors for overall survival and progression-free survival (SS 1309), B-0731

Vogl T.J., Zangos S., Trojan J., Naguib N.N.N., Nour Eldin N.

Ablation therapy of hepatocellular carcinoma (HCC): a comparative study between radiofrequency ablation (RFA) and microwave ablation (MWA) (SS 1709), B-0885

Vollmer I.

Thoracic nonvascular interventions: B. Percutaneous drainage of thoracic fluid collections (RC 1209), A-373

Volokhina Y., Beck S., Chien A.

Ultrasonographic diagnosis in rheumatoid arthritis: should only symptomatic joints be scanned? (SS 610b), B-0447

Von Falck C., Meyer B., Wacker F., Rosenthal H.

Ultra high-resolution C-arm CT arthrography: initial results in- and ex-vivo (SS 110), B-0049

von Schacky C., Bezire N., Kosanke Y., Kimm M., Aichler M., Rummeny E.J., Ntziachristos V., Meier R.

Optoacoustic imaging and staging of rheumatoid arthritis (SS 606), B-0527

Vorwerk D.

Imaging and intervention in acute ischaemic stroke: B. Indication for intervention (RC 815), A-230

Vrouwé J.P.M., Thawait G.K., Reijnierse M., Cohen D.B., Riley L.H., Kebaish K.M., Thakur U., Rao R., Carrino J.A.

Lumbar spine MRI findings predicting instability: a comparative study using flexion-extension radiography (SS 610a), B-0450

Vrouwé J.P.M., Thawait G.K., Haider M., Thawait S.K., Chabra A., Carrino J.A.

A clinical epidemiological imaging study of spinal segment variants in a non-symptomatic population (SS 610a), B-0451

## W

Waduud M., Ritchie M., Yadavali R., Lim S., Bhat R., Choong W., Ingram S., Cormack L., Moss J.

Endovascular aneurysm repair (EVAR): is imaging surveillance robust and does it influence long-term mortality? (SS 909), B-0611

Wagner T.

Emerging breast imaging technologies: C. High-resolution radionuclide breast imaging (PEM and molecular imaging) (RC 1902), A-596

Waldt S.

Shoulder imaging and intervention: MRI of the rotator cuff (SF 16a), A-516

Wallis M.G.

Mammography: A. Digital mammography: technique and quality assurance (E<sup>3</sup> 420b), A-077

Walz J.

The advantages and clinical Impacts of ShearWave™ elastography in prostate imaging (SY 3)

Wang F., Xue H., Han W., Fan Y., Qian W., Wu Z., Zhang Y., Jin Z.

Reduction of metal artefact from cobalt-chromium-molybdenum alloy hip prostheses in gemstone spectral imaging dual-energy CT with and without metal artefact reduction software (SS 1710), B-0809

Wang H., Guo Y., Li S.

Estimation of bladder carcinoma histologic grade with diffusion-weighted MR imaging (SS 607), B-0478

Wang J., Huang K., Zhuang Z., Chi J., Cheng J., Beilner J., Deuerling-Zheng Y.

Clinical application of dual-phase C-arm CT with a single injection to detect hepatocellular carcinoma and metastasis during hepatic arteriography (SS 516), B-0311

Wang L., Wang D.

MRI evaluation for residual diseases after the lumpectomy of malignant breast tumours (SS 202), B-0219

Wang L., Wang D.

A rim-enhanced mass with central cystic changes on MR imaging: how to distinguish breast cancer from inflammatory breast diseases? (SS 1702), B-0839

Wang M.Y., Gao B.J., Lv J.P.

The application research of CT single energy image fusion technology in hypervascular liver small lesions (SS 601b), B-0417

Wängler B.

Molecular imaging and targeted-image guided therapy in gastrointestinal stromal tumours: Molecular imaging and targeted endoradiotherapy: key methods to overcome TKI-resistances? (MITIGATE Session), A-273

Warin-Fresse K., Marrest D., Le gloan L., Defrance C., Delasalle B., Caza M., Guerin P.

Isolated left ventricular non-compaction: relationship between MRI criteria for non-compaction and clinical events (SS 603b), B-0517

Waszczyk L., Guziński M., Czarnecka A., Bladowska J., Sasiadek M.

Size-specific dose estimates (SSDE) for the evaluation of individual patient dose in CT protocol for renal colic (SS 213), B-0244

Waterton J.C.

Imaging biomarkers in cancer drug development: Qualification of imaging biomarkers in drug development (SF 7b), A-177

# Authors' Index

- Wattjes M.P.**  
Neuroimaging in dementia: B. Structural MRI and CT: beyond exclusion (RC 1611), A-543
- Weber M.A.**  
Multisystemic malignancies in organ-based radiology: Multiple myeloma (SF 16b), A-526
- Weber W.**  
Imaging biomarkers in cancer drug development: Quantitative nuclear medicine in drug development (SF 7b), A-179
- Weber W.**  
Imaging in precision medicine: Theranostics (NH 14), A-410
- Weber W.**  
Molecular imaging in oncology: A. New PET-tracers for oncology (RC 1906), A-603
- Weidner M., Zöllner F.G., Hagelstein C., Zahn K., Schaible T., Schad L., Schönberg S.O., Neff K.W.**  
High temporal versus high spatial resolution in MR quantitative pulmonary perfusion imaging of 2-year-old children after congenital diaphragmatic hernia repair (SS 1312), B-0743
- Weidner M., Hagelstein C., Diehm T., Schönberg S.O., Neff K.W.**  
Comparison of image quality and radiation dose measurements between an image-intensifier system and a solid-state detector system (SS 1813), B-1023
- Weir-McCall J., Dawson A., Fitzgerald K., Papagiorcopulo C., Lambert M., White R.D., Gandy S., Struthers A.M., Belch J.J.F., Houston J.G.**  
Left ventricular non-compaction: pathological or normal variant? (SS 603a), B-0493
- Weishaupt D.**  
Perianal fistula disease: all you need to know: D. Interactive case discussion (CC 1121), A-286
- Weishaupt D.**  
Peripheral nerve imaging: MRI and US: B. Upper limb nerve entrapment (RC 1210), A-348
- Weismann C.F.**  
Breast ultrasound: B. Complicated cysts and complex-cystic lesions: differentiation and management (RC 302), A-031
- Weismann C.F.**  
Breast US: B. US of the breast and axilla (E<sup>3</sup> 520b), A-121
- Weng K., Lao I., Mak C., Tzeng W.**  
The correlation study of visceral fat area and non-alcoholic liver disease in hepatocellular carcinoma (SS 601b), B-0409
- Wenkel E.**  
Place of breast MRI in diagnostic investigation of breast lesions (SY 6)
- Wetter A., Nensa F., Nassenstein K., Schlosser T., Lauenstein T.C., Forsting M., Schlamann M., Ruhlmann M.**  
Simultaneous [18F] FDG PET/MRI in patients with tumours of the head and neck region: initial results (SS 1806), B-1064
- Wetter A., Lippuner C., Nensa F., Schlosser T., Pöppel T., Lauenstein T.C., Nagarajah J.**  
Quantitative evaluation of bone metastases from prostate cancer with simultaneous (18F) choline PET/MRI: combined SUV and ADC analysis (SS 1806), B-1066
- Wheeler-Kingshott C.A.M.**  
Diffusion MRI: everything you always wanted to know but never dared to ask: Diffusion MRI: the bare basics (Joint Session of the ESR and ESMRMB), A-242
- Wichmann J.L., Beeres M., Borchard B.M., Naguib N.N.N., Bodelle B., Zangos S., Vogl T.J., Mack M.G., Eichler K.**  
MRI T1 treatment-monitoring during laser-induced thermotherapy of hepatic metastases for necrotic size prediction (SS 1309), B-0732
- Widmark A.**  
The interventional suite of 2014: responsibilities and challenges: B. Radiation risk and radiation protection considerations (RC 1514), A-505
- Wieczorek A.**  
Elastography as a new tool: Chairman's introduction (SF 16e), A-552
- Wiedemann B.**  
Gastro-entero-pancreatic neuro-endocrine tumours (GEP-NET): a multidisciplinary update: A. Tumour biology, pathogenesis and classification (RC 1416), A-425
- Wielputz M.O., Puderbach M., Kopp-Schneider A., Stahl M., Fritzsching E., Bieder J., Kauczor H.-U., Eichinger M., Mall M.A.**  
Early cystic fibrosis lung disease: monitoring changes in structure and perfusion and response to therapy with MRI (SS 1804), B-0949
- Wilczek B.**  
EASY study: integration of automated 3D breast ultrasound (ABUS) into the routine workflow of a high-volume hospital-based breast cancer screening program in Stockholm, Sweden (SY 17)
- Wildberger J.E.**  
Prelude. The recipe. (SY 4)
- Wildgruber M., Aichler M., Huber K., Kosanke K., Rummey E.J., Walch A.K.**  
Spatially resolved ex vivo quantification of a gadolinium-containing MR agent by matrix-assisted laser desorption ionization imaging: correlation to in vivo MRI (SS 606), B-0526
- Wildner S., Mittasch R., Semturs F., Kolmann C.**  
Technical quality assurance in mammasonography within the Austrian mammography-screening pilot project: concept and first results (SS 602), B-0466
- Willemin M.J., Vliegenthart R., Leiner T., Budde R.P.J., Bleys R.L.A.W., Das M., Prokop M., Buls N., de Jong P.A.**  
State-of-the-art CT scanners from four different vendors do not substantially affect coronary artery calcium risk classification in a large cohort (SS 903), B-0601
- Willer L., Havsteen I., Christensen A., Christensen H.**  
CT-verified leukoaraiosis as risk factor for post-thrombotic symptomatic haemorrhage (SS 211), B-0235
- Wilson D.J.**  
Percutaneous treatment of chronic back pain and sciatica: A. Sacroiliac joint syndrome (RC 809), A-233
- Wirth S., Muggenthaler M., Geyer L., Weber K., Mück F., Reiser M.F.**  
ER: basic principles - polytrauma: feel your own pulse first!: B. Polytrauma: choosing the right protocol (RC 717), A-154
- Wolfschmidt F., Platzer I., Manger S., Wurm T., Bley T., Kenn W.**  
Indication of whole-body multislice computed tomography in polytraumatised children (SS 117), B-0032
- Wolfschmidt F., Platzer I., Goltz J., Kenn W., Leyh R., Bley T., Kickuth R.**  
Accurate fluoroscopy-guided fenestration of aortic dissections using a conventional reentry catheter: first clinical experiences (SS 909), B-0615
- Wong Y., Wang L., Wu C., Chen H., Fu C.**  
Detection of blunt biliary injuries using hepatocyte-specific contrast-enhanced MR cholangiography (SS 117), B-0036
- Woo S., Cho J., Kim S., Kim S.**  
Differentiation of small (<4 cm) angiomyolipoma with minimal fat from non-clear cell renal cell carcinoma on biphasic MDCT (SS 1707), B-0844
- Woo S., Cho J., Kim S., Kim S.**  
Histogram analysis of apparent diffusion coefficient map of diffusion-weighted MR imaging in endometrial cancer: a preliminary correlation study with histological grade (SS 1816), B-0984
- Wuerfel J.**  
Elastography as a new tool: MR elastography of the brain (SF 16e), A-555
- 
- X**
- Xia W., Chen X., Li H.**  
Prostate cancer diagnosis using MR imaging: does PI-RADS better than conventional methods? (SS 107), B-0086
- Xuyuan J., Asbach P., Willerding G., Dulce M., Xu K., Taupitz M., Hamm B., Erb-Eigner K.**  
Dynamic contrast-enhanced magnetic resonance imaging of ocular melanoma (SS 208), B-0174
- 
- Y**
- Yaghmai V., Seyal A.R., Gonzalez-Guindalini F.D., Parekh K., Velichko Y., O'Donnell T.**  
Liver lesion margin intensity slope to distinguish cysts, responder and non-responder colorectal metastases following anti-angiogenic therapy (SS 1301), B-0673
- Yaghmai V., Gonzalez-Guindalini F.D., Seyal A.R., Parekh K.**  
Effect of reconstruction algorithm on semi-automated quantification of liver lesion size and density at MDCT (SS 1801a), B-0922
- Yamamura J., Grosse R., Schönnagel B., Keller S., Berliner C., Nielsen P., Adam G., Fischer R.**  
Bone microarchitecture in thalassaemia (SS 510), B-0323
- Yamamura J., Keller S., Schönnagel B., Schmidt T.M., Fischer R.**  
Postmortally developing of ADC measured with ex vivo DWI of the brain: a comparison study of in vivo and ex vivo (SS 511), B-0358
- Yang H., Yu A., Burghardt A., Link T., Li X.**  
Characterisation of metacarpal and radial bone in rheumatoid arthritis using high-resolution peripheral quantitative CT (SS 610b), B-0443
- Yang H., Rivoire J., Hoppe M., Link T., Li X.**  
Computer-aided and manual quantifications of MRI synovitis, bone marrow oedema, erosion and cartilage loss in rheumatoid arthritis (SS 610b), B-0448
- Yang H., Pedoia V., Rivoire J., Zhang Y., Kumar D., Link T., Ma B., Li X.**  
MR T1rho quantification of knee cartilage lesion: correlated with arthroscopic evaluation (SS 1310), B-0661

# Authors' Index

## **Yao Q., Hu X.**

Differential effect of right ventricular volume to left ventricular volume in children with repaired tetralogy of fallot (SS 1712), B-0794

## **Yao W.**

Quantitative assessment of biological expression and physiological imaging in the experimental osteoarthritis (SS 1810), B-0971

## **Yaroshenko A., Velroyen A., Bech M.,**

**Tapfer A., Müller M., Pauwels B.,**

**Bruyndonckx P., Sasov A., Pfeiffer F.**

Small animal imaging with a preclinical x-ray phase-contrast and dark-field scanner (SS 1813), B-1030

## **Yeap P.M., Budak M., Weir-McCall J.,**

**Szewczyk-Bieda M., Zealley I.**

Prevalence of significant findings on magnetic resonance enterography (MRE) beyond Crohn's (SS 201b), B-0200

## **Yoon G., Kim M., Huh J.**

Posttransplantation lymphoproliferative disorder (PTLD) of the chest: CT and FDG-PET/CT features in twelve adults (SS 1304), B-0658

## **Yoon J., Lee J., Lee K., Kiefer B., Kang M., Jang J., Kim S., Han J., Choi B.**

Preoperative assessment of the pancreatic fat fraction and fibrosis in patients who underwent pancreatectomy using breath-hold, T2\* corrected triple-echo Dixon water-fat separation and diffusion weighted imaging using intravoxel incoherent motion model (SS 201a), B-0158

## **Yoshida M., Nakano S., Fujii K., Kousaka J., Shiomi Y., Tetsuka R., Andou T., Imai T., Fukutomi T.**

The impact of real-time virtual sonography in the surgical management of breast cancer: a single-institution review (SS 602), B-0462

## **You S., Sung D., Han N., Park B., Kim M., Cho S.**

Estimation of postoperative renal function through virtually calculated renal cortical volume on CT in patients undergoing total nephrectomy (SS 1707), B-0842

## **Yousry T.A.**

Neuroimaging in dementia: A. Anatomy of the limbic system (RC 1611), A-542

## **Youssef A., Mahfouz Y., Refaat A., Rafaat T., Mahmoud E., EL Wakil M., Zaky I.**

Imaging features of childhood desmoplastic small round cell tumour (SS 1712), B-0798

## **Yudin A.L.**

Crossroads of diagnostic imaging in the big country: Interlude: An artistic view of CT (EM 1), A-119

## **Z**

## **Zaccagna F., Cavallo Marincola B., Napoli A., Boni F., Brachetti G., Bertaccini L., Catalano C.**

Primary pain palliation and local tumour control in bone metastases treated with MR-guided focused ultrasound (SS 209), B-0265

## **Zaccagna F., Boni F., Bertaccini L., Noce V., Anzidei M., Napoli A., Catalano C.**

Magnetic resonance-guided focused ultrasound surgery (MRgFUS) treatment of primary pancreatic and hepatic cancer: preliminary experience in tumour control (SS 209), B-0266

## **Zackrisson S., Lång K., Timberg P., Andersson I.**

Performance of one-view breast tomosynthesis versus two-view mammography in breast cancer screening: first results from the Malmö breast tomosynthesis screening trial (SS 502), B-0329

## **Zagloul H., Assiri Y., Almalki Y.E.,**

**El badawy S.**

The role of baseline 18 F-FDG PET/CT maximum SUV in predicting treatment outcome of patients with multiple or oligometastatic breast cancer (SS 216), B-0208

## **Zagoria R.J.**

Abdominal emergencies: B. The enemy within: non-traumatic abdominal emergencies (MC 722), A-167

## **Zagorski C.J., Forbes S.A., Jennings P.E., Soomal R., Smith S.L.**

Patient outcome after pulmonary radiofrequency ablation: a prospective analysis of results from a single centre (SS 1709), B-0883

## **Zahel T., Philipp V., Algül H., Rummeny E.J., Dobritz M.**

MDCT based volumetric analysis for evaluation of pancreas regeneration following distal pancreatic resection (SS 101), B-0006

## **Zahel T., Maurer T., Horn T., Rummeny E.J., Holzapfel K.**

Value of MDCT in the detection of lymph node metastases in patients with carcinoma of the urinary bladder: correlation of imaging and histopathological findings in 274 patients (SS 607), B-0479

## **Zahel T., Rummeny E.J., Holzapfel K.**

Assessment of response to chemotherapy in patients with liver metastases from colorectal cancer: value of diffusion-weighted MR imaging (SS 1301), B-0672

## **Zalazar R., Hernández M.D., Páramo M., Slon P., Millor Murunzabal M., Solorzano Rendón J., Ribelles M., Zubietra J., García de Eulate M.**

Prognostic value of apparent diffusion coefficient (ADC) values and its correlation with methylguanine-DNA-methyltransferase (MGMT) promoter methylation status on glioblastoma multiforme (GBM) (SS 611), B-0482

## **Zalazar R., Paramo M., Hernandez M., Etxano J., Garcia Barquin P., Dominguez P., Quiceno Arias H., Guillen E., Garcia de Eulate M.**

To analyse whether values of ADC have a correlation with survival and with epidermal growth factor receptor amplification in glioblastoma (SS 916), B-0573

## **Zalazar R., Paramo M., Sancho Rodriguez L., Hernandez M., Larrache J., Arbizu J., Garcia Veloso M., Villanueva A.**

Does new FDG-PET/CT64 show different uptake values than in previous PET scans in thyroid incidentalomas (TI)? (SS 1708), B-0817

## **Zamboni G.A., Ambrosetti M., Lombardo F., Contro A., Mansueto G., Pozzi-Mucelli R.**

HCC treated by TACE with iodized oil: is one-month follow up with MDCT predictive of treatment efficacy? A correlation with longer follow-up (SS 509), B-0386

## **Zamecnik P.**

Image-guided prostate biopsies: a paradigm shift: MRI definition of the target: the ESUR scoring system (SF 8), A-218

## **Zamogilnaya Y., Kochergina N., Bludov A., Nered A.**

Assessment of the preoperative chemotherapy of soft tissue sarcomas using anatomical and functional methods of visualisation (SS 910), B-0565

## **Zanca F., Coudyzer W., Bosmans I., Delabie A., Op de beeck K., Hermans R.**

Inner ear CT imaging: influence of iterative reconstruction techniques on dose and image quality (SS 908), B-0554

## **Zanetti M.**

The treated spine and joints: B. Imaging of joint replacement (E<sup>3</sup> 920a), A-247

## **Zarb F., Rainford L.A.**

Psychophysical evaluation of CT image quality using human observers and software analysis (SS 914), B-0623

## **Zarb F., Holm S., Rainford L.**

An investigation into the application of optimised CT protocols for head examinations across clinical centres in Malta and Denmark (SS 914), B-0624

## **Zarco F.X., Lopez A., Werner M.F., San Roman L., Blasco J., Amaro S., Chamorro Á., Oleaga L., Macho J.**

Acute basilar artery occlusion: a safety and efficacy single-centre study (SS 115), B-0116

## **Zbären P.**

Imaging laryngeal cancer: B. How to evaluate the post treatment larynx: clinical and histological alterations after initial treatment (RC 1908), A-601

## **Zeng X., Yuan H., Liu Y., Wang Z., Zhang H.**

Diffusion Kurtosis imaging at 3-T MR imaging for detection of individuals with depression and comorbid hypertension in depression (SS 911), B-0596

## **Zhang E., Wartelle C., Lepanto L., Tang A.**

Cost-utility analysis of nonalcoholic steatohepatitis screening (SS 601b), B-0418

## **Zhang F., Yang L.**

Knowledge-based iterative reconstruction technique allows for extreme low dose for cerebral and carotid CT angiography studies (SS 1811a), B-0932

## **Zhang F., Yang L.**

Both contrast medium dose and injection rate reduction in carotid-cerebral angiography with 256-slice MSCT: feasibility study of a new injection protocol for improving patient safety (SS 1811a), B-0938

## **Zhang J.**

Collateral classification by computed tomography in patients with coronary total occlusion and its relation with downstream myocardial infarction (SS 1703), B-0775

## **Zhang J., Geng D.**

Angiographic reconstructions from whole-brain perfusion CT for the detection of large vessel occlusion and recanalisation in acute stroke (SS 1311), B-0717

## **Zhang R., Gao B.J.**

Automatic tube voltage selection and combined SAFIRE reconstruction: the application research in the enhanced abdominal scan (SS 1801a), B-0923

## **Zikou A., Alexiou G., Tsioris S., Goussia A., Kosta P., Vourgaris S., Tsekris P., Fotopoulos A., Argyropoulou M.I.**

Comparison of diffusion tensor, dynamic susceptibility contrast MRI and 9<sup>99m</sup>Tc-Tetrofosmin brain SPECT for the detection of recurrent high-grade glioma (SS 611), B-0484

## **Zikou A., Kosmidou M., Astrakas L., Tzarouchi L., Tsianos E., Argyropoulou M.I.**

Brain involvement in patients with inflammatory bowel disease: a voxel-based morphometry and diffusion tensor imaging study (SS 1811b), B-1020

## **Barchetti F., Panebianco V., Zini C., Forte V., Elena I., Catalano C.**

The role of learning curves as a function of the expertise in the prostate MRI (SS 507), B-0340

# Authors' Index

**Zini C., Barchetti F., Forte V., Musio D.,**

**Catalano C., Panebianco V.**

3T diffusion tensor imaging (DTI) in the evaluation of periprostatic nerve bundle before and after radiation therapy (SS 507), B-0345

**Zini C., Barchetti F., Forte V., Bernieri M.,**

**Panebianco V., Catalano C.**

The role of combined 3T DWI with MRS in the differentiation of loco-regional recurrence from residual glandular tissue after radical prostatectomy (SS 507), B-0348

**Zini C., Panebianco V., Barchetti F., Musio D.,**

**Forte V., Catalano C.**

3T Diffusion tensor imaging (DTI) in the evaluation of periprostatic nerve bundle before and after radiation therapy (SS 1807), B-1007

**Zins M.**

Gastrointestinal stromal tumours (GIST): D.

Interactive case discussion (CC 1521), A-465

**Zins M.**

Pancreatic inflammation: A. Acute pancreatitis (RC 1601), A-529

**Zonneveld H.J., Goos J.D.C., Wattjes M.P.,**

**Prins N.D., Scheltens P., van der Flier W.M.,**

**Kuiper J.P.A., Muller M., Barkhof F.**

The prevalence of cortical superficial siderosis in a memory clinic population (SS 911), B-0598

**Zoubi T., Dziewas R., Minnerup J.,**

**Heindel W., Schwindt W., Niederstadt T.**

Identification of risk groups in mechanical thrombectomy using the pRESET stent-retriever: are there risk groups for procedure-related complications? (SS 1311), B-0719

**Zoumpoulis P.S.**

Normal values of liver and spleen stiffness measurements using shear wave elastography (SWE) (SS 1801a), B-0927

**Zurera L., Espejo J., Lombardo S., Canis M.,**

**Gilbert J., Villen C.**

Safety and mild-term permeability of

ePTFE-covered portosystemic shunts (TIPS) in children (SS 1309), B-0735